

**JOINT
NATURE
CONSERVATION
COMMITTEE**

**Checklist of birds
listed in the
CITES appendices**

JNCC REPORT

JOINT NATURE CONSERVATION COMMITTEE

Report distribution

Report Number:	No. 236
Contract Number/JNCC project number:	F71-12-332
Date received:	9 June 1995
Report title:	Checklist of birds listed in the CITES appendices
Contract title:	Revise Checklists of CITES species database
Contractor:	World Conservation Monitoring Centre 219 Huntingdon Road, Cambridge, CB3 0DL
Comments:	A further avian edition in the Checklist series begun by NCC in 1979, revised and brought up to date with current CITES listings
Restrictions:	None
Distribution:	- - -
JNCC report collection	2 copies
Nature Conservancy Council for England, HQ, Library	1 copy
Scottish Natural Heritage, HQ, Library	1 copy
Countryside Council for Wales, HQ, Library	1 copy
A T Smail, Copyright Libraries Agent, 100 Euston Road, London, NW1 2HQ	5 copies
British Library, Legal Deposit Office, Boston Spa, Wetherby, West Yorkshire, LS23 7BQ	1 copy
Chadwick-Healey Ltd, Cambridge Place, Cambridge, CB2 1NR	1 copy
BIOSIS UK, Garforth House, 54 Michlegate, York, YO1 1LF	1 copy
CITES Management and Scientific Authorities of EC Member States	total 30 copies
CITES Authorities, UK Dependencies	total 13 copies
CITES Secretariat	5 copies
CITES Animals Committee chairman	1 copy
European Commission DG XI/D/2	1 copy
World Conservation Monitoring Centre	20 copies
TRAFFIC International	5 copies
Animal Quarantine Station, Heathrow	1 copy
Department of the Environment (GWD)	5 copies
Foreign & Commonwealth Office (ESED)	1 copy
HM Customs & Excise	3 copies
M Bradley Taylor (ACPO)	1 copy

Joint Nature Conservation Committee

9190

**Checklist of birds
listed in the
CITES appendices**

compiled by the

World Conservation Monitoring Centre

Prepared under contract from the Joint Nature Conservation Committee by the World Conservation Monitoring Centre, Cambridge, UK. Established in 1988 as a company limited by guarantee with charitable status. WCMC is managed as a joint-venture between the three partners in the *World Conservation Strategy* and its successor *Caring For The Earth*: IUCN - The World Conservation Union, UNEP - United Nations Environment Programme, and WWF - World Wide Fund for Nature. The Centre provides information services on the conservation and sustainable use of species and ecosystems and supports others in the development of their own information systems.

Published by: Joint Nature Conservation Committee

Copyright: 1995 Joint Nature Conservation Committee

ISBN: 1st edition published 1986 ISBN 0-86139-356-2

2nd edition published 1990 ISBN 0-86139-601-4

3rd edition published 1993 ISBN 1-873701-45-4

4th edition published 1995 ISSN 0963-8091

Citation: World Conservation Monitoring Centre (1995). Checklist of birds listed in the CITES Appendices. Joint Nature Conservation Committee Report No. 236.

Further copies of this report available from:

David H.W. Morgan
International Policy Branch
Joint Nature Conservation Committee (UK CITES Scientific Authority)
Monkstone House
City Road
Peterborough PE1 1JY
United Kingdom

Tel: +44 1733 62626
Fax: +44 1733 555948

The designations of geographical entities in this report, and the presentation of the material, do not imply the expression of any opinion whatsoever on the part of JNCC or WCMC concerning the legal status of any country, territory, or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contents

Acknowledgements	i	Gruidae	63
Introduction	i	Rallidae	65
Explanatory notes	ii	Rhynochetidae	65
Introductory references	v	Otididae	66
Taxonomic list		CHARADRIIFORMES	69
STRUTHIONIFORMES	1	Burhinidae	69
Struthionidae	1	Scolopacidae	69
		Laridae	70
RHEIFORMES	1	COLUMBIFORMES	70
Rheidae	1	Columbidae	70
TINAMIFORMES	1	PSITTACIFORMES	74
Tinamidae	1	Psittacidae	74
SPHENISCIFORMES	1	CUCULIFORMES	103
Spheniscidae	1	Musophagidae	103
PODICIPEDIFORMES	2	STRIGIFORMES	105
Podicipedidae	2	Tytonidae	105
		Strigida	107
PROCELLARIIFORMES	2	APODIFORMES	124
Diomedeidae	2	Trochilidae	124
PELECANIFORMES	2	TROGONIFORMES	149
Pelecanidae	2	Trogonidae	149
Sulidae	2		
Fregatidae	3	CORACIFORMES	149
		Bucerotidae	149
CICONIIFORMES	3	PICIFORMES	151
Ardeidae	3	Capitonidae	151
Balaenicipitidae	5	Ramphastidae	152
Ciconiidae	5	Picidae	152
Threskiornithidae	6		
Phoenicopteridae			
ANSERIFORMES	9	PASSERIFORMES	153
Anatidae	9	Cotingidae	153
		Pitidae	153
FALCONIFORMES	15	Atrichornithidae	153
Cathartidae	15	Hirundinidae	154
Pandionidae	15	Muscicapidae	154
Accipitridae	16	Zosteropidae	154
Sagittariidae	48	Meliphagidae	154
Falconidae	48	Emberizidae	155
		Icteridae	155
GALLIFORMES	58	Fringillidae	155
Megapodiidae	58	Estrildidae	156
Cracidae	58	Ploceidae	161
Phasianidae	59	Sturnidae	167
		Paradisaeidae	167
GRUIFORMES	63	REFERENCES	171
Turnicidae	63	INDEX	199
Pedionomidae			

Digitized by the Internet Archive
in 2010 with funding from
UNEP-WCMC, Cambridge

Acknowledgements

This checklist was compiled by the World Conservation Monitoring Centre under contract F71-12-332 from the Joint Nature Conservation Committee. The authors were Tim Inskipp and Lorraine Collins.

The volume builds on earlier editions produced by the International Council for Bird Preservation (now BirdLife International), and the Nature Conservation Bureau. The numerous contributors to those editions are gratefully acknowledged, particularly the authors: John Norton, Simon Stuart and Timothy Johnson. David Denison provided a program to renumber the extensive reference list to this volume.

For their assistance in producing the current edition, the following WCMC staff are also thanked: Esther Byford, Mary Cordiner, Helen Corrigan, Lisa Grigg, Neil Jenking, David Kirk, Chris Magin, Jessica Pullen, Julie Reay and Rosemarie Warwick.

David Morgan of the JNCC International Policy Branch is thanked for providing expert advice and guidance throughout.

Timothy Johnson
Head, Species Unit
World Conservation Monitoring Centre
219 Huntingdon Road
Cambridge
CB3 0DL
United Kingdom

Tel: +44 1223 277314
Fax: +44 1223 277136
email: Tim.Johnson@wcmc.org.uk

Introduction

In April 1991, the Nature Conservancy Council for England, Countryside Council for Wales and Scottish Natural Heritage acting together through the Joint Nature Conservation Committee were appointed by the Secretary of State for the Environment as the United Kingdom's Scientific Authority for Animals under the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). CITES regulates international trade in wild animals and plants and in products derived from them, to help to ensure their conservation on a worldwide scale.

The purpose of this work is to provide a list of bird species appearing in Appendices I, II and III of CITES. This document incorporates additions and amendments to the CITES appendices up to and including those made at the 9th Conference of the Parties in Florida in November 1994 (effective from 16 February 1995). For each species a list of range states is given, together with general or specific references relating to its distribution and status. Conservation status is provided using Collar *et. al.* (1994) *Birds to Watch 2*. For the workings of CITES, Favre (1989) and Wijnstekers (1992) are recommended. For information by country on the diversity and status of birds and other taxonomic groups, and for a general review of biodiversity, readers are referred to WCMC (1992) and WCMC (1994).

In a publication of this nature, it is inevitable that users will discover entries that need correcting or updating. The publishers would be grateful if their attention could be drawn to these entries, and the World Conservation Monitoring Centre would be grateful to receive details of such changes so that they can be incorporated in the database from which this publication is produced.

Explanatory Notes

Scientific names

Following CITES practice, nomenclature of genera and species follows Sibley and Monroe (1990 and 1993) with genera and species arranged alphabetically within families. The nomenclature and sequence of families and higher taxa follows Morony, Bock and Farrand (1975). Scientific names of species in Morony *et al.* which differ from those in Sibley and Monroe (1990 and 1993) have been inserted as synonyms. The comprehensive index to families, genera, species and English, French and Spanish names should enable entries for taxa to be located quickly.

English names

These are primarily taken from Sibley and Monroe (1990 and 1993), but some other commonly used names are given as synonyms. Well-defined subspecies treated by some authors as separate species, are given in parentheses following the species name in this list. Corresponding English names are also given in parentheses to denote that the name refers only to a particular form of the species.

French and Spanish names

French names are primarily taken from Commission internationale des noms français des oiseaux (1993). Spanish names are taken from a number of standard reference works.

Other information

The three columns headed CITES, RL, and Ref, list the following information for each taxon.

CITES

I, II or III in this column refers to the appendix in which the taxon is listed under the Convention on International Trade in Endangered Species of Wild Fauna and Flora. The two-letter abbreviations following Appendix III entries denote the countries whose governments have placed the taxon in this appendix, as follows:

CO	Colombia
CR	Costa Rica
GH	Ghana

GT	Guatemala
HN	Honduras
MU	Mauritius
MY	Malaysia
NP	Nepal
TH	Thailand
UY	Uruguay

The CITES appendices include many species which are not threatened but which are considered 'look-alikes' for the purposes of international trade. Thus all Falconiformes and Strigiformes and virtually all Psittaciformes are included, together with the Otididae and Trochilidae. The situation is further complicated because Ghana has included in Appendix III several widespread and common species, such as *Bubulcus ibis*, *Streptopelia turtur* and *Ploceus cucullatus*.

RL

Threat categories follow those given in Collar *et al.* (1994), and are as follows:

Ex	Extinct
EW	Extinct in the wild
E	Endangered
V	Vulnerable
CD	Conservation dependent
DD	Data deficient
-	not listed: note this includes species which have not yet been evaluated for threatened status as well as those which have been evaluated and found not to be threatened

References

The numbers in the right-hand column refer to entries in the reference list at the end of the document. Many of these general works relevant to more than one country or concerned with particular groups of species. Single country avifaunas and more specific references have generally been inserted in brackets after the appropriate country in the listings for geographical range. Standard reference works for particular countries are listed in the references at the end of this section.

Geographical range

The geographical range of each taxon is given in terms of political units arranged alphabetically. Small island dependencies are also listed alphabetically. Where appropriate islands within groups are listed after a colon, e.g. 'Indonesia: Java'. The same principle applies whenever the distribution of a taxon is given in terms of smaller units than the country concerned.

Place-names and names of countries follow the *Times Atlas* (1990) and United Nations (1993).

It should be noted that, when a species is listed as occurring within a country, it may not occur throughout the country, and may be confined to only one or a few localities. This is particularly true for migratory species.

A question mark '?' has been used in front of a country to indicate that there is some uncertainty in the status of the species in that country. In the 'Breeding' section of each species account, especially with reference to African countries, it indicates that the species probably breeds in that country but this has not been proved.

A country where the species is known to be extinct is denoted by '(ex)', or by '(ex?)' where there is still a small possibility that the species survives, or where recent searches have been unsuccessful.

'[]' denotes a range state where the species has been introduced.

'?[]' denotes a range state where there is a possibility that the species has been introduced.

Each taxon is listed under three headings, as follows:

Breeding

Countries in which a species is known or presumed to breed. Much of the information on tropical species is based on sight evidence only, but such species are presumed to be breeding by virtue of their sedentary nature.

Non-breeding

Countries in which a species occurs as a regular non-breeding visitor or passage migrant.

Vagrant

Countries in which a species has been recorded, but only as a rare or irregular visitor.

Names of countries and dependent territories

This checklist has been made as compact as possible by listing some names of countries and dependent territories in the shorter forms given by United Nations (1993). Within the text, Czechoslovakia and Yugoslavia are used to denote the geographic areas as recognised by United Nations (1993). However, changes to the political boundaries within the former USSR have been incorporated in the geographic descriptions.

Countries for which shorter forms of names are used and their shortened form:

Brunei Darussalam	Brunei
Democratic People's Republic of Korea	D.P.R. Korea
Falkland Islands and Dependencies	Falkland Islands
Islamic Republic of Iran	Iran
Lao People's Democratic Republic	Lao P.D.R.
Libyan Arab Jamahiriya	Libya
Northern Mariana Islands	Northern Marianas
Republic of Korea	Korea Republic
Saint Vincent and the Grenadines	Saint Vincent
Syrian Arab Republic	Syria
United Republic of Tanzania	Tanzania
United Kingdom of Great Britain and Northern Ireland	United Kingdom
United States of America	USA

In the text, parent countries of several island groups are omitted. These are listed below:

American Samoa, USA	Johnston Atoll, USA
Anguilla, United Kingdom	Macao, Portugal
Aruba, Netherlands	Macquarie Island, Australia
Ascension Islands, United Kingdom	Madeira, Portugal
Azores, Portugal	Marshall Islands, USA
Bermuda, United Kingdom	Martinique, France
Bouvet Island, Norway	Mayotte, France
British Antarctic Territory, United Kingdom	Montserrat, United Kingdom
British Indian Ocean Territory, United Kingdom	Netherlands Antilles, Netherlands
British Virgin Islands, United Kingdom	New Caledonia, France
Canary Islands, Spain	Niue, New Zealand
Canton and Enderbury Islands, Kiribati	Norfolk Island, Australia
Cayman Islands, United Kingdom	Northern Marianas, USA
Channel Islands, United Kingdom	Palau, USA
Christmas Island, Australia	Panama Canal Zone, USA
Clipperton Atoll, France	Pitcairn Islands, United Kingdom
Cocos (Keeling) Islands, Australia	Puerto Rico, USA
Cook Islands, New Zealand	Queen Maud Land, Norway
Falkland Islands, United Kingdom	Réunion, France
Faeroe Islands, Denmark	Saint Helena, United Kingdom
Federated States of Micronesia, USA	Saint Pierre and Miquelon, France
French Guiana, France	Saint Vincent, United Kingdom
French Polynesia, France	South Orkney Islands, United Kingdom
French Southern and Antarctic Territories, France	South Sandwich Islands, United Kingdom
Gibraltar, United Kingdom	South Georgia, United Kingdom
Greenland, Denmark	South Shetland Islands, United Kingdom
Guadeloupe, France	Svalbard and Jan Mayen Islands, Norway
Guam, USA	Tokelau, New Zealand
Guernsey, United Kingdom	Tristan da Cunha Islands, United Kingdom
Hawaiian Islands, USA	Turks and Caicos Islands, United Kingdom
Heard and Macdonald Islands, Australia	Virgin Islands of the United States, USA
Hong Kong, United Kingdom	Wallis and Futuna, France
Isle of Man, United Kingdom	
Jersey, United Kingdom	

Introductory References

- Collar, N.J., Crosby, M.J. and Stattersfield, A.J. 1994. *Birds to watch 2: the world list of threatened birds*. BirdLife International, Cambridge, U.K.
- Commission internationale des noms français des oiseaux. 1993. *Noms français des oiseaux du monde*. Éditions MultiMondes inc. Québec, Canada.
- Favre, D.S. 1989. *International trade in endangered species: a guide to CITES*. Martinus Nijhoff, Dordrecht.
- Morony, J.J., Bock, W.J. and Farrand, J. 1975. *Reference list of the birds of the world*. American Museum of Natural History (Department of Ornithology).
- Paxton, J., (Ed.) 1988. *The statesman's year-book World Gazeteer*. 125th edition 1988-89. Macmillan, London.
- Sibley, C.G. and Monroe, B.L. 1990. *Distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- Sibley, C.G. and Monroe, B.L. Jr. 1993. *A supplement to distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- The Times Atlas of the World* 1990. Comprehensive (eighth) edition. Times Books, London U.K.
- United Nations, 1993. Terminology Bulletin No. 345. United Nations, New York.
- Wijnstekers, W. 1992. *The evolution of CITES. A reference to the Convention on International Trade in Endangered Species of Wild Fauna and Flora*. Third revised edition. CITES Secretariat, Lausanne, Switzerland.
- World Conservation Monitoring Centre (Comp.), Groombridge, B. (Ed). 1994. *Biodiversity Data Sourcebook*. World Conservation Press, Cambridge, U.K. 155pp.
- World Conservation Monitoring Centre, 1992. *Global Biodiversity. Status of the Earth's living Resources*. Chapman & Hall, London, U.K.

Standard country and dependency references

Afghanistan

FAO. 1981. Checklist of the birds of Afghanistan. In *Afghanistan, a contribution to a conservation strategy*.

Albania

Lamani, F. and Puzanov, V. 1962-1963. [Checklist of the birds of Albania.] *Bull. U. Sh. Tirane Ser.*

Algeria

Ledant, J.-P., Jacob, J.-P., Jacobs, P., Malher, F., Ochando, B. and Roché, J. 1981. Mise à jour de l'avifaune algérienne. *Gerfaut* 71: 295-398.

American Samoa

Watling, D. 1982. *Birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington.

Andorra

Muntaner, J., Ferrer, X. and Martínez-Vilalta, A. 1983. *Atlas dels ocells nidificants de Catalunya y Andorra*. Ketrés Editora, Barcelona.

Angola

Pinto, A.A. de R. 1983. *Ornitología de Angola*. Instituto de Investigación Científica Tropical, Lisbon.

Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.

Armenia

Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.

Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.

Anguilla

Peters, J.L. 1929. Birds of the island of Anguilla, W. Indies. *Auk* 44: 532-538.

Antigua and Barbuda

Danforth, S.T. 1934. The birds of Antigua. *Auk* 51: 350-364.

Holland, C.S. and Williams, J.M. 1978. Observations on the birds of Antigua. *American Birds* 32: 1095-1105.

Argentina

Orog, C.C. 1984. *Las aves Argentinas*. Administracion de Parques Nacionales. Buenos Aires.

Aruba

Vous, K.H. 1983. *Birds of the Netherlands Antilles*. De Walburg Pers, Zutphen.

Australia

Blakers, M., Davies, S.J.J.F. and Reilly, P.N. 1984. *The atlas of Australian birds*. Royal Australian Ornithologists' Union and Melbourne University Press, Melbourne.

Australian Antarctic Territory

Johnstone, G.W. and Kerry, K.R. 1976. Ornithological observations in the Australian sector of the Southern Ocean. Pp. 725-738 in *Proceedings of the 16th Ornithological Congress*. Australian Academy of Science, Canberra.

Austria

Rokitansky, G. 1964. *Catalogus Founae Austriae. XXIb Aves*.

Azerbaijan

Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.

Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.

Azores

Bannerman, D.A. and Bannerman, W.M. 1966. *Birds of the Atlantic Islands*, 2. *A history of the birds of the Azores*. Oliver and Boyd, Edinburgh.

Bahamas

Brudenell-Bruce, P.G.C. 1975. *The birds of New Providence and the Bahama Islands*. Collins, London.

Buden, D.W. 1987. *The birds of the southern Bahamas*. British Ornithologists' Union Check-list No. 8. BOU, London.

Bahrain

Nightingale, T. and Hill, M. 1992. *The birds of Bahrain*. Immel.

Baker, Howland, Jarvis, Palmyra Islands

Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.

- Bangladesh**
 Harvey, W.G. 1990. *Birds in Bangladesh*. University Press Ltd., Dhaka.
- Barbados**
 Bond, J. 1956. *Check-list of birds of the West Indies*. The Academy of Natural Sciences, Philadelphia.
- Belarus**
 Dement'ev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Belize**
 Russell, S.M. 1964. A distributional study of the birds of British Honduras. *Ornithological Monographs* 1: 1-95.
- Wood, D.S., Leberman, R.C. and Weyer, D. 1986. *Checklist of the birds of Belize*. Carnegie Museum of Natural History, Pittsburgh.
- Howell, S.N.G. and Webb, S. 1995. *A guide to the birds of Mexico and Northern Central America*. Oxford University Press, Oxford.
- Belgium**
 Commission pour l'avifaune belge, 1967. Avifaune de Belgique. *Gerfaut* : 273-465.
- Benin**
 Holyoak, D.T. and Seddon, M.B. 1990. Distributional notes on the birds of Benin. *Malimbus* 11: 128-134.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Bermuda**
 Amos, E.J.R. 1991. *A guide to the birds of Bermuda*. Eric J.R. Amos, Warwick, Bermuda.
- Bhutan**
 Ludlow, F. 1937. The birds of Bhutan and adjacent territories of Sikkim and Tibet. *Ibis* (14): 1-46, 249-293, 467-505.
- Inskipp, C. and Inskipp, T. 1995. *An introduction to bird watching in Bhutan*. World Wildlife Fund Bhutan Program, Thimphu.
- Bolivia**
 Remsen, J.V. Jr. and Traylor, M.A. 1989. *An annotated list of the birds of Bolivia*. Buteo Books, Vermillion, South Dakota.
- Bosnia and Herzegovina**
 Matvejev, S.D. and Vasic, V.F. 1973. *Catalogus Faunae Jugoslaviae*, IV/3, Aves. Yugoslavia.
- Botswana**
 Newman, K. 1989. *Birds of Botswana*. Southern Botswana.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Bouvet Island**
 Watson, G.E. 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington D.C.
- Brazil**
 Frisch, J.D. and Frisch, S. 1981. *Aves Brasileiras* Vol. 1. Dalgas-Ecoltec Ecologica Tecnica, São Paulo.
- Pinto, O. 1978. *Novo catalogo das aves do Brasil*. Departamento de Zoologia, São Paulo.
- Sick, H. 1993. *Birds in Brazil*. Princeton University Press, Princeton, USA.
- British Antarctic Territory**
 Watson, G.E. 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington D.C.
- British Indian Ocean Territory**
 Bourne, W.R.P. 1971. The birds of the Chagos group, Indian Ocean. *Atoll Res. Bull.* 149: 175-207.
- British Virgin Islands**
 Raffaele, H.A. 1989. *A guide to the birds of Puerto Rico and the Virgin Islands*. Revised edition. Princeton University Press, Princeton, New Jersey.
- Brunei**
 Mann, C.F. 1987. A checklist of the birds of Brunei Darussalam. *Brunei Museum Journal* 6: 170-212.
- Bulgaria**
 Pateff, P. 1950. Ptitsite W Bulgarija [The birds of Bulgaria.] Sofia.
- Burkina Faso**
 Thonnerieux, Y. 1988. Etat des connaissances sur la reproduction de l'avifaune du Burkina Faso ex Haute-Volta. *Oiseau Rev. Francaise Ornithol.* 58: 120-145.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Burundi**
 Schouteden, H. 1966. La faune ornithologique du Burundi. *Doc. zool. Mus. Roy. Afr. centr.* 11: 1-81.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Cambodia**
 Thomas, W.W. 1964. A preliminary list of the birds of Cambodia. Unpublished.
- Cameroon**
 Louette, M. 1981. The birds of Cameroon: an annotated checklist. *Verhandelingen Koninklijke Academie. Brussel kl. Wet.* 43(163): 1-295.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Canada**
 Godfrey, E. 1986. *The birds of Canada*. 2nd ed. National Museum of Natural Sciences, Ottawa, Canada.
- Canary Islands**
 Bannerman, D.A. 1963. *Birds of the Atlantic Islands*, 1. A history of the birds of the Canary Islands and of the Salvages. Oliver and Boyd, Edinburgh.
- Moreno, J.M. 1988. *Guia de las aves de las Islas Canarias*. Canaries Inst.
- Padron, F.P. 1983. *Las aves de Canarias*.
- Canton and Enderbury Islands**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Cape Verde**
 Bannerman, D.A. and Bannerman, W.M. 1968. *Birds of the Atlantic Islands*, 2. *History of the birds of the Cape Verde Islands*. Oliver and Boyd, Edinburgh.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afro-tropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Hazevoet, C.J. 1995. *The birds of the Cape Verde Islands*. British Ornithologists' Union Checklist No. 13. B.O.U. Tring, U.K.
- Cayman Islands**
 Bradley, P.E. 1985. *A guide to the birds of the Cayman Islands*. P.E. Bradley, George Town, Grand Cayman.

- Central African Republic**
 Carroll, R.W. 1988. Birds of the Central African Republic. *Malimbus* 10(2): 177-200.
- Malbrant, R. 1952. *Faune du centre africain français*. 2nd ed. Lechevalier, Paris.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Chad**
 Salvan, J. 1967-1969. Contribution à l'étude des oiseaux du Tchad. *Oiseau* 37: 255-284; 38: 53-85, 127-150, 249-273; 39: 38-69.
- Viillard, J. 1971. Données biogeographiques sur l'avifaune d'Afrique centrale. I. *Alauda* 39: 227-248.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Channel Islands**
 Bisson, A.J. 1983. *Checklist of the birds of the Channel Islands*. Dobson, R. 1952. *The birds of the Channel Islands*. Staples Press, Newton Abbot, U.K.
- Chile**
 Araya, L. 1982. *Lista patron de las aves Chilenas*. Publicaciones ocasionales No.1, Instituto de Oceanología, Universidad de Valparaíso, Vina del Mar, Chile.
- Johnson, A.W. 1967. *The birds of Chile*. Volume 2. Platti Establecimientos Graficos S.A. Buenos Aires.
- China**
 Cheng Tso-hsin. 1987. *A synopsis of the avifauna of China*. Science Press, Beijing.
- Christmas Island**
 Stokes, T. 1988. A review of the birds of Christmas Island, Indian Ocean. *Australian National Parks and Wildlife Service, Occasional Paper No. 16*.
- Cocos Keeling Islands**
 Gibson-Hill, C.A. 1949. The birds of the Cocos-Keeling Islands (Indian Ocean). *Ibis* 91: 221-243.
- Stokes, T., Sheils, W. and Dunn, K. 1984. Birds of the Cocos Keeling Islands, Indian Ocean. *Emu* 84: 23-28.
- Colombia**
 Hilty, S. and Brown, W.L. 1986. *A guide to the birds of Colombia*. Princeton University Press, Princeton, New Jersey.
- Comoros**
 Benson, C.W. 1960. The birds of the Comoro Islands: results of the British Ornithologists' Union Centenary Expedition 1958. *Ibis* 103b: 5-106.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Congo**
 Malbrant, R. and Maclatchy, A. 1949. *Faune de l'équateur africain français*. I. Oiseaux. Lechevalier, Paris.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Cook Islands**
 King, W.B. 1974. Conservation status of birds of central Pacific islands. *Elepaio* 34: 70-74.
- Costa Rica**
 Stiles, F.G., Skutch, A.F. and Gardner, D. 1989. *A guide to the birds of Costa Rica*. Christopher Helm, London.
- Côte de Ivoire**
 Thiolay, J.-M. 1985. Birds of Ivory Coast: status and distribution. *Malimbus* 7(1): 1-59.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Croatia**
 Matvejev, S.D. and Vasic, V.F. 1973. *Catalogus Faunae Jugoslaviae*, IV/3, Aves. Yugoslavia.
- Cuba**
 Garrido, O.H. and Montaña García, F. 1975. *Catálogo de las aves de Cuba*. Academia de Ciencias de Cuba, La Habana.
- Cyprus**
 Flint, P.R. and Stewart, P.F. 1991. *The birds of Cyprus*. 2nd edition. British Ornithologists' Union Checklist No. 6. London.
- Czech Republic**
 Hudec, K. 1972-1983. *Fauna CSSR*, Svazek 24 Ptaci - Aves. 3 vols. Akademie Nakladatelství Československé Akademie Ved, Praha.
- Denmark**
 Dybbro, T. 1978. *Oversigt over Danmarks fugle*. Dansk Ornithologisk Forening, Denmark.
- Dominica**
 Verrill, A.H. 1892. *Notes on the fauna of the island of Dominica*: lists of birds obtained and observed, with notes on their habitats, nests and eggs. *Trans. Connecticut Acad. Arts Sci.* 8: 315-355.
- Verrill, A.H. 1905. *Additions to the avifauna of Dominica*: notes on species hitherto unrecorded with descriptions of three new species and a list of all birds now known to occur on the island. Privately published, Barbados.
- Dominican Republic**
 Stockton de Dod, A. 1987. *Aves de la República Dominicana*. 2nd edition. Museo Nacional de Historia Natural, Santo Domingo.
- Wetmore, A. and Swales, B.H. 1931. The birds of Haiti and the Dominican Republic. *Bulletin of the United States National Museum* 155.
- Wiley, J. W. and Ottewalder, J. A. 1990. Birds of islas Beata and Alto Velo, Dominican Republic. *Studies on Neotropical Fauna and Environment* 25(2): 65-88.
- Djibouti**
 Ash, J.S. 1985. Midwinter observations from Djibouti. *Scopus* 9: 43-49.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Ecuador**
 Ortiz-Crespo, F., Greenfield, P.J. and Matheus, J.C. 1990. *Birds of Ecuador, locational checklist with English and Spanish common names*. Ecuador Ornith. Corp.
- Harris, M. 1982. *A field guide to the birds of Galapagos*. Revised edition. Collins, London.
- Egypt**
 Goodman, S.M. and Meininger, P.L. 1989. *The birds of Egypt*. Oxford University Press, Oxford.
- El Salvador**
 Dickey, D.R. and van Rossem, A.J. 1938. The birds of El Salvador. *Publication of the Field Museum Natural History, Zoology series* 23: 1-609.
- Howell, S.N.G. and Webb, S. 1995. *A guide to the birds of Mexico and Northern Central America*. Oxford University Press, Oxford.

- Equatorial Guinea**
 Eisenbraut, M. 1973. Die Wirbeltierfauna von Fernando Poo und Westkamerun. *Bonn. zool. Monogr.* No.3, 428 pp.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Eritrea**
 Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Estonia**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Ethiopia**
 Urban, E.K. and Brown, L.H. 1971. *A checklist of the birds of Ethiopia*. Dept. of Biology, Haile Selassie I University Press, Addis Ababa, Ethiopia.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Falkland Islands and Dependencies**
 Matthews, L.H. 1929. *The birds of South Georgia*.
- Prince, P.A. and Payne, M.R. 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
- Woods, R.W. 1988. *A guide to the birds of the Falkland Islands*. Anthony Nelson, Oswestry, U.K.
- Faeroe Islands**
 Bloch, D. and Sørensen, S. 1984. *Check list of Faroese birds*. Torshavn.
- Federated States of Micronesia**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Finland**
 Solonen, T. 1985. *Suomen linnusto*. Lintutieto, Helsinki.
- Fiji**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Watling, D. 1982. *Birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington.
- France**
 Mayaud, N. 1953. Liste des oiseaux de France. *Alauda* 21: 1-63.
- French Guiana**
 Berlepsch, H.G. von. 1908. On the birds of Cayenne. *Novitates Zoologicae* 15: 103-164, 261-324.
- Tostain, D., Dujardin, J.L., Erard, C. and Thiollay, J.-M. 1992. *Les Oiseaux de Guyane*.
- French Polynesia**
 Bruner, P.L. 1972. *Field guide to the birds of French Polynesia*. Pacific Scientific Information Center, Bernice P. Bishop Museum, Honolulu, Hawaii.
- Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- French Southern & Antarctic Territory**
 Derenne, P., Lufbery, J.X. and Tollu, B. 1974. L'avifaune de l'Archipel Kerguelen. *CNFRA* 40: 107-148.
- Dreux, P. and Milon, P. 1967. Premières observations sur l'avifaune de l'île aux Cochons Archipel Crozet). *Alauda* 35: 27-32.
- Segonzac, M. 1972. Données récentes sur la faune des îles Saint-Paul et Nouvelle Amsterdam. *L'Oiseau* 42 No. Spec.: 3-68.
- Gabon**
 Malbrant, R. and Maclatchy, A. 1949. *Faune de l'équateur africain français*. 1. Oiseaux. Lechevalier, Paris.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Gambia**
 Gore, M.E.J. 1990. *The birds of the Gambia*. B.O.U. Check-list No. 3 (Second edition). British Ornithologists' Union, London.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Georgia**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Germany**
 Niethammer, G., Kramer, H. and Wolters, H.E. 1964. *Die Vögel Deutschlands*, Artenliste. Frankfurt A.M.
- Makatsch, W. 1981. *Verzeichnis der Vogel der Deutschen Demokratischen Republik*. Neumann Verlag, Leipzig-Radebeul.
- Rheinwald, G., Hill, A. and Ringleben, H. 1981. *Die Vögel der Bundesrepublik Deutschland und Berlin West*, Artenliste. Dachverband Deutscher Avifaunisten, Verlag.
- Neumann, J. and Kolbe, U. 1990. [The birds of East Germany - an annotated species list.] *Falke* 37(7): 229-232.
- Ghana**
 Grimes, L. 1987. *The birds of Ghana*. B.O.U. Check-list No. 9. British Ornithologists' Union, London.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Gibraltar**
 Cortes, J.E., Finlayson, J.C., Mosquera, M.A. and Garcia, E.F.J. 1980. *The birds of Gibraltar*.
- Greece**
 Helversen, O. von, Hodge, M. and Martens, J. 1969. *Catalogus Faunae Graeciae*, Pt. 2, Aves. Thessaloniki.
- Greenland**
 Salomonsen, F. 1950-1951. *Grönlands Fugle*. The birds of Greenland. Ejnar Munksgaard, Kobenhavn.
- Grenada**
 Devas, R.P. c. 1940. *Birds of Grenada and St Vincent and the Grenadines*.
- Wells, J.G. 1887. A catalogue of the birds of Grenada. W. Indies, with observations thereon. *Proceedings of the United States National Museum* 9: 609-633.
- Guadeloupe**
 Danforth, S.T. 1939. The birds of Guadeloupe and adjacent islands. *J. Agric. Univ. Puerto Rico* 23(1): 9.

- Guam**
 Jenkins, J.M. 1983. *The native forest birds of Guam*. American Ornithologists' Union Ornithological Monograph 31. AOU, Washington D.C.
- Kibler, L.F.** 1950. Notes on the birds of Guam. *Auk* 67: 400-403.
- Guatemala**
 Land, H.C. 1970. *Birds of Guatemala*. Livingstone Publishing, Wynnewood, Pennsylvania.
- Howell, S.N.G. and Webb, S.** 1995. *A guide to the birds of Mexico and Northern Central America*. Oxford University Press, Oxford.
- Guinea-Bissau**
 Frade, F. and Bacelar, A. 1955. Catalogo das aves da Guiné Portuguesa - Non passerines. *Anais Junta Invest. Ultram.*
- Dowsett, R.J. and Dowsett-Lemaire, F.** 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Guyana**
 Snyder, D.E. 1966. *The birds of Guyana*. Peabody Museum, Salem.
- Haiti**
 Wetmore, A. and Swales, B.H. 1931. The birds of Haiti and the Dominican Republic. *Bulletin of the United States National Museum* 155.
- Hawaiian Islands**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Honduras**
 Monroe, B.L. Jr. 1968. A distributional survey of the birds of Honduras. *Ornithological Monographs* 7: 1-4.
- Howell, S.N.G. and Webb, S.** 1995. *A guide to the birds of Mexico and Northern Central America*. Oxford University Press, Oxford.
- Hong Kong**
 Chalmers, M.L. 1986. *Annotated checklist of the birds of Hong Kong*. Fourth edition. The Hong Kong Bird Watching Society, Hong Kong.
- Hungary**
 Farkas, T. 1967. *Ornithogeographie Ungarns*. Duncker & Humblot, Berlin.
- Iceland**
 Breuil, M. 1989. *Les oiseaux d'Islande*. Le Chevalier, Paris.
- Timmermann, D. 1938-1949. *Die Vögel Islands, Islendinga*. *Rit.* 28: 239-524.
- India**
 Abdulali, H. 1965. The birds of the Andaman and Nicobar Islands. *Journal of Bombay Natural History Society*. 61: 438-571.
- Ali, S. and Ripley, S.D. 1987. *Compact handbook of the birds of India and Pakistan together with those in Bangladesh, Nepal, Bhutan and Sri Lanka*. Oxford University Press, Oxford.
- Ripley, S.D. 1982. *A synopsis of the birds of India and Pakistan*. Second edition. Bombay Natural History Society, Bombay.
- Indonesia**
 Andrew, P. 1992. *The birds of Indonesia: a checklist Peters' sequence*. Indonesian Ornithological Society, Jakarta.
- White, C.M.N. and Bruce, M.D. 1986. *The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands, Indonesia): an annotated checklist*. British Ornithologists' Union Checklist No. 7. BOU, London.
- MacKinnon, J. and Phillipps, K. 1993. *The Birds of Borneo, Sumatra, Java and Bali*. Oxford University Press, Oxford.
- Iran**
 Scott, D.A., Hamadani, H.M. and Mirhosseyni, A.A. 1975. *The birds of Iran*. Department of the Environment, Tehran, Iran.
- Iraq**
 Allouse, B.E. 1953. *The avifauna of Iraq*. Iraq Natural History Museum Publication No. 3.
- Ireland**
 Hutchinson, C.D. 1989. *Birds in Ireland*. Poyser, Carlton, U.K.
- Israel**
 Hovel, H. 1987. *Check-list of the birds of Israel with Sinai: an annotated check-list*. SPNI, Tel-Aviv.
- Italy**
 Brichetti, P. and Massa, B. 1984. Check-list degli uccelli italiani. *Riv. Ital. Ornithol.* 54: 3-37.
- lapichino, C. and Massa, B. 1989. *The birds of Sicily: an annotated checklist*. B.O.U. Check-list No.11. British Ornithologists' Union, Tring, Herts.
- Jamaica**
 Downer, A. and Sutton, R. 1990. *Birds of Jamaica: a photographic fieldguide*. Cambridge University Press, Cambridge.
- Japan**
 Brazil, M. 1991. *The birds of Japan*. Christopher Helm, London.
- Johnston Island**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Jordan**
 Abu Yaman, I.K. et al. 1985. *Fauna of Jordan. II. Aves: a check list of the birds of Jordan*. Amman.
- Disi, A.M. and Bouran, A.H. 1987. A check-list of the Hashemite Kingdom of Jordan: an ecological outlook. Publication of the University of Jordan.
- Andrews, I.J. 1995. *The Birds of the Hashemite Kingdom of Jordan*. Published by the author, Musselburgh, U.K.
- Kazakhstan**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Kenya**
 Britton, P.L. ed. 1980. *Birds of East Africa*. East Africa Natural History Society, Nairobi.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Kiribati**
 Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Korea Republic**
 Won Pyong-oh. 1976. *Checklist of the birds of the Republic of Korea*.
- D.P.R. Korea**
 Gore, M.E.J. and Won, P-O. 1971. *The birds of Korea*. Royal Asiatic Society, Seoul.
- Kuwait**
 Bundy, G. and Watt, E. 1980. A checklist of the birds of the Arabian Gulf States. *Sandgrouse* 1: 4-49.
- Kyrgyzstan**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.

- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Lao P.D.R.**
- Delacour, J. and Jabouille, P. 1940. Liste des oiseaux de l'Indochine française, complétée et mise à jour. *L'Oiseau et R.F.O.* 10: 89-220.
- Latvia**
- Viksne, J., ed. 1983. *Birds of Latvia: territorial distribution and numbers*. Zinatne, Riga. (In Latvian.)
- Lebanon**
- Kumerioevel, H. 1962. *Notes on the birds of the Lebanese Republic*. Iraq Natural History Museum Publications 20 and 21.
- Thomé, G. and Thomé, H. 1986. [The birds of Lebanon.] Publ. Univ. libanaise. (In Arabic.)
- Lesotho**
- Bonde, K. 1993. *Birds of Lesotho, a guide to distribution past and present*. University of Natal Press, Pietermaritzburg.
- Osborne, P.E. and Tigar, B.J. 1990. Distribution and status of rare birds in Lesotho. *Br. Ecol. Soc. Bulletin* 21: 121-128.
- Liberia**
- Allen, G.M. 1965. The birds of Liberia. *Contr. Dep. trop. Med. & Inst. trop. Biol. Med.* 5: 636-748.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Libya**
- Bundy, G. 1976. *The birds of Libya*, British Ornithologists' Union, London.
- Lichtenstein**
- Willi, G. and Broggi, M.F. 1983-86. Die Vogelwelt des fürstentums Liechtenstein unter Berücksichtigung der benachbarte Gebiete. *Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg*. 12: 61-117, 14: 103-143, 15: 37-82.
- Lithuania**
- Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Luxembourg**
- Hulten, M. and Wassenich, V. 1960-1961. *Die Vogelfauna Luxemburgs*. Victor Buck, Luxembourg.
- Macedonia**
- Matejev, S.D. and Vasic, V.F. 1973. *Catalogus Faunae Jugoslaviae*, IV/3, Aves. Yugoslavia.
- Madagascar**
- Langrand, O. 1991. *Guide to the birds of Madagascar*. Yale University Press, New Haven and London.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Madeira**
- Bannerman, D.A. and Bannerman, W.M. 1965. *Birds of the Atlantic Islands*, 2. *A history of the birds of Madeira, the Desertas, and the Porto Santo Islands*. Oliver and Boyd, Edinburgh.
- Malawi**
- Newman, K., Johnston-Stewart, N., Medland, B. 1992. *The birds of Malawi*. A supplement to Newman's Birds of Southern Africa. Southern Book Publishers (Pty).
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Malaysia: Peninsular Malaysia**
- Medway, Lord and Wells, D.R. 1976. *The birds of the Malay Peninsula*. Volume 5: conclusions and survey of every species. H.F. and G. Witherby and Penerbit Universiti Malaya, London and Kuala Lumpur.
- Malaysia: Sabah**
- Gore, M.E.J. 1968. A checklist of the birds of Sabah, Borneo. *Ibis* 110: 165-196.
- Malaysia: Sarawak**
- Smythies, B.E. 1981. *The birds of Borneo*. 3rd edition. The Sabah Society and the Malayan Nature Society, Malaysia.
- Maldives**
- Phillips, W.W.A. 1963. The birds of the Maldivian Islands, Indian Ocean. *Journal of the Bombay Natural History Society* 60: 546-584.
- Ash, J.S. and Shafeeq, A. 1994. The birds of the Maldives. *Forktail* 10: 3-31.
- Mali**
- Lamarche, B. 1980-1981. Liste commentée des oiseaux du Mali. *Malimbus* 2: 121-158; 3(2): 73-102.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Malta**
- Sultana, J. and Gauci, C. 1982. *A new guide to the birds of Malta*. The Ornithological Society, Valletta.
- Marshall Islands**
- Amerson, A.B. 1969. Ornithology of the Marshall and Gilbert Islands. *Atoll Research Bulletin* 127.
- Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Martinique**
- Bond, J. 1956. *Check-list of birds of the West Indies*. The Academy of Natural Sciences of Philadelphia.
- Mauritania**
- Lamarche, B. 1987. *Liste commentée des oiseaux de Mauritanie*. Privately published, Nouakchott.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Mauritius**
- Staub, F. 1976. *Birds of the Mascarenes and Saint Brandon*. Organisation Normale des Enterprises Ltdé, Labama House, Port Louis, Mauritius.
- Mayotte**
- Benson, C.W. 1960. The birds of the Comoro Islands: results of the British Ornithologists' Union Centenary Expedition 1958. *Ibis* 103b: 5-106.
- Mexico**
- Howell, S.N.G. and Webb, S. 1995. *A guide to the birds of Mexico and Northern Central America*. Oxford University Press, Oxford.
- Moldova**
- Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.

- Mongolia**
Stepanyan, L.S., Bold, A. and Fomin, V.E. 1988. [Taxonomic list of birds of Mongolia.] *Ornitologiya* 23: 26-35. (In Russian.)
- Vaurie, C. 1964. A survey of the birds of Mongolia. *Bulletin of the American Museum of Natural History* 127: 103-143.
- Montserrat**
Danforth, S.T. 1939. The birds of Montserrat. *J. Agric. Univ. Puerto Rico* 23: 9-46.
- Siegel, A. 1983. *Birds of Montserrat*. Montserrat National Trust, Montserrat.
- Morocco**
Bergier, P. and Bergier, F. 1990. *A birdwatcher's guide to Morocco*. Priors Ltd., Huntingdon, U.K.
- Heim de Balsac, H. and Mayaud, N. 1962 *Les oiseaux du nord ouest de l'Afrique, distribution géographique, écologies, migrations, reproduction*. Encyclopédie ornithologique vol. 10. Paris, P. Lechevalier, 1962. France.
- Mozambique**
Frade, F. 1951. *Catálogo das aves de Moçambique*. Ministério das Colônias, Lisbon.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Myanmar**
Smythies, B.E. 1986. *The birds of Burma*. 3rd edition. Nimrod Press, Liss, Hampshire, U.K. and Silvio Mattacchione and Co., Pickering, Ontario.
- Namibia**
Williams, A.J. n.d. 1987? *Popular checklist of the birds of South West Africa/Namibia*. Department of Agriculture and Nature Conservation, Windhoek.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Nauru**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Nepal**
Inskipp, C. and Inskipp, T. 1991. *A guide to the birds of Nepal*. 2nd ed. Christopher Helm.
- Netherlands**
Commission voor de Nederlandse Avifauna 1970. *Avifauna van Nederland*. Brill, Leiden.
- Netherlands Antilles**
Voous, K.H. 1983. *Birds of the Netherlands Antilles*. De Walburg Pers, Zutphen.
- New Caledonia**
Hannecart, F. and Letocart, Y. 1980-1983. *Oiseaux de Nouvelle Calédonie et des Loyautés*. 2 vols. Les Editions Cardinalis, Nouméa, New Caledonia.
- Stokes, T. 1980. Notes on the landbirds of New Caledonia. *Emu* 80: 81-86.
- New Zealand**
Turbon, E.G. (Ed). 1990. *Checklist of the birds of New Zealand and the Ross Dependency, Antarctica*. 3rd ed. Random Century, Auckland.
- Nicaragua**
Ridgely, R.S. 1989. *A guide to the birds of Panama, with Costa Rica, Nicaragua and Honduras*. Princeton University Press, Princeton, New Jersey.
- Niger**
Giraudoux, P., Degaquier, R., Jones, P.J., Weigel, J. and Isenmann, P. 1988. Avifaune du Niger: état des connaissances en 1986. *Malimbus* 10: 1-140.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Nigeria**
Elgood, J.H., Heigham, J.B., Moore, A.M., Nason, A.M., Sharland, R.E. and Skinner, N.J. 1994. *The birds of Nigeria*. B.O.U. Checklist No.4 (Second edition). British Ornithologists' Union, Tring.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Niue**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Wodzicki, K. 1971. The birds of Niue Island, South Pacific: an annotated checklist. *Notornis* 18: 291-304.
- Norfolk Island**
Hermes, N. 1985. *Birds of Norfolk Island*. Wonderland Publications, Norfolk Island.
- Northern Marianas**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Norway**
Haftorn, S. 1971. *Norges fugler*. Universitetsforlaget, Oslo, Norway.
- Oman**
Anon. 1988. *The official list of the birds of the Sultanate of Oman*. 2nd ed.
- Gallagher, M. and Woodcock, M.W. 1980. *The birds of Oman*. Quartet Books, London.
- Pakistan**
Roberts, T. 1991-1992. *The birds of Pakistan*. 2 vols. Oxford University Press, Karachi.
- Palau**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Panama**
Ridgely, R.S. 1989. *A guide to the birds of Panama, with Costa Rica, Nicaragua and Honduras*. Princeton University Press, Princeton, New Jersey.
- Papau New Guinea**
Coates, B.J. 1985-1990. *Birds of Papua New Guinea*. 2 vols. Dove Publications, Alderley, Australia.
- Paraguay**
Laubmann, A. 1939-1940. *Die Vögel von Paraguay*. Wissenschaftliche Ergebnisse der Deutschen Gran-Chaco Expedition. 2 vols. Strecker and Schroder, Stuttgart.
- Peru**
Parker, T.A., Parker, S.A. and Plenge, M.A. 1982. *An annotated checklist of Peruvian birds*. Buteo Books, Vermillion, South Dakota.
- Peter I Island**
Watson, G.E. 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington D.C.
- Philippines**
Dickinson, E.C., Kennedy, R.S. and Parkes, K.C. 1991. *The birds of the Philippines*. B.O.U. Check-list No.12. British Ornithologists' Union, Tring, Herts.
- Pitcairn Islands**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.

- Williams, G.R. 1960. The birds of the Pitcairn Islands, central South Pacific Ocean. *Ibis* 102: 58-70.
- Poland**
- Tomiajoc, L. 1990. *Ptaki Polski rozmieszczenie i liczebność*. Państwowe Wydawnictwo Naukowe, Warszawa.
- Portugal**
- Themido, A.A. 1952. Aves de Portugal. *Memorias e Estudos do Museu Zoológico de Universidade de Coimbra*, no. 213.
- Puerto Rico**
- Raffaele, H.A. 1989. *A guide to the birds of Puerto Rico and the Virgin Islands*. Revised edition. Princeton University Press, Princeton, New Jersey.
- Qatar**
- Bundy, G. and Warr, E. 1980. A checklist of the birds of the Arabian Gulf States. *Sandgrouse* 1: 4-49.
- Warr, F.E. 1986. A list of Qatar's birds. *Qatar Natural History Group Journal* 1983-86: 38-51.
- Queen Maud Land**
- Watson, G.E. 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington D.C.
- Réunion**
- Staub, F. 1976. *Birds of the Mascarenes and Saint Brandon*. Organisation Normale des Entreprises Ltée, Labama House, Port Louis, Mauritius.
- Romania**
- Cataneanu, I. 1978. *Aves. Fauna Republicii Socialiste Romania*. Vol. XV, Fasc. I. Editura Academiei RSR, Bucarest.
- Russian Federation**
- Demeoniev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Rwanda**
- Schouteden, H. 1966. La faune ornithologique du Rwanda. *Doc. zool. Mus. Roy. Afr. centr.* 10: 1-130.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Saint Helena**
- Haydock, G.L. 1954. A survey of the birds of St Helena. *Ostrich* 25: 62-75.
- Swales, M.K. 1965. The sea-birds of Gough Island. *Ibis* 107: 17-42, 215-229.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Saint Kitts and Nevis**
- Danforth, S.T. 1936. The birds of St Kitts and Nevis. *Tropical Agriculture* 13(8): 213-217.
- Saint Lucia**
- Danforth, S.T. 1935. *The birds of Saint Lucia*. Monographs of the University of Puerto Rico, Physical and Biological Sciences, series B, number 3.
- Saint Pierre and Miquelon**
- Etcheberry, R. 1982. *Les oiseaux de Saint-Pierre et Miquelon*. ONC, Paris.
- Saint Vincent and the Grenadines**
- Devas, R.P. 1970. *Birds of Grenada and St Vincent and the Grenadines*. [3rd ed.] St. George's Grenada, Carenaga Press XV. Grenada.
- Sao Tome and Principe**
- Snow, D. 1950. The birds of São Tome and Príncipe in the Gulf of Guinea. *Ibis* 92: 579-595.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Saudi Arabia**
- Jennings, M.C. 1981. *The birds of Saudi Arabia: a check-list*. Privately published, Wittersford, U.K.
- Bundy, G., Connor, R.J. and Harrisou, C.J.D. 1989. *Birds of the eastern province of Saudi Arabia*. H.F & G. Withersby, London.
- Senegal**
- Morel, G.J. and Morel, M.-Y. 1990. *Les oiseaux de Senegambie, notices et cartes de distribution*. Editions de l'Orstom, Paris.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Seychelles**
- Bullock, I. 1990. *Birds of the Republic of Seychelles*. Seychelles Ministry of Education, and the International Council for Bird Preservation, Cambridge, U.K.
- Penny, M. 1974. *The birds of Seychelles and the outlying islands*. Collins, London.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Sierra Leone**
- Bannerman, D.A. 1921. A complete list of the birds known from Sierra Leone. *Ibis* 11(3): 289-302.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Singapore**
- Gibson-Hill, C.A. 1950. A checklist of the birds of Singapore Island. *Bull. Raffles Mus.* 21: 132-183.
- Hails, C.J. and Jarvis, F. 1987. *Birds of Singapore*. Times Editions, Singapore.
- Slovak Republic**
- Ferianc, O. 1977/79. *Vtáky Slovenska 1,2* 2nd ed. Veda: Bratislava.
- Slovenia**
- Marvejev, S.D. and Vasic, V.F. 1973. *Catalogus Founae Jugoslaviae*, IV/3, Aves. Yugoslavia.
- Solomon Islands**
- Hadden, D. 1981. *Birds of the North Solomons*. Papua New Guinea: Wau Ecology Institute Handbook No. 8.
- Mayr, E. 1945. *Birds of the Southwest Pacific*. Macmillan, New York.
- Somalia**
- Ash, J.S. and Miskell, J.E. 1983. Birds of Somalia, their habitat, status and distribution. *Scopus* special suppl. 1:97.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- South Africa**
- Clancey, P.A. ed. 1980. *Checklist of southern African birds*. Southern African Ornithological Society, Pretoria.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.

- Spain**
 Fernandez-Cruz, M. and Araujo, J. eds. 1985. *Situacion de la avifauna de la Peninsula Iberica, Baleares y Macaronesia*. Sociedad Espanola de Ornitologia, Madrid.
- Mayol, J. 1978. *Els Aucells de ls Balears*. Manuals d'Introduccio a les Namtalesa, 2. Edit. Mallorca.
- Sri Lanka**
 Henry, G.M. 1971. *A Guide to the Birds of Ceylon*. Second edition. Oxford University Press, Oxford.
- Phillips, W.W.A. 1978. *Annotated checklist of the birds of Ceylon*. Wildlife and Nature Protection Society, Colombo.
- Sudan**
 Cave, F.O. and Macdonald, J.D. 1955. *The birds of Sudan*. Edinburgh, Oliver and Boyd, Scotland.
- Nikolaus, G. 1987. Distributional atlas of Sudan's birds, with notes on habitat and status. *Bonner Zoologische Monographien* 25.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Suriname**
 Donahue, P.K. and Pierson J.E. 1982 *Birds of Suriname: an annotated checklist*. Privately published.
- Svalbard and Jan Mayen Islands**
 Løvenskold, H.L. 1964. Avifauna Svalbaradiensis. *Norsk Polarinstitutt Shrifter* 129: 1-460.
- Swaziland**
 Parker, V. 1992 *Swaziland bird checklist*. The Conservation Trust of Swaziland.
- Sweden**
 Risberg, L. 1990. *Sveriges Fuglar*. Sveriges Ornith. For., Stockholm.
- Switzerland**
 Winkler, R. 1984-1987. Avifauna der Schweiz, eine kommentierte Artenliste. *Der Orn. Beobachter* 81(5-6).
- Syria**
 Kumerloeve, H. 1967-1969. Recherches sur l'avifaune de la République arabe syrienne. *Alauda* 35: 243-266; 36: 1-26, 190-207; 37: 43-58, 114-134, 188-205.
- Taiwan**
 Wu Sen-Hsiung and Yang Hsiouying. 1991. [A guide to the wild birds of Taiwan]. Taiwan Wild Bird Information Centre and Wild Bird Society of Japan. 274 pp. (In Chinese.)
- Tajikistan**
 Abdusalyamov, I.A. 1977. [Fauna of the Tadzhik Soviet Socialist Republic. Vol. 19 Part 3: birds.] Donish, Dushanbe. (In Russian).
- Tanzania**
 Britton, P.L. ed. 1980. *Birds of East Africa*. East Africa Natural History Society, Nairobi.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Thailand**
 Boonsong Lekagul and Round, P.D. 1991. *A guide to the birds of Thailand*. Sahe Karn Bhaet Co. Ltd., Bangkok.
- Tonga**
 Watling, D. 1982. *Birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington.
- Prati, J.D., Bruner, P.L. and Berrett, D.G. 1987 *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Togo**
 Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Trinidad & Tobago**
 ffrench, R.P. 1991. *A guide to the birds of Trinidad and Tobago*. 4th edition. Livingston Publishing, Wynnewood, Pennsylvania.
- Tunisia**
 Thomsen, P. and Jacobsen, P. 1979. *The birds of Tunisia*. Peder Jacobsen, Copenhagen.
- Turkey**
 Kumerloeve, H. 1962. Zur Kenntnis der Avifauna Kleinasiens. *Bonner Zoologische Beiträge* 12: 1-318.
- Turkmenistan**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Turks and Caicos Islands**
 Buden, D.W. 1987. *The birds of the southern Bahamas*. British Ornithologists' Union Check-list No. 8. BOU, London.
- Norton, R.L. and Clarke, N.V. 1989. Additions to the birds of the Turks and Caicos Islands. *Florida Field Nat.* 17: 32-39.
- Sanderson, J. 1982. Birds of the Turks and Caicos Islands. *Turks and Caicos Current* Nov./Dec. 1982.
- Tuvalu**
 Mayr, E. 1945. *Birds of the Southwest Pacific*. Macmillan, New York.
- Uganda**
 Britton, P.L. ed. 1980. *Birds of East Africa*. East African Natural History Society, Nairobi.
- Carswell, M. 1984. *Checklist of the birds of Uganda*. Compiled from Britton, P.L. (ed.) and Backhurst, G.C. Birds of East Africa: their habitat, status and distribution. East African Natural History Society, Nairobi.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5. Tauraco Press, Liège, Belgium.
- Ukraine**
 Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- United Arab Emirates**
 Richardson, C. 1990. *The birds of the United Arab Emirates*. Hobby Publications, Dubai and Werrington, U.K.
- United Kingdom of Great Britain and Northern Ireland**
 British Ornithologists' Union. 1971. *The status of birds in Britain and Ireland*. British Ornithologists' Union, London.
- British Ornithologists' Union. 1992. *Checklist of the birds of Britain and Ireland*. Sixth edition. British Ornithologists' Union, Tring.
- United States of America**
 American Ornithologists' Union 1983. *Checklist of North American birds*. 6th edition. American Ornithologists' Union, New York.
- Uruguay**
 Cuclio, J.P. 1985. *Lista de referencia y bibliografia de las aves Uruguayas*. Museo Damaso Antonio Larrañaga.

- Uzbekistan**
Dementiev, G.P. and Gladkov, N.A. 1951. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
- Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
- Vanuatu**
Bregulla, H.L. 1992. *Birds of Vanuatu*. Anthony Nelson, Oswestry, Shropshire, U.K.
- Venezuela**
Meyer de Schauensee, R. and Phelps, W.H. 1978. *A guide to the birds of Venezuela*. Princeton University Press, Princeton, New Jersey.
- Vietnam**
Vo Quy. 1983. [A catalogue of the birds of Vietnam.] Pp. 12-43 in L.N. Medvedev, ed. *[Fauna and ecology of the animals of Vietnam.]* Nauka, Moskva.
- Virgin Islands of the United States**
Raffaele, H.A. 1989. *A guide to the birds of Puerto Rico and the Virgin Islands*. Revised edition. Princeton University Press, Princeton, New Jersey.
- Wake Island**
King, W.B. 1974. Conservation status of birds of central Pacific islands. *Elepaio* 34: 70-74.
- Wallis and Futuna Islands**
Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
- Western Sahara**
Valverde, J.A. 1957. *Aves del Sahara Español*. Instituto de estudios africanos, Madrid.
- Western Samoa**
Watling, D. 1982. *Birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington.
- Yemen**
Brooks, D.J., Evans, M.I., Martins, R.P. and Porter, R.F. 1987. The status of birds in North Yemen and the records of the OSME Expedition in autumn 1985. *Sandgrouse* 9: 4-66.
- Rands, M., Rands, G. and Porter, R. 1988. *Birds in the Yemen Arab Republic. Report of the expedition of the Ornithological Society of the Middle East*. OSME, Sandy, U.K.
- Ripley, S.D. and Bond, G.M. 1966. The birds of Socotra and Abd-el-Kuri. *Smithsonian Miscellaneous Collections* 151(7): 1-37.
- Yugoslavia**
Matvejev, S.D. and Vasic, V.F. 1973. *Catalogus Faunae Jugoslaviae*, IV/3, Aves. Yugoslavia.
- Zaire**
Lippens, L. and Wille, H. 1976. *Les oiseaux du Zaire*. Lanno, Tielt, Belgium.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotrropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Zambia**
Benson, C.W., Brooke, R.K., Dowsett, R.J. and Irwin, M.P.S. 1971. *The birds of Zambia*. Collins, London.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotrropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.
- Zimbabwe**
Irwin, M.P.S. 1982. *The birds of Zimbabwe*. Quest Publishing, Harare.
- Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotrropical and Malagasy birds. *Tauraco Research Report No. 5*. Tauraco Press, Liège, Belgium.

Class: AVES

Order STRUTHIONIFORMES

Family STRUTHIONIDAE

Struthio camelus Linnaeus 1758

141,154,203,244,269,477,905,
943

E: Ostrich; F: Autruche d'Afrique; S: Avestruz

Appendix I populations

Breeding: Algeria (ex); ?Burkina Faso; Cameroon; Central African Republic; Chad; Jordan (ex); Mali; Mauritania; Morocco (ex); Niger; Nigeria; Senegal; Sudan [1086]

Non-CITES populations

Breeding: Angola; Bahrain (ex); Botswana; Burkina Faso; ?Djibouti; Egypt; Eritrea; Ethiopia; Kenya; Kuwait (ex); Libya (ex); Mozambique; Namibia; Oman (ex); Saudi Arabia (ex); Somalia; South Africa; Swaziland; Tanzania; Tunisia (ex); Uganda; Western Sahara; Zimbabwe

Non-breeding: Zambia

Order RHEIFORMES

Family RHEIDAE

Rhea americana (Linnaeus 1758)

II - -

106,226,269,690,713

E: Greater Rhea, Common Rhea; F: Nandou d'Amérique, Nandou commun; S: Ñandú común, Avestruz, Nandú

Breeding: Argentina [95,161]; Bolivia; Brazil [189]; Paraguay; Uruguay

Rhea pennata (d'Orbigny 1834)

I

106,226,269,570,690,713

(= *Pterocnemia pennata*)

E: Lesser Rhea, Darwin's Rhea; F: Nandou de Darwin; S: Ñandú cordillerano, Avestruz de Magallanes

Breeding: Argentina [95,181]; Bolivia; Chile [382]; Peru

Order TINAMIFORMES

Family TINAMIDAE

Tinamus solitarius (Vieillot 1819)

I

113,226,269,570,690,713

E: Solitary Tinamou; F: Tinamou solitaire; S: Macuco, Tinamu grande

Breeding: Argentina [95]; Brazil [923]; Paraguay

Order SPHENISCIFORMES

Family SPHENISCIDAE

Spheniscus demersus (Linnaeus 1758)

II

143,154,203,226,228,236,269,
296,438,561,590,591,736,826,
1084,1085

E: Jackass Penguin; F: Manchot du Cap; S: Pingüino del Cabo

Breeding: Namibia; South Africa [247]

Non-breeding: Angola; Mozambique

Vagrant: Congo; Gabon

<i>Spheniscus humboldti</i> Meyen 1834	I	-	226,269,438,690,713
E: Humboldt Penguin, Peruvian Penguin; F: Manchot de Humboldt; S: Pingüino de Humboldt			
Breeding: Chile [45,382]; Peru [453,454]			
Vagrant: Colombia [825]; Ecuador			

Order PODICIPEDIFORMES**Family PODICIPEDIDAE**

<i>Podilymbus gigas</i> Griscom 1929	I	Ex	226,269,438,495,570,592,593, I031
E: Atitlan Grebe, Giant Grebe; F: Grèbe de l'Atitlan; S: Somormujo de Atitlán, Zambullidor de Atitlán, Poc de Atitlán			
Breeding: Guatemala (ex)			

Order PROCELLARIIFORMES**Family DIOMEDEIDAE**

<i>Diomedea albatrus</i> Pallas 1769	I	E	183,226,269,438,441,442,443, 570
E: Short-tailed Albatross, Steller's Albatross; F: Albatros à queue courte; S: Albatros colicorto, Albatros rabón			
Breeding: Japan: Izu Islands			
Non-breeding: Hawaiian Islands [817]; North Pacific inc. China; Russian Federation [577]; Taiwan			
Vagrant: Mexico; USA: Alaska			

Order PELECANIFORMES**Family PELECANIDAE**

<i>Pelecanus crispus</i> Bruch 1832	I	V	9,153,226,244,248,249,250,25 1,269,438,477,568,570
E: Dalmatian Pelican; F: Pélican frisé; S: Pelícano ceñudo, Pelícano rizado			
Breeding: Albania; Armenia; Azerbaijan; Bosnia and Herzegovina; Bulgaria; China; Croatia (ex); Greece; Iran; Kazakhstan; Macedonia (ex); Mongolia; Romania; Russian Federation [577]; Turkey; Turkmenistan; Ukraine; Uzbekistan [890]; Yugoslavia			
Non-breeding: Afghanistan; Bangladesh; Egypt; Hong Kong; India; Iraq; Lebanon; Pakistan; Syria			
Vagrant: Algeria; Cyprus; Czechoslovakia (former); Hungary; Israel; Italy; Korea Republic; Kuwait; Latvia; ?Norway; Poland; Taiwan; Tajikistan; United Arab Emirates; Western Sahara			

Family SULIDAE

<i>Papasula abbotti</i> Ridgway 1893	I	V	124,226,269,438,570,743,744, 966
(= <i>Sula abbotti</i>)			
E: Abbott's Booby; F: Fou d'Abbott; S: Alcatraz de Abbott			
Breeding: Christmas Island [835,834]; Cocos (Keeling) Islands [743]; Seychelles: Assumption (ex) [964]			
Non-breeding: Indonesia: Java [79], Moluccas [935], Sumatra			

Family FREGATIDAE

<i>Fregata andrewsi</i> Mathews 1914	I	V	226,269,438,570,667,691,966, 1063
E: Christmas Frigatebird, Andrews' Frigatebird; F: Frégate d'Andrews, Frégate de l'île Christmas;			
S: Rabihorcado ventriblanco			
Breeding: Christmas Island			
Non-breeding: Indonesia: Bali, Java, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Singapore; Thailand [493]			
Vagrant: Australia; Brunei; Cocos (Keeling) Islands; Indonesia: Kalimantan [320], Timor [691]; Japan; Kenya [661]; Viet Nam			

Order CICONIIFORMES

Family ARDEIDAE

<i>Ardea goliath</i> Cretzschmar 1827	III GH	-	141,154,203,269,430,477,690, 905,943
---------------------------------------	--------	---	---

E: Goliath Heron; F: Héron Goliath; S: Garza Goliat

Breeding:	Angola; Benin; Botswana; Burkina Faso [533,996]; ?Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Djibouti; Eritrea; Ethiopia [533]; ?Gabon; Gambia; ?Ghana; Guinea; Guinea-Bissau [944]; Iran; Iraq; Kenya; Malawi; ?Mozambique; Namibia; ?Niger; ?Nigeria; Rwanda; ?Saudi Arabia; Senegal [944]; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; Tanzania; ?Togo [200]; Uganda; ?Yemen; ?Zaire; Zambia; Zimbabwe
Non-breeding:	Burundi; Cameroon; Chad; Congo; Gabon; Ghana; Mali; Mauritania; Mozambique; Niger; Nigeria; Saudi Arabia; Sierra Leone; Togo; Yemen; Zaire
Vagrant:	Bangladesh; Egypt; India; Israel; Lesotho; Liberia; Oman; Pakistan; Sri Lanka; Syria

<i>Bubulcus ibis</i> (Linnaeus 1758)	III GH	-	9,15,115,141,154,203,244,269 ,430,477,568,817,905,943
--------------------------------------	--------	---	--

(= *Ardeola ibis*)

E: Cattle Egret; F: Héron garde-boeufs; S: Espulgarueyes, Garcilla bueyera, Garcita reznera, Garza ganadera

Breeding:	Algeria; Angola; ?Anguilla; Antigua and Barbuda; Argentina; Armenia; Aruba; [Australia]; Azerbaijan; Bangladesh; Barbados; Belize; ?Bhutan; Bolivia; Botswana; Brazil; British Virgin Islands; ?Burkina Faso; ?Burundi; Cambodia; Cameroon; Canada; Cape Verde; Cayman Islands; Central African Republic; Chad; Chile; China; Colombia; Comoros; Congo; Costa Rica; ?Côte d'Ivoire; Cuba; Djibouti; Dominica; Dominican Republic; Ecuador; Egypt; El Salvador; ?Equatorial Guinea; Eritrea; Ethiopia; France; French Guiana; ?Gabon; Gambia; Ghana; Greece; Grenada; Guadeloupe; Guatemala; ?Guinea; Guinea-Bissau; Guyana; Haiti; [Hawaiian Islands]; Honduras; Hong Kong; India; Nicobar Islands, Andaman Islands; India; Indonesia; Iran; Israel; Italy; Jamaica; Japan; Jordan [1039]; Kazakhstan; Kenya; D.P.R. Korea; Korea Republic; Lao P.D.R.; Lesotho; Madagascar [266,604]; ?Maldives; Mali [932]; Martinique; Mauritania; ?Mauritius; Mayotte; Mexico;Montserrat; Morocco; Mozambique; Myanmar; Namibia; Nepal; Netherlands Antilles; New Zealand [457]; Nicaragua; Niger; Nigeria; Pakistan; Panama; Peru; Philippines; Portugal; Puerto Rico; Russia [577]; ?Réunion; ?Rwanda; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; São Tomé and Príncipe; São Tomé; Saudi Arabia; Senegal; Seychelles; ?Sierra Leone; Somalia; South Africa; Spain; Sri Lanka; Sudan; Suriname; Swaziland; Taiwan; ?Tanzania; Thailand; Trinidad and Tobago; ?Tunisia; Turkey; Turkmenia; ?Turks and Caicos Islands; Uganda; United States; Uruguay; Venezuela; Viet Nam; Virgin Islands of the United States; Yemen; Zaire; Zimbabwe
Non-breeding:	Anguilla; Australia; Bahamas; Bahrain; Benin [481]; Bermuda; Bhutan; Brunei; Burkina Faso; Burundi; Cocos (Keeling) Islands; Côte d'Ivoire; Cyprus; Equatorial Guinea [829]; Falkland Islands; Federated States of Micronesia; Gabon; Gibraltar; Guinea; Iraq; Kuwait; Lebanon; Liberia; Libya; Malawi; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Maldives;

	Mauritius; Morocco; Western Sahara; New Zealand; Northern Marianas; Oman; Palau; Papua New Guinea; Réunion; Rwanda; Sierra Leone; Singapore; Syria; Tanzania; Togo; Tunisia; Turks and Caicos Islands; United Arab Emirates; Zambia		
Vagrant:	Austria; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canary Islands; Christmas Island; Clipperton Atoll; Croatia; Denmark; Falkland Islands; South Shetland Islands; Germany; Guam; Guernsey; Hawaiian Islands; Hungary; Iceland; Ireland; Johnston Atoll; Liechtenstein; Lithuania; Luxembourg; Macedonia; Malta; Marshall Islands; Netherlands; Norfolk Island; Paraguay [968]; Qatar; Romania; Saint Helena; Sweden [29]; Switzerland; United Kingdom; Uzbekistan; Yugoslavia		
	<i>Casmerodus albus</i> (Linnaeus 1758)	III GH -	9,15,115,141,154,203,244,269 .430,477,568,667,713,905,943
	(= <i>Egretta alba</i>)		
E: Great Egret, Great White Egret; F: Grande aigrette; S: Garza blanca real, Garzetta grande			
Breeding:	?Albania; Angola; Antigua and Barbuda; Argentina; Armenia; Australia; Austria; Bahamas; Bangladesh; Belize; ?Bhutan; Bolivia; ?Bosnia and Herzegovina; ?Botswana; Brazil; Bulgaria; ?Burkina Faso; ?Burundi; Cambodia; ?Cameroon; Canada; ?Central African Republic; Chad; Chile; China; Colombia; Comoros; Môbeli; ?Congo; Costa Rica; Côte d'Ivoire; Croatia; Cuba; Czechoslovakia (former); Dominican Republic; Ecuador; El Salvador; ?Eritrea; ?Ethiopia [533]; French Guiana; ?Gabon; Gambia; Georgia; Ghana; Greece; Guadeloupe; Guatemala; Guinea; Guinea-Bissau; Guyana; Haiti; Honduras; Hong Kong; Hungary; India; ?Indonesia; Italy; Jamaica; Japan; Kazakhstan; Kenya; D.P.R. Korea [683]; Korea Republic; Lao P.D.R.; ?Latvia; ?Lesotho; ?Liberia; Macedonia; Madagascar [266,604]; Malawi; Malaysia; Peninsular Malaysia; ?Sabah; Mali [932]; Mauritania; Mexico; Mongolia; ?Mozambique; Myanmar; ?Namibia; Nepal; Netherlands; Nicaragua; ?Niger; Nigeria; Pakistan; Panama; Papua New Guinea; Paraguay; Peru; Puerto Rico; Romania; Russian Federation; Rwanda; Senegal; Somalia; South Africa; Sri Lanka; Suriname; Swaziland; Tajikistan; Tanzania; Thailand; Trinidad and Tobago; Turkey; Turkmenistan; USA; ?Uganda; Ukraine; Uruguay; Uzbekistan; Venezuela; Viet Nam; Virgin Islands of the United States; Yugoslavia; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Afghanistan; Albania; Algeria; Anguilla; Bahrain; Barbados; Benin [481]; Bermuda; Bhutan; Bosnia and Herzegovina; Botswana; British Virgin Islands; Brunei; Burkina Faso; Burundi; Cameroon; Cayman Islands; Central African Republic; Christmas Island; Congo; Cyprus; Dominica; Egypt; Equatorial Guinea; Eritrea; Ethiopia; France; Gabon; Grenada; Indonesia; Iran; Iraq; Israel; Jordan [1039]; Kuwait; Latvia; Lebanon; Lesotho; Liberia; Malaysia; Sabah, Sarawak [940]; Maldives; Martinique; Mayotte; Mozambique; Namibia; Netherlands Antilles; Aruba; Niger; Oman; Philippines; Qatar; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Saudi Arabia; Sierra Leone; Singapore; Slovenia; Sudan; Switzerland; Syria; Taiwan; Togo; Tunisia; Turks and Caicos Islands; Uganda; United Arab Emirates; Yemen; Zaire		
Vagrant:	Belgium; Canary Islands; Clipperton Atoll; Denmark; Falkland Islands; Finland; Germany; Hawaiian Islands; India; Andaman Islands; Ireland; Libya; Liechtenstein; Luxembourg; Malta; Mauritania; Morocco; Norway; Poland; Portugal; Saint Lucia; Seychelles [334]; South Georgia; Spain; Sweden; United Kingdom		
	<i>Egretta garzetta</i> (Linnaeus 1766)	III GH -	9,15,141,154,203,244,269,430 .477,568,667,713,905,943
E: Little Egret; F: Aigrette garzette; S: Garceta común			
Breeding:	Algeria; Angola; Armenia; Australia; Austria; Azerbaijan; Bangladesh; ?Bhutan; Bosnia and Herzegovina; Botswana; Brunei; Bulgaria; ?Burkina Faso; ?Burundi; Cambodia; Cameroon; Cape Verde; ?Central African Republic; Chad; China; ?Congo; ?Côte d'Ivoire; Croatia; Cyprus; Czechoslovakia (former); Egypt; ?Equatorial Guinea; ?Ethiopia; France; Gabon; Gambia; Georgia; Ghana; Greece; Hong Kong; Hungary; India; Indonesia; Iran; Israel; Italy; Japan; Jordan; Kenya; Korea Republic; Lao P.D.R.; ?Lesotho; Macedonia; ?Malawi; Mali; Mauritania; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; Netherlands; ?Niger; Nigeria; Pakistan; ?Papua New Guinea; Portugal; Romania; Russian Federation; Rwanda; Senegal; ?Seychelles; ?Sierra Leone; South Africa; Spain; Sri Lanka; Sudan; Swaziland; Syria; Taiwan; Tanzania; Thailand; Tunisia; Turkey; Turkmenistan; Uganda; Ukraine; ?Uzbekistan; Viet Nam; Yugoslavia; ?Zaire; Zambia; Zimbabwe		

Non-breeding:	Afghanistan; Albania; Bahrain; Benin [481]; Bhutan; Burkina Faso; Burundi; Canary Islands; Central African Republic; Christmas Island; Congo; Côte d'Ivoire; Djibouti; Equatorial Guinea; Eritrea; Ethiopia; Federated States of Micronesia; Yap; Germany; Gibraltar; Guinea; Guinea-Bissau; Iraq; D.P.R. Korea; Kuwait; Lebanon; Lesotho; Liberia; Libya; Malawi; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Malta; Morocco; Western Sahara; Mozambique; Niger; Northern Marianas; Oman; Palau; Papua New Guinea; Philippines; Qatar; São Tomé and Príncipe; Saudi Arabia; Seychelles [333]; Sierra Leone; Singapore; Slovenia; Somalia; Switzerland; Togo; United Arab Emirates; Uzbekistan; Yemen; Zaire
Vagrant:	Barbados [115]; Belgium; Canada; Cocos (Keeling) Islands; Comoros [534]; Denmark; Finland; Guernsey; Ireland; Jersey; Latvia; Liechtenstein; Luxembourg; Maldives; Martinique; Netherlands; Norway; Poland; Saint Lucia [115]; Suriname [448]; Sweden; Trinidad and Tobago; Trinidad [115]; United Kingdom

Family BALAENICIPITIDAE

<i>Balaeniceps rex</i> Gould 1850	II	-	50,141,154,203,226,228,269,4 31,626,943
-----------------------------------	----	---	--

E: Shoebill, Whale-headed Stork; F: Bec-en-sabot du Nil; S: Pico zapato

Breeding: ?Ethiopia [295]; Rwanda; Sudan; ?Tanzania; Uganda; Zaire; Zambia

Non-breeding: Central African Republic; Ethiopia [295]; Tanzania

Vagrant: Kenya; Malawi [433,865]

Family CICONIIDAE

<i>Ciconia boyciana</i> Swinhoe 1873 (= <i>Ciconia ciconia boyciana</i>)	I	E	226,239,240,269,431,570,645
--	---	---	-----------------------------

E: Oriental Stork, Oriental White Stork; F: Cigogne orientale; S: Cigueña blanca coreana

Breeding: China [335,1081]; Japan (ex); Korea Republic (ex); Russian Federation [577]

Non-breeding: Japan; D.P.R. Korea [952]; Korea Republic

Vagrant: Bangladesh; Hong Kong; India; Mongolia; Taiwan

<i>Ciconia nigra</i> (Linnaeus 1758)	II	-	9,141,154,203,239,244,269,43 1,477,655,943
--------------------------------------	----	---	---

E: Black Stork; F: Cigogne noire; S: Cigueña negra

Breeding: ?Afghanistan; Albania; ?Angola; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; ?Botswana; Bulgaria; China; Croatia; Czech Republic; Estonia; France; Georgia; Germany; Greece; Hungary; Iran; Kazakhstan; ?D.P.R. Korea; Kyrgyzstan; Latvia; Lesotho; Lithuania; Luxembourg; Macedonia; Malawi; Moldova; Mongolia; Mozambique; Namibia [998]; Poland [618]; Portugal; Romania; Russian Federation [577]; Slovenia; South Africa; Spain; Swaziland; Tajikistan; Turkey; Ukraine; Uzbekistan; Yugoslavia; Zambia; Zimbabwe [321]

Non-breeding: Afghanistan; Algeria; Angola; Bhutan; Botswana; Central African Republic; Cyprus; D.P.R. Korea; Denmark; Djibouti; Egypt; Eritrea; Ethiopia; Gibraltar; Guinea-Bissau; Hong Kong; India; Iraq; Israel; Italy; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Lebanon; Malta; Mauritania; Morocco; Myanmar; Nepal [73]; Netherlands; Nigeria; Pakistan; Saudi Arabia; Senegal; Sudan; Sweden; Switzerland; Syria; Tanzania; Tunisia; Turkmenistan; Uganda; Viet Nam; Yemen

Vagrant: Benin; Burkina Faso; Cameroon; Chad; Côte d'Ivoire; Finland; Gambia; Ghana; Guernsey; Iceland [307]; Ireland [534]; Japan; Kuwait; Lao P.D.R.; Libya; Liechtenstein; Mali; Niger; Norway; Rwanda; Somalia; Sri Lanka; Taiwan; Thailand [493]; Togo; United Arab Emirates; United Kingdom; Zaire

<i>Ephippiorhynchus senegalensis</i> (Shaw 1800)	III GH	-	141,154,203,239,269,431,905, 943
--	--------	---	-------------------------------------

E: Saddle-billed Stork, Saddlebill Stork; F: Jabiru d'Afrique, Jabiru du Sénégal; S: Gigüeña ensillada

Breeding: Angola; Benin; Botswana [48]; Burkina Faso; ?Burundi; ?Cameroon; Central African Republic; Chad; ?Congo; Côte d'Ivoire [1041]; Ethiopia; ?Gabon; ?Gambia; Ghana; ?Guinea-Bissau;

Kenya; Malawi; Mali; ?Mozambique; Namibia; ?Niger; ?Nigeria; Rwanda; Senegal; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe [321]
 Non-breeding: Burundi; Cameroon; Congo; Eritrea; Gabon; Gambia; Guinea-Bissau; Mozambique; Niger; Nigeria; Somalia; Tanzania; Togo
 Vagrant: Mauritania

Jabiru mycteria (Lichtenstein 1819) I - 15,239,269,431,713,841,962

E: Jabiru; F: Jabiru d'Amérique, Jabiru americain; S: Jabirú, Garzón soldado

Breeding: Argentina; Belize; Bolivia; Brazil [919]; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala [78,611]; Guyana; Mexico; Nicaragua; Paraguay; Peru; Suriname; Uruguay; Venezuela

Non-breeding: El Salvador; Honduras

Vagrant: Panama; Trinidad and Tobago [864]

Leptoptilos crumeniferus (Lesson 1831) III GH - 141,154,203,239,269,313,431,905,943

E: Marabou Stork; F: Marabout d'Afrique, Marabout; S: Marabú africano

Breeding: Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; Cameroon; Central African Republic; ?Chad; ?Congo; Ethiopia; ?Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; ?Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; ?Sierra Leone; Somalia; South Africa [146,555]; Sudan; Swaziland [783]; Tanzania [720]; ?Togo; Uganda; Zaire; Zambia; Zimbabwe [321]

Non-breeding: Benin; Burkina Faso; Chad; Congo; Côte d'Ivoire; Eritrea; Gabon; Liberia; Mozambique; Sierra Leone; Togo

Vagrant: Israel; ?Spain

Mycteria cinerea (Raffles 1822) I V 226,239,269,431,568,570,1020

E: Milky Stork; F: Tantale blanc

Breeding: Cambodia; Indonesia: Java [1104], Sumatra [929,931,930,1021], Sulawesi; Malaysia: Peninsular Malaysia; Viet Nam

Family THRESKIORNITHIDAE

Bostrychia hagedash (Latham 1790) III GH - 141,154,203,269,431,905,943

(= *Hagedashia hagedash*)

E: Hadada Ibis; F: Ibis hagedash; S: Ibis hadada

Breeding: Angola; ?Benin; Botswana; Burkina Faso; ?Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Eritrea; ?Ethiopia; Gabon; ?Gambia; ?Ghana; Guinea-Bissau; ?Guinea; Kenya; ?Lesotho [829]; ?Liberia; Malawi; Mozambique; ?Namibia; Niger; Nigeria; Rwanda; ?Senegal; ?Sierra Leone; ?Somalia; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; ?Zaire; Zambia; Zimbabwe [321]

Non-breeding: Angola; Benin; Burundi; Cameroon; Chad; Congo; Equatorial Guinea [829]; Eritrea; Ethiopia; Gambia; Ghana; Guinea; Lesotho; Liberia; Mali; Mauritania; Namibia; Senegal; Sierra Leone; Somalia; Sudan; Tanzania; Togo; Zaire

Bostrychia rara (Rothschild, Hartert & Kleinschmidt 1897)

(= *Lampribis rara*) III GH - 154,269,431,905,943

E: Spot-breasted Ibis; F: Ibis vermiculé; S: Ibis rara

Breeding: Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; Guinea; ?Liberia; ?Nigeria; ?Sierra Leone; ?Uganda; Zaire

Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Ghana; Liberia; Nigeria; Sierra Leone; Uganda

Eudocimus ruber (Linnaeus 1758) II - 269,352,431,643,646

E: Scarlet Ibis; F: Ibis rouge; S: Corocoro colorado, Ibis escarlata

Breeding: Brazil [668]; ?Colombia; Suriname; Venezuela

Non-breeding: Colombia; French Guiana [297]; Guyana; Trinidad and Tobago [25,101]

Vagrant: Argentina; Ecuador; Grenada; Jamaica; ?USA

<i>Geronticus calvus</i> (Boddaert 1783)	II	V	146,154,203,226,228,269,431, 664,665
E: Bald Ibis, Southern Bald Ibis; F: Ibis du Cap, Ibis chauve de l'Afrique du Sud; S: Ibis calvo			
Breeding:	Lesotho; South Africa [11]; Swaziland		
<i>Geronticus eremita</i> (Linnaeus 1758)			
	1	C	154,226,228,244,269,431,587, 875
E: Waldrapp, Northern Bald Ibis, Hermit Ibis; F: Ibis chauve, Ibis chevelu; S: Ibis eremita			
Breeding:	Algeria (ex); Greece (ex) [277]; Morocco [40,792]; Turkey (ex) [7,6]		
Non-breeding:	Eritrea; Ethiopia; Mauritania; Sudan; Syria; Yemen [147,98]		
Vagrant:	Algeria; Austria; Azores; Cape Verde; Egypt [589]; Germany; Iraq; Israel; Mali; Saudi Arabia; Senegal; Somalia; Spain; Western Sahara; Yugoslavia		
<i>Nipponia nippon</i> (Temminck 1835)			
	I	C	226,269,325,326,431,570,644, 645,913,914
E: Crested Ibis, Japanese Crested Ibis; F: Ibis nippon, Ibis blanc du Japon, Ibis blanc; S: Ibis monudo japonés			
Breeding:	China; D.P.R. Korea (ex); Japan (ex); Russian Federation (ex) [577]		
Vagrant:	D.P.R. Korea; Japan; Korea Republic; Russian Federation; Taiwan		
<i>Platalea leucorodia</i> Linnaeus 1758			
	II	-	9,154,244,269,431,477
E: Eurasian Spoonbill, White Spoonbill; F: Spatule blanche; S: Espátula blanca			
Breeding:	Albania; Armenia; Austria (ex?); Azerbaijan; Bangladesh; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Djibouti; Egypt; Eritrea; France [670]; Greece; ?Guinea-Bissau; Hungary; India [511]; Iran; Iraq; Italy; Kazakhstan; Macedonia; Mauritania; Moldova; Mongolia; Netherlands; Pakistan; Portugal; Romania; Russian Federation [577]; Saudi Arabia; Somalia; Spain; Sri Lanka; Sudan; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yemen; Yugoslavia		
Non-breeding:	Afghanistan; Algeria; Belgium; Canary Islands; Cape Verde; Central African Republic; Chad; Cyprus; D.P.R. Korea; Denmark; Ethiopia; Gambia; Germany; Guinea-Bissau; Hong Kong; Ireland; Israel; Japan; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Lebanon; Libya; Mali; Malta; Morocco: including Western Sahara; Myanmar; Nepal [73]; Oman; Saudi Arabia; Senegal; Slovenia; Sudan; Switzerland; Syria; Taiwan; Tajikistan; Tunisia; United Arab Emirates; United Kingdom		
Vagrant:	Bahrain; Burkina Faso; ?Cameroon; Faeroe Islands; Finland; Guernsey; Iceland; Jersey; Jordan; Latvia; Luxembourg; Niger; Nigeria; Norway; Poland; Sweden; Thailand; Uganda; Zaire		
<i>Threskiornis aethiopicus</i> (Latham 1790)			
	III GH	-	141,154,203,244,269,431,477, 570,905,943
(includes <i>Threskiornis bernieri</i> (Bonaparte 1855))			
E: Sacred Ibis; F: Ibis sacré; S: Ibis sagrado			
Breeding:	Angola; Botswana; ?Burkina Faso; Burundi; Cameroon; ?Central African Republic; Chad; Comoros; ?Congo; ?Côte d'Ivoire; Djibouti; Egypt (ex); ?Eritrea; Ethiopia; Gambia; Ghana; Guinea; Guinea-Bissau; Iran; Iraq; Kenya; ?Lesotho; Madagascar; Malawi; Mali; Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; Seychelles; Aldabra; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; Tanzania; ?Togo; Uganda; Zambia; Zimbabwe [321]		
Non-breeding:	Benin; Burkina Faso; Central African Republic; Congo; Côte d'Ivoire; Equatorial Guinea; Eritrea; Gabon; Lesotho; Mozambique; Niger; Sierra Leone; Togo; Zaire		
Vagrant:	Azerbaijan; Bahrain; Côte d'Ivoire; Egypt; Kuwait; Oman; Saudi Arabia; Yemen		

Family PHOENICOPTERIDAE

<i>Phoenicopterus andinus</i> Philippi 1854 (= <i>Phoenicoparrus andinus</i>)	II	V	106,226,269,690,713,755
E: Andean Flamingo; F: Flamant des Andes; S: Flamenco andino, Parina grande			
Breeding: Argentina [95]; Bolivia; Chile; Peru			
Vagrant: Brazil [83]			
<i>Phoenicopterus chilensis</i> Molina 1782	II	-	269,690,713,755
E: Chilean Flamingo; F: Flamant du Chili; S: Flamenco común de Chile, Parihuana, Pariona, Flamenco común			
Breeding: Argentina; Bolivia; Brazil; Chile; Paraguay; Peru; Uruguay			
Vagrant: Ecuador; Falkland Islands			
<i>Phoenicopterus jamesi</i> Slater 1886 (= <i>Phoenicoparrus jamesi</i>)	II	V	106,226,235,269,690,713,755
E: Puna Flamingo, James' Flamingo; F: Flamant de James; S: Flamenco andino chico, Parina chica, Flamenco de James			
Breeding: Argentina [95]; Bolivia; Chile; Peru			
<i>Phoenicopterus minor</i> Geoffroy Saint-Hilaire 1798 (= <i>Phoeniconaias minor</i>)	II	-	9,141,154,203,226,269,477755
E: Lesser Flamingo; F: Flamant nain, Petit Flamant; S: Flamenco enano			
Breeding: Botswana; ?Djibouti; India; Kenya; Mauritania; Namibia; South Africa; Tanzania; Zaire; Zambia			
Non-breeding: Angola; Burundi; Cameroon; Djibouti; Eritrea; Ethiopia; Gabon; Gambia; Guinea; Guinea-Bissau; Lesotho; Madagascar; Malawi; Mozambique; Pakistan; Senegal; Sierra Leone; Sudan; Uganda; Yemen; Zimbabwe		-	
Vagrant: Afghanistan; Chad; Comoros [1008]; Egypt [612]; Iran; ?Lesotho; Mauritius; Morocco; Niger; Nigeria; Oman; Réunion; Rwanda; São Tomé and Príncipe; São Tomé; Seychelles; Somalia; Spain; Swaziland			
<i>Phoenicopterus ruber</i> Linnaeus 1758	II	-	9,15,115,141,154,203,244,269 ,477,690,713,755
(includes <i>Phoenicopterus roseus</i> Pallas 1811)			
E: Greater Flamingo, Caribbean Flamingo, American Flamingo; F: Flamant rose; S: Flamenco de Cuba, Flamenco rojo, Flamenco, Tococo, Flamenco común			
Breeding: Afghanistan; Bahamas; Botswana; Cuba; ?Djibouti; Dominican Republic; Ecuador; Galapagos Islands; ?Egypt; ?Ethiopia [552]; France [531]; Haiti [772,773]; India; Iran; Italy; Kazakhstan; Kenya; Madagascar; Mauritania; Mauritius; Rodrigues; Mexico [316]; Morocco; ?Mozambique; Namibia; Netherlands Antilles; Pakistan; Senegal; ?Somalia; South Africa; Spain; Tanzania; Tunisia; Turkey			
Non-breeding: Algeria; Angola; Aruba; Bahrain; Brazil; Burundi; Cape Verde; Colombia; Comoros [1008]; Cyprus; Djibouti; Egypt; Eritrea; Ethiopia; French Guiana; Gambia; Gibraltar; Greece; Guinea; Guyana; Iraq; Israel; Jamaica; Jordan; Kuwait; Lebanon; Libya; Malawi; Morocco; Western Sahara; Mozambique; Oman; Portugal; Qatar; Saudi Arabia; Seychelles; Aldabra, Mahé [333]; Sierra Leone; Somalia; Sri Lanka; Sudan; Suriname; Syria; Turkmenistan; Turks and Caicos Islands; USA; Uganda; United Arab Emirates; Uzbekistan; Venezuela; Yemen; Zambia; Zimbabwe			
Vagrant: Antigua and Barbuda; Austria; Bangladesh; ?Belgium; Belize; Bermuda; British Virgin Islands; Bulgaria [1017]; Cambodia; Canada; Canary Islands; Cocos (Keeling) Islands [719]; Congo; Croatia; Czech Republic; Denmark; Equatorial Guinea; Finland; ?Germany; Guadeloupe; Hungary; Latvia; Lesotho; Liberia; Malta; Mauritius; Nepal; Norway; Poland; Puerto Rico; Romania; Réunion; Saint Lucia; Slovak Republic; Slovenia; Swaziland; ?Sweden; ?Switzerland; Virgin Islands of the United States; Yugoslavia; Zaire			

Order ANSERIFORMES

Family ANATIDAE

<i>Alopochen aegyptiacus</i> (Linnaeus 1766)	III GH -	139,141,154,203,244,269,477, 654,905,943
E: Egyptian Goose; F: Ovette d'Egypte, Oie d'Egypte; S: Oca del Nilo, Ganso de Nilo		
Breeding:	Angola; [Belgium]; Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; Central African Republic; Chad; ?Congo; Djibouti; Egypt; ?Equatorial Guinea; Eritrea; Ethiopia; ?Gabon; ?Guinea; ?Guinea-Bissau; Israel (ex); Kenya; Lesotho; Liberia; Malawi; Mali; Mauritania; Mozambique; Namibia; [Netherlands]; ?Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; Tanzania; Uganda; [United Arab Emirates]; [United Kingdom] [971]; Zaire; Zambia; Zimbabwe	
Non-breeding:	Algeria; Burkina Faso; Cameroon; Congo; ?Cyprus; Equatorial Guinea; Gabon; Gambia; Guinea; Guinea-Bissau; Niger; Tunisia	
Vagrant:	Benin; Côte d'Ivoire; Eritrea; France; Ghana; Hungary; Israel; Malta; Spain; Syria	
<i>Anas acuta</i> Linnaeus 1758	III GH -	9,15,115,139,141,154,244,269 ,477,568,654,667,690,905
E: Northern Pintail, Common Pintail; F: Canard Pilet, Pilet; S: Pato rabudo, Anade rabudo, Pato golondrino norteño		
Breeding:	Afghanistan; Armenia; Austria; Belgium; Bulgaria; Canada; China; Czechoslovakia (former); Denmark; Estonia; Faeroe Islands; Finland; [France]; [Saint Paul], [Amsterdam Island]; Germany; Greenland; Hungary; Iceland; ?Ireland; Kazakhstan; Latvia; Lithuania; Mongolia; Morocco; Netherlands; Norway; Poland; Romania; Russian Federation; Spain; Sweden; Tunisia; Turkey; USA [470]; United Kingdom; Yugoslavia (ex)	
Non-breeding:	Albania; Algeria; Bahamas; Bahrain; Bangladesh; Barbados; Belize [314]; Bermuda; Bhutan; Bosnia and Herzegovina; Burkina Faso; Burundi; Cambodia; Cameroon; Central African Republic; Chad; Costa Rica; Croatia; Cuba; Cyprus; Djibouti; Dominican Republic; Egypt; El Salvador; Eritrea; Ethiopia; Federated States of Micronesia [817]; Gambia; Ghana; Greece; Guatemala; Guernsey; Guinea [1042]; Haiti; Hawaiian Islands; Honduras; Hong Kong; India; Iran; Iraq; Ireland; Israel; Italy; Jamaica; Japan; Jersey; Jordan [1039]; Kenya; Kiribati; Gilbert Islands, Phoenix Islands (Canton and Enderbury); D.P.R. Korea; Korea Republic; Kuwait; Lao P.D.R.; Lebanon; Liberia; Libya; Liechtenstein; Luxembourg; Macedonia; Malawi; Mali; Malta; Marshall Islands; Mauritania; Mexico; Morocco; Western Sahara; Myanmar; Nepal; Nicaragua; Niger; Nigeria; Northern Marianas; Oman; Pakistan; Palau; Panama; Philippines; Portugal; Qatar; Rwanda; Saudi Arabia; Senegal; Sierra Leone; Singapore; Slovenia; Somalia; South Africa [205]; Sri Lanka; Sudan; Switzerland; Syria; Taiwan; Tajikistan; Tanzania; Thailand; Togo; Turkey; Uganda; United Arab Emirates; Uzbekistan; Viet Nam; Yemen; Yugoslavia; Zaire; Zambia [205]; Zimbabwe [205]	
Vagrant:	?Anguilla; Azores; Botswana; Brunei [663]; Canary Islands; Clipperton Atoll; Colombia; Côte d'Ivoire [63]; French Polynesia; Marquesas Islands, Society Islands; Gabon; Guadeloupe; Guyana; Indonesia; Java [695]; Malaysia; Peninsular Malaysia, Sabah [940], Sarawak [940]; Maldives; ?Montserrat; Netherlands Antilles; New Zealand; Cook Islands; Papua New Guinea; Portugal; Madeira; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Seychelles [301]; Suriname; Svalbard and Jan Mayen Islands; Tonga; Turks and Caicos Islands; Venezuela; Virgin Islands of the United States	
<i>Anas aucklandica</i> (Gray 1844)	I V	226,451,570,654,718,1083
(includes <i>Anas chlorotis</i> Gray 1845, <i>Anas nesiotis</i> (Fleming 1935))		
E: Brown Teal; F: Sarcelle brune, Sarcelle terrestre des îles Auckland; S: Cerceta alicorta de Auckland		
Breeding:	New Zealand: including Auckland Islands and Campbell Island	
<i>Anas bernieri</i> (Hartlaub 1860)	II E	139,226,228,266,269,604,654, 1101
E: Madagascar Teal; F: Sarcelle de Bernier, Sarcelle malgache de Bernier, Sarcelle de Madagascar; S: Cerceta de Madagascar, Pato Bernier		
Breeding:	Madagascar	

<i>Anas capensis</i>	Gmelin 1789	III GH	-	139,141,154,203,269,654,905
E: Cape Teal; F: Canard du Cap				
Breeding:	Angola; Botswana; ?Cameroon; Chad; Ethiopia; Kenya; Lesotho; ?Libya [477]; Mozambique; Namibia; Niger; ?Nigeria; South Africa; Sudan; Tanzania; Zaire; Zambia; Zimbabwe			
Non-breeding:	Cameroon; Nigeria			
Vagrant:	Ghana; Israel; Lesotho; Libya; Malawi; Swaziland			
<i>Anas clypeata</i>	Linnaeus 1758	III GH	-	9,15,115,139,141,154,244,269 .477,568,654,667,690,713,797 .905
(= <i>Spatula clypeata</i>)				
E: Northern Shoveler; F: Canard souchet, Souchet; S: Pato cuchara, Pato cucharón norteño				
Breeding:	Afghanistan; ?Albania; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canada; China; Croatia (ex); Czechoslovakia (former); Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; Iceland; Ireland; Isle of Man; Italy; Japan; Jersey; Kazakhstan; Kyrgyzstan; Latvia; Lithuania; ?Macedonia; Moldova; Mongolia; Netherlands; Norway; Poland; Portugal; Romania; Russian Federation; Slovenia; Spain; Sweden; Switzerland; Turkey; Turkmenistan; USA; Ukraine; United Kingdom [571]; Uzbekistan; Yugoslavia			
Non-breeding:	Albania; Algeria; Antigua and Barbuda; Bahamas; Bahrain; Bangladesh; Belize; ?Bhutan; Burkina Faso; Burundi; Cambodia; Canary Islands; Cayman Islands; Chad; Colombia; Costa Rica; Côte d'Ivoire; Cuba; Cyprus; Djibouti; Dominica; Dominican Republic; Egypt; El Salvador; Eritrea; Ethiopia; Federated States of Micronesia; Gambia; Ghana; Grenada; Guadeloupe; Guam; Guatemala; Guernsey; Guinea-Bissau; Haiti; Hawaiian Islands; Honduras; Hong Kong; India; Iran; Iraq; Israel; Jamaica; Jordan [1039]; Kenya; Kiribati; D.P.R. Korea; Korea Republic; Kuwait; Lebanon; Liberia; Libya; Liechtenstein; Luxembourg; Macedonia; Malawi [205]; Maldives; Mali; Malta; Marshall Islands; Martinique; Mauritania; Mexico; ?Montserrat; Morocco: including Western Sahara; Myanmar; Nepal; Nicaragua; Niger; Nigeria; Northern Marianas; Oman; Pakistan; Panama; Philippines; Puerto Rico; Qatar; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Saudi Arabia; Senegal; Singapore; Somalia; Sri Lanka; Sudan; Syria; Taiwan; Tajikistan; Tanzania; Thailand; Tunisia; USA; Wake Island; Uganda; United Arab Emirates; Viet Nam; Virgin Islands of the United States; Yemen; Zaire; Zambia [205]			
Vagrant:	Australia [128]; Barbados; Bermuda; Bolivia; ?Botswana; Brunei [663]; Cameroon; Clipperton Atoll; Faeroe Islands; French Polynesia; Tahiti, Tuamotu Archipelago; Guinea; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Namibia; Netherlands: Aruba; Netherlands Antilles; New Zealand; Rwanda; Svalbard and Jan Mayen Islands; Trinidad and Tobago; Trinidad; Turks and Caicos Islands; Venezuela; Zimbabwe [205]			
<i>Anas crecca</i>	Linnaeus 1758	III GH	-	9,15,139,141,154,244,269,477 .568,654,690,797,905
E: Common Teal, Green-winged Teal; F: Sarcelle d'hiver; S: Cerceta común, Cerceta aliverde				
Breeding:	Afghanistan; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina (ex); Bulgaria; Canada; China; Croatia; Czechoslovakia (former); Denmark; Estonia; Faeroe Islands; Finland; France; Georgia; Germany; Greece; Greenland; Hungary; Iceland; Ireland; Isle of Man; Italy; Japan; Kazakhstan; Latvia; Lithuania; Luxembourg; Moldova; Mongolia; Netherlands; Norway; Poland; Romania; Russian Federation; Slovenia; Spain; Sweden; Switzerland; Turkey; USA; Ukraine; United Kingdom; Uzbekistan; ?Yugoslavia			
Non-breeding:	Albania; Algeria; Antigua and Barbuda; Bahamas; Bahrain; Bangladesh; Belize; Benin; Bermuda; Bhutan; Bosnia and Herzegovina; Cambodia; Cameroon; Canary Islands; Central African Republic; Chad; Cuba [115]; Cyprus; Dominican Republic; Egypt; Eritrea; Ethiopia; Gambia; Ghana; Guernsey; Haiti; Hawaiian Islands; Hong Kong; India; Iran; Iraq; Israel; Jamaica; Jersey; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Kyrgyzstan; Lao P.D.R.; Lebanon; Libya; Liechtenstein; Macedonia; Maldives; Mali; Malta; Mauritania; Mexico; Morocco: including Western Sahara; Myanmar; Nepal; Niger; Nigeria; Northern Marianas; Oman; Pakistan; Philippines; Portugal; Puerto Rico; Qatar; Saudi Arabia; Senegal; Singapore; Somalia; Sri Lanka; Sudan; Syria; Taiwan; Tajikistan; Tanzania; Thailand; Tunisia; Turkmenistan; Uganda; United Arab Emirates; Viet Nam; Yemen; Yugoslavia			

Vagrant: ?Anguilla; Barbados; Brunei [663]; Burundi; Cape Verde; Colombia; Costa Rica; Côte d'Ivoire; Dominica; ?El Salvador; Grenada; ?Guadeloupe; ?Guatemala; ?Honduras; Malaysia; Peninsular Malaysia, Sabah; Marshall Islands; ?Martinique; Montserrat; Palau [817]; Rwanda; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Seychelles; Svalbard and Jan Mayen Islands; Trinidad and Tobago; Tobago; Virgin Islands of the United States; Zaire

Anas formosa Georgi 1775 II V 132,226,244,269,654,797

E: Baikal Teal; F: Sarcelle élégante

Breeding: Russian Federation

Non-breeding: China; Japan; D.P.R. Korea; Korea Republic; Mongolia

Vagrant: Afghanistan; Bangladesh; ?France; Hong Kong; India; ?Italy; ?Malta; ?Netherlands; ?Spain [26]; Uzbekistan

Anas laysanensis Rothschild 1892 I V 15,226,269,570,654

(= *Anas platyrhynchos laysanensis*)

E: Laysan Duck, Laysan Teal; F: Canard de Laysan; S: Pato real de Laysan

Breeding: Hawaiian Islands: Laysan

Anas oustaleti Salvadori 1894 I -

(= *Anas platyrhynchos "oustaleti"*, *Anas platyrhynchos* × *Anas superciliosus*)

E: Marianas Mallard; F: Canard d'Oustalet; S: Pato real marismeno

Breeding: Guam (ex); Northern Marianas: ?Rota, Tinian (ex?), Saipan (ex?)

Anas penelope Linnaeus 1758 III GH -

9,15,139,141,154,244,269,477
,510,568,581,654,797,905

E: Eurasian Wigeon; F: Canard siffleur; S: Anade silbón, Pato silbón

Breeding: Armenia; Azerbaijan; Belgium; China; Czechoslovakia (former); Denmark; Eritrea; Estonia; Finland; Georgia; Germany; Iceland; Kazakhstan; Latvia; Mongolia; Netherlands; Norway; Poland; Russian Federation; Spain; Sweden; Turkey; United Kingdom

Non-breeding: Afghanistan; Albania; Algeria; Austria; Bahrain; Bangladesh; Bhutan; Bosnia and Herzegovina; Bulgaria; Cambodia; Canada; Canary Islands; Chad; Croatia; Cyprus; Egypt; Ethiopia; Faeroe Islands; France; Greece; Greenland; Guam; Guernsey; Hong Kong; Hungary; India; Iran; Iraq; Ireland; Israel; Italy; Japan; Jersey; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Lao P.D.R.; Lebanon; Libya; Liechtenstein; Luxembourg; Macedonia; Mali; Malta; Marshall Islands; Mauritania; Mexico; Morocco; including Western Sahara; Myanmar; Nepal; Niger; Nigeria; Oman; Pakistan; Palau; Philippines; Portugal; Qatar; Romania; Saudi Arabia; Senegal; Slovenia; Sri Lanka; Sudan; Switzerland; Syria; Taiwan; Tanzania; Thailand; Tunisia; USA; United Arab Emirates; Uzbekistan; Viet Nam; Yemen; Yugoslavia

Vagrant: Antigua and Barbuda; Barbuda [115]; Barbados [115]; Bermuda; Burundi; Cameroon; Clipperton Atoll; Djibouti; Dominican Republic [115]; Federated States of Micronesia; Ghana; Haiti [115]; Hawaiian Islands; Indonesia; Irian Jaya, Sulawesi [1063]; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Northern Marianas; Papua New Guinea; Puerto Rico [115]; Singapore; Somalia; Svalbard and Jan Mayen Islands; Uganda; Zaire

Anas querquedula Linnaeus 1758 III GH -

9,15,139,141,154,244,269,477
,568,654,667,690,797,905

E: Garganey, Garganey Teal; F: Sarcelle d'été; S: Cerceta carretona, Cerceta cejiblanca

Breeding: Albania; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czechoslovakia (former); Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; Iran; ?Ireland; Israel; Italy; Japan; Kazakhstan; Latvia; Lithuania; Luxembourg; Macedonia; Moldova; Mongolia; Netherlands; Norway; Poland; Portugal; Romania; Russian Federation; Slovenia; Spain; Sweden; Switzerland; Turkey; Ukraine; United Kingdom; Uzbekistan; Yugoslavia

Non-breeding: Afghanistan; Algeria; Bahrain; Bangladesh; Benin; ?Bhutan; Burkina Faso; Burundi; Cambodia; Cameroon; Canary Islands; Central African Republic; Chad; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guernsey; Guinea; Guinea-Bissau; Hong Kong; India; Indonesia; Java; Iraq; Ireland; Jersey; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Kyrgyzstan; Lao P.D.R.; Lebanon; Liberia; Libya; Liechtenstein;

	Malawi [205]; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Maldives; Mali; Malta; Mauritania; Morocco: including Western Sahara; Myanmar; Nepal; Niger; Nigeria; Norway; Oman; Pakistan; Papua New Guinea; Philippines; Qatar; Rwanda; Saudi Arabia; Senegal; Seychelles; Sierra Leone; Singapore; Somalia; South Africa [205]; Sri Lanka; Sudan; Syria; Taiwan; Tajikistan; Tanzania; Thailand; Togo; Tunisia; Uganda; United Arab Emirates; Viet Nam; Yemen; Zaire; Zambia [205]; Zimbabwe [205]		
Vagrant:	Australia; Barbados [115]; Botswana [205]; Brunei; Canada; Christmas Island; Faeroe Islands; Guam; Hawaiian Islands; Iceland; Indonesia: Irian Jaya, Mangole, Seram, Sulawesi, Sumatra; ?Ternate, Timor; Mauritius: Rodrigues; Mexico; Northern Marianas; Palau; Puerto Rico; USA		
<i>Aythya nyroca</i> (Güldenstädt 1770) (= <i>Nyroca nyroca</i>)		III GH -	9,154,244,477,654,905
E: Ferruginous Pochard, Ferruginous Duck, White-eyed Pochard; F: Fuligule nyroca.; S: Porrón pardo			
Breeding:	Afghanistan; Albania; Algeria; Armenia; Austria; Azerbaijan; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czechoslovakia (former); France; Georgia; Germany; Greece; Hungary; India; Iran; Israel; Italy; Kazakhstan; Latvia; Lithuania; Macedonia; Moldova; Mongolia [805]; Morocco; Poland; Romania; Russian Federation; Saudi Arabia; Slovenia; Spain; Tajikistan; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia		
Non-breeding:	Bangladesh; Belarus; Belgium; Bhutan; Cameroon; Central African Republic; Chad; Cyprus; Egypt; Eritrea; Ethiopia; Gambia; Iraq; Jordan [1039]; Kenya; Lebanon; Libya; Mali; Malta; Mauritania; Morocco; ?Western Sahara; Myanmar; Nepal; Netherlands; Niger; Nigeria; Oman; Pakistan; Senegal; Sudan; Switzerland; Thailand; Tunisia; United Arab Emirates; Viet Nam; Yemen		
Vagrant:	Bahrain; Burkina Faso; Canary Islands; Cape Verde; Denmark; Finland; Ghana; Ireland; Japan; Liechtenstein; Luxembourg; Maldives; Norway; Portugal; Qatar; Sierra Leone; Sweden; Syria; Uganda; United Kingdom		
<i>Branta canadensis leucopareia</i> (Brandt 1836)	-	I -	15,269,570,654,667
E: Aleutian Goose; F: Bernache des Aléoutiennes; S: Barnacla canadiense aleutiana, Ganso canadiense aleutiana			
Breeding:	Russian Federation: Kurile Islands; USA: Aleutian Islands		
Non-breeding:	Japan; Mexico		
Vagrant:	Canada		
<i>Branta ruficollis</i> (Pallas 1769)		II V	226,244,269,477,654,1030
E: Red-breasted Goose; F: Bernache à cou roux; S: Barnacla cuellirroja			
Breeding:	Russian Federation [119,577]		
Non-breeding:	Bulgaria [933]; Greece; Hungary [958]; Iran; Iraq; Kazakhstan; Romania; Turkey [76,551]; Turkmenistan		
Vagrant:	Austria; Belgium; Bosnia and Herzegovina; China; Croatia; Czechoslovakia (former); Denmark; ?Egypt; Finland; France; Germany; India; Ireland; Israel; Italy; Latvia; Netherlands; Norway; Poland; Spain; Sweden; United Kingdom; Uzbekistan; Yugoslavia		
<i>Branta sandvicensis</i> (Vigors 1834)		I V	15,105,226,269,475,483,570,6
(= <i>Nesochen sandvicensis</i>)		54	
E: Nene, Hawaiian Goose; F: Bernache néné, Bernache d'Hawaii; S: Barnacla hawaiiana			
Breeding:	Hawaiian Islands: Hawaii, Maui		
<i>Cairina moschata</i> (Linnaeus 1758)		III HN -	269,654,713
E: Muscovy Duck; F: Canard musqué; S: Pato criollo, Pato real			
Breeding:	Argentina; Belize [241]; Bolivia; Brazil; Chile; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Uruguay; Venezuela		
Vagrant:	Trinidad and Tobago; ?USA		

<i>Cairina scutulata</i> (Müller 1842)	I	E	9,226,269,410,493,568,570,654
E: White-winged Duck, White-winged Wood Duck; aliblanco	F: Canard à ailes blanches; S: Pato almizclero		
Breeding:	Bangladesh [562]; ?Cambodia; India; Indonesia: Java (ex), Sumatra [478,739,479]; Lao P.D.R.; Myanmar; Thailand [418,867,786]; Viet Nam		
Non-breeding:	Cambodia		
Vagrant:	Malaysia: Peninsular Malaysia		
<i>Coscoroba coscoroba</i> (Molina 1782)	II	-	269,654,690,713
E: Coscoroba Swan; F: Coscoroba blanc, Cygne coscoroba; S: Cisne coscoroba, Ganso blanco			
Breeding:	Brazil; Chile; ?Falkland Islands; Paraguay; Uruguay		
<i>Cygnus melanocorypha</i> (Molina 1782)	II	-	269,654,690,713
E: Black-necked Swan; F: Cygne chanteur, Cygne à cou noir; S: Cisne cuellinegro, Cisne cuello negro			
Breeding:	Argentina; Brazil; Chile; Falkland Islands; Paraguay; Uruguay		
Vagrant:	Antarctic Peninsula: including Palmer Archipelago; South Shetland Islands		
<i>Dendrocygna arborea</i> (Linnaeus 1758)	II	V	115,226,229,269,312,654,690,713
E: West Indian Whistling-Duck, West Indian Tree-Duck, Cuban Tree-Duck, Black-billed Wood-Duck; F: Dendrocygne des Antilles, Dendrocygne à bec noir; S: Pato silbón de Cuba, Yaguaza			
Breeding:	Antigua and Barbuda [620]; Bahamas [163]; ?British Virgin Islands; Cayman Islands [622]; Cuba [366,367]; Dominican Republic; Haiti; Jamaica; Puerto Rico; Turks and Caicos Islands; ?Virgin Islands of the United States		
Non-breeding:	Barbados; British Virgin Islands; Grenada; Martinique; Saint Lucia; Virgin Islands of the United States		
Vagrant:	Bermuda; Netherlands Antilles; Saint Kitts and Nevis		
<i>Dendrocygna autumnalis</i> (Linnaeus 1758)	III HN	-	115,253,269,654,713
E: Black-bellied Whistling-Duck, Red-billed Whistling-Duck; F: Dendrocygne à ventre noir; S: Pato silbón ventrinegro, Guiríri, Pijiji aliblanco			
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; USA; Uruguay; Venezuela		
Vagrant:	Aruba; Barbados; Cuba; Grenada; Guadeloupe; Martinique; Netherlands Antilles; Puerto Rico; Saint Lucia; Saint Vincent; Virgin Islands of the United States		
<i>Dendrocygna bicolor</i> (Vieillot 1816)	III GH HN	-	9,15,115,141,154,203,253,269,654,713,905,943
(= <i>Dendrocygna fulva</i> (Gmelin 1788))			
E: Fulvous Whistling-Duck, Fulvous Tree-Duck; F: Dendrocygne fauve; S: Pato silbón común, Yaguaso colorado, Suiríri Leonardo, Pijiji canelo			
Breeding:	?Angola; Antigua and Barbuda; Argentina; Bangladesh; Bolivia; Botswana; Brazil; ?Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; Colombia; Congo; Costa Rica; ?Côte d'Ivoire; Cuba; Dominican Republic; Ecuador; French Guiana; Ghana; Guinea; Guyana; Haiti; Hawaiian Islands; Honduras; India; Kenya; Madagascar; Malawi; Mali; Mauritania; Mexico; Mozambique; Myanmar; Nigeria; Pakistan; Paraguay; Peru; ?Rwanda; Senegal; South Africa; Suriname; Tanzania; ?Togo; USA [1004]; ?Uganda; Uruguay; Venezuela; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gabon; Gambia; Guadeloupe; Guatemala; Lesotho; Martinique; Namibia; Niger; Rwanda; Somalia; Sudan; Swaziland; Togo; Uganda		
Vagrant:	?Anguilla; Bahamas; Barbados; Belize; Bermuda; ?British Virgin Islands; Canada; Chile; Côte d'Ivoire; Dominica; France; Grenada; ?Israel; ?Montserrat; Morocco; Nepal; Netherlands; Aruba; Netherlands Antilles; Bonaire; Panama; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Sierra Leone; Spain; Sri Lanka; Trinidad and Tobago; Trinidad; Turks and Caicos Islands; Virgin Islands of the United States		

<i>Dendrocygna viduata</i> (Linnaeus 1766)	III GH	-	15,139,141,154,203,253,269,6 54,713,905,943
E: White-faced Whistling-Duck, White-faced Tree-Duck; F: Dendrocygne veuf; S: Pato silbón cariblanco, Yagouaso cariblanco, Suirí cariblanco			
Breeding:	Argentina; ?Benin; Bolivia; Botswana; Brazil; Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; Chad; Colombia; ?Comoros; ?Congo; Costa Rica; Côte d'Ivoire; ?Ethiopia; ?Gabon; Gambia; Ghana; Guinea [1042]; ?Guinea-Bissau; Guyana; Kenya; Lesotho; Liberia; Madagascar; Malawi; Mali; Mauritania; [Mauritius (ex)]; Mozambique; ?Namibia; Niger; Nigeria; Panama (ex?); Paraguay; Peru; Puerto Rico (ex); Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Suriname; Swaziland; Tanzania; ?Togo; Uganda; Uruguay; Venezuela; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burundi; Cameroon; Central African Republic; Comoros; Moheli; Congo; Equatorial Guinea; Eritrea; Ethiopia; Gabon; Guinea-Bissau; Mayotte; Namibia; Seychelles; Aldabra Islands; Togo		
Vagrant:	Barbados; Canary Islands; Cuba; Dominican Republic; Netherlands: Aruba; Netherlands Antilles: Curaçao; Spain; Trinidad and Tobago: Trinidad		
<i>Nettapus auritus</i> (Boddaert 1783)	III GH	-	139,141,154,203,269,654,905, 943
E: African Pygmy-goose; F: Anserelle naine, Sarcelle à oreillons; S: Patito africano			
Breeding:	?Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; Chad; ?Congo; Côte d'Ivoire; Equatorial Guinea; ?Ethiopia [533]; Gabon; Gambia; Ghana; ?Guinea-Bissau; ?Guinea; Kenya; ?Liberia; Madagascar; Malawi; Mali; ?Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; Sudan; Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burkina Faso; Cameroon; Central African Republic; Congo; Ethiopia [533]; Guinea-Bissau; Guinea; Liberia; Mauritania; Senegal; Somalia; Sudan; Swaziland; Togo		
Vagrant:	?Lesotho		
<i>Oxyura leucocephala</i> (Scopoli 1769)	II	V	9,119,139,154,226,244,269,40 7,477,654,673,679,797
E: White-headed Duck; F: Érismature à tête blanche; S: Malvasía			
Breeding:	Afghanistan; Algeria; France: Corsica (ex?); Hungary (ex); Iran; Italy: Sardinia (ex); Kazakhstan; Romania; Russian Federation [577]; Spain [287]; Tunisia; Turkey [76]; Turkmenistan; Uzbekistan; Yugoslavia (ex)		
Non-breeding:	Albania; Bulgaria; China; Cyprus; Egypt; Greece; India; Iraq; Italy; Morocco; Pakistan; Syria; Tajikistan; Ukraine		
Vagrant:	Austria; Belgium; Bosnia and Herzegovina; Croatia; Czechoslovakia (former); ?Denmark; France; Germany; Israel; Libya; Macedonia; Malta; Mongolia; Netherlands; Poland; Portugal; Saudi Arabia; Slovenia; Switzerland; Yugoslavia		
<i>Plectropterus gambensis</i> (Linnaeus 1766)	III GH	-	139,141,154,203,269,654,905, 943
E: Spur-winged Goose; F: Oie-armée de Gambie, Canard armé, Plectroptère, Plectroptère de Gambie; S: Ganso del Gambia			
Breeding:	Angola; Benin; Botswana; Burkina Faso; Burundi; ?Cameroon; Central African Republic; Chad; ?Congo; ?Ethiopia; ?Gabon; Gambia; ?Ghana; ?Guinea-Bissau; ?Guinea [1042]; Kenya; Liberia; Malawi; Mali; Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; Sierra Leone; South Africa; Sudan; Swaziland; Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Cameroon; Congo; Côte d'Ivoire; Ethiopia; Gabon; Ghana; Guihea-Bissau; Guinea [1042]; Lesotho; Togo		
Vagrant:	Egypt; Morocco; ?Oman		

<i>Pteronetta hartlaubii</i> (Cassin 1859) (= <i>Cairina hartlaubii</i>)	III GH -	139,154,269,654,905,943
E: Hartlaub's Duck; F: Canard de Hartlaub, Ptéronette de Hartlaub; S: Pato de Hartlaub		
Breeding: Angola; ?Cameroon; Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; ?Guinea; Liberia; ?Mali; ?Nigeria; ?Sierra Leone; Sudan; Zaire		
Non-breeding: Cameroon; Congo; Equatorial Guinea; Guinea; Mali; Nigeria; Sierra Leone		
Vagrant: Uganda		
<i>Rhodonessa caryophyllacea</i> (Latham 1790)	I C	9,226,411,412,570,654
E: Pink-headed Duck; F: Nette à cou rose, Canard à tête rose; S: Pato cabecirrosa		
Breeding: India (ex); Myanmar (ex); Nepal (ex)		
<i>Sarkidiornis melanotos</i> (Pennant 1769)	II -	9,139,141,154,203,269,568,65 4,690,713,905,943
E: Comb Duck, Knob-billed Goose; F: Canard à bosse, Canard casqué, Sarcidorne à crête; S: Pato crestudo, Pato de moco, Pato de Monte, Pato crestón		
Breeding: Angola; Argentina [95]; Bangladesh; Benin; Bolivia; Botswana; Brazil; Burkina Faso; ?Burundi; Cambodia; Central African Republic; Chad; ?China; Colombia; Ecuador; Eritrea; ?French Guiana; ?Ghana; Guyana; India; Kenya; Lao P.D.R.; Madagascar; Malawi; Mali; auritania; Mexico [234]; Mozambique; Myanmar; Namibia; Nepal; Nigeria; Pakistan; Panama; Paraguay; Peru; Rwanda; South Africa; Sri Lanka (ex?); Sudan; Tanzania; Thailand [493]; Trinidad and Tobago; Trinidad; Uganda; Uruguay [4]; Venezuela; Viet Nam; Zaire; Zambia; Zimbabwe		
Non-breeding: Burundi; Cameroon; China; Congo; Côte d'Ivoire; Ethiopia; French Guiana; Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Liberia; Niger; Senegal; Sierra Leone; Somalia; Swaziland; Togo		
Vagrant: ?Japan; Lesotho; Netherlands Antilles; Oman	-	

Order FALCONIFORMES

Family CATHARTIDAE

<i>Gymnogyps californianus</i> (Shaw 1898)	I C	14,15,153,226,229,305,547,56 4,570,704
E: California Condor; F: Condor de Californie; S: Cónedor de California		
Breeding: Mexico (ex) [1066]; USA		

<i>Sarcoramphus papa</i> (Linnaeus 1758)	III HN -	14,153,713
E: King Vulture; F: Sarcoramphus roi; S: Jote real, Rey zamuro, Gallinazo rey, Zopilote rey		
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico [92]; Nicaragua; Panama; Paraguay; Suriname; Trinidad and Tobago; Uruguay; Venezuela		

<i>Vultur gryphus</i> Linnaeus 1758	I -	14,153,343,713,980
E: Andean Condor; F: Condor des Andes; S: Cóndor andino, Cóndor		
Breeding: Argentina; Bolivia; Brazil [919]; Chile [512]; Colombia; Ecuador; Peru; Venezuela [1108]		

Family PANDIONIDAE

<i>Pandion haliaetus</i> (Linnaeus 1758)	II -	9,14,15,115,141,153,154,2032 45,477,568,713,813,905,943
E: Osprey; F: Balbuzard pêcheur; S: Aguila pescadora, Aguila sangual, Guincho, Gavilán pescador		
Breeding: Algeria; Algeria; Armenia; Australia; Azerbaijan; Bahamas; Bahrain; Belarus; Belize; Bulgaria; Canada; Canary Islands; Cape Verde; ?Chile [512]; China; Cuba; ?Czechoslovakia (former); Denmark; Djibouti; Egypt; Eritrea; Estonia; Finland; France; Corsica; Georgia; Germany; Guatemala; India; Indonesia; Iran; Italy (ex); Japan; Kazakhstan; Latvia; Lithuania; Macedonia		

	(ex); ?Mauritania; Mexico; Moldova; Mongolia; Morocco; ?Nepal; New Caledonia; Norway; Oman; Papua New Guinea; Poland; Portugal; Qatar; Romania; Russian Federation [577]; Saint Lucia; Saudi Arabia; Solomon Islands; Somalia; South Africa [204,263]; Spain; Sweden; ?Tajikistan; ?Tunisia; Turkey; ?Turks and Caicos Islands; USA [947,305]; Ukraine; United Arab Emirates; United Kingdom; Virgin Islands of the United States; Yemen; Yugoslavia (ex)		
Non-breeding:	Afghanistan; Albania; Angola; ?Anguilla; Antigua and Barbuda; Argentina; Aruba; Austria; Bangladesh; Barbados; Belgium; Benin; Bermuda; Bhutan; Bolivia; Bosnia and Herzegovina; Botswana; Brazil; British Virgin Islands; Brunei; Bulgaria; Burkina Faso; Burundi; Cambodia; Cameroon; Cayman Islands; Central African Republic; Chad; Chile [512]; Clipperton Atoll; Colombia; Congo; Costa Rica; Côte d'Ivoire; Croatia; Cyprus; Czechoslovakia (former); Denmark; Dominica; Dominican Republic; Ecuador: including Galapagos Islands; El Salvador; Ethiopia; France; French Guiana; Gabon; Gambia; Ghana; Gibraltar; Greece; Grenada; Guadeloupe; Guinea [1042]; Guyana; Haiti; Hawaiian Islands [817]; Honduras; Hong Kong; Hungary; Iraq; Ireland; Israel; Jamaica; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Kyrgyzstan; Lao P.D.R.; Lesotho; Liberia; Libya; Liechtenstein; Luxembourg; Macedonia; Malawi; Malaysia: Peninsular Malaysia; Sabah, Sarawak [940]; Mali; Malta; Martinique; Mauritania; ?Monaco; ?Montserrat; Mozambique; Myanmar; Namibia; Nepal; Netherlands; Netherlands Antilles; Nicaragua; Niger; Nigeria; Pakistan; Panama; Paraguay; Peru; Philippines; Puerto Rico; Rwanda; Saint Kitts and Nevis; Saint Pierre and Miquelon; Saint Vincent; São Tomé and Príncipe; Senegal; Sierra Leone; Singapore; Slovenia; South Africa; Spain; Sri Lanka; Sudan; Suriname; Swaziland; Switzerland; Taiwan; Tajikistan; Tanzania; Thailand; Togo; Trinidad and Tobago; Tunisia; Turkmenistan; Turks and Caicos Islands; Uganda; Uruguay; Uzbekistan; Venezuela; Viet Nam; Western Sahara; Yugoslavia; Zaire; Zambia; Zimbabwe		
Vagrant:	Faeroe Islands; Guam; Guernsey; Iceland; Jersey; Lebanon; Maldives; Palau; Syria		

Family ACCIPITRIDAE

	<i>Accipiter albogularis</i> Gray 1870	II	-	14,153,690,891
E:	Pied Goshawk, Pied Sparrowhawk; F: Autour pie			
Breeding:	Papua New Guinea; Bougainville, Feni Islands; Solomon Islands [1051]			
	<i>Accipiter badius</i> (Gmelin 1788)	II	-	9,14,141,153,154,203,245,477 .568,737,905,943
E:	Shikra, Little Banded Sparrowhawk; F: Épervier shikra; S: Gavilán chikra			
Breeding:	Afghanistan; Angola; Azerbaijan (ex?); Bangladesh; Bhutan; Botswana; Burkina Faso [996]; ?Burundi; Cambodia; ?Cameroon; ?Central African Republic; ?Chad; China; ?Congo; Côte d'Ivoire; ?Djibouti; ?Eritrea; Ethiopia; Gambia; Ghana; Guinea [1042]; ?Guinea-Bissau; India; Iran; Kazakhstan; Kenya; Kyrgyzstan; Lao P.D.R.; Malawi; ?Mozambique; Myanmar; Namibia; Nepal; Niger; Nigeria; Pakistan; ?Rwanda; Saudi Arabia [209]; ?Senegal; Sierra Leone; Somalia; South Africa; Sri Lanka; Sudan; Swaziland; Tajikistan; ?Tanzania; Thailand; Togo; Turkmenistan; Uganda; Uzbekistan; Viet Nam; ?Yemen; Zaire; Zambia; Zimbabwe			
Non-breeding:	Benin [481]; Burundi; Cameroon; Central African Republic; Chad; Congo; Djibouti; Eritrea; Guinea-Bissau; Liberia; Malaysia: Peninsular Malaysia; Mali; Mauritania; Mozambique; Rwanda; Senegal; Singapore; Tanzania; Yemen			
Vagrant:	Indonesia: Sumatra; Israel [594]; Kuwait; Lesotho; Mongolia			
	<i>Accipiter bicolor</i> (Vieillot 1817)	II	-	14,15,153,713
E:	Bicolored Hawk, Bicolored Sparrowhawk; F: Épervier bicolore; S: Esparvero bicolor, Azor bicolor, Gavilán pantalón, Gavilán bicolor			
Breeding:	Argentina; Australia [762]; Belize; Bolivia; Brazil; Chile [512]; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela			
Vagrant:	Uruguay			
	<i>Accipiter brachyurus</i> (Ramsay 1879)	II	V	14,153,226,690,891
E:	New Britain Sparrowhawk; F: Épervier de Nouvelle-Bretagne			
Breeding:	Papua New Guinea: New Britain			

<i>Accipiter brevipes</i> (Severtsov 1850)	II	-	14,153,154,245,477
E: Levant Sparrowhawk; F: Épervier à pieds courts			
Breeding: Albania; Armenia; Azerbaijan; Bosnia and Herzegovina; Bulgaria; Croatia; Georgia; Greece; Hungary; Iran; Kazakhstan; Macedonia; Moldova; Romania; Russian Federation [577]; Turkey; Ukraine; Yugoslavia			
Non-breeding: Cyprus; Djibouti; Egypt; Ethiopia; Israel; Jordan [1039]; Lebanon; Sudan; Syria; Yemen			
Vagrant: Bahrain; Czechoslovakia (former); Iraq; Italy; Kenya; Kuwait [807]; Niger; Poland; Saudi Arabia; Tanzania; Tunisia; United Arab Emirates; Uzbekistan; Zaire			
<i>Accipiter butleri</i> (Gurney 1898)	II	-	9,14,153,226
E: Nicobar Sparrowhawk, Nicobar Shikra; F: Épervier des Nicobar			
Breeding: India: Nicobar Islands			
<i>Accipiter castanilius</i> Bonaparte 1853	II	-	14,141,153,632,905,943
E: Chestnut-flanked Sparrowhawk, Chestnut-bellied Sparrowhawk; F: Autour à flancs roux; S: Gavilán pechirrojo			
Breeding: ?Angola; ?Cameroon; ?Central African Republic; ?Congo; ?Equatorial Guinea [829]; ?Gabon; ?Nigeria; ?Uganda; ?Zaire			
Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Gabon; Nigeria; Uganda; Zaire			
<i>Accipiter chionogaster</i> (Kaup 1852)	II	-	
(= <i>Accipiter striatus chionogaster</i>)			
E: White-breasted Hawk; F: Épervier à poitrine blanche; S: Gavilán pechiblanco			
Breeding: Costa Rica [841]; El Salvador; Guatemala [78]; Honduras [841]; Mexico; Nicaragua [841]; Panama [841]			
<i>Accipiter cirrocephalus</i> (Vieillot 1817)	II	-	14,153,690
E: Collared Sparrowhawk; F: Épervier à collier roux			
Breeding: Australia; Indonesia: Aru Islands, Irian Jaya, Salawati, Waigeo, Yapen; Papua New Guinea			
<i>Accipiter collaris</i> Sclater 1860	II	-	14,106,153,226,713
E: Semi-collared Hawk, Semi-collared Sparrowhawk; F: Épervier à collier interrompu; S: Gavilán acollarado, Azor semicollarejo			
Breeding: Colombia; Ecuador			
Vagrant: Peru; ?Venezuela			
<i>Accipiter cooperii</i> (Bonaparte 1828)	II	-	14,15,153
E: Cooper's Hawk; F: Épervier de Cooper; S: Gavilán de Cooper			
Breeding: Canada; Mexico; USA			
Non-breeding: Belize; Costa Rica; Guatemala [78]			
Vagrant: Bermuda; Colombia; Honduras			
<i>Accipiter erythrauchen</i> Gray 1861	II	-	14,22,153,1063
E: Rufous-necked Sparrowhawk, Moluccan Sparrowhawk; F: Épervier à gorge grise			
Breeding: Indonesia: Ambon, Bacan, Buru, Halmahera, Morotai, Obi, Seram			
<i>Accipiter erythronemius</i> (Kaup 1850)	II	-	106
(= <i>Accipiter striatus erythronemius</i>)			
E: Rufous-thighed Hawk			
Breeding: Argentina [795]; Bolivia; Brazil; Paraguay; Uruguay			
Vagrant: Falkland Islands			
<i>Accipiter erythropus</i> (Hartlaub 1855)	II	-	14,141,153,154,725,905,943
E: Red-thighed Sparrowhawk; F: Épervier de Hartlaub, Autour minulle; S: Gavilancito de Hartlaub			
Breeding: ?Angola; ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic [185]; ?Congo; Côte d'Ivoire; ?Gabon; Gambia; ?Ghana; ?Guinea-Bissau; ?Liberia; ?Nigeria; Senegal; Sierra Leone; ?Togo [200]; ?Uganda; ?Zaire			

Non-breeding: Angola; Benin; Burkina Faso; Cameroon; Central African Republic [185]; Congo; Gabon; Ghana; Guinea-Bissau; Liberia; Nigeria; Togo [200]; Uganda; Zaire

Accipiter fasciatus (Vigors & Horsfield) II - 14,153,570,690

E: Brown Goshawk, Australasian Goshawk; F: Autour australien

Breeding: Australia [762]; Indonesia: Damar, Flores, Leti, Lombok, Moa, Sermata, Sumba, Sumbawa, Wetar; New Caledonia [989]; Norfolk Island; Papua New Guinea; Solomon Islands: Bellona, Rennell; Vanuatu: Aneityum

Accipiter francesii Smith 1834 II - 14,153,570,943

E: Frances's Goshawk; F: Épervier de Frances

Breeding: Comoros; Madagascar [266,605]; Mayotte

Accipiter gentilis (Linnaeus 1758) II - 9,14,15,153,154,245,477,568

E: Northern Goshawk; F: Autour des palombes; S: Azor, Gavilán azor

Breeding: Albania; ?Andorra; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria [850]; Canada; China; Croatia; Cyprus; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; India; Iran; Italy; Japan; Latvia; Liechtenstein; Lithuania; Luxembourg [1052]; Macedonia; Mexico; Moldova; Mongolia; Morocco; Nepal; Netherlands; Norway; Poland; Portugal; Romania; Russian Federation; Saint Pierre and Miquelon; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; ?Syria; Turkey; USA; Ukraine; United Kingdom [672]; Yugoslavia

Non-breeding: Afghanistan; Andorra; Bhutan; Gibraltar; Hong Kong; Iran; Israel; Jordan; D.P.R. Korea; Korea Republic; ?Lao P.D.R.; Lebanon; Morocco; Myanmar; Saudi Arabia; Syria; Thailand; Uzbekistan; Viet Nam

Vagrant: Algeria; Bangladesh; Bermuda; Egypt; Guernsey; Ireland; Jersey; Libya; Oman; Pakistan; Taiwan; Tunisia; United Arab Emirates

Accipiter griseiceps (Schlegel 1862) II - 14,22,153,1063

E: Sulawesi Goshawk; F: Autour des Célèbes

Breeding: Indonesia: Butung, Muna, Sulawesi, Togian

Accipiter gularis (Temminck & Schlegel 1844) II - 14,153,568,690

(= *Accipiter virgatus gularis*)

E: Japanese Sparrowhawk; F: Épervier du Japon

Breeding: China; Japan; D.P.R. Korea; Korea Republic; Mongolia; Russian Federation; Taiwan

Non-breeding: ?Bangladesh; Brunei; Cambodia; Hong Kong; India; Indonesia: Bali, Java, Kalimantan, Sumatra; Lao P.D.R.; Macao; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Philippines; Singapore; Thailand [867]; Viet Nam

Vagrant: Guam [817]; India: Andaman and Nicobar Islands [698]; Indonesia: Flores, Sulawesi, Tanahjampea, Timor; Northern Marianas

Accipiter gundlachi Lawrence 1860 II E 14,15,115,153,226,229,366,10
95,1096,1097

E: Gundlach's Hawk; F: Épervier de Cuba

Breeding: Cuba

Accipiter haplochrous Sclater 1859 II - 14,153,690,989

E: White-bellied Goshawk, New Caledonia Goshawk; F: Autour à ventre blanc

Breeding: New Caledonia

Accipiter henicogrammus (Gray 1860) II - 14,22,153,1063

E: Moluccan Goshawk, Moluccan Barred Sparrowhawk, Gray's Goshawk; F: Autour des Moluques

Breeding: Indonesia: Bacan, Halmahera, Morotai

Accipiter henstii (Schlegel 1873) II - 14,153,226,266,605

E: Henst's Goshawk; F: Autour de Henst

Breeding: Madagascar

<i>Accipiter imitator</i> Hartert 1926	II	E	14,153,226,690,891
E: Imitator Sparrowhawk; F: Autour imitateur			
Breeding: Papua New Guinea: Bougainville; Solomon Islands: Choiseul, Santa Isabel [424]			
<i>Accipiter luteoschistaceus</i> Rothschild & Hartert 1926	II	-	14,153,226
E: Slaty-mantled Sparrowhawk, Slaty-backed Goshawk; F: Autour blue et gris			
Breeding: Papua New Guinea: New Britain			
<i>Accipiter madagascariensis</i> Smith 1834	II	-	14,153,226,266,605
E: Madagascar Sparrowhawk; F: Épervier de Madagascar			
Breeding: Madagascar			
<i>Accipiter melanochlamys</i> (Salvadori 1875)	II	-	14,22,82,153,690
E: Black-mantled Goshawk; F: Autour à manteau noir			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Accipiter melanoleucus</i> Smith 1830	II	-	14,141,153,154,203,905,943
E: Black Goshawk, Great Sparrowhawk, Black Sparrowhawk; F: Autour noir, Épervier pie; S: Azor blanquinegro			
Breeding:	Angola; ?Benin; Botswana; Burundi; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; ?Ethiopia; Gabon; ?Ghana; Kenya; ?Liberia; Malawi; ?Mozambique; ?Namibia; Nigeria; Rwanda; ?Senegal; Sierra Leone; South Africa [652]; ?Sudan; Swaziland; ?Tanzania; ?Togo [198]; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Benin; Cameroon; Central African Republic; Congo; Equatorial Guinea; Ethiopia; Ghana; Liberia; Mozambique; Namibia; Senegal; Sudan; Tanzania; Togo; Uganda		
Vagrant:	Gambia; Lesotho; Mali; Niger; Somalia		
<i>Accipiter meyerianus</i> (Sharpe 1878)	II	-	14,153,690
E: Meyer's Goshawk, Papuan Goshawk; F: Autour de Meyer			
Breeding:	Indonesia: Boano [1063], Irian Jaya, Seram, Seram Laut, Yapen; Papua New Guinea: New Britain, Uatom; Solomon Islands: Guadalcanal, Kolombangara		
<i>Accipiter minullus</i> (Daudin 1800)	II	-	14,141,153,154,203,943
E: Little Sparrowhawk, African Little Sparrowhawk; F: Épervier minule			
Breeding:	?Angola; Botswana; Burundi; Ethiopia [533]; Kenya; Malawi; Mali; ?Mozambique; Namibia; Rwanda; ?Somalia; South Africa [652]; ?Sudan; Swaziland; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Mozambique; Somalia; Sudan; Tanzania; Uganda; Zaire		
Vagrant:	Eritrea; Lesotho		
<i>Accipiter nanus</i> (Blasius 1897)	II	-	14,22,153,226,1063
E: Small Sparrowhawk; F: Épervier des Célèbes			
Breeding:	Indonesia: Sulawesi		
<i>Accipiter nisus</i> (Linnaeus 1758)	II	-	9,14,153,154,245
E: Eurasian Sparrowhawk; F: Épervier d'Europe; S: Gavilán			
Breeding:	Afghanistan; Albania; Algeria; Andorra; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bhutan [641]; Bosnia and Herzegovina; Bulgaria [850]; Canary Islands; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Guernsey; Hungary; India; Iran; ?Iraq; Ireland; Israel [357]; Italy; Japan; ?Jordan; Kazakhstan; D.P.R. Korea; Korea Republic; Kyrgyzstan; Latvia; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madeira; Moldova; Mongolia; Morocco; Nepal; Netherlands; Norway; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; ?Syria; Tajikistan; Tunisia; Turkey; Ukraine; United Kingdom; Yugoslavia		
Non-breeding:	Bahrain; Bangladesh; Channel Islands; Cyprus; Djibouti; Egypt; Ethiopia; Gibraltar; Hong Kong; Iraq; Jersey; Jordan [1039]; Kuwait; Lao P.D.R.; Lebanon; Libya; Malta; Mauritania; Myanmar; ?Niger; Oman; Saudi Arabia; Sudan; Syria; Taiwan; Tanzania; Thailand [867]; United Arab Emirates; Uzbekistan; Viet Nam; Yemen		

Vagrant:	?Brunei; Chad; Faeroe Islands; Gambia; Iceland; India: Andaman Islands [698]; Kenya; Malaysia: Sarawak [940]; Mali; Morocco: Western Sahara; Somalia			
<i>Accipiter novaehollandiae</i> (Gmelin 1788) (includes <i>Accipiter griseogularis</i> (Gray 1860))		II	-	14,153,690
E: Grey Goshawk, Variable Goshawk, White Goshawk, Grey-throated Goshawk; F: Autour blanc				
Breeding:	Australia; Indonesia: Alor, Babar [1063], Bacan, Banda, Damar, Flores, Gebe, Halmahera, Komodo, Morotai, Obi, Pantar, Rinca, Sumbawa, Ternate, Tidore; Papua New Guinea; Solomon Islands			
<i>Accipiter ovampensis</i> Gurney 1875		II	-	14,141,153,154,203,558,905,943
E: Ovampo Sparrowhawk; F: Épervier de l'Ovampo; S: Gavilán de Ovampo				
Breeding:	Angola; ?Benin; Botswana; ?Cameroon; ?Chad; ?Côte d'Ivoire; Kenya; Malawi; ?Mozambique; ?Namibia; South Africa; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding:	Benin; Burundi; Cameroon; Chad; Côte d'Ivoire; Ethiopia; Ghana; Mali; Mozambique; Namibia; Nigeria; Rwanda; Tanzania; Uganda; Zaire			
Vagrant:	Central African Republic; Senegal; Swaziland; Togo			
<i>Accipiter poliocephalus</i> Gray 1858		II	-	14,153,690
E: Grey-headed Goshawk, New Guinea Grey-headed Goshawk; F: Autour à tête grise				
Breeding:	Indonesia: Aru Islands, Batanta, Irian Jaya, Misool, Salawati, Waigeo, Yapen; Papua New Guinea			
<i>Accipiter poliogaster</i> (Temminck 1824)		II	-	14,153,226,713
E: Grey-bellied Goshawk, Grey-bellied Hawk; F: Autour à ventre gris; S: Esparvero pechigrís, Azor pechigrís, Gavilán vientrigrís				
Breeding:	Argentina [795]; Bolivia; Brazil; ?Colombia; Ecuador; French Guiana [987]; Guyana; Paraguay; Peru; Suriname [445]; Venezuela			
Non-breeding:	Colombia			
<i>Accipiter princeps</i> Mayr 1934		II	-	14,153,226,690,891
E: New Britain Goshawk; F: Autour de Mayr				
Breeding:	Papua New Guinea: New Britain			
<i>Accipiter rhodogaster</i> (Schlegel 1862)		II	-	14,22,153,1063
E: Vinous-breasted Sparrowhawk; F: Épervier à poitrine rousse				
Breeding:	Indonesia: Banggai, Butung, Muna, Peleng, Sula Islands, Sulawesi			
<i>Accipiter rufitorques</i> (Peale 1848)		II	-	14,153,690
E: Fiji Goshawk; F: Autour des Fidji				
Breeding:	Fiji			
<i>Accipiter rufiventris</i> Smith 1830		II	-	14,141,153,154,203,943
E: Rufous-chested Sparrowhawk; F: Épervier menu				
Breeding:	?Angola; Eritrea; ?Ethiopia; Kenya; ?Lesotho; Malawi; ?Mozambique; Rwanda; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Uganda; ?Zaire; ?Zambia; Zimbabwe			
Non-breeding:	Angola; Ethiopia; Lesotho; Mozambique; Sudan; Tanzania; Uganda; Zaire; Zambia			
<i>Accipiter soloensis</i> (Horsfield 1821)		II	-	9,14,153,568
E: Chinese Goshawk, Grey Frog Hawk, Chinese Sparrowhawk; F: Épervier de Horsfield				
Breeding:	China; D.P.R. Korea; Korea Republic; Russian Federation [577]; Viet Nam			
Non-breeding:	Hong Kong; India: Nicobar Islands; Indonesia; Japan: Ryukyu Islands; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; ?Papua New Guinea; Philippines; Singapore; Taiwan; Thailand			
Vagrant:	Brunei; Federated States of Micronesia; Guam; Northern Marianas; Palau; Russian Federation			

<i>Accipiter striatus</i> Vieillot 1807	II	-	14,15,153,570,713
E: Sharp-shinned Hawk; F: Épervier brun; S: Esparvero chico, Azor chico, Gavilán arrastrador, Gavilán pajarero			
Breeding:	Canada; Cuba; Dominican Republic; Haiti; Mexico; Puerto Rico; USA		
Non-breeding:	Bahamas; Belize; Costa Rica; El Salvador; Guatemala [78]; Honduras; Jamaica; Nicaragua; Panama; Saint Pierre and Miquelon		
Vagrant:	Bermuda; Turks and Caicos Islands		
<i>Accipiter superciliosus</i> (Linnaeus 1766)	II	-	14,15,153,713
E: Tiny Hawk, Tiny Sparrowhawk; F: Épervier nain; S: Esparvero gris, Azor gris, Gavilán enano			
Breeding:	Argentina [95,795]; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela		
<i>Accipiter tachiro</i> (Daudin 1800)	II	-	14,141,153,154,203,905,943
E: African Goshawk; F: Autour tachiro			
Breeding:	Angola; ?Botswana; Burundi; Kenya; Malawi; ?Mozambique; ?Namibia; Rwanda; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Botswana; Mozambique; Namibia; Tanzania		
Vagrant:	Lesotho		
<i>Accipiter toussenelii</i> (Verreaux & Verreaux 1855)	II	-	632
(= <i>Accipiter tachiro toussenelii</i>)			
E: Red-chested Goshawk; F: Autour de Toussenel, Autour tachiro; S: Gavilán pechirroso			
Breeding:	?Benin; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; Equatorial Guinea; ?Eritrea; ?Ethiopia; Gabon; ?Gambia; Ghana; ?Guinea; ?Guinea-Bissau; Liberia; ?Niger; Nigeria; Sierra Leone; ?Sudan; ?Togo [200]; Zaire		
Non-breeding:	Benin; Cameroon; Central African Republic; Congo; Eritrea; Ethiopia; Gambia; Guinea; Guinea-Bissau; Niger; Sudan; Togo [200]		
Vagrant:	Mali; Senegal		
<i>Accipiter trinotatus</i> Bonaparte 1850	II	-	14,22,153,1063
E: Spot-tailed Goshawk, Spot-tailed Sparrowhawk; F: Épervier à queue tachetée			
Breeding:	Indonesia: Butung, Muna, Sulawesi, Talisei		
<i>Accipiter trivirgatus</i> (Temminck 1824)	II	-	9,14,153,568
E: Crested Goshawk, Asian Crested Goshawk; F: Autour huppé			
Breeding:	Bhutan [642]; Brunei; ?Cambodia; China; ?Hong Kong; India; Indonesia: Bali, Java, Kalimantan, Natuna Islands, Nias, Sumatra; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [246]; Myanmar; Nepal; Philippines; Sri Lanka; Taiwan; Thailand [867]; Viet Nam		
Non-breeding:	Bangladesh; Cambodia; Hong Kong		
<i>Accipiter ventralis</i> Sclater 1866	II	-	106
(= <i>Accipiter striatus ventralis</i>)			
E: Plain-breasted Hawk; F: Épervier à gorge rayée; S: Azor pechillano			
Breeding:	Bolivia; Colombia; Ecuador; Guyana; Peru; Venezuela		
<i>Accipiter virgatus</i> (Temminck 1822)	II	-	9,14,153,568
E: Besra, Besra Sparrowhawk; F: Épervier besra			
Breeding:	Bhutan; China; India: including Andaman and Nicobar Islands [698]; Indonesia: Bali, Flores, Java, Kalimantan [731], Sumatra; Malaysia: Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Philippines; Sri Lanka; Taiwan; Thailand; Viet Nam		
Non-breeding:	Bangladesh; Cambodia; Lao P.D.R.		
<i>Aegypius monachus</i> (Linnaeus 1766)	II	-	9,14,153,226,245,477,710
E: Cinereous Vulture, Black Vulture; F: Vautour moine; S: Buitre negro			
Breeding:	Afghanistan; Albania (ex?); Armenia; Azerbaijan; Bulgaria; China; ?Cyprus; Georgia; Greece; Iran; Israel (ex); Kazakhstan; Kyrgyzstan; Macedonia (ex); Mongolia; Pakistan; Portugal;		

	Russian Federation [577]; Spain: including Mallorca [981]; ?Syria; Tajikistan; Turkey; Turkmenistan; Uzbekistan; ?Yugoslavia			
Non-breeding:	Bangladesh; ?Bhutan; Cyprus; Egypt; Hong Kong; India; Italy; D.P.R. Korea; Korea Republic; Morocco; Myanmar; Nepal; Oman; Saudi Arabia; Syria; Thailand			
Vagrant:	Austria; Bosnia and Herzegovina; Bulgaria; Croatia; Czechoslovakia (former); Denmark; France; Germany; Gibraltar; Hungary; Iraq; Israel; Japan; Jordan [1040]; Kuwait; Latvia; Lebanon; Netherlands; Poland; Romania; Slovenia; Switzerland; Taiwan; Viet Nam; ?Yemen; Yugoslavia			
<i>Aquila adalberti</i> Brehm 1861		I	V	14,153,226,273,387,477,707,708,709
(= <i>Aquila heliaca adalberti</i>)				
E: Adalbert's Eagle, Spanish Imperial Eagle; F: Aigle ibérique				
Breeding:	Algeria (ex); Morocco (ex); Portugal; Spain [390,466]			
Vagrant:	France; Gibraltar			
<i>Aquila audax</i> (Latham 1801)		II	-	14,153,690
E: Wedge-tailed Eagle; F: Aigle d'Australie				
Breeding:	Australia [762]; Indonesia: Irian Jaya [82]; Papua New Guinea			
<i>Aquila chrysaetos</i> (Linnaeus 1758)		II	-	9,14,15,153,154,245,477
E: Golden Eagle; F: Aigle royal; S: Aguila real				
Breeding:	?Afghanistan; ?Albania; Algeria; ?Andorra; Armenia; Austria; Azerbaijan; Belarus; Bhutan; Bosnia and Herzegovina; Bulgaria; Canada; China; Croatia; ?Egypt; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; India; Iran; ?Iraq; Ireland (ex); Israel; Italy; Japan; Jordan; Kazakhstan; D.P.R. Korea; Korea Republic; Kyrgyzstan; Latvia; ?Lebanon; Libya; Liechtenstein; Lithuania (ex); Macedonia; Mexico; Mongolia; Morocco; Nepal; Norway; Oman [362]; Pakistan; Poland; Portugal; Romania; Russian Federation [577]; Saudi Arabia; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; ?Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; USA; Ukraine; United Kingdom; Uzbekistan; Western Sahara; ?Yemen; Yugoslavia			
Non-breeding:	Afghanistan; Albania; Andorra; Denmark; Egypt; Iraq; Lebanon; Mauritania; Syria; United Arab Emirates; Yemen			
Vagrant:	Belgium; Cyprus; Gibraltar; Hawaiian Islands: Kauai [817]; Ireland; Jersey; Kuwait [807]; Malta; Netherlands			
<i>Aquila clanga</i> Pallas 1811		II	V	9,14,141,153,154,226,245,477,568
E: Greater Spotted Eagle, Spotted Eagle; F: Aigle criard; S: Aguila moteada				
Breeding:	Belarus; China; Croatia (ex); Estonia; Finland; India; Iran; Israel (ex); Kazakhstan; Latvia; Lithuania (ex); Macedonia (ex); Moldova; Mongolia; Pakistan; Romania; Russian Federation; Slovak Republic (ex); Ukraine; Yugoslavia			
Non-breeding:	Afghanistan; ?Albania; Bangladesh; ?Bhutan; Bosnia and Herzegovina; Bulgaria; Cambodia; Cameroon; Croatia; Czechoslovakia (former); Djibouti; Egypt; Eritrea; Ethiopia; France; Germany; Greece; Hong Kong; Hungary; Iraq; Israel; Italy; Kenya; Kuwait; Lao P.D.R.; Lebanon; Macedonia; Malaysia: Peninsular Malaysia; Myanmar; Nepal; Oman; Poland; Saudi Arabia; Singapore; Slovenia; Sudan; Sweden; Taiwan; Thailand; Turkey; United Arab Emirates; Viet Nam; Yemen			
Vagrant:	Austria; Bahrain [474]; Belgium; Chad; Cyprus; Denmark; Gibraltar; Ireland; Japan; Jordan; D.P.R. Korea; Korea Republic; Libya; Luxembourg; Morocco; Netherlands; Portugal; Spain; Switzerland; Syria; Tunisia; United Kingdom			
<i>Aquila gurneyi</i> Gray 1860		II	-	14,153,226,690,891
E: Gurney's Eagle; F: Aigle de Gurney				
Breeding:	Indonesia: Amboin, Aru Islands, Bacan, Halmahera, Morotai, Ternate, Waigeo, Yapen; Papua New Guinea			
Vagrant:	Australia [365]			

<i>Aquila heliaca</i> Savigny 1809	I	V	9,14,119,153,154,226,245,376 .477,570
E: Imperial Eagle; F: Aigle impérial; S: Aguila imperial			
Breeding:	?Albania; Armenia; Azerbaijan; Bosnia and Herzegovina; Bulgaria [800]; China; Croatia; Cyprus; Czech Republic; Georgia; Greece [428]; Hungary; Iran; Kazakhstan; Macedonia; Moldova; Romania; Russian Federation [385,577]; Slovak Republic; Turkey [77]; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia		
Non-breeding:	Afghanistan; Albania; Bangladesh; Djibouti; Egypt; Ethiopia; Hong Kong; India; Iraq; Israel; Jordan [1039]; Kenya; Kuwait; Lao P.D.R.; Lebanon; Nepal; Oman; Pakistan; Saudi Arabia; Slovenia; Tanzania; United Arab Emirates; Viet Nam; Yemen		
Vagrant:	Austria; Cameroon; Denmark; Eritrea; Finland; France; Germany; Italy; Japan; D.P.R. Korea; Korea Republic; Libya; Malaysia; Peninsular Malaysia; Malta; Mongolia; Morocco; Poland; Singapore; Sudan; Sweden; Syria; Taiwan		
<i>Aquila nipalensis</i> Hodgson 1833	II	-	
(includes <i>Aquila orientalis</i> Cabanis 1854)			
E: Steppe Eagle; F: Aigle des steppes			
Breeding:	Armenia; China; Kazakhstan; Mongolia; Russian Federation [577,575]		
Non-breeding:	Afghanistan; Botswana; Djibouti; Egypt; Eritrea; Ethiopia; India; Iraq; Israel; Jordan; Kenya; Kuwait; Lebanon; Malawi; Namibia; Nepal; Oman; Pakistan; Rwanda; Saudi Arabia; South Africa; Sudan; Syria; Tanzania; Turkey; Turkmenistan; Uganda; United Arab Emirates; Yemen; Zaire; Zambia; Zimbabwe		
Vagrant:	Angola; Belgium; Bulgaria; Burundi; Cameroon; Chad; Croatia; Czechoslovakia (former); Denmark; Finland; France; Germany; Greece; Hungary; Italy; D.P.R. Korea; Malaysia; Peninsular Malaysia [461]; Mali; Netherlands; Niger; Norway; Poland; Singapore; Somalia; Sweden; Turkmenistan		
<i>Aquila pomarina</i> Brehm 1831	II	-	9,14,141,153,154,202,203,245 .477,568,714
E: Lesser Spotted Eagle; F: Aigle pomarin; S: Aguila pomerana			
Breeding:	?Albania; ?Algeria; Armenia; Azerbaijan; Belarus; Bosnia and Herzegovina; Bulgaria; Croatia; Czech Republic; Estonia; Georgia; Germany; Greece; Hungary; India; Iran; Latvia; Lithuania; Macedonia; Moldova; Nepal; Poland [860]; Romania; Russian Federation [575]; Slovak Republic; Turkey; Ukraine; Yugoslavia		
Non-breeding:	Albania; Algeria; Austria; Bangladesh; Botswana; Burundi; Cameroon; Chad; Cyprus; Djibouti [1054]; Egypt; Ethiopia; Iraq; Israel; Jordan; Kenya; Lebanon; Malawi; Mozambique; Myanmar; Namibia; Rwanda; Slovenia; South Africa; Sudan; Syria; Tanzania; Tunisia; Uganda; Zambia; Zimbabwe		
Vagrant:	Belgium; Denmark; Finland; France; Italy; Libya; Luxembourg; Malta; Netherlands; Norway; Oman; Portugal; Spain; Swaziland; Sweden; Switzerland; United Arab Emirates; ?Yemen		
<i>Aquila rapax</i> (Temminck 1828)	II	-	9,14,141,153,154,203,245,477 .568
E: Tawny Eagle; F: Aigle ravigisseur; S: Aguila rapaz			
Breeding:	Algeria; Angola; Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; Eritrea; Ethiopia; ?Gabon; Gambia; Ghana; India; Iran; Kenya; Mali; Mauritania; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; ?Niger; Nigeria; Pakistan; Rwanda; Saudi Arabia; Senegal; Somalia; South Africa [652]; Sri Lanka; Sudan; Swaziland; ?Tanzania; Togo; ?Tunisia; ?Uganda; Ukraine; Yemen; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Bahrain; Cameroon; Central African Republic; Chad; Egypt; Gabon; Iraq; Israel; Malawi [944]; Mozambique; Niger; Oman; Swaziland; Tanzania; Tunisia; Uganda; United Arab Emirates; Viet Nam; Zaire		
Vagrant:	Gibraltar; Guinea; Italy; Lesotho; Liberia; Sierra Leone; Spain; Thailand		

<i>Aquila verreauxii</i> Lesson 1830	II	-	14, 141, 153, 154, 203, 245, 364, 4 77, 905, 943
E: Verreaux's Eagle, Black Eagle, African Black Eagle; F: Aigle de Verreaux			
Breeding:	Angola; Botswana; ?Chad; ?Djibouti; Egypt; ?Eritrea; Ethiopia [533]; ?Israel; Jordan; Kenya; Lesotho; Malawi; Mozambique; Namibia; Niger [746]; Oman; Saudi Arabia [306]; Somalia; South Africa [652]; Sudan; Swaziland; ?Tanzania; ?Uganda; Yemen; Zambia [216]; Zimbabwe		
Non-breeding:	Chad; Djibouti; Eritrea; Israel; Tanzania; Uganda		
Vagrant:	Mali; Rwanda; Zaire		
<i>Aquila wahlbergi</i> Sundevall 1851	II	-	14, 141, 153, 154, 203, 905, 943
E: Wahlberg's Eagle; F: Aigle de Wahlberg; S: Aguila de Wahlberg			
Breeding:	Angola; Botswana; ?Burkina Faso [996]; Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Ethiopia [533]; Gambia; ?Ghana; Guinea-Bissau; Kenya; Malawi; Mali; Mozambique; Namibia; ?Niger; Nigeria; Rwanda; South Africa; Sudan; Swaziland; ?Tanzania; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Benin; Burkina Faso [996]; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Ethiopia; Ghana; Guinea; Liberia; Mauritania; Niger; Senegal; Sierra Leone; Somalia; Tanzania; Togo		
Vagrant:	Gabon		
<i>Asturina nitida</i> (Latham 1790)	II	-	14, 15, 153, 713
(= <i>Buteo nitidus</i>)			
E: Grey-lined Hawk; F: Buse cendrée; S: Gavilán gris			
Breeding:	Argentina; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Venezuela		
<i>Asturina plagiata</i> Schlegel 1862	II	-	
(= <i>Buteo nitidus plagiatus</i>)			
E: Grey Hawk; F: Buse grise; S: Aguililla gris			
Breeding:	Belize; Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; USA		
<i>Aviceda cuculoides</i> Swainson 1837	II	-	14, 141, 153, 154, 203, 905, 943
E: African Baza, African Cuckoo-bawk, African Cuckoo-falcon; F: Baza coucou, Faucon-coucou; S: Baza africano			
Breeding:	Angola; ?Benin; Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Ethiopia; ?Gabon; Ghana; ?Guinea-Bissau; Kenya; ?Liberia; Malawi; Mozambique; ?Namibia; Nigeria; Sierra Leone; ?Somalia; South Africa; Swaziland; ?Togo; Zaire; Zambia; Zimbabwe		
Non-breeding:	Benin; Cameroon; Central African Republic; Chad; Congo; Ethiopia; Gabon; Gambia; Guinea-Bissau; Liberia; Mali; Namibia; Rwanda; Somalia; Tanzania; Togo; Uganda		
Vagrant:	Botswana; Senegal		
<i>Aviceda jerdoni</i> (Blyth 1842)	II	-	9, 14, 153, 226, 568, 713
E: Jerdon's Baza, Asian Baza; F: Baza de Jerdon			
Breeding:	Bangladesh; Brunei; China; India; Indonesia; Lao P.D.R.; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Philippines; Sri Lanka; Thailand [867]; Viet Nam [956]		
<i>Aviceda leuphotes</i> (Dumont 1820)	II	-	9, 14, 153, 568, 713
E: Black Baza; F: Baza huppard			
Breeding:	Bangladesh; China; ?Hong Kong; India; ?Lao P.D.R.; Myanmar; Nepal; Thailand [867]; Viet Nam		
Non-breeding:	Cambodia; Indonesia: Sumatra; Malaysia: Peninsular Malaysia; Singapore; Sri Lanka		
Vagrant:	Indonesia: Java [65]		
<i>Aviceda madagascariensis</i> (Smith 1834)	II	-	14, 153, 605
E: Madagascar Baza, Madagascar Cuckoo-bawk, Madagascar Cuckoo-falcon; F: Baza malgache			
Breeding:	Madagascar		

<i>Aviceda subcristata</i> (Gould 1838)	II	-	14,153,690,891
E: Pacific Baza, Crested Baza; F: Baza huppé			
Breeding: Australia; Indonesia: Irian Jaya, Wallacea; Papua New Guinea; Solomon Islands			
<i>Busarellus nigricollis</i> (Latham 1790)	II	-	14,15,153,713
E: Black-collared Hawk, Collared Fishing Hawk; F: Buse à tête blanche; S: Aguilá colorada, Gavilán colorado, Aguililla canela			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Uruguay [4]; Venezuela			
<i>Butastur indicus</i> (Gmelin 1788)	II	-	14,153,568
E: Grey-faced Buzzard, Grey-faced Buzzard-Eagle; F: Busautour à joues grises			
Breeding: China; Japan; D.P.R. Korea; Korea Republic; Russian Federation [577]			
Non-breeding: Brunei; Cambodia; Hong Kong; Indonesia: Halmahera, Morotai, Sangihe, Siau, Sulawesi, Talaud, Ternate; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Philippines; Singapore; Taiwan; Thailand; Viet Nam			
Vagrant: Indonesia: Java [22], Sumatra			
<i>Butastur liventer</i> (Temminck 1827)	II	-	14,153,226,568
E: Rufous-winged Buzzard, Rufous-winged Buzzard-Eagle; F: Busautour pâle			
Breeding: China; Indonesia: Sulawesi, ?Timor [1063]; Lao P.D.R.; Myanmar; Thailand [867]; Viet Nam			
<i>Butastur rufipennis</i> (Sundevall 1851)	II	-	14,141,153,154,905,943
E: Grasshopper Buzzard, Grasshopper Buzzard-Eagle; F: Busautour des Sauterelles; S: Aguililla langostera			
Breeding: Mali; Nigeria; Senegal; Sudan			
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; Guinea [1042]; Kenya; Mauritania; Niger; Sierra Leone; Somalia; Tanzania; Togo; Uganda; Zaire			
Vagrant: Burundi; Liberia; Rwanda			
<i>Butastur teesa</i> (Franklin 1831)	II	-	9,14,153,477,568
E: White-eyed Buzzard; F: Busautour aux yeux blancs			
Breeding: Bangladesh; China; India; Iran; Myanmar; Nepal; Pakistan			
Vagrant: Afghanistan; ?Australia			
<i>Buteo albicaudatus</i> Vieillot 1816	II	-	14,15,153,713
E: White-tailed Hawk; F: Buse à queue blanche; S: Aguilucbo cabecinegro, Gavilán tejé, Aguililla coliblanca			
Breeding: Argentina; Aruba; Belize [241]; Bolivia; Brazil; Colombia; Costa Rica; French Guiana; Guatemala; Guyana; Honduras; Mexico; Netherlands Antilles; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago: Trinidad; USA; Uruguay; Venezuela			
Vagrant: El Salvador; Saint Vincent			
<i>Buteo albogularis</i> Philippi 1899 (= <i>Buteo brachyurus albogularis</i>)	II	-	
E: White-throated Hawk; F: Buse à gorge blanche; S: Aguilucho chico, Gavilán gargantiblanco			
Breeding: Argentina; Bolivia; Chile; Colombia; Ecuador; Peru; Venezuela			
<i>Buteo albonotatus</i> Kaup 1847	II	-	14,15,153,713
E: Zone-tailed Hawk; F: Buse à queue barrée; S: Gavilán albonotatus, Gavilán colifajeado, Aguililla aura			
Breeding: Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Mexico; Nicaragua; ?Panama; Paraguay; Peru; Suriname; Trinidad and Tobago: Trinidad; USA; Venezuela			
Non-breeding: Belize; El Salvador; Guatemala [78]; Honduras			

<i>Buteo archeri</i> Slater 1918 (= <i>Buteo augur archeri</i>)	II	-
E: Archer's Buzzard; F: Buse d'Archer		
Breeding: Somalia		
<i>Buteo augur</i> (Rüppell 1836)	II	-
E: Augur Buzzard; F: Buse augure		
Breeding: ?Angola; Burundi; ?Djibouti; ?Eritrea; Ethiopia; Kenya; Malawi; Mozambique; Namibia; Rwanda; ?South Africa; Sudan; Tanzania; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Angola; Djibouti; Eritrea; South Africa; Uganda		
<i>Buteo auguralis</i> Salvadori 1865	II	-
E: Red-necked Buzzard, Red-tailed Buzzard, African Red-tailed Buzzard; F: Buse d'Afrique, Buse à queue rousse; S: Ratonero cuellirrojo		14,15,141,153,154,905,943
Breeding: Angola; ?Benin [481]; Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Ethiopia; Ghana; ?Guinea; Liberia; ?Niger; Nigeria; ?Senegal; Sierra Leone; Sudan; Togo; ?Uganda; Zaire		
Non-breeding: Benin; Cameroon; Central African Republic; Chad; Congo; Ethiopia; Gabon; Guinea; Mali; Mauritania; Niger; Senegal; Uganda		
Vagrant: Gambia		
<i>Buteo brachypterus</i> Hartlaub 1860	II	-
E: Madagascar Buzzard; F: Buse de Madagascar		14,153,266
Breeding: Madagascar		
<i>Buteo brachyurus</i> Vieillot 1816	II	-
E: Short-tailed Hawk; F: Buse à queue courte; S: Gavilán cola corta, Aguililla colicorta		14,15,153,713
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala [78]; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; USA; Venezuela		
<i>Buteo buteo</i> (Linnaeus 1758)	II	-
(includes <i>Buteo bannermani</i> Swann 1919)		9,14,141,153,154,203,245,477
E: Common Buzzard, Eurasian Buzzard; F: Buse variable; S: Ratonero común		,568
Breeding: Albania; Andorra; Armenia; Austria; Azerbaijan; Azores [629]; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canary Islands; Cape Verde; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; India; Iran; Ireland; Italy; Japan; Kazakhstan; Kyrgyzstan; Latvia; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madeira; Moldova; Mongolia; ?Nepal; Netherlands; Norway; ?Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; Turkey; Ukraine; United Kingdom; Yemen; Yugoslavia		
Non-breeding: Afghanistan; Angola; Bahrain; Bangladesh; Bhutan; Botswana; Burundi; Cambodia; Central African Republic; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Eritrea; Ethiopia; Gabon; Gibraltar; Guernsey; Hong Kong; Iraq; Israel; Jersey; Jordan [1039]; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Lao P.D.R.; Lebanon; Lesotho; Liberia; Libya; Malawi; Malta; Mauritania; Morocco; Mozambique; Myanmar; Namibia; Nepal; Oman; Pakistan; Qatar; Rwanda; Saudi Arabia; Senegal; South Africa; Sri Lanka; Sudan; Swaziland; Syria; Taiwan; Tanzania; Thailand; Tunisia; Turkey; Uganda; United Arab Emirates; Uzbekistan; Viet Nam; Zaire; Zambia; Zimbabwe		
Vagrant: Algeria; Chad; Congo; Faeroe Islands; Gambia; Ghana; Iceland; Indonesia; Bali, Java [695]; Malaysia; Peninsular Malaysia; Maldives; Mali; Northern Marianas Islands; Nigeria; Philippines; Sierra Leone; Singapore; Somalia; Togo		
<i>Buteo galapagoensis</i> (Gould 1837)	II	V
E: Galapagos Hawk; F: Buse des Galapagos; S: Gavilán de Galápagos		14,153,226,229,322,323,570,1
Breeding: Ecuador: Galapagos Islands		034,1035

Buteo hemilasius Temminck & Schlegel 1844 II - 9,14,153

E: Upland Buzzard; F: Buse de Chine

Breeding: China; Mongolia; ?Nepal; Russian Federation

Non-breeding: Bhutan; India; Kazakhstan; D.P.R. Korea; Korea Republic; Nepal

Vagrant: Iran; Japan; Uzbekistan

Buteo jamaicensis (Gmelin 1788) II - 14,15,115,153

E: Red-tailed Hawk; F: Buse à queue rousse; S: Guaraguao, Aguililla colirroja

Breeding: Bahamas; Belize; British Virgin Islands; Canada; Costa Rica; Cuba; Dominican Republic; El Salvador; Guatemala; Haiti; Honduras; Jamaica; Mexico; Netherlands Antilles; Saint Eustatius, Saba; Nicaragua; Panama; Puerto Rico; Saint Kitts and Nevis; USA; Virgin Islands of the United States

Non-breeding: Bermuda; Saint Lucia; Turks and Caicos Islands

Buteo lagopus (Pontoppidan 1763) II - 14,15,153,245,477

E: Rough-legged Hawk, Rough-legged Buzzard; F: Buse pattue; S: Ratonero calzado, Aguililla artica

Breeding: Canada; Finland; Latvia (ex); Norway; Russian Federation; Saint Pierre and Miquelon; Sweden; USA: Alaska, Aleutian Islands

Non-breeding: ?Albania; Armenia; Austria; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Denmark; France; Germany; Hungary; Iran; Italy; Japan; Kazakhstan; D.P.R. Korea; Korea Republic; Latvia; Luxembourg; Macedonia; Mexico; Mongolia; Netherlands; Poland; Romania; Slovak Republic; Slovenia; Switzerland; Taiwan; Turkey; Ukraine; United Kingdom; Uzbekistan; Yugoslavia

Vagrant: Afghanistan; Bermuda; Cyprus; Faeroe Islands; Greece; Guernsey; Iceland; Iran; Ireland; Israel; Jersey; Jordan [1039]; Lebanon; Libya; Liechtenstein; Malta; Spain; Tunisia

Buteo leucorrhous (Quoy & Gaimard 1824) II - 14,153,713

E: White-rumped Hawk, Rufous-thighed Hawk; F: Buse cul-blanc; S: Gavilán negro, Gavilán rabadilla blanca

Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; Paraguay; Peru; Venezuela

Buteo lineatus (Gmelin 1788) II - 14,15,153

E: Red-shouldered Hawk; F: Buse à épaulettes; S: Aguililla pechirroja

Breeding: Canada; Mexico; USA

Buteo magnirostris (Gmelin 1788) II - 14,15,153,713

E: Roadside Hawk; F: Buse à gros bec; S: Gavilán común, Gavilan alirrojizo, Gavilán habado, Aguililla caminera

Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Uruguay; Venezuela

Vagrant: USA

Buteo oreophilus Hartert & Neumann 1914 II - 14,141,153,154,203,204,674,9
43

(= *Buteo tachardus* (Daudin 1800))

E: Mountain Buzzard, Forest Buzzard; F: Buse montagnarde

Breeding: Burundi; ?Ethiopia; Kenya; ?Malawi; Rwanda; South Africa; ?Sudan; ?Tanzania; ?Uganda; Zaire; Zambia

Non-breeding: Ethiopia; Malawi; Sudan; Tanzania; Uganda

Buteo platypterus (Vieillot 1823) II - 14,15,115,153,570,713

E: Broad-winged Hawk; F: Petite Buse; S: Gavilán bebehumo, Aguililla aluda

Breeding: Antigua and Barbuda; Canada; Cuba; Dominica; Grenada; Martinique; Puerto Rico; Saint Lucia; Saint Vincent; Trinidad and Tobago; Tobago, Little Tobago; USA

Non-breeding: Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela

Vagrant: Barbados; Suriname

<i>Buteo poecilochrous</i> Gurney 1879	II	-	14,153,713
E: Puna Hawk, Variable Hawk, Gurney's Hawk; F: Buse du puna; S: Aguilucho puna, Gavilán puneño			
Breeding: Argentina; Bolivia; ?Chile [512]; ?Colombia; Ecuador; Peru			
Non-breeding: Chile [512]; Colombia			
<i>Buteo polyosoma</i> (Quoy & Gaimard 1824)	II	-	14,153,713
E: Red-backed Hawk; F: Buse tricolore; S: Aguilucho variado, Aguilucho común			
Breeding: Argentina; Bolivia; Chile [512]; ?Colombia; Ecuador; Falkland Islands; Peru			
Non-breeding: Colombia			
Vagrant: ?Brazil; Uruguay			
<i>Buteo regalis</i> (Gray 1844)	II	-	14,15,153
E: Ferruginous Hawk; F: Buse rouilleuse; S: Aguililla real			
Breeding: Canada; USA			
Non-breeding: Mexico			
<i>Buteo ridgwayi</i> (Cory 1883)	II	E	14,15,115,153,226,229,1072,1073
E: Ridgway's Hawk, Hispaniolan Hawk; F: Buse de Ridgway; S: Gavilán			
Breeding: Dominican Republic; Haiti			
<i>Buteo rufinus</i> (Cretzschmar 1827)	II	-	9,14,141,153,154,245,477,905
E: Long-legged Buzzard; F: Buse féroce; S: Ratonero moro			
Breeding: Afghanistan; ?Albania; Algeria; Armenia; Azerbaijan; Bosnia and Herzegovina; Bulgaria; China; Cyprus; Egypt; Georgia; Greece; Hungary; India; Iran; Iraq; Israel; Jordan; Kazakhstan; Kyrgyzstan; Lebanon; Libya; Macedonia; Mauritania; Mongolia; Morocco; Oman; Pakistan; Russian Federation [577]; Saudi Arabia; ?Sudan; Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; Uzbekistan; Western Sahara; ?Yemen			
Non-breeding: Albania; Bahrain; Bangladesh; Bhutan; Burkina Faso; Chad; Djibouti; Eritrea; Ethiopia; Kenya; Kuwait; Mali; Nepal; Niger; Nigeria; Romania; Senegal; Sudan; Uganda; United Arab Emirates; Yemen			
Vagrant: Austria; Belgium; Cameroon; Cape Verde; Croatia; Czechoslovakia (former); Denmark; France; Gambia; Germany; Ghana; Italy; Myanmar; Netherlands; Poland; Portugal; Slovenia; Somalia; Spain; Sri Lanka; Sweden; Switzerland; Tanzania; Yugoslavia			
<i>Buteo rufofuscus</i> (Forster 1798)	II	-	14,141,153,154,203,943
E: Jackal Buzzard; F: Buse rounoir			
Breeding: ?Botswana; Lesotho; Namibia; South Africa; Swaziland			
<i>Buteo solitarius</i> Peale 1848	II	-	14,15,153,226,570
E: Hawaiian Hawk; F: Buse d'Hawaï			
Breeding: Hawaiian Islands: Hawaii			
<i>Buteo swainsoni</i> Bonaparte 1838	II	-	14,15,153,713
E: Swainson's Hawk; F: Buse de Swainson; S: Gavilán langostero, Aguililla de Swainson			
Breeding: Canada; Mexico; USA			
Non-breeding: Argentina; Bolivia; Brazil [919]; Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Honduras; Nicaragua; Panama; Paraguay; Peru; Uruguay; Venezuela			
Vagrant: ?Belize; Trinidad and Tobago [20]			
<i>Buteo ventralis</i> Gould 1837	II	-	14,153,208,226,713
E: Rufous-tailed Hawk, Red-tailed Hawk; F: Buse de Patagonie; S: Aguilucho cola corta			
Breeding: Argentina [95]; Chile [487,512]			
<i>Buteogallus aequinoctialis</i> (Gmelin 1788)	II	-	14,153,713
E: Rufous Crab-Hawk; F: Buse buson; S: Gavilán de Manglares			
Breeding: Brazil; French Guiana; Guyana; Suriname; Venezuela			

<i>Buteogallus anthracinus</i> (Deppe 1830)	II	-	14,15,115,153,713
E: Common Black-Hawk; Lesser Black-Hawk; F: Buse noire; S: Gavilán cangrejero, Aguililla negra menor			
Breeding:	Belize; Colombia; Costa Rica; Cuba; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Saint Vincent; Trinidad and Tobago; Trinidad; USA; Venezuela		
Vagrant:	Grenada; Puerto Rico; Saint Lucia		
<i>Buteogallus meridionalis</i> (Latham 1790)	II	-	14,15,153,713
(= <i>Heterospizias meridionalis</i>)			
E: Savanna Hawk; F: Buse roussâtre; S: Gavilán pita venado, Gavilán sabanero			
Breeding:	Argentina; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Honduras; Mexico; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Uruguay; Venezuela		
<i>Buteogallus subtilis</i> (Thayer & Bangs 1905)	II	-	
E: Mangrove Black-Hawk; F: Buse des mangroves; S: Gavilán negro común			
Breeding:	Colombia; Costa Rica; Ecuador; Honduras; Mexico; Panama; Peru		
<i>Buteogallus urubitinga</i> (Gmelin 1788)	II	-	14,15,153,713
E: Great Black Hawk; F: Buse urubu; S: Aguila negra, Gavilán negro grande, Aguililla negra mayor			
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Uruguay; Venezuela		
<i>Chelictinia riocourii</i> (Vieillot 1822)	II	-	14,141,153,154,905,943
(= <i>Elanus riocourii</i>)			
E: Scissor-tailed Kite, African Swallow-tailed Kite; F: Élanion naucler			
Breeding:	?Cameroon; ?Central African Republic; ?Chad; Eritrea; Gambia; Kenya; Mali; Mauritania; Niger; ?Senegal; ?Somalia; Sudan		
Non-breeding:	Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Djibouti; Ethiopia; Ghana; Nigeria; Senegal; Somalia; Togo; Uganda		
Vagrant:	Liberia; Yemen [477]		
<i>Chondrohierax uncinatus</i> (Temminck 1822)	II	-	14,15,153,570
(excluding subspecies <i>wilsonii</i>)			
E: Hook-billed Kite; F: Milan bec-en-croc; S: Milano pico garfio, Gavilán pico ganchudo			
Breeding:	Argentina; Belize; Bolivia; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Grenada; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela		
Vagrant:	USA		
<i>Chondrohierax uncinatus wilsonii</i> (Cassin 1847)	I	-	14,15,153,570
(= <i>Chondrohierax wilsonii</i>)			
E: Cuban Hook-billed Kite; F: Milan de Cuba, Busard de Wilson			
Breeding:	Cuba		
<i>Circaetus cinerascens</i> von Müller 1851	II	-	14,141,153,154,203,905,943
E: Banded Snake-Eagle, Smaller Banded Snake-Eagle; F: Circaète cendré; S: Aguila culebrera culiblanca			
Breeding:	?Angola; ?Benin; ?Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Ethiopia; ?Gambia; ?Ghana; ?Guinea-Bissau; ?Guinea [1042]; ?Kenya; Malawi; Namibia [151]; ?Niger; ?Nigeria; Rwanda; ?Senegal; ?Sierra Leone; Sudan; ?Tanzania; ?Togo; Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Botswana; Burkina Faso; Cameroon; Central African Republic; Chad; Ethiopia; Gambia; Ghana; Guinea-Bissau; Guinea [1042]; Kenya; Mali; Niger; Nigeria; Senegal; Sierra Leone; Tanzania; Togo; Zaire		

<i>Circaetus cinereus</i> Vieillot 1818	II	-	14, 141, 153, 154, 203, 905, 943
E: Brown Snake-Eagle, Brown Harrier-Eagle; F: Circaète Brun; S: Aguila culebrera de Brown			
Breeding:	?Angola; ?Benin; Botswana; ?Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; ?Ethiopia; ?Gambia; ?Ghana; ?Guinea-Bissau; ?Guinea [723]; Kenya; Liberia; Malawi; ?Mozambique; Namibia; ?Niger; ?Nigeria; Rwanda; Senegal; ?Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo [198]; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Eritrea; Ethiopia; Gambia; Ghana; Guinea-Bissau; Guinea [723]; Mali; Mauritania; Mozambique; Niger; Nigeria; Sierra Leone; Somalia; Tanzania; Togo [198]; Uganda		
<i>Circaetus fasciolatus</i> Kaup 1850	II	-	14, 141, 153, 154, 203, 226, 943
E: Fasciated Snake-Eagle, Southern Banded Snake-Eagle; F: Circaète barré			
Breeding:	Kenya; Mozambique; ?Somalia; South Africa; ?Tanzania; ?Zimbabwe		
Non-breeding:	Somalia; Tanzania; Zimbabwe		
<i>Circaetus gallicus</i> (Gmelin 1788)	II	-	9, 14, 141, 153, 154, 203, 245, 477 , 905, 943
(includes <i>Circaetus beaudouini</i> Verreaux & Des Murs 1862)			
E: Short-toed Snake-Eagle, Short-toed Eagle, (Beaudouin's Snake-Eagle); F: Circaète Jean-le-Blanc; S: Aguila culebrera			
Breeding:	?Albania; Algeria; Andorra; Angola; Armenia; Azerbaijan; Bangladesh; Belarus; Bosnia and Herzegovina; Bulgaria; Burkina Faso; China; Côte d'Ivoire; Croatia; ?Egypt; Estonia; France; ?Gambia; Georgia; Greece; ?Guinea-Bissau; ?Guinea [723]; Hungary; India; Indonesia; Flores, Lombok, Roti, Sumbawa, Timor; Iran; ?Iraq; Israel; Italy; Jordan; Kazakhstan; Kenya; Kyrgyzstan; Latvia; Lebanon; ?Libya; Lithuania; Macedonia; ?Mali; Mauritania; Moldova; Mongolia; Morocco; ?Nepal; ?Niger; Nigeria; ?Oman; Pakistan; Poland; Portugal; Romania; Russian Federation [577]; Rwanda; Saudi Arabia; ?Senegal; Slovak Republic; Slovenia; Spain; ?Switzerland; Syria; Tajikistan; ?Togo; Tunisia; Turkey; Turkmenistan; ?Uganda; Ukraine; Uzbekistan; Yugoslavia		
Non-breeding:	Afghanistan; Albania; Bahrain; Benin; Bhutan; Burkina Faso; Cameroon; Central African Republic; Chad; Djibouti; Egypt; Eritrea; Ethiopia; Gambia; Ghana; Gibraltar; Guinea-Bissau; Guinea; Iraq; Kuwait; Libya; Mali; Myanmar; Nepal; Niger; Oman; Senegal; Singapore; Sudan; Switzerland; Thailand; Togo; Uganda; United Arab Emirates; Viet Nam; Yemen; Zaire		
Vagrant:	Austria; Belgium; ?Congo; Cyprus; Denmark; Finland; Germany; Indonesia; Java [64]; Lao P.D.R.; ?Lesotho; Liberia; Luxembourg; Malaysia; Peninsular Malaysia; Malta; Netherlands; Sierra Leone; Sweden		
<i>Circaetus pectoralis</i> Smith 1829	II	-	
E: Black-chested Snake-Eagle; F: Circaète à poitrine noire			
Breeding:	?Angola; Botswana; ?Burundi; ?Congo; ?Djibouti; ?Ethiopia; Kenya; Malawi; ?Mozambique; Namibia; Rwanda; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Burundi; Congo; Djibouti; Ethiopia; Mozambique; Tanzania; Uganda; Zaire		
Vagrant:	Lesotho		
<i>Circus aeruginosus</i> (Linnaeus 1758)	II	-	9, 14, 141, 153, 154, 203, 245, 477 , 568, 690, 905
E: Western Marsh-Harrier; F: Busard des Roseaux; S: Aguilucho lagunero			
Breeding:	Afghanistan; Albania; Algeria; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; Iran; Iraq; Ireland; Israel (ex); Italy; Japan; Kazakhstan; Kyrgyzstan; Latvia; Lebanon (ex); Lithuania; Macedonia; Moldova; Morocco; Netherlands; Norway; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; ?Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; United Kingdom; Uzbekistan; Yugoslavia		
Non-breeding:	Angola; Bahrain; Bangladesh; Benin; Burkina Faso; Burundi; Cambodia; Cameroon; Cape Verde; Central African Republic; Chad; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Eritrea;		

Ethiopia; Gabon; Gambia; Ghana; Gibraltar; Guernsey; Guinea [1042]; Guinea-Bissau; Hong Kong; India: including Andaman Islands; Israel; Jersey; Jordan [1039]; Kenya; Kuwait; Lao P.D.R.; Lebanon; Liberia; Libya; Liechtenstein; Luxembourg; Malawi; Malaysia: ?Peninsular Malaysia; Maldives; Mali; Malta; Mauritania; Mozambique; Myanmar; Nepal; Niger; Nigeria; Norway; Oman; Pakistan; Qatar; Rwanda; Saudi Arabia; Senegal; Sierra Leone; Singapore; Somalia; South Africa; Sri Lanka; Sudan; Switzerland; Syria; Tanzania; Togo [200]; Uganda; United Arab Emirates; Viet Nam; Western Sahara; Yemen; Zaire; Zambia; Zimbabwe

Vagrant: Canary Islands; Congo; Faeroe Islands; Iceland; Indonesia: Sumatra; Mauritius; Seychelles; Thailand

Circus approximans Peale 1848

II

(= *Circus aeruginosus approximans*)

E: Swamp Harrier; F: Busard de Gould

Breeding: Australia; Fiji [817]; [French Polynesia]: [Society Islands] [817]; ?Indonesia: Irian Jaya; New Caledonia; New Zealand; ?Papua New Guinea; Tonga [817]; Vanuatu; Wallis and Futuna Islands

Non-breeding: Indonesia: Irian Jaya

Circus assimilis Jardine & Selby 1828

II

14,153,690

E: Spotted Harrier; F: Busard tacheté

Breeding: Australia; Indonesia: Sulawesi, Sumba, Taliabu, Timor

Circus buffoni (Gmelin 1788)

II

14,153,713

E: Long-winged Harrier; F: Busard de Buffon; S: Gavilán grande, Aguilucho de Ciénaga

Breeding: Argentina; Bolivia; Brazil; Chile; Colombia; French Guiana; Guyana; Paraguay; Suriname; Trinidad and Tobago; Uruguay; Venezuela

Vagrant: Chile [512]

Circus cinereus Vieillot 1816

II

14,153,713

E: Cinereous Harrier; F: Busard bariolé; S: Gavilán ceniciente

Breeding: Argentina; Bolivia; Brazil; ?Chile; Colombia; Ecuador; Paraguay; Peru; Uruguay

Vagrant: Falkland Islands

Circus cyaneus (Linnaeus 1766)

II

9,15,115,154,245,477,568,690

E: Northern Harrier, Hen Harrier, Marsh Hawk; F: Busard Saint-Martin; S: Aguilucho pálido, Gavilán rastreiro

Breeding: Armenia; Azerbaijan; Belarus; Belgium; Canada; China; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; ?Iran; Ireland; Isle of Man; Latvia; Lithuania; Luxembourg; Mexico; Moldova; Mongolia; Netherlands; Norway; Poland; Portugal; Russian Federation; Spain; Sweden; ?Turkey; USA; Ukraine; United Kingdom

Non-breeding: Afghanistan; Albania; Algeria; ?Anguilla; Antigua and Barbuda; Austria; Bahamas; Bangladesh; Barbados; Belgium; Belize; Bhutan; Bosnia and Herzegovina; ?British Virgin Islands; ?Brunei; Bulgaria; Cambodia; Cayman Islands; Costa Rica; Croatia; Cuba; Cyprus; Denmark; Dominica; Dominican Republic; Egypt; El Salvador; Gibraltar; Greece; Grenada; Guadeloupe; Guatemala; Guernsey; Haiti; Honduras; Hong Kong; Hungary; India; Iran; Iraq; Israel; Italy; Jamaica; Japan; Jersey; Jordan [1039]; Kazakhstan; D.P.R. Korea; Korea Republic; Kuwait; Kyrgyzstan; ?Lao P.D.R; Lebanon; Libya; Liechtenstein; Macedonia; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Malta; ?Martinique; ?Montserrat; Morocco; Myanmar; Nepal; Netherlands Antilles; Nicaragua; Oman; Pakistan; Panama; Puerto Rico; Romania; Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon; Saint Vincent; Saudi Arabia; Slovak Republic; Slovenia; Switzerland; Taiwan; Tajikistan; Thailand; Tunisia; Turkey; Turkmenistan; United Arab Emirates; Uzbekistan; ?Viet Nam; Virgin Islands of the United States; Yugoslavia

Vagrant: Bermuda; Colombia; Faeroe Islands; Hawaiian Islands [817]; Iceland; Qatar; Senegal; Singapore; ?Sudan; Syria; Turks and Caicos Islands; Venezuela; Yemen

Accipitridae

CITES RL Ref

<i>Circus macrourus</i> (Gmelin 1770)	II	-	9,14,141,153,154,203,226,245 ,477,568
E: Pallid Harrier; Pale Harrier; F: Busard pâle; S: Aguilucho papialbo			
Breeding:	Armenia; Azerbaijan; Belarus; China; Georgia; ?Iran; Kazakhstan; Latvia (ex); Moldova; Romania; Russian Federation; Ukraine; Uzbekistan		
Non-breeding:	Afghanistan; Albania; Algeria; Angola; Bahrain; Bangladesh; Benin; Bhutan; Bosnia and Herzegovina; Botswana; Bulgaria; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Croatia; Djibouti; Egypt; Eritrea; Ethiopia; France; Gambia; Ghana; Greece; Guinea-Bissau; India: including Andaman Islands; Iran; Iraq; Israel; Italy; Jordan [1039]; Kenya; Kuwait; Lebanon; Liberia; Libya; Macedonia; Malawi; Maldives; Mali; Malta; Mauritania; ?Mongolia; Morocco; Mozambique; Myanmar; Namibia; Nepal; Niger; Nigeria; Oman; Pakistan; Qatar; Rwanda; Saudi Arabia; Senegal; Sierra Leone; Slovenia; Somalia; South Africa; Sri Lanka; Sudan; ?Swaziland; Syria; Tanzania; Togo; Tunisia; Turkey; Uganda; United Arab Emirates; Western Sahara; Yemen; Yugoslavia; Zaire; Zambia; Zimbabwe		
Vagrant:	Austria; Belgium; Canary Islands; Czechoslovakia (former); Denmark; Finland; Germany; Guinea [1042]; Hungary; Iceland; Japan; Latvia; Lesotho; Liechtenstein; Luxembourg; Netherlands; Norway; Spain; Sweden; Switzerland; United Kingdom		
<i>Circus maillardi</i> Verreaux 1862 (= <i>Circus aeruginosus maillardi</i>)	II	-	226,944
E: Madagascar Marsh-Harrier; F: Busard de Maillard			
Breeding:	Comoros; Madagascar; Mayotte; Réunion		
<i>Circus maurus</i> (Temminck 1828)	II	-	14,153,154,203,226,706,943
E: Black Harrier; F: Busard maure			
Breeding:	?Namibia; South Africa		
Non-breeding:	Botswana; Lesotho; Namibia	--	
<i>Circus melanoleucos</i> (Pennant 1769)	II	-	9,14,153,568
E: Pied Harrier; F: Busard tchougué			
Breeding:	China; India; D.P.R. Korea; Mongolia; Myanmar; Russian Federation		
Non-breeding:	Bangladesh; ?Bhutan; Cambodia; Hong Kong; Indonesia: Kalimantan [940]; Korea Republic; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Nepal; Pakistan; Philippines; Singapore; Sri Lanka; Taiwan; Thailand; Viet Nam		
Vagrant:	Brunei [663]; Japan		
<i>Circus pygargus</i> (Linnaeus 1758)	II	-	9,14,141,153,154,203,245,477
E: Montagu's Harrier; F: Busard cendré; S: Aguilucho cenizo			
Breeding:	Algeria; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; Iran; Italy; Kazakhstan; Kyrgyzstan; Latvia; Lithuania; Luxembourg; Moldova; Morocco; Netherlands; Poland; Portugal; Romania; Russian Federation; Slovenia (ex); Spain; Sweden; ?Switzerland; Tunisia; Turkey; Ukraine; United Kingdom; Uzbekistan; Yugoslavia		
Non-breeding:	Afghanistan; Albania; Bahrain; Bangladesh; Benin; ?Bhutan; Botswana; Bulgaria; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Eritrea; Ethiopia; Gambia; Ghana; Gibraltar; Guinea [723]; India; Iraq; Israel; Jordan [1039]; Kenya; Kuwait; Lebanon; ?Lesotho; Liberia; Libya; Liechtenstein; Macedonia; Malawi; Maldives; Mali; Malta; Mauritania; Morocco; Western Sahara; Mozambique; Namibia; Nepal; Niger; Nigeria; Oman; Pakistan; Rwanda; Saudi Arabia; Senegal; Slovak Republic; Slovenia; Somalia; South Africa; Sri Lanka; Sudan; ?Swaziland; Switzerland; Syria; Tajikistan; Tanzania; Turkmenistan; Uganda; United Arab Emirates; Yemen; Zaire; Zambia; Zimbabwe		
Vagrant:	Canary Islands; Congo; Guernsey; Iceland; Ireland; Norway; Togo		

<i>Circus ranivorus</i> (Daudin 1800)	II	14,141,153,154,203,943
E: African Marsh-Harrier; F: Busard grenouillard		
Breeding:	?Angola; Botswana; Burundi; ?Central African Republic [185]; ?Congo; Kenya; Lesotho; Malawi; Mozambique; ?Namibia; Rwanda; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe	
Non-breeding:	Angola; Central African Republic [185]; Congo; Namibia; Sudan; Tanzania; Uganda; Zaire	
Vagrant:	Ethiopia; Somalia	
<i>Circus spilonotus</i> Kaup 1847 (= <i>Circus aeruginosus spilonotus</i>)	II	14,153,568,690
E: Eastern Marsh-Harrier; F: Busard d'Orient		
Breeding:	China; Indonesia; Irian Jaya; ?D.P.R. Korea; Mongolia; Papua New Guinea; Russian Federation	
Non-breeding:	Brunei; Japan; D.P.R. Korea; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Philippines; Taiwan; Thailand; Viet Nam	
Vagrant:	Indonesia: Sumatra	
<i>Dryotriorchis spectabilis</i> (Schlegel 1863)	II	14,153,154,905,943
E: Congo Serpent-Eagle, African Serpent-Eagle; F: Serpentaire du Congo, Aigle serpentaire; S: Aguila culebrera colilarga		
Breeding:	?Angola; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; Liberia; ?Nigeria; ?Sierra Leone; Togo; Zaire	
Non-breeding:	Angola; Cameroon; Central African Republic; Equatorial Guinea [829]; Ghana; Nigeria; Sierra Leone	
<i>Elanoides forficatus</i> (Linnaeus 1758)	II	14,15,153,713
E: Swallow-tailed Kite, American Swallow-tailed Kite; F: Milan à queue fourchue; S: Elanio tijereta, Gavilán tijereta, Milano tijereta		
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; USA; Uruguay; Venezuela	
Non-breeding:	Cuba; Jamaica	
Vagrant:	Bahamas; Bermuda; Canada; Cayman Islands; El Salvador	
<i>Elanus axillaris</i> (Latham 1801) (= <i>Elanus notatus</i> Gould 1838)	II	14,153
E: Black-shouldered Kite, Australian Black-shouldered Kite; F: Élanion d'Australie		
Breeding:	Australia	
<i>Elanus caeruleus</i> (Desfontaines 1789)	II	9,14,141,153,154,203,245,477 ,568,905,943
E: Black-winged Kite, Black-shouldered Kite; F: Élanion blanc; S: Elanio azul		
Breeding:	Algeria; ?Angola; Bangladesh; Botswana; Burkina Faso [996]; Burundi; Cambodia; ?Cameroon; ?Central African Republic; ?Chad; China; ?Congo; Côte d'Ivoire; Egypt; ?Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea [1042]; ?Guinea-Bissau; India; Indonesia; Kenya; Lao P.D.R.; Lesotho; Malawi; Malaysia; Peninsular Malaysia; Mali; Mauritania; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; ?Niger; Nigeria; Pakistan; Papua New Guinea; Philippines; Portugal; Rwanda; Senegal; Sierra Leone; Singapore; ?Somalia; South Africa; Spain; Sri Lanka; Sudan; Swaziland; Tanzania; Thailand [867]; Tunisia; Uganda; Viet Nam; Yemen; Zaire; Zambia; Zimbabwe	
Non-breeding:	Angola; Benin [481]; Cameroon; Central African Republic; Chad; Congo; Eritrea; Guinea-Bissau; Liberia; Mozambique; Niger; Somalia; Togo	
Vagrant:	Belgium; Brunei; Bulgaria; ?Cyprus; Czechoslovakia (former); Djibouti; France; Germany; Gibraltar; Hong Kong; Israel; Italy; Lebanon; Madagascar; Malaysia; Sabah [940]; Netherlands; Poland; Romania; Saudi Arabia; Turkey; United Arab Emirates; Uzbekistan	

Accipitridae

CITES RL Ref

<i>Elanus leucurus</i> (Vieillot 1818) (= <i>Elanus caeruleus leucurus</i>)	II	-	14,15,153,713,819
E: White-tailed Kite; F: Élanion à queue blanche; S: Elanio blanco, Gavilán maromero, Milano coliblanco			
Breeding: Argentina; Belize; Bolivia; Brazil; Chile [487,512]; Colombia; Costa Rica; El Salvador; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Suriname; Trinidad and Tobago; Trinidad; USA; Uruguay; Venezuela			
Vagrant: Aruba; Canada [937]; French Guiana			
<i>Elanus scriptus</i> Gould 1842	II	-	14,153
E: Letter-winged Kite; F: Élanion lettré			
Breeding: Australia			
<i>Erythrotriorchis buergersi</i> (Reichenow 1914) (= <i>Accipiter buergersi</i>)	II	DD	14,153,690,891
E: Chestnut-shouldered Hawk, Chestnut-mantled Goshawk, Burger's Sparrowhawk; F: Autour de Bürger			
Breeding: Indonesia: Irian Jaya [279]; Papua New Guinea			
<i>Erythrotriorchis radiatus</i> (Latham 1801) (= <i>Accipiter radiatus</i>)	II	E	14,153,226
E: Red Goshawk; F: Autour rouge			
Breeding: Australia			
<i>Eutriorchis astur</i> (Sharpe 1875)	II	C	14,32,153,226,228,266,303,91 2,997
E: Madagascar Serpent-Eagle; F: Serpentaire de Madagascar			
Breeding: Madagascar			
<i>Gampsonyx swainsonii</i> Vigors 1825	II	-	14,153,713
E: Pearl Kite; F: Élanion perle; S: Elanio chico, Cernícalo			
Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; Guyana; Nicaragua; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
Vagrant: French Guiana			
<i>Geranoaetus melanoleucus</i> (Vieillot 1819)	II	-	14,153,713
E: Black-chested Buzzard-Eagle, Black-chested Eagle, Grey Buzzard-Eagle; F: Buse aguia; S: Aguila escudada, Aguila real			
Breeding: Argentina; Bolivia; Brazil [919]; Chile [512]; Colombia; Ecuador; Guyana; Paraguay; Peru; Uruguay; Venezuela			
<i>Geranospiza caerulescens</i> (Vieillot 1817)	II	-	14,15,153,713
E: Crane Hawk; F: Buse échasse; S: Gavilán patílargo, Gavilán Zancón, Gavilán zancudo			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Uruguay; Venezuela			
<i>Gypaetus barbatus</i> (Linnaeus 1758)	II	-	9,14,141,153,154,203,245,477 ,943
E: Lammergeier, Bearded Vulture; F: Gypaète barbu; S: Quebrantahuesos			
Breeding: Afghanistan; ?Albania; Algeria; Armenia; Azerbaijan; Bhutan; Bosnia and Herzegovina; China; ?Egypt; ?Eritrea; Ethiopia [533]; France; Georgia; Greece; India; Iran; ?Iraq; Israel; Italy; Sardinia; Jordan (ex); Kazakhstan; Kenya; Kyrgyzstan; Lesotho; Mongolia; Morocco; Nepal; Pakistan; Russian Federation [577]; Saudi Arabia; South Africa; Spain; Tajikistan; ?Tanzania; Tunisia (ex?); Turkey; Turkmenistan; ?Uganda; Uzbekistan; ?Yemen; Yugoslavia			
Non-breeding: ?Albania; Andorra; ?Egypt, Eritrea; ?Iraq; Tanzania; Uganda; Yemen			

Vagrant: Austria; Bulgaria; Croatia; Cyprus; Czechoslovakia (former); ?Djibouti; Germany; D.P.R. Korea; Lebanon; Mauritania; Mozambique; Portugal; Romania; Sudan; Switzerland; Syria; Zimbabwe

Gypohierax angolensis (Gmelin 1788) II - 14,141,153,154,203,905,943

E: Palm-nut Vulture, Vulturine Fish-Eagle; F: Palmiste africain

Breeding: Angola; ?Benin; Burkina Faso [996]; Burundi; ?Cameroon; ?Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Liberia; Malawi; ?Mali; Mozambique; Nigeria; Senegal; Sierra Leone; South Africa; ?Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia

Non-breeding: Benin; Cameroon; Central African Republic; Chad; Equatorial Guinea; Guinea; Mali; Sudan; Swaziland; Tanzania; Togo

Vagrant: Botswana; Lesotho; Namibia; Niger; Rwanda; Zimbabwe

Gyps africanus Salvadori 1865 II - 14,141,153,154,203,905,943

E: White-backed Vulture, African White-backed Vulture; F: Vautour africain

Breeding: ?Angola; Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; Chad; Côte d'Ivoire; ?Djibouti; ?Equatorial Guinea; ?Eritrea; Ethiopia; ?Gabon; Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe

Non-breeding: Angola; Burundi; Cameroon; Djibouti; Equatorial Guinea; Eritrea; Gabon; Ghana; Guinea [1042]; Guinea-Bissau; Tanzania; Togo; Uganda

Vagrant: Equatorial Guinea; Bioko; Liberia; Sierra Leone

Gyps bengalensis (Gmelin 1788) II - 9,14,153,226,568

E: White-rumped Vulture, Asian White-backed Vulture, Oriental White-backed Vulture; F: Vautour chaugoun, Gyps africain; S: Buitre Leonardo Bengalés

Breeding: Afghanistan; Bangladesh; Bhutan; Cambodia; China; India; Iran; Lao P.D.R.; Malaysia; Peninsular Malaysia; Myanmar; Nepal; Pakistan; Thailand [867]; Viet Nam

Vagrant: Brunei; Russian Federation

Gyps coprotheres (Forster 1798) II V 14,146,153,154,203,226,228,8
53,854,943

E: Cape Griffon, Cape Vulture; F: Vautour chassefiente

Breeding: Botswana; Lesotho; Namibia [150]; South Africa [121,122,811,852,1022]; Zimbabwe

Non-breeding: Mozambique; Swaziland; Zambia [292]

Vagrant: Zaire

Gyps fulvus (Hablitzl 1783) II - 9,14,153,154,245,477,690

E: Eurasian Griffon, Eurasian Griffon Vulture; F: Vautour fauve; S: Buitre leonado común

Breeding: Afghanistan; ?Albania; Algeria; Armenia; Austria; Azerbaijan; Bosnia and Herzegovina; Bulgaria; Croatia (ex?); Cyprus; Egypt; France; Georgia; Greece; India; Iran; ?Iraq; Israel; Italy; Sardinia; Jordan; Kazakhstan; Kyrgyzstan; Macedonia; ?Mongolia; Morocco; Nepal; Pakistan; Portugal [950]; Romania (ex); Russian Federation [577]; Saudi Arabia; Spain [950]; Syria; Tajikistan; ?Tunisia; Turkey; Turkmenistan; Uzbekistan; Yemen; Yugoslavia

Non-breeding: Albania; Eritrea; Ethiopia; Gibraltar; Iraq; Lebanon; Mali; Mauritania; Mongolia; Oman; Senegal [299]; Slovenia; Sudan; Tunisia; United Arab Emirates

Vagrant: Bahrain; Belgium; Czechoslovakia (former); Denmark; Djibouti [1054]; Finland; Germany; Hungary; Ireland; Kuwait; Latvia; Malta; Morocco; Western Sahara; Netherlands; Niger; Poland; Switzerland; United Kingdom

Gyps himalayensis Hume 1869 II - 9,14,153

E: Himalayan Griffon, Himalayan Griffon Vulture; F: Vautour de l'Himalaya

Breeding: Afghanistan; Bhutan; China; India; Kazakhstan; Kyrgyzstan; Mongolia; Nepal; Pakistan; Tajikistan; ?Uzbekistan

Non-breeding: ?Uzbekistan

<i>Gyps indicus</i> (Scopoli 1786)	II	-	9,14,153,226,568
E: Long-billed Vulture, Long-billed Griffon; F: Vautour indien			
Breeding:	Bangladesh; Cambodia; India; Lao P.D.R.; Myanmar; Nepal; Pakistan; Thailand (ex?) [867]; Viet Nam		
Vagrant:	Afghanistan; Malaysia: Peninsular Malaysia		
<i>Gyps rueppellii</i> (Brehm 1852)	II	-	14,141,153,154,477,905,943
E: Rueppell's Griffon, Rueppell's Vulture, Rueppell's Griffon Vulture; F: Vautour de Rüppell;			
S: Buitre moteado			
Breeding:	?Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; ?Côte d'Ivoire; Djibouti; ?Eritrea; Ethiopia; Gambia; ?Guinea [723]; ?Guinea-Bissau; Kenya; Mali; Mauritania; ?Niger; Nigeria; ?Rwanda; Senegal; Somalia; Sudan; ?Tanzania; ?Uganda		
Non-breeding:	Benin; Cameroon; Central African Republic; Côte d'Ivoire; Eritrea; Guinea; Guinea-Bissau; Niger; Rwanda; Tanzania; Uganda		
Vagrant:	Egypt; Ghana; Saudi Arabia; Sierra Leone; Togo		
<i>Haliaeetus albicilla</i> (Linnaeus 1758)	I	-	14,119,153,226,245,376,477,5 70,690
E: White-tailed Eagle, Grey Sea Eagle; F: Pygargue à queue blanche, Pygargue commun; S: Pigargo coliblanco, Pigargo coliblanco de Groenlandia			
Breeding:	Albania (ex?); Algeria (ex); Armenia; Austria; Azerbaijan; Belarus; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France: Corsica (ex); Georgia; Germany; Greece; Greenland; Hungary; Iceland; Iran; Israel; Japan; Kazakhstan; Latvia; Lithuania; Macedonia; Moldova; Mongolia [806]; Nepal; Norway [346,1075]; Poland; Romania; Russian Federation [577]; Sweden [459,460]; Turkey; Turkmenistan; Ukraine; [United Kingdom] [634]; Yugoslavia		
Non-breeding:	Afghanistan; Faeroe Islands; France; India; Israel; Japan; D.P.R. Korea; Korea Republic; Nepal; Pakistan; Slovenia; Taiwan; Tajikistan; USA; Ukraine; Uzbekistan		
Vagrant:	Belgium; Canary Islands; Cyprus; Egypt; Guernsey; Iraq; Ireland; Italy; Jersey; Lebanon; Luxembourg; Malta; Netherlands; Portugal; Saudi Arabia; Spain; Switzerland; Syria; Taiwan; Tunisia		
<i>Haliaeetus leucocephalus</i> (Linnaeus 1766)	I	-	14,15,153,570
E: Bald Eagle, White-headed Eagle; F: Pygargue à tête blanche, Aigle à tête blanche; S: Pigargo cabeciblanco, Aguila cabeza blanca, Pigargo cabeciblanco meridional, Aguila cabeciblanca			
Breeding:	Canada; Mexico; Saint Pierre and Miquelon; USA		
Vagrant:	?Belize [241]; Bermuda; Puerto Rico; Virgin Islands of the United States; Saint John		
<i>Haliaeetus leucogaster</i> (Gmelin 1788)	II	-	9,14,153,568,690
E: White-bellied Fish-Eagle, White-bellied Sea-Eagle; F: Pygargue blagre, Pygargue à ventre blanc; S: Pigargo de vientre blanco			
Breeding:	Australia; Bangladesh; Brunei; Cambodia; China; Hong Kong; India: including Andaman and Nicobar Islands; Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Papua New Guinea; Philippines; Singapore; Sri Lanka; Thailand; Viet Nam		
Vagrant:	Christmas Island; Taiwan		
<i>Haliaeetus leucoryphus</i> (Pallas 1771)	II	V	9,14,119,153,226,477,568,690
E: Pallas's Sea-Eagle, Pallas's Fish-Eagle, Band-tailed Fish-Eagle; F: Pygargue de Pallas; S: Pigargo de Pallas			
Breeding:	Bangladesh [886]; Bhutan; China; India; Kazakhstan; Mongolia [684,806]; Myanmar; Nepal; Pakistan; ?Russian Federation [577]; Tajikistan; Uzbekistan		
Non-breeding:	Afghanistan; Russian Federation		
Vagrant:	Cambodia; Finland; Iran; Iraq; Israel; Norway; Oman; Poland; Saudi Arabia; Thailand; United Arab Emirates; Viet Nam		

Haliaeetus pelagicus (Pallas 1811) II V 14,153,226,359,690,915

E: Steller's Sea-Eagle; F: Pygargue empereur, Pygargue de Steller; S: Pigargo de Steller

Breeding: Russian Federation [345,577,628]

Non-breeding: Japan [131]; ?D.P.R. Korea; Korea Republic

Vagrant: China; Hawaiian Islands [817]; Taiwan; USA: Alaska

Haliaeetus sanfordi Mayr 1935 II V 14,153,226,690,891

E: Solomon Fish-Eagle, Solomon Sea-Eagle, Sanford's Sea-Eagle; F: Pygargue de Sanford; S: Pigargo de Sandford

Breeding: Papua New Guinea: Bougainville; Solomon Islands

Haliaeetus vocifer (Daudin 1800) II - 14,141,153,154,203,905,943

E: African Fish-Eagle, River Eagle; F: Pygargue vocifère, Aigle pêcheur africain; S: Pigargo vocinglero

Breeding: Angola; Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; Chad; ?Congo; Côte d'Ivoire; Eritrea; Ethiopia [533]; ?Gabon; Gambia; Ghana; Guinea [1042]; Guinea-Bissau; Kenya; Lesotho; ?Liberia; Malawi; Mali; Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; Uganda; Zaire; Zambia; Zimbabwe

Non-breeding: Cameroon; Congo; Gabon; Liberia; Sierra Leone; Tanzania

Vagrant: Egypt [477]; Madagascar [266,603]; Mauritius

Haliaeetus vociferoides Des Murs 1845 II C 14,153,226,228,606

E: Madagascar Fish-Eagle; F: Pygargue de Madagascar; S: Pigargo de Madagascar

Breeding: Madagascar [266,603]

Vagrant: Mauritius

Haliastur indus (Boddaert 1783) II - 9,14,153,690

E: Brahminy Kite; F: Milan sacré

Breeding: Australia; Bangladesh; Brunei; Cambodia; China; India; Indonesia; ?Lao P.D.R; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Papua New Guinea; Philippines; Singapore; Solomon Islands; Sri Lanka; Thailand; Viet Nam

Vagrant: Hong Kong; Palau [817]; United Arab Emirates; Vanuatu

Haliastur sphenurus (Vieillot 1818) II - 14,153,690

E: Whistling Kite; F: Milan siffleur

Breeding: Australia; Indonesia: Irian Jaya; New Caledonia; Papua New Guinea

Hamirostra melanosternon (Gould 1841) II - 14,153

E: Black-breasted Buzzard, Black-breasted Kite; F: Milan à plastron

Breeding: Australia

Harpagus bidentatus (Latham 1790) II - 14,15,153,713

E: Double-toothed Kite; F: Milan bidenté; S: Gavilán bidente, Elanio bidentado, Milano bidentado

Breeding: Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Venezuela

Harpagus diodon (Temminck 1823) II - 14,153,713

E: Rufous-thighed Kite; F: Milan diodon; S: Milano dentado, Elanio muslirrufo

Breeding: Argentina; Bolivia; Brazil; Ecuador [713]; French Guiana; Guyana; Paraguay

Vagrant: Suriname

Harpia harpyja (Linnaeus 1758) I - 14,15,153,226,570,713

E: Harpy Eagle, American Harpy Eagle; F: Harpie féroce, Harpyie; S: Harpía, Aguila harpía, Aguila arpía, Arpía

Breeding: Argentina [95]; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela

<i>Harpyhaliaetus coronatus</i> (Vieillot 1817)	II	V	14,153,226,229,713
E: Crowned Eagle, Crowned Solitary Eagle; F: Buse couronnée; S: Aguila coronada			
Breeding: Argentina [95,640,758]; Bolivia; Brazil [8]; Paraguay; Uruguay			
<i>Harpyhaliaetus solitarius</i> (Tschudi 1844)	II	-	14,15,106,153,226,713
E: Solitary Eagle, Black Solitary Eagle; F: Buse solitaire; S: Aguila solitaria			
Breeding: Argentina [95]; ?Belize; Bolivia; Colombia; Costa Rica; Ecuador; French Guiana [986]; Guatemala [78]; Honduras; Mexico; ?Nicaragua; ?Panama; Peru; Venezuela			
Non-breeding: Belize; Nicaragua; Panama			
<i>Harpyopsis novaeguineae</i> Salvadori 1875	II	V	14,81,153,226,690
E: New Guinea Eagle, New Guinea Harpy Eagle; F: Aigle de Nouvelle-Guinée			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Henicopernis infuscatus</i> Gurney 1882	II	-	14,103,153,226,690,891
E: Black Honey-buzzard, New Britain Honey-buzzard; F: Bondrée noire			
Breeding: Papua New Guinea: New Britain			
<i>Henicopernis longicauda</i> (Garnot 1828)	II	-	14,153,690
E: Long-tailed Honey-buzzard, Papuan Honey-buzzard; F: Bondrée à longue queue			
Breeding: Indonesia: Aru Islands, Biak, Irian Jaya, Misool, Yapen; Papua New Guinea			
<i>Hieraetus ayresii</i> Gurney 1862	II	-	14,141,153,154,203,905,943
(= <i>Hieraetus dubius</i> (Smith 1830) misapplied)			
E: Ayres's Hawk-Eagle, Ayrès's Eagle; F: Aigle d'Ayres			
Breeding: Angola; ?Botswana; ?Burkina Faso; ?Chad; Côte d'Ivoire; ?Equatorial Guinea; ?Ethiopia [55]; Ghana; Kenya; ?Liberia; ?Malawi; ?Mozambique; ?Namibia; ?Nigeria; ?Sierra Leone; ?South Africa; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Angola; Botswana; Burkina Faso; Chad; Equatorial Guinea; Ethiopia [55]; Gabon; Liberia; Malawi; Mozambique; Namibia; Nigeria; Rwanda; Sierra Leone; South Africa; Tanzania; Togo; Uganda; Zaire			
Vagrant: Somalia [55]; Sudan			
<i>Hieraetus fasciatus</i> (Vieillot 1822)	II	-	9,14,141,153,154,204,245,477 ,568,905,943
E: Bonelli's Eagle; F: Aigle de Bonelli; S: Aguila perdicera, Aguila de Bonelli			
Breeding: Albania; Algeria; China; Croatia; Croatia; Cyprus; Djibouti; Egypt; France; Greece; Hong Kong; India; Indonesia: Luang, Sumbawa, Timor, Wetar; Iran; Iraq; Israel; Italy; Sicily; Jordan; ?Lao P.D.R.; ?Lebanon; Libya; Morocco; Myanmar; Nepal; Oman; Pakistan; Portugal; Saudi Arabia; Spain; Syria; Tajikistan; ?Thailand [867]; Tunisia; Turkey; Turkmenistan; United Arab Emirates; ?Uzbekistan; ?Viet Nam; ?Yemen			
Non-breeding: Afghanistan; ?Albania; Bangladesh; Gibraltar; ?Lao P.D.R.; ?Lebanon; Mauritania; Thailand; ?Uzbekistan; Viet Nam; Yemen			
Vagrant: Austria; Belgium; Bosnia and Herzegovina; Bulgaria; Canary Islands; Czechoslovakia (former); Denmark; Germany; Hungary; Kuwait; Luxembourg; ?Macedonia; Netherlands; Romania; Sri Lanka; Sweden; Uzbekistan; Viet Nam; Yugoslavia			
<i>Hieraetus kienerii</i> (Geoffroy Saint-Hilaire 1835)	II	-	9,14,153,568
E: Rufous-bellied Eagle, Chestnut-bellied Hawk-Eagle; F: Aigle à ventre roux			
Breeding: Bhutan; Brunei; Cambodia; ?China: Hainan [714]; India; Indonesia: Bali, Java, ?Kalimantan [159], ?Satonda, Sulawesi, ?Sumatra, ?Ternate; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Philippines; Sri Lanka; Thailand [867]; Viet Nam			
Non-breeding: China: Hainan [714];			
Vagrant: Bangladesh; Singapore			

<i>Hieraetus morphnoides</i> (Gould 1841)	II	-	14,153,690
E: Little Eagle; F: Aigle nain			
Breeding: Australia; Indonesia: Irian Jaya; Papua New Guinea			
Vagrant: Indonesia: Halmahera [567]			
<i>Hieraetus pennatus</i> (Gmelin 1788)	II	-	9,14,141,153,154,203,245,477 ,568,905,943
E: Booted Eagle; F: Aigle botté; S: Aguila calzada			
Breeding: ?Albania; Algeria; Armenia; Azerbaijan; Bangladesh; Belarus; Bhutan; Bosnia and Herzegovina; ?Botswana; Bulgaria; China; Croatia; France; Georgia; Greece; Hungary; India; Iran; Kazakhstan; Kyrgyzstan; Macedonia; Moldova; Mongolia; Morocco; Namibia; Nepal; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Spain; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia			
Non-breeding: Albania; Austria; Bahrain; Botswana; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Ethiopia; Gambia; Ghana; Gibraltar; Israel; Jordan [1039]; Kenya; Kuwait; Lebanon; Libya; Malawi; Mali; Mauritania; Morocco; Western Sahara; Mozambique; Myanmar; Niger; Nigeria; Oman; Rwanda; Saudi Arabia; Senegal; Sierra Leone; Slovénia; Somalia; South Africa; Sri Lanka; Sudan; Swaziland; Syria; Tanzania; Uganda; United Arab Emirates; Yemen; Zaire; Zambia [292]; Zimbabwe			
Vagrant: Angola; Belgium; Finland; Germany; Indonesia: Bali [56]; Iraq; Italy; Lao P.D.R.; Liberia; Malaysia: Peninsular Malaysia; Malta; Seychelles; Singapore; Sweden; Switzerland; Tanzania; Togo [200]			
<i>Hieraetus spilogaster</i> (Bonaparte 1850)	II	-	
(= <i>Hieraetus fasciatus spilogaster</i>)			
E: African Hawk-Eagle; F: Aigle fascié, Aigle-autour fascié; S: Aguila perdicera africana			
Breeding: Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; Equatorial Guinea [829]; ?Eritrea; Ethiopia [533]; Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Malawi; Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Eritrea; Ghana; Guinea; Guinea-Bissau; Mali; Mozambique; Niger; Sierra Leone; Tanzania; Togo; Uganda; Zaire			
<i>Ichthyophaga humilis</i> (Müller & Schlegel 1841)	II	-	9,14,153,226,568
(= <i>Ichthyophago nana</i> (Blyth 1842))			
E: Lesser Fishing Eagle; F: Pygargue nain			
Breeding: Bangladesh; Bhutan; Brunei; ?Cambodia; China: Hainan [714]; India; Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Thailand [867]; Viet Nam			
Non-breeding: Cambodia			
<i>Ichthyophaga ichthyaetus</i> (Horsfield 1821)	II	-	9,14,153,226,568
E: Grey-headed Fishing Eagle; F: Pygargue à tête grise			
Breeding: Bangladesh; Brunei; Cambodia; India; Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Philippines; Sri Lanka; Thailand [867]; Viet Nam			
Vagrant: Singapore			
<i>Ictinaetus malayensis</i> (Temminck 1822)	II	-	9,14,153,568
E: Black Eagle, Asian Black Eagle, Indian Black Eagle; F: Aigle noir			
Breeding: Bhutan; Brunei; Cambodia; China; India; Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Sri Lanka; Taiwan; Thailand [867]; Viet Nam			
Non-breeding: Bangladesh			

<i>Ictinia mississippiensis</i> (Wilson 1811)	II	-	14,15,153,713
E: Mississippi Kite; F: Milan du Mississippi; S: Milano misisipero, Milano de Misisipi			
Breeding: USA			
Non-breeding: Argentina; Bolivia [911]; Colombia; Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Panama; Paraguay; Peru			
<i>Ictinia plumbea</i> (Gmelin 1788)	II	-	14,15,153,713
E: Plumbeous Kite; F: Milan bleuâtre; S: Gavilán plomizo, Elanio plomizo, Milano plomizo			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Kaupifalco monogrammicus</i> (Temminck 1824)	II	-	14,141,153,154,203,905,943
E: Lizard Buzzard; F: Autour unibande			
Breeding: Angola; ?Benin; ?Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; ?Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Liberia; Malawi; Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Botswana; Burkina Faso; Cameroon; Central African Republic; Chad; Congo; Equatorial Guinea; Ethiopia; Guinea [1042]; Guinea-Bissau; Mali; Niger; Somalia; Tanzania; Togo; Uganda			
<i>Leptodon cayanensis</i> (Latham 1790)	II	-	14,15,153,713
E: Grey-headed Kite, Cayenne Kite; F: Milan de Cayenne; S: Milano blanquigrís, Milano cabecigris, Gavilán palomero			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala [78]; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Leptodon forbesi</i> (Swann 1922)	II	-	
E: White-collared Kite; F: Milan de Forbes			
Breeding: Brazil			
<i>Leucopternis albicollis</i> (Latham 1790)	II	-	14,15,153,713
E: White Hawk; F: Buse blanche; S: Gavilán blanco, Aguililla blanca			
Breeding: Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Leucopternis kuhli</i> Bonaparte 1850	II	-	14,153,713
E: White-browed Hawk; F: Buse à sourcils blancs			
Breeding: Bolivia [780]; Brazil; Peru			
<i>Leucopternis lacernulata</i> (Temminck 1827)	II	V	8,14,153,226,229,675,713,921
E: White-necked Hawk; F: Buse lacernulée			
Breeding: Brazil			
<i>Leucopternis melanops</i> (Latham 1790)	II	-	14,153,713
E: Black-faced Hawk, Masked Hawk; F: Buse à face noire; S: Gavilán carinegro			
Breeding: Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Venezuela			
<i>Leucopternis occidentalis</i> Salvin 1876	II	E	14,153,226,229,713
E: Grey-backed Hawk; F: Buse à dos gris; S: Gavilán dorsigris			
Breeding: Ecuador [848]; Peru [779,1065]			

<i>Leucopternis plumbea</i> Salvin 1872	II	-	14,15,106,153,226,713
E: Plumbeous Hawk; F: Buse plombée; S: Gavilán plomizo			
Breeding: Colombia; Ecuador; Panama; Peru			
<i>Leucopternis polionota</i> (Kaup 1847)	II	-	14,153,226,713
E: Mantled Hawk; F: Buse mantelée; S: Aguila blanca			
Breeding: Argentina [95]; Brazil; Paraguay			
<i>Leucopternis princeps</i> Sclater 1865	II	-	14,15,153,713
E: Barred Hawk, Black-chested Hawk; F: Buse barrée; S: Gavilán principe			
Breeding: Colombia; Costa Rica; Ecuador; Panama			
<i>Leucopternis schistacea</i> (Sundevall 1851)	II	-	14,153,713
E: Slate-colored Hawk; F: Buse ardoisée; S: Gavilán azul, Gavilán pizarroso			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Peru; Venezuela			
<i>Leucopternis semiplumbea</i> Lawrence 1861	II	-	14,15,153,226,713
E: Semiplumbeous Hawk; F: Buse semiplombée; S: Gavilán semiplomizo			
Breeding: Colombia; Costa Rica; Ecuador; Honduras [669]; Nicaragua; Panama			
<i>Lophaetus occipitalis</i> (Daudin 1800)	II	-	14,141,153,154,203,905,943
(= <i>Spizaetus occipitalis</i>)			
E: Long-crested Eagle; F: Aigle huppard; S: Aguila copetuda africana			
Breeding: ?Angola; ?Benin; ?Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; Chad; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Eritrea; Ethiopia; ?Gabon; Gambia; Ghana; ?Guinea-Bissau; ?Guinea; Kenya; ?Liberia; Malawi; Mali; ?Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Angola; Benin; Botswana; Burkina Faso; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Eritrea; Gabon; Guinea; Guinea-Bissau; Liberia; Mauritania; Mozambique; Niger; Senegal; Somalia; Tanzania; Togo; Uganda; Zaire			
<i>Lophoictinia isura</i> (Gould 1838)	II	V	14,153,226
E: Square-tailed Kite; F: Milan à queue carrée			
Breeding: Australia			
<i>Macheiramphus alcinus</i> Westermann 1851	II	-	14,141,153,154,203,568,891,905,943
(= <i>Machaeramphus alcinus</i>)			
E: Bat Hawk, Bat Kite; F: Milan des chauves-souris			
Breeding: Angola; ?Benin; ?Botswana; Brunei; ?Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; ?Ethiopia; ?Gabon; Ghana; ?Guinea [1042]; Indonesia: Kalimantan [108], Sulawesi [573], Sumatra; ?Kenya; ?Liberia; ?Madagascar; Malawi; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; ?Mali; ?Mozambique; Myanmar; Namibia; ?Niger; Nigeria; Papua New Guinea; Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; ?Sudan; ?Tanzania; Thailand; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Botswana; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Congo; Equatorial Guinea; Ethiopia; Gabon; Guinea [1042]; Kenya; Liberia; Madagascar; Mali; Mozambique; Niger; Senegal; Somalia; Sudan; Tanzania; Togo; Uganda; Zaire			
Vagrant: Gambia; Singapore			
<i>Megatriorchis doriae</i> Salvadori & D'Albertis 1875	II	-	14,153,226,690,891
(= <i>Accipiter doriae</i>)			
E: Doria's Goshawk; F: Autour de Doria			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			

Accipitridae	CITES	RL	Ref
<i>Melierax canorus</i> (Rislachi 1799)	II	-	14,153,154,203,943
E: Pale Chanting-Goshawk; F: Autour chanteur			
Breeding: ?Angola; Botswana; Namibia; South Africa; Zimbabwe			
Non-breeding: Angola			
Vagrant: Lesotho			
<i>Melierax gabar</i> (Daudin 1800)	II	-	14,141,153,154,203,477,905,943
(= <i>Micronisus gabar</i>)			
E: Gabar Goshawk; F: Autour gabar; S: Gavilán gabar			
Breeding: ?Angola; ?Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; ?Côte d'Ivoire; Eritrea; Ethiopia; ?Gabon; ?Gambia; ?Ghana; ?Guinea [723]; Kenya; Malawi; Mali; Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Saudi Arabia; ?Senegal; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; ?Uganda; ?Yemen; Zaire; Zambia; Zimbabwe			
Non-breeding: Angola; Benin; Burundi; Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Gabon; Gambia; Ghana; Guinea [723]; Mozambique; Niger; Senegal; Tanzania; Uganda; Yemen			
Vagrant: Lesotho			
<i>Melierax metabates</i> Heuglin 1861	II	-	14,141,153,154,203,477,905,943
E: Dark Chanting-Goshawk; F: Autour sombre, Autour chanteur; S: Azor lagartijero			
Breeding: Angola; ?Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; Chad; Côte d'Ivoire; ?Djibouti; Eritrea; Ethiopia; Gambia; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; Morocco; ?Mozambique; Namibia; Niger; Nigeria; Saudi Arabia; ?Senegal; South Africa; Sudan; ?Tanzania; ?Uganda; ?Yemen; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Botswana; Burundi; Cameroon; Djibouti; Guinea [1042]; Guinea-Bissau; Mozambique; Senegal; Tanzania; Togo; Uganda; Yemen; Zaire			
Vagrant: Gabon; Israel; Rwanda; Sierra Leone; Somalia; Spain; Swaziland; United Arab Emirates			
<i>Melierax poliopterus</i> Cabanis 1869	II	-	14,141,153,154,943
(= <i>Melierax canorus poliopterus</i>)			
E: Eastern Chanting-Goshawk; F: Autour à ailes grises			
Breeding: ?Djibouti; Ethiopia; Kenya; Somalia; ?Tanzania; ?Uganda			
Non-breeding: Djibouti; Tanzania; Uganda			
<i>Milvus lineatus</i> (Gray 1831)	II	-	
(= <i>Milvus migrans lineatus</i>)			
E: Black-eared Kite; F: Milan brun			
Breeding: Bhutan; China; Hong Kong; India; Japan; D.P.R. Korea; Korea Republic; Nepal; Pakistan; Russian Federation; Taiwan			
Non-breeding: Afghanistan; Bangladesh; Cambodia; Thailand			
Vagrant: Brunei; Indonesia; ?Sumatra; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Philippines; Palawan			
<i>Milvus migrans</i> (Boddaert 1783)	II	-	9,14,141,153,154,203,245,477,568,943
E: Black Kite, Pariah Kite, Yellow-billed Kite; F: Milan noir; S: Milanus nigro, Milano negro			
Breeding: Albania; Algeria; Angola; Armenia; Australia [107]; Austria; Azerbaijan; Bangladesh; Belarus; Belgium [421]; Bosnia and Herzegovina; Botswana; Bulgaria; Burkina Faso [996]; Burundi; Cambodia; Cape Verde; Chad; China; Comoros; Côte d'Ivoire; Croatia; Czech Republic; Djibouti; Egypt; Eritrea; Estonia; Ethiopia; Finland; France; Gambia; Georgia; Germany; Ghana; Greece; Guinea [1042]; Guinea-Bissau; Hungary; India; Indonesia; Irian Jaya; Sulawesi; Iran; Iraq; Israel; Italy; Japan; Kazakhstan; Kenya; Korea Republic; Kyrgyzstan; Lao P.D.R.; Latvia; Lesotho; Liberia; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madagascar [266]; Malawi; Mali; Mauritania; Mayotte; Moldova; Mongolia; Morocco;			

Morocco; Western Sahara; Mozambique; Myanmar; Namibia; Nepal; Niger; Nigeria; Pakistan; Papua New Guinea; Poland; Portugal; Romania; Russian Federation; Rwanda; São Tomé and Príncipe [944]; Saudi Arabia; Senegal; Sierra Leone; Slovak Republic; Slovenia; Somalia; South Africa; Spain; Sri Lanka; Sudan; Sweden; Switzerland; Syria; Tajikistan; Tanzania; Thailand; Togo; Tunisia; Turkey; Turkmenistan; Uganda; Ukraine; Uzbekistan; Viet Nam; Yemen; Yugoslavia; Zaire; Zambia; Zimbabwe
Non-breeding: Bahrain; Benin; Cameroon; Central African Republic; Congo; Cyprus; Equatorial Guinea [829]; Gabon; Gibraltar; Jordan [1039]; Kuwait; Lebanon; Libya; Malaysia; Peninsular Malaysia; Malta; Oman; Qatar; Seychelles: Aldabra Islands; Singapore; Swaziland; United Arab Emirates
Vagrant: Denmark; Guernsey; Iceland; Indonesia: Buru, Lombok, Sumba, Timor [1063]; Ireland; Jersey; Netherlands; Norway; United Kingdom

<i>Milvus milvus</i> (Linnaeus 1758)	II	-	14,119,153,154,226,245,318,3 76,477
--------------------------------------	----	---	--

(includes *Milvus fasciicaudata* Hartert 1914)

E: Red Kite; F: Milan royal; S: Milano real

Breeding:	Algeria (ex?); ?Armenia; Austria; Belarus; Belgium; Bosnia and Herzegovina; Canary Islands; Cape Verde; Croatia; Czech Republic; Denmark; France; Georgia; Germany; Hungary; Iran; Italy; ?Latvia; Lithuania; Luxembourg; Macedonia (ex); Moldova; Morocco; Netherlands; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Spain; Sweden; Switzerland [730]; Tunisia (ex?); Ukraine; United Kingdom; Yugoslavia
Non-breeding:	Armenia; Austria; Bulgaria; Gibraltar; Greece; Latvia; Liechtenstein; Slovenia; Turkey
Vagrant:	Albania; Canary Islands; Cyprus; Egypt; Finland; Gambia [374]; Guernsey; Iceland; India; Iraq; Ireland; Israel; Jersey; Jordan; Lebanon; Libya; Malta; Mauritania; Nepal; Norway; Sudan; Syria

<i>Morphnus guianensis</i> (Daudin 1800)	-	II	-	14,15,100,106,153,226,354,57 0,713
--	---	----	---	---------------------------------------

E: Crested Eagle, Guianan Crested Eagle; F: Harpie huppée; S: Aguila monera, Aguila crestada

Breeding:	Argentina [95,758]; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana [984]; Guatemala [78]; Guyana; Honduras; ?Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela [802]
-----------	--

<i>Necrosyrtes monachus</i> (Temminck 1823)	II	-	14,141,153,154,203,905,943
---	----	---	----------------------------

E: Hooded Vulture; F: Vautour charognard, Percnoptère brun; S: Alimoche sombrío

Breeding:	?Angola; Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; Guinea [1042]; Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; Mozambique; ?Namibia; ?Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe
Non-breeding:	Angola; Burundi; Cameroon; Chad; Djibouti; Liberia; Namibia; Niger; Swaziland; Tanzania; Togo
Vagrant:	Morocco [477]

<i>Neophron percnopterus</i> (Linnaeus 1758)	II	-	9,14,141,153,154,203,245,477 ,690,905,943
--	----	---	--

E: Egyptian Vulture, Scavenger Vulture; F: Vautour percnoptère, Percnoptère d'Egypte; S: Alimoche común

Breeding:	Afghanistan; Albania; Algeria; ?Angola; Armenia; Azerbaijan; Bosnia and Herzegovina; Bulgaria; ?Burkina Faso; ?Cameroon; Cape Verde; Chad; Croatia (ex?); Djibouti; Egypt; Eritrea; Ethiopia; France; Georgia; Greece; ?Guinea; India; Iran; Iraq; Israel; Italy; Jordan; Kazakhstan; Kenya; Kuwait; Kyrgyzstan; ?Lebanon; Libya; Macedonia; Mali; Mauritania; Morocco; Morocco: Western Sahara; ?Namibia; Nepal; Niger; Nigeria; Oman; Pakistan; Portugal; Romania; Russian Federation [577]; Saudi Arabia; Senegal; Somalia; South Africa [616]; Canary Islands; Spain; Sudan; Syria; Tajikistan; ?Tanzania; Tunisia; Turkey; Turkmenistan; ?Uganda; United Arab Emirates; Uzbekistan; ?Yemen; Yugoslavia
-----------	---

Non-breeding:	Angola; Burkina Faso; Cameroon; Gambia; Gibraltar; Guinea; Lebanon; Namibia; Slovenia; Tanzania; Uganda; Yemen			
Vagrant:	Austria; Botswana; Cyprus; Czechoslovakia (former); Denmark; Finland; Ghana; Hungary; Lesotho; Malta; Mongolia; Mozambique; Myanmar; Namibia; ?Norway; Poland; Qatar; Sri Lanka; Svalbard and Jan Mayen Islands; Sweden; Switzerland; United Kingdom; Zimbabwe			
<i>Oroaetus isidori</i> (Des Murs 1845) (= <i>Spizaetus isidori</i>)		II	-	14,153,226,713
E: Black-and-chestnut Eagle, Isidor's Eagle; F: Aigle d'Isidore; S: Aguila poma, Aguila castaña, Aguila de Copete				
Breeding:	Argentina [95]; Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Parabuteo unicinctus</i> (Temminck 1824)		II	-	14,15,153,713
E: Harris's Hawk, Bay-winged Hawk; F: Buse de Harris; S: Gavilán mixto, Gavilán andapié, Aguililla de Harris				
Breeding:	Argentina; Bolivia; Brazil; Chile [512]; Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Mexico; Nicaragua; Paraguay; Peru; Suriname; USA; Uruguay; Venezuela			
Vagrant:	Panama			
<i>Pernis apivorus</i> (Linnaeus 1758)		II	-	9,14,141,153,154,203,245,477 ,568,905
E: European Honey-buzzard; F: Bondrée apivore; S: Halcón abejero				
Breeding:	Armenia; Austria; Azerbaijan; Belarus; Belgium; ?Bosnia and Herzegovina; Bulgaria; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; Iran; Italy; Latvia; Liechtenstein; Lithuania; Luxembourg; Macedonia; Moldova; Netherlands; Norway; Poland; Portugal; Romania; Russian Federation; Slovenia; Spain; Sweden; Switzerland; Turkey; Ukraine; United Kingdom; Yugoslavia			
Non-breeding:	Albania; Algeria; Angola; Benin; Bosnia and Herzegovina; Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Cyprus; Djibouti; Egypt; Ethiopia; Gabon; Gambia; Ghana; Gibraltar; Greece; Guinea; Iraq; Israel; Jordan [1039]; Kenya; Kuwait; Lebanon; Liberia; Macedonia; Malawi; Mali; Malta; Mauritania; Morocco; Mozambique; Namibia; Niger; Nigeria; Rwanda; Saudi Arabia; Sierra Leone; Slovak Republic; South Africa; Sudan; Syria; Tanzania; Togo; Tunisia; Uganda; Western Sahara; Yemen; Zaire; Zambia; Zimbabwe			
Vagrant:	Afghanistan; Bahrain; Burkina Faso; Burundi; Canary Islands; Faeroe Islands; Guernsey; Alderney; Iceland; Ireland; Libya; Oman; Senegal; Seychelles [1009]; Somalia; ?Swaziland; United Arab Emirates; Uzbekistan			
<i>Pernis celebensis</i> Wallace 1868		II	-	14,153
E: Barred Honey-buzzard; F: Bondrée des Célèbes				
Breeding:	Indonesia: Muna, Peleng, Sulawesi [1063]; Philippines			
<i>Pernis ptilorhyncus</i> (Temminck 1821) (= <i>Pernis apivorus ptilorhyncus</i>)		II	-	
E: Oriental Honey-buzzard; F: Bondrée orientale				
Breeding:	Bangladesh; Bhutan; ?Brunei; Cambodia; China; India; Indonesia: Java, Kalimantan, Sumatra; Japan; ?D.P.R. Korea; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Philippines; Sri Lanka; Thailand; Viet Nam			
Non-breeding:	Brunei; D.P.R. Korea; Indonesia: Bali; Korea Republic; Maldives; Singapore; Taiwan			
Vagrant:	Hong Kong; Indonesia: Kisar, Salayar [1063]; Macao; Mongolia; Uzbekistan			
<i>Pithecopaga jefferyi</i> Ogilvie-Grant 1897		I	C	14,153,226,523,570,582,621,1 058
E: Great Philippine Eagle, Philippine Eagle, Monkey-eating Eagle; F: Aigle des singes; S: Aguila comemonos				
Breeding:	Philippines: Leyte, Luzon, Mindanao, Samar			

<i>Polemaetus bellicosus</i> (Daudin 1800) (= <i>Hieraetus bellicosus</i>)	II	-	14,141,153,153,203,905,943
E: Martial Eagle; F: Aigle martial			
Breeding:	?Angola; Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; Ethiopia; Gambia; ?Ghana; ?Guinea [723]; ?Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Burkina Faso; Cameroon; Chad; Eritrea; Ghana; Guinea [723]; Guinea-Bissau; Niger; Sierra Leone; Tanzania; Togo; Zaire		
<i>Polyboroides radiatus</i> (Scopoli 1786)	II	-	14,153,266
E: Madagascar Harrier-Hawk, Madagascar Gymnogene; F: Gymnogène de Madagascar, Petit serpentaire; S: Azor culebrero			
Breeding:	Madagascar		
<i>Polyboroides typus</i> Smith 1829	II	-	14,141,153,154,905,943
E: African Harrier-Hawk, African Gymnogene; F: Gymnogène d'Afrique			
Breeding:	Angola; Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; ?Chad; Congo; Côte d'Ivoire; Equatorial Guinea [829]; ?Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea [1042]; Guinea-Bissau; Kenya; ?Lesotho; Liberia; Malawi; Mali; Mauritania; Mozambique; ?Namibia; Niger; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Cameroon; Chad; Eritrea; Lesotho; Namibia; Senegal; Somalia; Tanzania; Uganda		
<i>Rosrhamus hamatus</i> (Temminck 1821) (= <i>Helicolestes hamatus</i>)	II	-	14,153,713
E: Slender-billed Kite; F: Milan à long bec; S: Caracolero, Gavilán pico de Hoz			
Breeding:	Bolivia; Brazil; Colombia; Ecuador; Guyana; Peru; Suriname; Venezuela		
Vagrant:	Panama		
<i>Rosrhamus sociabilis</i> (Vieillot 1817)	II	-	14,15,153,570,713
E: Snail Kite, Everglade Kite; F: Milan des marais; S: Gavilán caracolero, Milano caracolero			
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Cuba; Ecuador; French Guiana; Guatemala [78]; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; USA; Uruguay; Venezuela		
Vagrant:	Trinidad and Tobago; Trinidad		
<i>Sarcogyps calvus</i> (Scopoli 1786)	II	-	9,14,153,226,568
(= <i>Aegypius calvus</i> , <i>Torgos calvus</i>)			
E: Red-headed Vulture, Indian Black Vulture, Pondicherry Vulture; F: Vautour royal			
Breeding:	Cambodia; China; India; Lao P.D.R.; Malaysia; Peninsular Malaysia; Myanmar; Nepal; Pakistan; Thailand [867]; Viet Nam		
Vagrant:	Singapore		
<i>Spilornis cheela</i> (Latham 1790)	II	-	9,14,153,568,690
E: Crested Serpent-Eagle; F: Serpentaire bacha			
Breeding:	Bangladesh; Bhutan; Brunei; Cambodia; China; India: including Andaman and Nicobar Islands; Indonesia: Bali, Bawean, Java, Kalimantan, Sumatra; Japan: Ryukyu Islands; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Philippines: Balabac, Busuanga, Palawan; Sri Lanka; Taiwan; Thailand [867]; Viet Nam		
Non-breeding:	Hong Kong		
Vagrant:	Singapore		
<i>Spilornis elgini</i> (Blyth 1863)	II	-	14,153,226
E: Andaman Serpent-Eagle, Dark Serpent-Eagle; F: Serpentaire des Andaman			
Breeding:	India: Andaman Islands		

<i>Spilornis holospilus</i> (Vigors 1831) (= <i>Spilornis cheela holospilus</i>)	II	-	153
E: Philippine Serpent-Eagle; F: Serpentaire des Philippines Breeding: Philippines			
<i>Spilornis kinabaluensis</i> Sclater 1919 (= <i>Spilornis cheela kinabaluensis</i>)	II	DD	14,226
E: Mountain Serpent-Eagle, Kinabalu Serpent-Eagle; F: Serpentaire des Kinabalu Breeding: Brunei; Indonesia: Kalimantan [801]; Malaysia: Sabah [940], Sarawak [940]			
<i>Spilornis minimus</i> Hume 1873	II	-	9,14,153,226
E: Nicobar Serpent-Eagle; F: Serpentaire des Nicobar Breeding: India: Nicobar Islands			
<i>Spilornis rufipectus</i> Gould 1858	II	-	153,1063
E: Sulawesi Serpent-Eagle; F: Serpentaire des Célèbes Breeding: Indonesia: Banggai, Butung, Lembeh, Muna, Peleng, Salayar, Siau, Sula Islands, Sulawesi, Talisei, Togian			
<i>Spizaetus africanus</i> (Cassin 1865)	II	-	14,141,153,154,905,943
E: Cassin's Hawk-Eagle; F: Aigle de Cassin Breeding: ?Angola; ?Burundi; Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; Gabon; Ghana; ?Guinea; Liberia; ?Nigeria; ?Rwanda; ?Sierra Leone; ?Togo; Uganda; ?Zaire Non-breeding: Angola; Burundi; Central African Republic; Congo; Guinea; Nigeria; Rwanda; Sierra Leone; Togo; Zaire			
<i>Spizaetus alboniger</i> (Blyth 1845)	II	-	14,153,568
E: Blyth's Hawk-Eagle; F: Aigle de Blyth Breeding: Brunei; Indonesia: Kalimantan [1074], Sumatra; ?Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; ?Myanmar; Thailand [867] Non-breeding: Lao P.D.R.; Myanmar; Singapore			
<i>Spizaetus bartelsi</i> Stresemann 1924	II	E	14,21,153,226,588,711
E: Javan Hawk-Eagle; F: Aigle de Java Breeding: Indonesia: Java			
<i>Spizaetus cirrhatus</i> (Gmelin 1788)	II	-	9,14,153,568
E: Changeable Hawk-Eagle, Crested Hawk-Eagle; F: Aigle huppé Breeding: Bangladesh; Bhutan; Brunei; Cambodia; India: Andaman Islands; Indonesia: Flores [1063], Java, Kalimantan [731], Paloe [1063], Sumatra, Sumbawa [1063]; ?Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Philippines: Busuanga, Culion, Lubang, Mindanao, Mindoro, Palawan; Singapore; Sri Lanka; Thailand [867]; Viet Nam Non-breeding: Lao P.D.R.			
<i>Spizaetus lanceolatus</i> Temminck & Schlegel 1844	II	-	14,153,226,1063
E: Sulawesi Hawk-Eagle; F: Aigle des Célèbes Breeding: Indonesia: Bangka, Butung, Lembeh, Muna, Peleng, Sulawesi, Sula Islands			
<i>Spizaetus nanus</i> Wallace 1868	II	V	14,153,226,568,1056
E: Wallace's Hawk-Eagle; F: Aigle de Wallace Breeding: Brunei; Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand [867]			

<i>Spizaetus nipalensis</i> (Hodgson 1836)	II	-	9, 14, 153, 568
E: Mountain Hawk-Eagle, Hodgson's Hawk-Eagle, Feather-toed Hawk-Eagle; F: Aigle montagnard			
Breeding: Bhutan; China; India; Japan; Lao P.D.R.; Myanmar; Nepal; Pakistan; ?Russian Federation [577]; Sri Lanka; Taiwan; Viet Nam			
Non-breeding: Russian Federation; Thailand [867]			
Vagrant: Korea Republic			
<i>Spizaetus ornatus</i> (Daudin 1800)	II	-	14, 15, 153, 713
E: Ornate Hawk-Eagle; F: Aigle orné; S: Aguila-Azor blanca, Aguila de Penacho, Aguila elegante			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Spizaetus philippensis</i> Gould 1863	II	V	14, 153, 226
E: Philippine Hawk-Eagle; F: Aigle des Philippines			
Breeding: Philippines			
<i>Spizaetus tyrannus</i> (Wied 1820)	II	-	14, 15, 153, 713
E: Black Hawk-Eagle, Tyrant Hawk-Eagle; F: Aigle tyran; S: Aguila-Azor negra, Aguila tirana			
Breeding: Argentina; Belize [314]; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Spizastur melanoleucus</i> (Vieillot 1816)	II	-	14, 15, 153, 226, 713
E: Black-and-white Hawk-Eagle; F: Aigle noir et blanc; S: Aguila-Azor chica, Aguila blanquinegra			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala [78]; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela			
<i>Stephanoaetus coronatus</i> (Linnaeus 1766)	II	-	14, 141, 153, 154, 203, 905, 943
(= <i>Spizaetus coronatus</i>)			
E: Crowned Hawk-Eagle, African Crowned Eagle, Crowned Eagle; F: Aigle couronné, Aigle blanchard; S: Aguila coronada rabuda			
Breeding: Angola; Burundi; ?Cameroon; Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; ?Ethiopia; Gabon; Ghana; ?Guinea; ?Guinea-Bissau; Kenya; Liberia; Malawi; ?Mozambique; Nigeria; Rwanda; ?Senegal; ?Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Cameroon; Congo; Equatorial Guinea; Ethiopia; Guinea; Guinea-Bissau; Mozambique; Senegal; Sierra Leone; Tanzania; Togo; Zaire			
<i>Terathopius ecaudatus</i> (Daudin 1800)	II	-	14, 141, 153, 154, 203, 477, 690, 905, 943
E: Bateleur, Bateleur Eagle; F: Bateleur des savanes, Bateleur; S: Aguila volatinera			
Breeding: Angola; Benin; Botswana; Burkina Faso; Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Djibouti; Egypt; ?Eritrea; Ethiopia; ?Gabon; ?Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Malawi; Mali; Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; Saudi Arabia; Senegal; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; ?Yemen; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Cameroon; Chad; Congo; Djibouti; Eritrea; Gabon; Gambia; Guinea; Tanzania; Togo; Yemen; Zaire			
Vagrant: Iraq; Israel; Lesotho; Liberia; Sierra Leone			

	CITES	RL	Ref
<i>Accipitridae</i>			
<i>Torgos tracheliotus</i> (Forster 1791)	II	-	14,141,153,154,203,245,477,9 05,943
(= <i>Aegypius tracheliotus</i>)			
E: Lappet-faced Vulture, Nubian Vulture; F: Vautour oricou, Oricou; S: Buitre orejudo			
Breeding:	?Angola; ?Benin; Botswana; Burkina Faso [996]; ?Cameroon; Central African Republic; Chad; ?Côte d'Ivoire; ?Djibouti; Egypt; ?Equatorial Guinea; ?Eritrea; Ethiopia; Israel; Kenya; ?Malawi; Mali; Mauritania; ?Morocco; Western Sahara; ?Mozambique; Namibia; Niger; Nigeria; Oman [361]; Rwanda; Saudi Arabia; Senegal; Somalia; South Africa; Sudan; Swaziland; Tanzania; ?Uganda; United Arab Emirates; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Cameroon; Côte d'Ivoire; Djibouti; Equatorial Guinea; Eritrea; Malawi; Morocco; Western Sahara; Mozambique; Uganda		
Vagrant:	Algeria; Burundi; ?France; Gambia; Jordan [1039]; Libya; Morocco; Yemen		
<i>Trigonoceps occipitalis</i> (Burchell 1824)	II	-	14,141,153,154,203,905,943
(= <i>Aegypius occipitalis</i>)			
E: White-headed Vulture; F: Vautour à tête blanche, Vautour huppé; S: Buitre piquirrojo			
Breeding:	?Angola; Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Djibouti; ?Eritrea; Ethiopia; ?Gabon; Gambia; Ghana; ?Guinea; ?Guinea-Bissau; Kenya; Malawi; Mali; ?Mauritania; ?Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; Somalia; South Africa; Sudan; Swaziland; Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Burundi; Cameroon; Chad; Djibouti; Eritrea; Gabon; Guinea; Guinea-Bissau; Mauritania; Mozambique; Togo		
<i>Urotriorchis macrourus</i> (Hartlaub 1855)	II	-	14,141,153,154,905,943
E: Long-tailed Hawk, African Long-tailed Hawk; F: Autour à longue queue; S: Azor rabilargo			
Breeding:	?Angola; ?Cameroon; Central African Republic; Congo; Côte d'Ivoire; Equatorial Guinea [829]; ?Gabon; ?Ghana; Liberia; ?Nigeria; Sierra Leone; ?Sudan; ?Togo [200]; ?Uganda; Zaire		
Non-breeding:	Angola; Cameroon; Gabon; Ghana; Nigeria; Sudan; Togo [200]; Uganda		
Family SAGITTARIIDAE			
<i>Sagittarius serpentarius</i> (Miller 1779)	II	-	14,141,153,154,905,943
E: Secretary-bird; F: Messager sagitaire, Serpentaire, Secrétaire des serpents; S: Secretario, Serpentario			
Breeding:	?Angola; ?Benin; Botswana; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; Djibouti; Ethiopia; ?Guinea-Bissau; Kenya; Malawi; Mali; ?Mozambique; Namibia; ?Niger; ?Nigeria; ?Senegal; Somalia; South Africa; Sudan; Swaziland; Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burundi; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Eritrea; Gambia; Ghana; Guinea-Bissau; Lesotho; Mauritania; Mozambique; Niger; Nigeria; Senegal; Togo; Uganda; Zaire		
Vagrant:	Djibouti; Rwanda		
Family FALCONIDAE			
<i>Daptrius americanus</i> (Boddaert 1783)	II	-	14,15,153,713
E: Red-throated Caracara; F: Caracara à gorge rouge, Caracara à ventre rouge; S: Carancho ventriblanco, Chupacacao ventriblanco, Caracara comecacao			
Breeding:	Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Venezuela		
<i>Daptrius ater</i> Vieillot 1816	II	-	14,153,713
E: Black Caracara, Yellow-throated Caracara; F: Caracara noir; S: Carancho negro, Chupacacao negro			
Breeding:	Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Venezuela		

<i>Falco alopecoides</i> (Heuglin 1861)	II	-	14,141,153,154,177,905,943
E: Fox Kestrel; F: Crécerelle renard, Faucon-renard, Faucon renard; S: Cernícalo zorrudo			
Breeding:	?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; Chad; ?Eritrea; ?Ethiopia; ?Guinea; Kenya; ?Liberia; Mali; Mauritania; Nigeria; ?Senegal; ?Sierra Leone; Sudan; ?Tanzania; ?Togo [195]; ?Uganda		
Non-breeding:	Benin; Burkina Faso; Cameroon; Central African Republic; Côte d'Ivoire; Eritrea; Ethiopia; Ghana; Guinea; Liberia; Niger; Senegal; Sierra Leone; Tanzania; Togo; Uganda; Zaire		
Vagrant:	Djibouti; Gambia		
<i>Falco amurensis</i> Radde 1863 (= <i>Falco vespertinus amurensis</i>)	II	-	14,141,153,154,177
E: Amur Falcon, Manchurian Red-footed Falcon, Eastern Red-footed Falcon; F: Faucon de l'Amour			
Breeding:	China; D.P.R. Korea; Mongolia; Russian Federation		
Non-breeding:	Afghanistan; Angola; Bangladesh; Bhutan; Botswana; Burundi; Ethiopia; India; Kenya; Korea Republic; Lesotho; Malawi; Maldives; Mozambique; Myanmar; Namibia; Nepal; Pakistan; Rwanda; Somalia; South Africa; Swaziland; Tanzania; Thailand; Zambia; Zimbabwe		
Vagrant:	Hong Kong; Japan; Northern Marianas; Seychelles; Sri Lanka; Uganda; Yemen; Zaire		
<i>Falco araea</i> (Oberholser 1917)	I	V	14,153,177,226
E: Seychelles Kestrel; F: Crécerelle des Seychelles, Faucon crécerelle des Seychelles, Emouchel des Seychelles, Crécerelle katitie; S: Cernícalo de Seychelles			
Breeding:	Seychelles		
<i>Falco ardosiaceus</i> Vieillot 1823	II	-	14,141,153,154,177,203,905,943
E: Grey Kestrel; F: Faucon ardoisé; S: Cernícalo gris, Cernícalo pizarroso			
Breeding:	Angola; Benin; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; ?Chad; ?Côte d'Ivoire; ?Eritrea; ?Ethiopia; ?Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; ?Liberia; Mali; Mauritania; ?Namibia; Niger; Nigeria; Rwanda; ?Senegal; ?Sierra Leone; Sudan; ?Tanzania; ?Togo; Uganda; ?Zaire		
Non-breeding:	Cameroon; Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gabon; Guinea [1042]; Guinea-Bissau; Liberia; Namibia; Senegal; Sierra Leone; Tanzania; Togo; Zaire		
Vagrant:	Congo; Malawi		
<i>Falco berigora</i> Vigors & Horsfield 1827	II	-	14,153,177,690
E: Brown Falcon; F: Faucon berigora			
Breeding:	Australia; Indonesia: Irian Jaya; Papua New Guinea		
<i>Falco biarmicus</i> Temminck 1825	II	-	14,141,153,154,177,203,477,905
E: Lanner Falcon, Lanner; F: Faucon lanier; S: Halcón borni			
Breeding:	?Albania; Algeria; Angola; ?Armenia; ?Azerbaijan; Benin; Botswana; Burkina Faso [996]; Burundi; Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Djibouti; Egypt; ?Eritrea; Ethiopia; Ghana; Greece; ?Guinea-Bissau; ?Iraq; Israel; Italy; Jordan; Kenya; ?Lebanon; Lesotho; Libya; Malawi; Mauritania; Morocco; ?Mozambique; Namibia; Niger; Nigeria; ?Oman; Rwanda; Saudi Arabia; ?Senegal; Somalia; South Africa; Sudan; Swaziland; ?Syria; Tanzania; Togo; Tunisia; Turkey; ?Uganda; Western Sahara; ?Yemen; Yugoslavia; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	?Albania; ?Armenia; ?Azerbaijan; Chad; Djibouti; Eritrea; Gambia; Guinea-Bissau; ?Iraq; Lebanon; Liberia; Mali; Mozambique; Oman; Senegal; Syria; Uganda; Yemen; Zaire		
Vagrant:	Bulgaria; Congo; ?Cyprus; Czechoslovakia (former); France; Gabon; Gibraltar; Iraq; Kuwait; Malta; Portugal; Qatar; Romania; Spain; ?United Arab Emirates		

<i>Falco cenchroides</i>	Vigors & Horsfield 1827	II	-	14,153,177,690,891
E: Australian Kestrel, Nankeen Kestrel; F: Crécerelle d'Australie, Crécerelle australienne; S: Cernícalo australiano				
Breeding:	Australia; Australia: Lord Howe Island; Christmas Island; Indonesia: Irian Jaya; Norfolk Island; Papua New Guinea			
Vagrant:	New Zealand			
<i>Falco cherriei</i>	Gray 1834	II	-	9,14,141,153,154,177,245,477 ,905
(includes <i>Falco altaicus</i> (Menzbier 1891))				
E: Saker Falcon, Saker; F: Faucon sacre; S: Halcón sacre				
Breeding:	?Afghanistan; Armenia; Austria; Belarus; Bulgaria; China; Czech Republic; Hungary; Iraq; Kazakhstan; Kyrgyzstan; Moldova; Mongolia; Romania; Russian Federation [577]; Tajikistan; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia			
Non-breeding:	Afghanistan; Bahrain; Cyprus; Egypt; Ethiopia; India; Iran; Iraq; Israel; Italy; Jordan; Kenya; Kuwait; Libya; Malta; Mauritania; Nepal; Oman; Pakistan; Saudi Arabia; Sudan; Tunisia; Turkey; United Arab Emirates; Yemen			
Vagrant:	Albania; Burundi; Cameroon; Chad; Denmark; Djibouti; Eritrea; Finland; France; Germany; Greece; Korea Republic; Lebanon; Mali; Morocco; Poland; Qatar; Senegal; Slovak Republic; Sweden; Syria; Tanzania			
<i>Falco chicquera</i>	Daudin 1800	II	-	14,141,153,154,177,203,226,4 77,905,943
E: Red-necked Falcon, Red-headed Falcon, Red-headed Merlin; F: Faucon chicquera, Faucon à cou roux; S: Halcón de cabeza roja, Alcotán cuellirrojo				
Breeding:	Angola; Bangladesh; Benin; Botswana; Burundi; ?Cameroon; Central African Republic; Chad; ?Côte d'Ivoire; ?Ethiopia; Gambia; ?Ghana; ?Guinea; ?Guinea-Bissau; India; Iran; Kenya; Malawi; Mali; Mauritania; ?Mozambique; Namibia; Nepal; ?Niger; Nigeria; Pakistan; Rwanda; Senegal; South Africa; Sudan; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia [217]; ?Zimbabwe			
Non-breeding:	Cameroon; Côte d'Ivoire; Ethiopia; Ghana; Guinea; Guinea-Bissau; Mozambique; Niger; Tanzania; Togo; Uganda; Zaire; Zimbabwe			
Vagrant:	Sierra Leone; Somalia			
<i>Falco columbarius</i>	Linnaeus 1758	II	-	14,15,115,153,154,177,245,477
E: Merlin, Pigeon Hawk; F: Faucon émerillon; S: Esmerejón, Halcón palomero, Halcón migratorio				
Breeding:	Armenia; Bosnia and Herzegovina; Canada; China; Croatia; Estonia; Faeroe Islands; Finland; France; Iceland; Ireland; Italy; Kazakhstan; Latvia; Lithuania; Macedonia; Mongolia; Norway; Russian Federation; Slovak Republic; Slovenia; Sweden; USA; United Kingdom			
Non-breeding:	Afghanistan; Albania; Algeria; ?Anguilla; Antigua and Barbuda; Aruba; Austria; Bahamas; Barbados; Belgium; Belize; Bermuda; ?British Virgin Islands; Bulgaria; Cayman Islands; Colombia; Costa Rica; Cuba; Cyprus; Czech Republic; D.P.R. Korea; Denmark; Dominica; Dominican Republic; Ecuador; Egypt; El Salvador; France; Germany; Gibraltar; Greece; Grenada; Guadeloupe; Guatemala; Haiti; Honduras; Hong Kong; Hungary; India; Iran; Iraq; Israel; Italy; Jamaica; Japan; Jordan [1039]; Korea Republic; Lao P.D.R.; Luxembourg; Martinique; Mexico; ?Montserrat; Morocco; Nepal; Netherlands Antilles; Nicaragua; Pakistan; Panama; Peru; Poland; Portugal; Puerto Rico; Romania; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Saudi Arabia; Spain; Switzerland; Syria; Tajikistan; Trinidad and Tobago; Tunisia; Turkey; Turkmenistan; Turks and Caicos Islands; Venezuela; Viet Nam; Virgin Islands of the United States; Yugoslavia			
Vagrant:	Bahrain; Kuwait; Lebanon; Libya; Liechtenstein; Malta; Oman; Philippines; Senegal; Sudan; Yemen			

<i>Falco concolor</i> Temminck 1825	II	-	14,141,153,154,177,245,477,9 05,943
E: Sooty Falcon; F: Faucon concolore; S: Halcón pardo			
Breeding: Bahrain; ?Chad; Egypt; Eritrea; Israel; Libya; Oman; Saudi Arabia [373]; Sudan; United Arab Emirates; Yemen			
Non-breeding: Chad; Djibouti; Kenya; Madagascar [266]; Malawi; Mozambique; Réunion; Rwanda; Somalia; South Africa; Tanzania; Uganda; Zambia [794]			
Vagrant: Cyprus; Iran; Mali; Malta; Mauritius; Namibia; Pakistan; Qatar; Turkey; Zimbabwe			
<i>Falco cuvieri</i> Smith 1830	II	-	14,141,153,154,177,203,905,9 43
E: African Hobby; F: Faucon de Cuvier, Hobereau africain; S: Halcón de Cuvier			
Breeding: Benin; ?Burkina Faso; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Ethiopia; ?Gambia; Ghana; ?Guinea; ?Guinea-Bissau; Kenya; ?Liberia; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Angola; Burkina Faso; Cameroon; Chad; Congo; Gabon; Gambia; Guinea; Guinea-Bissau; Liberia; Mali; Mozambique; Namibia; ?Niger; Senegal; South Africa; Sudan; Tanzania; Togo			
Vagrant: Botswana; Burundi; Malawi; Somalia			
<i>Falco deiroleucus</i> Temminck 1825	II	-	14,15,153,177,226,521,522,713
E: Orange-breasted Falcon; F: Faucon orangé; S: Halcón pechirojo, Halcón plomizo, Halcón pechianaranjado, Halcón pechirrufo			
Breeding: Argentina [95,758]; Belize [432]; Bolivia [831]; Brazil; Colombia; Costa Rica (ex?); Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Paraguay; Peru; Suriname [447]; Venezuela			
Vagrant: Panama; Trinidad and Tobago; Trinidad			
<i>Falco dickinsoni</i> Scaler 1864	II	-	14,141,153,154,177,203,943
E: Dickinson's Kestrel, White-rumped Kestrel; F: Faucon de Dickinson; S: Cernícalo de Dickinson			
Breeding: ?Angola; Botswana; Malawi; ?Mozambique; ?Namibia; South Africa; ?Tanzania; ?Zaire; Zambia; Zimbabwe			
Vagrant: Kenya			
<i>Falco eleonorae</i> Géné 1839	II	-	14,141,153,154,177,245,477,1 045
E: Eleonora's Falcon; F: Faucon d'Éléonore; S: Halcón de Eleonor			
Breeding: Algeria; Canary Islands; Croatia; Cyprus; France; Greece; Italy; Morocco; Spain [688]; Tunisia; Turkey; ?Yugoslavia			
Non-breeding: Comoros; Eritrea; Gibraltar; Israel; Kenya; Madagascar [266]; Malta; Portugal; Somalia; Tanzania; Tunisia			
Vagrant: Bahrain; Bulgaria; Djibouti; Egypt; French Southern and Antarctic Territories; Amsterdam Island; Hungary; Jordan; Lebanon; Libya; Mauritania; Mauritius; Mauritius; Mozambique; Poland; Réunion; Rwanda; Seychelles [356]; South Africa; Sweden; Syria; United Kingdom			
<i>Falco fasciinucha</i> Reichenow & Neumann 1895	II	V	14,141,153,154,177,203,226,9 43
E: Teita Falcon; F: Faucon taita			
Breeding: Botswana; ?Ethiopia; ?Kenya; Malawi; ?Mozambique; South Africa; ?Sudan; Tanzania; Zambia; Zimbabwe			
Non-breeding: Ethiopia; Kenya; Mozambique; Sudan			
<i>Falco femoralis</i> Temminck 1822	II	-	14,15,153,177,713
E: Apolomado Falcon; F: Faucon aplomado; S: Halcón perdiguero, Halcón aplomado, Halcón azulado			
Breeding: Argentina; Belize; Bolivia; Brazil; Chile [512]; Colombia; Ecuador; ?French Guiana; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Uruguay; Venezuela			
Vagrant: Costa Rica; Falkland Islands; Guatemala; USA			

Falconidae	CITES	RL	Ref
<i>Falco hypoleucus</i> Gould 1841 E: Grey Falcon; F: Faucon gris; S: Halcón gris de Australia Breeding: Australia [759] Vagrant: Papua New Guinea	II	V	14,153,177,226,467
<i>Falco jugger</i> Gray 1834 E: Laggar Falcon; F: Faucon laggar Breeding: Afghanistan; Bangladesh; India; Iran; Myanmar; Nepal; Pakistan Vagrant: Turkmenistan; Viet Nam	I	-	9,14,153,177
<i>Falco longipennis</i> Swainson 1837 E: Australian Hobby, Little Falcon; F: Petit faucon; S: Halconcito australiano Breeding: Australia; Indonesia: Amboin, Flores, Kai, Kalaotoa, Lombok, ?Paloe, Pantar, ?Rinca, ?Roti, Seram, Sumbawa, Timor, Wetar [1063] Non-breeding: Papua New Guinea	II	-	14,153,177
<i>Falco mexicanus</i> Schlegel 1850 E: Prairie Falcon; F: Faucon des prairies; S: Halcón de las praderas, Halcón pradeño Breeding: Canada; Mexico; USA	II	-	14,15,153,177
<i>Falco moluccensis</i> (Bonaparte 1850) E: Spotted Kestrel, Moluccan Kestrel; F: Crécerelle des Moluques; S: Cernícalo de la Molucas Breeding: Indonesia	II	-	14,153,177,690
<i>Falco naumanni</i> Fleischer 1818 E: Lesser Kestrel; F: Faucon crécerelle, Crécerellette; S: Cernícalo primilla Breeding: Afghanistan; Albania; Algeria; Armenia; Austria; Azerbaijan; Bulgaria; China; Croatia (ex); Czech Republic (ex); France; Georgia; Gibraltar; Greece [462]; Hungary; Iran; ?Iraq; Israel; Italy; Jordan; Kazakhstan; Kyrgyzstan; ?Lebanon; Libya; Macedonia; Moldova; Mongolia [806]; Morocco; ?Poland; Portugal; Romania; Russian Federation; Saudi Arabia; Slovak Republic (ex); Slovenia; Spain; ?Switzerland; Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia Non-breeding: Albania; Angola; Bahrain; Bangladesh; Benin; Bosnia and Herzegovina; Botswana; Burkina Faso; Burundi; Central African Republic; Chad; Congo; Cyprus; Côte d'Ivoire; Djibouti; Egypt; Eritrea; Ethiopia; Gabon; Gambia; Guinea; India; Iraq; Kenya; Kuwait; Lao P.D.R.; Lebanon; Lesotho; Liberia; Malawi; Maldives; Mali; Malta; Mauritania; Myanmar; Namibia; Nepal; Niger; Nigeria; Oman; Pakistan; Poland; Qatar; Rwanda; Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Tanzania; Turkey; Uganda; United Arab Emirates; ?Western Sahara; Yemen; Zaire; Zambia; Zimbabwe Vagrant: Belgium; Cameroon; Czechoslovakia (former); Denmark; Germany; Ghana; Ireland; Japan; Liechtenstein; Swaziland; Sweden; Switzerland; United Kingdom	II	V	9,14,99,141,153,154,177,203,226,245,376,477,905
<i>Falco newtoni</i> (Gurney 1863) E: Newton's Kestrel, Madagascar Kestrel; F: Crécerelle malgache, Emouchel de Madagascar; S: Cernícalo de Madagascar			18,153,177
Appendix I populations Breeding: Seychelles: Aldabra Islands [570] Vagrant: Comoros: Anjouan	I	-	
Appendix II populations Breeding: Madagascar [266]	II	-	
<i>Falco novaeseelandiae</i> Gmelin 1788 E: New Zealand Falcon; F: Faucon de Nouvelle-Zélande; S: Halcón de Nueva Zelanda Breeding: New Zealand	II	-	14,153,177,226,690

Falco pelegrinoides Temminck 1829 I - 9, 14, 153, 154, 177, 245, 477, 690
, 943

(= *Falco peregrinus pelegrinoides*)

E: Barbary Falcon; F: Faucon de Barbarie

Breeding: Afghanistan; Algeria; Canary Islands; China; Egypt; Eritrea; Ethiopia; Iran; Israel; ?Italy; Jordan; Kenya; Kyrgyzstan; ?Libya; Morocco; Niger; Saudi Arabia; ?Somalia; Syria; Tajikistan; Tunisia; Turkmenistan; Uzbekistan; Yemen

Non-breeding: Ethiopia; India; Iran; Iraq; Libya; Pakistan; Somalia; Sudan

Vagrant: Cameroon; Djibouti; Greece; Italy; Madeira; Mali; Malta; Nepal; Senegal; Spain

Falco peregrinus Tunstall 1771 I - 9, 14, 15, 115, 141, 153, 154, 177,
203, 245, 311, 477, 568, 570, 690,
693, 713, 905, 943

(includes *Falco kreyenborgi* Kleinschmidt 1929, *Falco madens* Ripley & Watson 1963)

E: Peregrine Falcon, Peregrine, Duck Hawk; F: Faucon pèlerin; S: Halcón viajero, Halcón real, Halcón común, Halcón peregrino

Breeding: Albania; Algeria; Andorra; Angola; Argentina; Armenia; Australia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; ?Botswana; Bulgaria; ?Cameroon; Canada; Cape Verde; Chad; Chile [512]; China; Comoros; Congo; Croatia; Côte d'Ivoire; Cyprus; Czech Republic; ?Djibouti; Dominica; ?Ecuador; Egypt; Estonia; ?Ethiopia; Falkland Islands; Fiji; Finland; France; Georgia; Germany; Ghana; Gibraltar; Greece; Greenland; Hong Kong; ?Hungary; India; Indonesia; Aru Islands, Babar, Bali, Irian Jaya, Java, Kalaotoa, Lombok, Sulawesi, Sumatra, Sumba, Timor, Wetar, Yapen; Iran; Ireland; Israel; Italy; Japan; ?Jordan; Kazakhstan; Kenya; D.P.R. Korea; ?Korea Republic; Kyrgyzstan; Latvia; ?Lebanon; ?Lesotho; ?Liberia; ?Libya; Liechtenstein; Lithuania; Macedonia; Madagascar [266]; Malawi; Malaysia; Peninsular Malaysia, Sarawak [940]; Malta; Mauritania; Mayotte; Mexico; Moldova; ?Mongolia; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; ?Netherlands; New Caledonia; Niger [746]; Norway; Oman; Pakistan; Papua New Guinea; ?Peru; Philippines; Poland; Portugal; Romania; Russian Federation [577]; Rwanda; Saudi Arabia; ?Senegal; ?Sierra Leone; Slovak Republic; Slovenia; Solomon Islands; ?Somalia; South Africa; Spain; Sri Lanka; Sudan; Swaziland; Sweden; Switzerland; Tajikistan; Tanzania; Thailand [867]; ?Togo; Tunisia; Turkey; Turkmenistan; USA; Uganda; Ukraine; United Kingdom; Uzbekistan; Vanuatu; ?Viet Nam; ?Yemen; Yugoslavia; ?Zaire; Zambia; Zimbabwe

Non-breeding: ?Anguilla; Antigua and Barbuda; Aruba; Bahamas; Bahrain; Bangladesh; Barbados; Belize; Benin; Bermuda; Bolivia; Botswana; Brazil; ?British Virgin Islands; Brunei; Burkina Faso; Cambodia; Cameroon; Cayman Islands; Central African Republic; Clipperton Atoll; Colombia; Costa Rica; Cuba; Denmark; Djibouti; Dominican Republic; Ecuador; El Salvador; Eritrea; Ethiopia; ?French Guiana; Gabon; Gambia; Grenada; ?Guadeloupe; Guam; Guatemala; Guernsey; Guinea; Guyana; Haiti; Honduras; Hungary; Iraq; Jamaica; Jersey; Jordan [1039]; Korea D.P.R.; Kuwait; Lao P.D.R.; Lebanon; Lesotho; Liberia; Libya; Luxembourg; Macao; Malaysia; Sabah; Mali; ?Martinique; Mongolia; Montserrat; Mozambique; Netherlands; Netherlands Antilles; Nicaragua; Niger; Nigeria; Palau; Panama; ?Paraguay; Peru; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon; Senegal; Sierra Leone; Singapore; Somalia; Suriname [446]; Syria; Taiwan; Togo; Trinidad and Tobago; United Arab Emirates; Uruguay; Venezuela; Viet Nam; Virgin Islands of the United States; Western Samoa; Yemen; Zaire

Vagrant: Burundi; Christmas Island; Congo; Faeroe Islands; Federated States of Micronesia [817]; Fiji [817]; Guam [817]; Hawaiian Islands: Hawaii [817]; Iceland; Indonesia: Kalimantan [731], ?Seram, Ternate; Maldives; Mauritius; Qatar; Saint Vincent; Samoa: Savaii; Seychelles: Aldabra [356]

Falco punctatus Temminck 1821 I E 14, 153, 177, 194, 226, 228, 538

E: Mauritius Kestrel; F: Crécerelle de Maurice, Faucon crécerelle de l'île Maurice, Emouchel de l'île Maurice; S: Cernícalo de Mauricio

Breeding: Mauritius

<i>Falco rufigularis</i>	Daudin 1800	II	-	14,15,153,177,713
E: Bat Falcon; F: Faucon des chauves-souris; S: Halcón plomizo menor, Halcón golondrina, Halcón murcielaguer				
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Venezuela			
<i>Falco rupicoloides</i>	Smith 1829	II	-	14,141,153,154,177,203,943
E: Greater Kestrel, White-eyed Kestrel; F: Crécerelle aux yeux blancs; S: Cernícalo ojiblanco de África				
Breeding:	Angola; Botswana; ?Eritrea; ?Ethiopia; Kenya; ?Mozambique; Namibia; Somalia; South Africa; Swaziland; ?Tanzania; ?Uganda; Zambia; Zimbabwe			
Non-breeding:	Eritrea; Ethiopia; Mozambique; Tanzania; Uganda			
Vagrant:	?Lesotho			
<i>Falco rusticolus</i>	Linnaeus 1758	I	-	14,15,153,177,245
E: Gyrfalcon, Gyr Falcon; F: Faucon gerfaut, Le Gerfaut; S: Halcón gerifalte				
Breeding:	Canada; Finland; Greenland; Iceland; Norway; Russian Federation [577]; Sweden; USA: Alaska			
Non-breeding:	Denmark; France; Japan			
Vagrant:	Austria; Belgium; Brazil; China; Czechoslovakia (former); Denmark; France; Germany; Guernsey; Ireland; Jersey; Latvia; Netherlands; Pakistan; Poland; Portugal; Spain; Switzerland; Ukraine; United Kingdom			
<i>Falco severus</i>	Horsfield 1821	II	-	9,14,153,177,568
E: Oriental Hobby; F: Faucon aldrovandin, Hobereau à poitrine rousse				
Breeding:	Bangladesh; Bhutan; Cambodia; China; India; Indonesia: Ambon, Bali, Buru, Halmahera, Irian Jaya, Java, Kalaotoa, Salawati, Sulawesi, ?Sumatra, Ternate, Yapen; Lao P.D.R.; Myanmar; Nepal; Papua New Guinea; Philippines; Thailand [867]; Viet Nam			
Vagrant:	Brunei; Indonesia: Kalimantan; Malaysia: Peninsular Malaysia, Sabah; Sri Lanka			
<i>Falco sparverius</i>	Linnaeus 1758	II	-	14,15,115,153,177,713
E: American Kestrel; F: Crécerelle d'Amérique, Crécerelle américaine; S: Halconcito, Cernícalo americano, Halconcito común, Halcón primitivo				
Breeding:	Anguilla; Argentina; Aruba; Bahamas; Bolivia; Brazil; British Virgin Islands; Canada; Chile [512]; Chile: Juan Fernandez; Colombia; Costa Rica; Cuba; Dominica; Dominican Republic; Ecuador; El Salvador; French Guiana; Grenada; ?Guadeloupe; Guatemala; Guyana; Haiti; Honduras; Jamaica; Martinique; Mexico; ?Montserrat; Netherlands Antilles; Nicaragua; Paraguay; Peru; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; ?Turks and Caicos Islands; USA; Uruguay; Venezuela; Virgin Islands of the United States			
Non-breeding:	Antigua and Barbuda; Belize; Bermuda; Costa Rica; Panama; Saint Pierre and Miquelon			
Vagrant:	Azores; Barbados; Cayman Islands; Denmark; Estonia; Falkland Islands; Malta; Saint Vincent; Trinidad and Tobago; Trinidad; United Kingdom			
<i>Falco subbuteo</i>	Linnaeus 1758	II	-	9,14,153,154,177,203,245,477,568
E: Eurasian Hobby, Northern Hobby; F: Faucon hobereau; S: Alcotán				
Breeding:	Afghanistan; Albania; ?Algeria; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Cyprus (ex); Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; India; Iran; Israel; Italy; Japan; Jordan; Kazakhstan; D.P.R. Korea; Kyrgyzstan; Latvia; Lebanon; Libya (ex); Liechtenstein; Lithuania; Luxembourg; Macedonia; Moldova; Mongolia; Morocco; Myahmar; Nepal; Netherlands; Norway; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Spain; Sweden; Switzerland; ?Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; United Kingdom; Uzbekistan; Viet Nam; Yugoslavia			
Non-breeding:	Algeria; Angola; Bahrain; Benin; Bhutan; Botswana; Burkina Faso; Burundi; Cyprus; Côte d'Ivoire; ?Djibouti; Egypt; Eritrea; Ethiopia; Gabon; Gambia; Gibraltar; Hong Kong; Iraq; Ireland; Kenya; Korea Republic; Kuwait; Liberia; Libya; Malawi; Maldives; Mali; Malta; Mauritania; Mozambique; Namibia; Nigeria; Oman; Qatar; Rwanda; Saudi Arabia; Seychelles			

Vagrant: [332]; Slovenia; Somalia; South Africa; Sudan; Swaziland; Syria; Tanzania; Thailand; Togo; Uganda; United Arab Emirates; Yemen; Zaire; Zambia; Zimbabwe
 Bangladesh; Cameroon; Canary Islands; Chad; Faeroe Islands; Ghana; Guernsey; Guinea [1042]; Iceland; Indonesia: Java [695], Timor [1063]; Jersey; Lesotho; Malaysia; Peninsular Malaysia; Senegal; Taiwan; USA

Falco subniger Gray 1843 II - 14,153,177
 E: Black Falcon; F: Faucon noir; S: Halcón negro de Australia
 Breeding: Australia

Falco tinnunculus Linnaeus 1758 II - 9,14,141,153,154,177,203,245
 ,477,568,905,943,1029

(includes *Falco alexanderi* Bourne 1955, *Falco neglectus* Schlegel 1873)
 E: Common Kestrel, Eurasian Kestrel; F: Faucon crécerelle, Crécerelle, Crécerelle des clochers;
 S: Cernícalo vulgar, Cernícalo común
 Breeding: Afghanistan; Albania; Algeria; Andorra; Angola; Armenia; Austria; Azerbaijan; ?Bahrain; Belarus; Belgium; Bhutan; Bosnia and Herzegovina; Botswana; Bulgaria; Burundi; Cameroon; Canary Islands; Cape Verde; Chad; China; Congo; ?Côte d'Ivoire; Croatia; Cyprus; Czech Republic; Denmark; ?Djibouti; Egypt; ?Eritrea; Estonia; Ethiopia; Faeroe Islands; Finland; France; ?Gabon; Georgia; Germany; ?Ghana; Gibraltar; Greece; Guernsey; Hungary; India; Iran; Iraq; Ireland; Israel; Italy; Japan; Jersey; Jordan [1039]; Kazakhstan; Kenya; D.P.R. Korea; Korea Republic; Kuwait; Kyrgyzstan; ?Lao P.D.R.; Latvia; Lebanon; Lesotho; Libya; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madeira; Malawi; ?Malta; Mauritania; Moldova; Mongolia; Morocco; ?Mozambique; Namibia; Nepal; Netherlands; ?Niger; Nigeria; Norway; Oman; Pakistan; Poland; Portugal; ?Qatar; Romania; Russian Federation; Rwanda; Saudi Arabia; ?Senegal; ?Sierra Leone; Slovak Republic; Slovenia; Slovenia; Somalia; South Africa; Spain; Sri Lanka; Sudan; Swaziland; Sweden; Switzerland; Syria; Tajikistan; ?Tanzania; ?Togo; Tunisia; Turkey; Turkmenistan; Uganda; Ukraine; United Arab Emirates; United Kingdom; Uzbekistan; Viet Nam; Yemen; Yugoslavia; Zaire; Zambia; Zimbabwe
 Non-breeding: Bahrain; Bangladesh; Benin; Burkina Faso [96]; Cambodia; Central African Republic; Côte d'Ivoire; Djibouti; Eritrea; Gabon; Gambia; Ghana; Guinea [1042]; Hong Kong; Lao P.D.R.; Liberia; Malaysia; Peninsular Malaysia, Sabah; Maldives; Mali; Malta; Mauritania; Mozambique; Myanmar; Niger; Philippines; Qatar; Senegal; Sierra Leone; Singapore; Taiwan; Tanzania; Thailand; Togo
 Vagrant: Azores; Bermuda; Brunei; Canada; Greenland; Iceland; Indonesia: Nias [671]; Malaysia; Sarawak [940]; Martinique [115]; Northern Marianas; Saipan; Svalbard and Jan Mayen Islands; USA

Falco vespertinus Linnaeus 1766 II - 9,14,141,153,177,245,477,905
 E: Red-footed Falcon, Western Red-footed Falcon; F: Faucon kobel; S: Cernícalo patirrojo
 Breeding: Armenia; Austria; Belarus; Bulgaria; Canary Islands; Croatia; Czech Republic; Estonia; France; Hungary; Kazakhstan; Moldova; ?Poland; Romania; Russian Federation; Slovak Republic; Turkey; Ukraine; Yugoslavia
 Non-breeding: ?Albania; Algeria; Angola; Azerbaijan; Bosnia and Herzegovina; Botswana; Burkina Faso; Burundi; Cameroon; Chad; Cyprus; Côte d'Ivoire; Egypt; Ethiopia; Finland; Georgia; Germany; Greece; Iran; ?Iraq; Israel; Italy; Jordan [1039]; Kenya; Kyrgyzstan; Lao P.D.R.; Latvia; Liberia; Libya; Liechtenstein; Macedonia; Malawi; Mali; Malta; Mauritania; Namibia; Nigeria; Oman; Poland; Rwanda; Senegal; Slovenia; South Africa; Sudan; Sweden; Switzerland; Syria; Tajikistan; Tanzania; Tunisia; Turkmenistan; United Kingdom; Uzbekistan; Zaire; Zambia; Zimbabwe
 Vagrant: Bahrain; Belgium; Central African Republic; Denmark; Djibouti; Gabon; ?Ghana; Gibraltar; Ireland; Lebanon; Luxembourg; Morocco; Netherlands; Niger; Norway; Portugal; Saudi Arabia; Somalia; Spain; Swaziland; Togo; Yemen

Falco zoniventris Peters 1854 II - 14,153,177,266
 E: Barred Kestrel, Banded Kestrel; F: Faucon à ventre rayé
 Breeding: Madagascar

<i>Herpetotheres cachinnans</i> (Linnaeus 1758)	II	-	14,15,153,713
E: Laughing Falcon; F: Macagua rieur; S: Acuá, Halcón guaicurú, Halcón macagua, Halcón guaco			
Breeding: Argentina; Belize; Bolivia; Brazil; Chile; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela			
<i>Micrastur buckleyi</i> Swann 1919	II	-	14,106,153,226,229,713
E: Buckley's Forest-Falcon, Traylor's Forest-Falcon, Lesser Collared Forest-Falcon; F: Carnifex de Buckley, Carnifex de Traylor; S: Gavilán de Traylor			
Breeding: Brazil; ?Colombia; Ecuador; Peru			
Non-breeding: Colombia			
<i>Micrastur gilvicollis</i> (Vieillot 1817)	II	-	14,153,713
(= <i>Micrastur ruficollis gilvicollis</i>)			
E: Lined Forest-Falcon; F: Carnifex à gorge cendrée; S: Gavilán de collar, Halcón Palomero del Sur			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana [987]; Guyana; Peru; Suriname; Venezuela			
<i>Micrastur mirandollei</i> (Schlegel 1862)	II	-	14,15,153,713
E: Slaty-backed Forest-Falcon; F: Carnifex ardoisé; S: Halcón de Lomo Pizarreño			
Breeding: Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Panama; Peru; Suriname; Venezuela			
<i>Micrastur plumbeus</i> Sclater 1918	II	E	14,106,153,226,229,713
E: Plumbeous Forest-Falcon; F: Carnifex plombé; S: Halcon-montés plomizo			
Breeding: Colombia; Ecuador			
<i>Micrastur ruficollis</i> (Vieillot 1817)	II	-	14,15,153,713
E: Barred Forest-Falcon; F: Carnifex barré, Carnifex à cou roux; S: Gavilán cueillirojo, Caburé, Halcón cuellirrojo, Halcón palomero, Halcón-selvático barrado			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana [987]; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela			
<i>Micrastur semitorquatus</i> (Vieillot 1817)	II	-	14,15,153,713
E: Collared Forest-Falcon; F: Carnifex à collier; S: Gavilán-reloj, Halcón semiacollarado, Halcón-selvático collarejo			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Venezuela			
<i>Microhierax caerulescens</i> (Linnaeus 1758)	II	-	14,153
E: Collared Falconet, Red-legged Falconet, Red-thighed Falconet; F: Fauconnet à collier; S: Halcón enano de la India			
Breeding: ?Bangladesh; Bhutan; Cambodia; China; India; Lao P.D.R.; Myanmar; Nepal; Thailand; Viet Nam			
Non-breeding: Bangladesh			
<i>Microhierax erythrogenys</i> (Vigors 1831)	II	-	14,153,812
E: Philippine Falconet; F: Fauconnet des Philippines; S: Halconcito de las Filipinas			
Breeding: Philippines			
<i>Microhierax fringillarius</i> (Drapiez 1824)	II	-	14,153,568
E: Black-thighed Falconet, Black-legged Falconet, Black-sided Falconet; F: Fauconnet moineau; S: Halconcito malayo			
Breeding: Brunei; Indonesia: Bali, Java, Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sarawak [940]; Myanmar; Thailand [867]			
Vagrant: Singapore			

<i>Microhierax latifrons</i> Sharpe 1879	II	-	14,153,226,690,940
E: White-fronted Falconet, Bornean Falconet; F: Fauconnet de Bornéo; S: Halconcito de Borneo			
Breeding: Malaysia: Sabah, Sarawak			
<i>Microhierax melanoleucus</i> (Blyth 1843)	II	-	9,14,153,226,568
E: Pied Falconet; F: Fauconnet noir-et-blanc			
Breeding: Bangladesh; China; India; Lao P.D.R.; Viet Nam			
Vagrant: Hong Kong			
<i>Milvago chimachima</i> (Vieillot 1816)	II	-	14,15,153,713
E: Yellow-headed Caracara; F: Caracara à tête jaune, Caracara chimachima; S: Chimachima, Caricare sabanero			
Breeding: Argentina; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Panama; Paraguay; Peru; Suriname; Uruguay; Venezuela			
Vagrant: Netherlands Antilles: Curaçao; Trinidad and Tobago: Trinidad			
<i>Milvago chimango</i> (Vieillot 1816)	II	-	14,153,713
E: Chimango Caracara; F: Caracara chimango; S: Chimango			
Breeding: Brazil; Chile [512]; Falkland Islands; Paraguay; Uruguay			
<i>Phalcoboenus albogularis</i> Gould 1837	II	-	14,153,713
(= <i>Phalcoboenus megalopterus albogularis</i>)			
E: White-throated Caracara; F: Caracara à gorge blanche; S: Guarahuau cordillerano, Chinalinda			
Breeding: Argentina; Chile [512]			
<i>Phalcoboenus australis</i> (Gmelin 1788)	II	-	14,153,226,713
E: Striated Caracara, Forster's Caracara; F: Caracara austral, Caracara funèbre; S: Tiuque cordillerano austral			
Breeding: Argentina: Tierra del Fuego, Staten Island; Chile: Tierra del Fuego, islands south of Beagle Channel [512]; Falkland Islands			
<i>Phalcoboenus carunculatus</i> Des Murs 1853	II	-	14,153,713
E: Carunculated Caracara; F: Caracara caronculé; S: Caracara carunculado			
Breeding: Colombia; Ecuador			
<i>Phalcoboenus megalopterus</i> (Meyen 1834)	II	-	14,153,713
E: Mountain Caracara; F: Caracara montagnard; S: Carancho andino			
Breeding: Argentina; Bolivia; Chile [512]; Peru			
<i>Polihierax insignis</i> Walden 1872	II	-	9,14,153,226,568
E: White-rumped Falcon, White-rumped Falconet, Fielden's Falconet; F: Fauconnet à pattes jaunes; S: Halconcito colilargo de Asia			
Breeding: Cambodia; Lao P.D.R.; Myanmar; Thailand [867]; Viet Nam			
<i>Polihierax semitorquatus</i> (Smith 1836)	II	-	14,141,153,154,203,943
E: Pygmy Falcon, African Pygmy Falcon; F: Fauconnet d'Afrique			
Breeding: ?Botswana; Ethiopia; Kenya; Namibia; Somalia; South Africa; ?Sudan; ?Tanzania; ?Uganda			
Non-breeding: Botswana; Sudan; Tanzania; Uganda			
Vagrant: Angola; Rwanda			
<i>Polyborus lutosus</i> Ridgway 1876	II	-	690
E: Guadalupe Caracara; F: Caracara de Guadalupe; S: Carancho de Guadalupe			
Breeding: Mexico: Guadalupe Island (ex)			

<i>Polyborus plancus</i> (Miller 1777)	II	-	14,15,115,153,713
E: Crested Caracara, Common Caracara; F: Caracara huppé, Caracara commun; S: Carancho, Traro, Caricare encrestado, Caracara común			
Breeding:	Argentina; Aruba; Bolivia; Brazil; Chile [512]; Colombia; Costa Rica; Cuba; Ecuador; El Salvador; Falkland Islands; French Guiana; Guatemala; Guyana; Honduras; Mexico; Netherlands Antilles; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; USA; Uruguay; Venezuela		
Vagrant:	?Belize; Jamaica		
<i>Spizapteryx circumcinctus</i> (Kaup 1852)	II	-	14,153,713
E: Spot-winged Falconet, Spot-winged Falcon; F: Carnifex à ailes tachetées, Fauconnet d'Amérique; S: Halconcito gris americano, Halconcito gris			
Breeding:	Argentina; Bolivia		
Vagrant:	Paraguay		

Order GALLIFORMES

Family MEGAPODIIDAE

<i>Macrocephalon maleo</i> Müller 1846	I	V	49,226,267,268,570,1048,1063
E: Maleo, Gray's Brush-turkey; F: Mégapode maléo; S: Megapodio maleo			
Breeding:	Indonesia: Lembeh, Sulawesi		

Family CRACIDAE

<i>Crax alberti</i> Fraser 1852	III CO	C	226,229,271,570,713
E: Blue-knobbed Curassow, Blue-billed Curassow; F: Hocco d'Albert			
Breeding:	Colombia		
<i>Crax blumenbachii</i> Spix 1825	I	C	226,229,271,570,713,927,979
E: Red-billed Curassow; F: Hocco de Blumenbach, Hocco à bec rouge; S: Muitú mamaco			
Breeding:	Brazil		
<i>Crax daubentoni</i> Gray 1867	III CO	-	271,713
E: Yellow-knobbed Curassow; F: Hocco de Daubenton; S: Paují de Copete			
Breeding:	Colombia; Guyana; Venezuela		
<i>Crax globulosa</i> Spix 1825	III CO	V	106,226,229,271
E: Wattled Curassow; F: Hocco globuleux; S: Pavón carunculado			
Breeding:	Bolivia; Brazil; Colombia; Ecuador; Peru		
<i>Crax rubra</i> Linnaeus 1758	III CR GT HN NI	-	15,271,570,713
E: Great Curassow; F: Grand Hocco; S: Pavón grande, Hocofaisán			
Breeding:	Belize; Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama		
<i>Mitu mitu</i> (Linnaeus 1766) (= <i>Crax mitu mitu</i>)	I	EW	226,229,271,570,713
E: Alagoas Curassow; F: Hocco mitou; S: Pajúí menor			
Breeding:	Brazil		
<i>Oreophasis derbianus</i> Gray 1844	I	V	15,226,229,271,570,1038
E: Horned Guan; F: Oréophase cornu, Pénélope cornue; S: Pajúí cornudo, Guan cornudo, Pavón, Pavón cornudo			
Breeding:	Guatemala [486]; Mexico [388,389]		

<i>Ortalis vetula</i> (Wagler 1830)	III GT HN -	15,271,570
E: Plain Chachalaca; F: Ortalide chacamel; S: Chachalaca común		
Breeding: Belize; Costa Rica; Guatemala; Honduras; Mexico; Nicaragua; USA		
<i>Pauxi pauxi</i> (Linnaeus 1766) (= <i>Crax pauxi</i>)	III CO E	106,226,229,271
E: Helmeted Curassow; F: Hocco à pierre; S: Paují copete de Piedra		
Breeding: Colombia; Venezuela		
<i>Penelope albipennis</i> Taczanowski 1878	I C	15,226,229,271,280,309,570,7 13,754,764
E: White-winged Guan; F: Pénélope à ailes blanches		
Breeding: Peru		
<i>Penelope purpurascens</i> Wagler 1830	III HN -	106,271,713
E: Crested Guan; F: Pénélope panachée; S: Pava culirroja, Pavo cojolito		
Breeding: Belize; Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Venezuela		
<i>Penelopina nigra</i> (Fraser 1852)	III GT HN -	15,106,226,271
E: Highland Guan; F: Pénélope pajuil; S: Pajuil		
Breeding: El Salvador (ex?); Guatemala; Honduras; Mexico; Nicaragua		
<i>Pipile jacutinga</i> (Spix 1825) (= <i>Aburria jacutinga</i>)	I V	226,229,271,570,713
E: Black-fronted Piping-Guan; F: Pénélope à front noir; S: Yacutingá frentinegra		
Breeding: Argentina [95]; Brazil; Paraguay		
<i>Pipile pipile</i> (Jacquin 1784)	I C	226,229,271,570,713
(= <i>Aburria pipile pipile</i>)		
E: Trinidad Piping-Guan; F: Pénélope siffleuse; S: Pava rajadora		
Breeding: Trinidad and Tobago: Trinidad		
Family PHASIANIDAE		
<i>Agelastes meleagrides</i> Bonaparte 1850	III GH V	226,228,905,943,1012
E: White-breasted Guineafowl; F: Pintade à poitrine blanche; S: Pintado de pecho blanco, Pintado pechiblanca		
Breeding: Côte d'Ivoire [33]; Ghana (ex?); Liberia; Sierra Leone [260]		
<i>Agriocharis ocellata</i> (Cuvier 1820)	III GT -	15,226,955
E: Ocellated Turkey; F: Dindon ocellé; S: Guajalote ocelado		
Breeding: Belize; Guatemala; Mexico		
<i>Arborophila charltonii</i> (Eyton 1845) (= <i>Tropicoperdix charltonii</i>)	III MY V	226,262,529,568
E: Chestnut-necklaced Partridge, Chestnut-breasted Tree-Partridge; F: Torquéole à poitrine châtaine, Torquéole des bois, Torquéole de Merlin; S: Perdiz de bosque de Charlton		
Breeding: Indonesia: Sumatra, Sumatra; Malaysia: Peninsular Malaysia, Sabah; Myanmar; Thailand; Viet Nam		
<i>Arborophila orientalis</i> (Horsfield 1821)	III MY --	262,529,568
E: Grey-breasted Partridge, Bar-backed Partridge; F: Torquéole de Sumatra		
Breeding: Indonesia: Java, Sumatra; Malaysia: Peninsular Malaysia		

<i>Argusianus argus</i> (Linnaeus 1766)	II	-	270,528
E: Great Argus, Argus Pheasant; F: Argus géant; S: Faisán argos			
Breeding: Brunei; Indonesia: Kalimantan [480], Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand [867]			
<i>Caloperdix oculea</i> (Temminck 1815)	III MY	-	529,568
E: Ferruginous Partridge, Ferruginous Wood-Partridge; F: Rouloul ocellé; S: Perdiz de bosque ferrugínoса			
Breeding: Indonesia: Kalimantan [801], Sumatra; Malaysia: Peninsular Malaysia, Sarawak [940]; Myanmar; Thailand			
<i>Catreus wallichii</i> (Hardwicke 1827)	I	V	9,226,270,528,570,1102,1103
E: Cheer Pheasant, Chir Pheasant, Wallich's Pheasant; F: Faisan de Wallich, Faisan de l'Himalaya; S: Faisán de Wallich			
Breeding: India [369,370,371]; Nepal [617]; Pakistan			
<i>Colinus virginianus ridgwayi</i>	I	-	15,570
E: Masked Bobwhite; F: Colin de Virginie masqué, Colin de Virginie comun, Colin de Virginia, Colín virginiano de Ridgway, Cuiche (forma Ridgwayi)			
Breeding: Mexico; USA (ex)			
<i>Crossoptilon crossoptilon</i> (Hodgson 1838)	I	V	9,226,270,528,570
E: White Eared-Pheasant; F: Hokki blanc, Hoki blanc, Faisan oreillard blanc; S: Faisán orejudo blanco, Faisán orejudo tibetano			
Breeding: China [714]			
<i>Crossoptilon harmani</i> Elwes 1881 (= <i>Crossoptilon crossoptilon harmani</i>)	I	V	226,270,528,570
E: Tibetan Eared-Pheasant; F: Hokki du Tibet			
Breeding: China			
<i>Crossoptilon manchuricum</i> Swinhoe 1863	I	V	226,270,528,570,714
E: Brown Eared-Pheasant, Manchurian Eared-Pheasant; F: Hokki brun, Hoki brun, Faisan oreillard brun; S: Faisán orejudo pardo, Faisán orejudo de Manchuria			
Breeding: China			
<i>Gallus sonneratii</i> Temminck 1813	II	-	9,226,270,528
E: Grey Junglefowl, Sonnerat's Junglefowl; F: Coq de Sonnerat; S: Gallo de Sonnerat			
Breeding: India			
<i>Ithaginis cruentus</i> (Hardwicke 1821)	II	-	9,270,528
E: Blood Pheasant; F: Ithagine ensanglantée, Faisan sanguin; S: Faisán sanguíneo			
Breeding: Bhutan; China; India; Myanmar; Nepal			
<i>Lophophorus impejanus</i> (Latham 1790)	I	-	9,270,528
E: Himalayan Monal, Impeyan Pheasant; F: Lophophore resplendissant; S: Faisán monal del Himalaya, Lofóforo del Himalaya			
Breeding: Afghanistan; Bhutan; China; India; Myanmar; Nepal; Pakistan			
<i>Lophophorus lhuysii</i> Geoffroy Saint-Hilaire 1866	I	V	226,270,528,570,639,714
E: Chinese Monal, Chinese Impeyan; F: Lophophore de Lhuys; S: Faisán monal chino, Lofóforo chino			
Breeding: China			
<i>Lophophorus sclateri</i> Jerdon 1870	I	V	9,226,270,528,570
E: Sclater's Monal, Crestless Monal; F: Lophophore de Sclater; S: Faisán monal de Sclater, Lofóforo de Sclater			
Breeding: China; India; Myanmar			

<i>Lophura edwardsi</i> (Oustalet 1896)	I	C	226,270,528,568,570
E: Edwards's Pheasant; F: Faisan d'Edwards; S: Faisán de Edwards			
Breeding: Viet Nam			
<i>Lophura erythrophthalma</i> (Raffles 1822)	III MY	V	226,270,528,568
E: Crestless Fireback, Rufous-tailed Pheasant; F: Faisan à queue rousse; S: Faisán de carúncula azul			
Breeding: Brunei; Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sarawak [940]			
<i>Lophura ignita</i> (Shaw 1797)	III MY	V	226,270,528,568
E: Crested Fireback, Vieillot's Fireback; F: Faisan noble; S: Faisán de carúncula azul crestado			
Breeding: Brunei; Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand			
<i>Lophura imperialis</i> (Delacour & Jabouille 1924)	I	C	226,270,528,568,570
E: Imperial Pheasant; F: Faisan impérial; S: Faisán imperial			
Breeding: Viet Nam			
<i>Lophura swinhoii</i> (Gould 1863)	I	V	226,270,528,568,570,908,909, 910
E: Swinhoe's Pheasant; F: Faisan de Swinhoe; S: Faisán de Swinhoe, Faisán de Formosa			
Breeding: Taiwan			
<i>Melanoperdix nigra</i> (Vigors 1829)	III MY	-	226,529,568
E: Black Partridge, Black Wood-Partridge; F: Perdrix noire, Roulroul noire; S: Perdiz de bosque negra			
Breeding: Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sarawak [940]			
<i>Pavo muticus</i> Linnaeus 1766	II	V	9,226,270,471,528,568,570
E: Green Peafowl, Green-necked Peafowl; F: Paon spicifère; S: Pavo real verde			
Breeding: Bangladesh (ex?); Cambodia; China; India; Indonesia: Java; Lao P.D.R.; Malaysia: Peninsular Malaysia; Myanmar; Thailand; Viet Nam			
<i>Polyplectron bicalcaratum</i> (Linnaeus 1758)	II	-	9,270,528,568
E: Grey Peacock-Pheasant, Iris Peacock-Pheasant; F: Éperonnier chinquis, Éperonnier gris; S: Faisán de cola ocelada gris, Faisán real gris			
Breeding: Bangladesh; Bhutan; China; India; Lao P.D.R.; Myanmar; Thailand [867]; Viet Nam			
<i>Polyplectron emphanum</i> Temminck 1831	I	E	182,226,270,528,570
E: Palawan Peacock-Pheasant, Napoleon's Peacock-Pheasant; F: Éperonnier napoléon, Éperonnier de Palawan; S: Faisán real de Palaguán			
Breeding: Philippines: Palawan			
<i>Polyplectron germaini</i> Elliot 1866	II	V	226,270,528,568
E: Germain's Peacock-Pheasant; F: Éperonnier de Germain; S: Faisán de cola ocelada de Germain, Faisán real de Germain			
Breeding: Viet Nam			
<i>Polyplectron inopinatum</i> (Rothschild 1903)	III MY	V	226,270,528,568
E: Mountain Peacock-Pheasant, Rothschild's Peacock-Pheasant; F: Éperonnier de Rothschild; S: Faisán de cola ocelada indómito			
Breeding: Malaysia: Peninsular Malaysia			
<i>Polyplectron malacense</i> (Scopoli 1786)	II	V	226,270,528,568
E: Malayan Peacock-Pheasant, Crested Peacock-Pheasant; F: Éperonnier malais, Éperonnier de Malaisie, Éperonnier de Hardwicke; S: Faisán de cola ocelada malayo, Faisán real malayo			
Breeding: Malaysia: Peninsular Malaysia; Myanmar; Thailand [867]			

Phasianidae

CITES

RL

Ref

<i>Polyplectron schleiermacheri</i> Brüggemann 1877 (= <i>Polyplectron malacense schleiermacheri</i>)	II	C	226,528,940
E: Bornean Peacock-Pheasant; F: Éperounier de Bornéo Breeding: Indonesia: Kalimantan [480]; Malaysia: Sabah, Sarawak [940]			
<i>Rheinardia ocellata</i> (Elliot 1871) (includes <i>Rheinardia nigrescens</i> (Rothschild 1902))	I	V	226,270,528,568,570
E: Crested Argus, Ocellated Pheasant; F: Argus ocellé, Rheinarte ocellée; S: Faisán de Rheinard Breeding: Lao P.D.R.; Malaysia: Peninsular Malaysia; Viet Nam			
<i>Rhizothera longirostris</i> (Temminck 1807)	III MY	-	529,568
E: Long-billed Partridge; F: Perdrix à long bec, Roulroul à long bec; S: Perdiz de bosque de pico largo Breeding: Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand			
<i>Rollulus rouloul</i> (Scopoli 1786)	III MY	-	529,568
E: Crested Partridge, Roulroul; F: Roulroul couronné, Roulroul, Roulroul à couronne; S: Perdiz de bosque crestada Breeding: Brunei; Indonesia: Kalimantan [940], Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand			
<i>Syrmaticus ellioti</i> (Swinhoe 1872)	I	V	226,270,528,570,574,714
E: Elliot's Pheasant, Chinese Barred-backed Pheasant; F: Faisan d'Elliot; S: Faisán de Elliot Breeding: China			
<i>Syrmaticus humiae</i> (Hume 1881)	I	V	9,226,270,528,568,570
E: Hume's Pheasant, Hume's Bar-tailed Pheasant; F: Faisan de Hume; S: Faisán de Hume Breeding: China; India; Myanmar [565]; Thailand [867]			
<i>Syrmaticus mikado</i> (Ogilvie-Grant 1906)	I	-	226,270,528,570,908,909
E: Mikado Pheasant; F: Faisan mikado; S: Faisán mikado Breeding: Taiwan			
<i>Tetraogallus caspius</i> (Gmelin 1784)	I	-	245
E: Caspian Snowcock; F: Tétraogalle de Perse, Perdix des neiges caspienne; S: Gallo salvaje del Caspio, Perdiz real del Caspio Breeding: Armenia; Azerbaijan; Georgia; Iran; Iraq; Turkey; Turkmenistan			
<i>Tetraogallus tibetanus</i> Gould 1854	I	-	9
E: Tibetan Snowcock; F: Tétraogalle du Tibet, Perdix des neiges du Tibet; S: Gallo salvaje del Tibet, Perdiz real del Tibet Breeding: Bhutan; China; India; Nepal; Tajikistan			
<i>Tragopan blythii</i> (Jerdon 1870)	I	V	9,226,270,528,570
E: Blyth's Tragopan, Grey-bellied Tragopan; F: Tragopan de Blyth, Tragopan oriental; S: Tragopan de Blyth, Tragopan oriental Breeding: Bhutan; China; India; Myanmar			
<i>Tragopan caboti</i> (Gould 1857)	I	V	226,270,528,566,570,714,110 5,1106,1107
E: Cabot's Tragopan, Yellow-billed Tragopan; F: Tragopan de Cabot, Tragopan arlequin; S: Tragopan de Cabot, Tragopan arlequín Breeding: China			
<i>Tragopan melanocephalus</i> (Gray 1829)	I	V	9,226,270,298,372,528,570
E: Western Tragopan, Western Horned-Pheasant, Black-headed Tragopan; F: Tragopan de Hastings, Tragopan occidental; S: Tragopan de cabeza negra, Tragopan occidental Breeding: China; India [371,738]; Pakistan [34,506,507]			

Tragopan satyra (Linnaeus 1758) III NP - 9,226,270,528
 E: Satyr Tragopan, Indian Tragopan, Crimson Horned-Pheasant; F: *Tragopan satyra*; S: *Tragopan sátiro*
 Breeding: Bhutan; China; India; Nepal

Tympanuchus cupido attwateri Bendire 1893 I 15,570
 E: Attwater's Prairie-Chicken; F: Tétras cupidon d'Attwater; S: Gallito de pradera
 Breeding: USA

Order GRUIFORMES

Family TURNICIDAE

Turnix melanogaster (Gould 1837) II E 226,530
 E: Black-breasted Buttonquail; F: Turnix à poitrine noire, Hémipode à ventre noir
 Breeding: Australia

Family PEDIONOMIDAE

Pedionomus torquatus Gould 1841 II V 28,170,226
 E: Plains-wanderer; F: Pédionome errant, Hémipode à collier
 Breeding: Australia

Family GRUIDAE

Balearica pavonina (Linnaeus 1758) II - 153,154,525,905,943,1012,10
 37
 E: Black Crowned Crane; F: Grue couronnée, Grue couronnée de l'Afrique d'Ouest et du Sudan;
 S: Grulla coronada del Africa Occidental, Grulla coronada
 Breeding: Benin; Burkina Faso [996]; ?Cameroon; Central African Republic; Chad; Côte d'Ivoire;
 Ethiopia; Gambia; Guinea; Guinea-Bissau; Kenya [508,774]; Mali; Mauritania; Niger; Nigeria;
 Senegal; Sudan; ?Togo
 Non-breeding: Cameroon; Eritrea; Gabon; Ghana; Sierra Leone; Togo
 Vagrant: Uganda [508]

Balearica regulorum (Bennett 1834) II - 141,154,203,525,943,1012,10
 37
 (= *Balearica pavonina regulorum*)

E: Grey Crowned Crane; F: Grue royale, Grue couronnée de l'Afrique du Sud et de l'Est; S: Grulla coronada sudafricana

Breeding: ?Angola; Botswana; Burundi; Kenya [774]; Malawi; ?Mozambique; Namibia; Rwanda; South Africa; Tanzania; Uganda; Zaire; Zambia; Zimbabwe

Non-breeding: Angola; Mozambique; Swaziland

Vagrant: Lesotho

Grus americana (Linnaeus 1758) I E 15,47,226,229,290,305,525,57
 0,1037

E: Whooping Crane; F: Grue blanche, Grue blanche d'Amérique; S: Grulla trompetera, Grulla gritona, Grulla Americana

Breeding: Canada; USA (ex)

Non-breeding: USA

Vagrant: Mexico

<i>Grus antigone</i> (Linnaeus 1758)	II	-	9,226,525,568,1037
E: Sarus Crane; F: Grue antigone, Grue antigone tropicale; S: Grulla blanco cuello			
Breeding: Australia; Bangladesh; Cambodia; China; India; Lao P.D.R; Myanmar (ex?); Nepal; Pakistan; Philippines; Luzon (ex?); Thailand (ex); Viet Nam			
Vagrant: Malaysia: Peninsular Malaysia			
<i>Grus canadensis</i> (Linnaeus 1758)	II	-	15,525,570,1037
(excluding subspecies <i>pulla</i> and <i>nesiotes</i>)			
E: Sandhill Crane; F: Grue du Canada, Grue (du Canada) canadienne; S: Grulla (del Canada) cenicienta, Grulla Canadiense			
Breeding: Russian Federation; USA			
Non-breeding: Japan; Mexico			
Vagrant: Faeroe Islands; Ireland; Netherlands; United Kingdom			
<i>Grus canadensis nesiotes</i> Bangs & Zappey 1905	I	-	15,525,570,1037
E: Cuban Sandhill Crane; F: Grue canadienne de Cuba; S: Grulla ceniciente de Cuba			
Breeding: Cuba			
<i>Grus canadensis pulla</i> Aldrich 1972	I	-	15,525,570,1037
E: Mississippi Sandhill Crane; F: Grue canadienne du Mississippi; S: Grulla ceniciente del Misisipi			
Breeding: USA			
<i>Grus carunculatus</i> (Gmelin 1789)	II	V	141,203,226,228,525,578,678, 943,1012,1037
(= <i>Bugeranus carunculatus</i>)			
E: Wattled Crane; F: Grue caronculée; S: Grulla zarzo			
Breeding: Angola; Botswana; Ethiopia; Malawi; Mozambique; Namibia [1080]; South Africa [975]; Swaziland (ex); Tanzania; Zaire; Zambia; Zimbabwe			
Non-breeding: Eritrea			
Vagrant: ?Guinea-Bissau; Lesotho; Swaziland			
<i>Grus grus</i> (Linnaeus 1758)	II	-	9,245,477,525,1012,1037
E: Common Crane; F: Grue cendrée; S: Grulla común			
Breeding: Armenia; Austria (ex); Azerbaijan; Belarus; Bulgaria (ex); China; Czechoslovakia (former); Denmark; Estonia; Finland; France [722]; Georgia; Germany; Hungary (ex); Italy (ex); Kazakhstan; Latvia; Lithuania; Macedonia (ex); Mongolia; Norway; Poland; Romania; Russian Federation; Spain (ex); Sweden; Turkey; Ukraine; United Kingdom; Yugoslavia (ex)			
Non-breeding: Afghanistan; Albania; Algeria; Austria; Bangladesh; Belgium; Bosnia and Herzegovina; Bulgaria; Croatia; Cyprus; Egypt; Eritrea; Ethiopia; Greece; Hungary; India; Iran; Iraq; Israel; Italy; Japan; Jordan; Korea Republic; ?Lao P.D.R; Lebanon; Libya; Luxembourg; Macedonia; Malta; Morocco; Myanmar; Nepal; Netherlands; Pakistan; Portugal; Saudi Arabia; Slovenia; Spain; Sudan; Switzerland; Syria; Tunisia; Turkey; Viet Nam; Yemen; Yugoslavia			
Vagrant: Azores; Djibouti; Faeroe Islands; Gibraltar; Guernsey; Hong Kong; Iceland; Ireland; Jersey; D.P.R. Korea; ?Kuwait; Liechtenstein; Mauritania; Nigeria; Oman; USA; United Arab Emirates			
<i>Grus japonensis</i> (Müller 1776)	I	V	226,525,570,1037
E: Red-crowned Crane; F: Grue du Japon, Grue de Mandchourie; S: Grulla de Manchuria			
Breeding: China [1082]; Japan; Mongolia; Russian Federation [577,816]			
Non-breeding: D.P.R. Korea; Korea Republic			
Vagrant: Taiwan			
<i>Grus leucogeranus</i> Pallas 1773	I	E	9,226,525,570,677,1037
E: Siberian Crane, Siberian White Crane; F: Grue de Sibérie, Grue blanche d'Asie, Grue nonne; S: Grulla blanca asiática			
Breeding: China [559,714,1082]; ?Mongolia; Russian Federation [577,816]			
Non-breeding: Afghanistan; India; Iran [477]; Pakistan			
Vagrant: Japan; Mongolia			

Gruidae	CITES	RL	Ref
<i>Grus monacha</i> Temminck 1835 E: Hooded Crane; F: Grue moine; S: Grulla monjita Breeding: Russian Federation [577,816] Non-breeding: D.P.R. Korea; Japan; Korea Republic [952] Vagrant: India; Mongolia; Taiwan	I	DD	226,525,570,1037
<i>Grus nigricollis</i> Przevalski 1876 E: Black-necked Crane; F: Grue à cou noir; S: Grulla cuellinegra Breeding: China [855,900]; India Non-breeding: Bhutan [211]; Myanmar; Viet Nam Vagrant: Nepal	I	V	9,226,525,570,1037
<i>Grus paradisea</i> (Lichtenstein 1793) (= <i>Anthropoides paradisea</i>) E: Blue Crane, Stanley Crane; F: Grue de paradis, Grue bleu; S: Grulla azul Breeding: Botswana; Namibia; South Africa; Swaziland Vagrant: Lesotho; ?Zimbabwe	II	V	203,226,525,1012,1014,1037
<i>Grus rubicunda</i> (Perry 1810) E: Brolga; F: Grue brolga, Gru d'Australie; S: Grulla australiana Breeding: Australia; Indonesia: Irian Jaya; Papua New Guinea Vagrant: New Zealand	II	-	525,1037
<i>Grus vipio</i> Pallas 1811 E: White-naped Crane; F: Grue à cou blanc; S: Grulla cuelliblanca Breeding: China; Mongolia; Russian Federation [577,816] Non-breeding: Japan; D.P.R. Korea; Korea Republic [952] Vagrant: Taiwan	I	V	226,525,570,1037
<i>Grus virgo</i> (Linnaeus 1758) (= <i>Anthropoides virgo</i>) E: Demoiselle Crane; F: Grue demoiselle, Demoiselle de Numidie; S: Grulla damisela, Grulla moruna Breeding: Algeria (ex); China; Kazakhstan; Moldova; Mongolia; ?Morocco; Russian Federation [577]; Tunisia (ex); Turkey; Ukraine Non-breeding: Afghanistan; Bangladesh; Bhutan; Chad; Cyprus; Egypt; Ethiopia; India; Iran; Kyrgyzstan; Morocco; Myanmar; Nepal; Niger; Nigeria; Pakistan; Saudi Arabia; Sudan; Tajikistan; Turkmenistan; Uzbekistan Vagrant: Algeria; Bulgaria; Czechoslovakia (former); Denmark; France; ?Germany; Greece; Hungary; Iraq; Israel; ?Italy; Japan; Kenya; Korea Republic; Kuwait [807]; Lebanon; Malta; Norway; Oman; Portugal; Romania; Spain; Sweden; Tunisia; United Arab Emirates; Yemen; Yugoslavia	II	-	9,245,525,905,1012,1037
Family RALLIDAE			
<i>Gallirallus australis hectori</i> (Hutton 1874) E: Buff Weka; F: Râle wéka, Râle de Weka de l'Est; S: Rascón de Weka Breeding: New Zealand: South Island, [Chatham Islands]	II	-	226,842
<i>Gallirallus sylvestris</i> (Sclater 1869) (= <i>Tricholimnas sylvestris</i>) E: Lord Howe Rail, Lord Howe Island Woodhen; F: Râle sylvestre, Râle de Lord Howe; S: Rascón de Isla Lord Howe Breeding: Australia: Lord Howe Island	I	E	226,360,570,842
Family RHYNOCHETIDAE			
<i>Rhynochetos jubatus</i> Verreaux & Des Murs 1860 E: Kagu; F: Kagou buppé, Kagou; S: Kagú Breeding: New Caledonia	I	E	135,226,494,570

Family OTIDIDAE

<i>Ardeotis arabs</i> (Linnaeus 1758) (= <i>Choriotis arabs</i>)	II	-	245,477,530,650,1007,1012
E: Arabian Bustard; F: Outarde arabe, Grande outarde arabe; S: Avutarda Arabe			
Breeding: ?Burkina Faso; ?Cameroon; Chad; Djibouti [1055]; Eritrea [59]; Ethiopia [59]; Mali; Mauritania; Morocco (ex?); Nigeria; Saudi Arabia [916]; Senegal; Sudan; Yemen [827]			
Non-breeding: Burkina Faso; Cameroon; Côte d'Ivoire; Ghana; Niger [199]			
Vagrant: Algeria; Gambia; ?Kenya [1007]; Somalia			
<i>Ardeotis australis</i> (Gray 1829) (= <i>Choriotis australis</i>)	II	-	416,530,1064
E: Australian Bustard; F: Outarde d'Australie, Outarde australienne; S: Avutarda australiana			
Breeding: Australia; Indonesia: Irian Jaya; Papua New Guinea			
<i>Ardeotis kori</i> (Burchell 1822) (= <i>Choriotis kori</i>)	II	-	530,650,651,652,1012
E: Kori Bustard; F: Outarde Kori; S: Avutarda Kori			
Breeding: ?Angola; Botswana; Ethiopia [59]; Kenya; ?Mozambique; Namibia; Somalia [59]; South Africa [146]; ?Sudan; Swaziland (ex?); Tanzania [62,729]; ?Uganda; Zambia; Zimbabwe [856]			
Non-breeding: Angola; Mozambique; Sudan; Uganda			
<i>Ardeotis nigriceps</i> (Vigors 1831)	I	E	9,226,530,570,583,823,824,10 15
(= <i>Choriotis nigriceps</i>)			
E: Indian Bustard, Great Indian Bustard; F: Outarde à tête noire, Grande outarde de l'Inde;			
S: Avutarda indica			
Breeding: India; ?Pakistan	-	-	
Non-breeding: Pakistan			
Vagrant: ?Nepal			
<i>Chlamydotis undulata</i> (Jacquin 1784)	I	-	9,219,477,530,1012
E: Houbara Bustard; F: Outarde houbara, Houbara ondulé; S: Hubara			
Breeding: ?Afghanistan; Algeria [936]; Armenia (ex); Canary Islands [187,227,767]; China; Egypt [876]; Iran [666]; Iraq; Israel; Jordan; Kazakhstan; Kuwait (ex); Kyrgyzstan; Libya; Mauritania; Mongolia; Morocco [398]; including Western Sahara; Oman; Pakistan [717]; Russian Federation [577]; Saudi Arabia; Syria; Tajikistan; Tunisia; Turkmenistan; Uzbekistan; ?Yemen			
Non-breeding: Afghanistan; Bahrain; India; Kuwait; Qatar; United Arab Emirates			
Vagrant: Belgium; Cyprus; Czechoslovakia (former); Denmark; Finland; France; Germany; Greece; India; Italy; Latvia; Lebanon; Malta; Netherlands; Poland; Portugal; Romania; Slovenia; Sudan; Sweden; Switzerland; Ukraine; United Kingdom			
<i>Eupodotis afra</i> (Linnaeus 1766) (= <i>Afrötis atra</i>)	II	-	530,651,652,1012
E: Black Bustard, Black Korhaan; F: Outarde Korhaan, Outarde noire; S: Sisón negro			
Breeding: South Africa			
<i>Eupodotis afraoides</i> (Smith 1831) (= <i>Eupodotis afra afraoides</i>)	II	-	86,530,651,652,1012
E: White-quilled Bustard; F: Outarde à miroir blanc			
Breeding: Angola; Botswana; Namibia; South Africa			
Non-breeding: Lesotho			
<i>Eupodotis bengalensis</i> (Gmelin 1789) (= <i>Houbaropsis bengalensis</i>)	I	E	9,10,226,502,503,530
E: Bengal Florican; F: Outarde du Bengale, Outarde de l'Inde; S: Avutarda bengalí			
Breeding: Bangladesh (ex) [548]; Cambodia; India [503]; Nepal [501]; Viet Nam			

Otididae

CITES RL Ref

<i>Eupodotis caerulescens</i> (Vieillot 1820)	II	-	226,530,651,652,1012
E: Blue Bustard, Blue Korhaan; F: Outarde plombée; S: Sisón azul			
Breeding: Lesotho; South Africa			
<i>Eupodotis gindiana</i> Oustalet 1881	II	-	530,650,943,1012
(= <i>Eupodotis ruficrista gindiana</i>)			
E: Buff-crested Bustard; F: Outarde d'Oustalet			
Breeding: ?Djibouti; Ethiopia [59]; Kenya; Somalia [59]; Sudan; ?Tanzania; ?Uganda			
Non-breeding: Djibouti; Tanzania [62]; Uganda			
<i>Eupodotis hartlaubii</i> (Heuglin 1863)	II	-	530,650,1012
(= <i>Lissotis hartlaubii</i>)			
E: Hartlaub's Bustard; F: Outarde de Hartlaub; S: Sisón de Hartlaub			
Breeding: Ethiopia [59]; Kenya; ?Somalia; ?Sudan; ?Tanzania; ?Uganda			
Non-breeding: Somalia [59]; Sudan; Tanzania [62]; Uganda			
<i>Eupodotis humilis</i> (Blyth 1856)	II	-	226,530,650,1012
E: Little Brown Bustard; F: Outarde somalienne; S: Sisón somalí			
Breeding: ?Ethiopia [54,59]; Somalia [46,59]			
Non-breeding: Ethiopia			
<i>Eupodotis indica</i> (Miller 1782)	II	C	9,10,226,399,530,883,884,885
(= <i>Syphoetides indica</i>)			
E: Lesser Florican, Likh; F: Outarde passarage, Outarde naine de l'Inde; S: Sisón indio			
Breeding: India [657,887]; ?Nepal			
Non-breeding: Bangladesh; Nepal; Pakistan			
<i>Eupodotis melanogaster</i> (Rüppell 1835)	II	-	530,650,651,652,1012
(= <i>Lissotis melanogaster</i>)			
E: Black-bellied Bustard, Black-bellied Korhaan; F: Outarde à ventre noir; S: Sisón ventrinegro			
Breeding: Angola; Benin; ?Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; ?Eritrea; Ethiopia [59]; ?Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Malawi; Mali; ?Mozambique; ?Namibia; Niger [199]; Nigeria; Rwanda; Senegal; ?Sierra Leone; ?Somalia; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Botswana; Cameroon; Eritrea [59]; Gabon; Guinea [1042]; Guinea-Bissau; Mozambique; Namibia; Sierra Leone; Somalia [59]; Sudan; Tanzania [62]; Togo; Uganda			
Vagrant: Mauritania			
<i>Eupodotis rueppellii</i> (Wahlberg 1856)	II	-	530,651,652,1012
E: Rueppell's Bustard, Damara Korhaan; F: Outarde de Rüppell; S: Sisón de Rüppell			
Breeding: ?Angola; Namibia [1028]			
Non-breeding: Angola			
<i>Eupodotis ruficrista</i> (Smith 1836)	II	-	530,651,652,1012
(= <i>Lophotis ruficrista</i>)			
E: Red-crested Bustard, Crested Korhaan; F: Outarde houppette, Outarde naine; S: Sisón moñirrojo			
Breeding: Angola; Botswana; ?Mozambique; Namibia; South Africa; Swaziland; Zambia; Zimbabwe			
Non-breeding: Mozambique			
<i>Eupodotis savilei</i> (Lynes 1920)	II	-	530,1012
(= <i>Lophotis savilei</i>)			
E: Savile's Bustard; F: Outarde de Savile; S: Avutarda de Savile			
Breeding: ?Burkina Faso; Chad; ?Côte d'Ivoire; Mali; Mauritania; ?Niger; ?Nigeria; Senegal; Sudan			
Non-breeding: Burkina Faso; Côte d'Ivoire; Niger; Nigeria			

<i>Eupodotis senegalensis</i> (Vieillot 1820)	II	-	530,650,652,1012
E: White-bellied Bustard, Senegal Bustard, White-bellied Korhaan; F: Outarde du Sénégal; S: Sisón senegalés			
Breeding:	?Angola; Benin; ?Botswana; ?Burkina Faso; ?Cameroon; Central African Republic [185]; Chad; ?Congo; Côte d'Ivoire; ?Eritrea; Ethiopia [59]; ?Gambia; ?Ghana; Guinea [723]; Kenya; Mali; Mauritania; ?Niger; Nigeria; Senegal; Somalia [59]; South Africa; Sudan; Swaziland; Tanzania [62]; ?Togo; ?Uganda; Zaire; Zambia		
Non-breeding:	Angola; Botswana; Burkina Faso; Cameroon; Congo; Eritrea [59]; Gambia [395]; Ghana; Niger; Togo; Uganda		
<i>Eupodotis vigorsii</i> (Smith 1831)	II	-	530,651,652,1012
E: Karoo Bustard, Vigors's Bustard, Karoo Korhaan; F: Outarde de Vigors; S: Sisón de Vigors			
Breeding:	Lesotho; Namibia [1028]; South Africa		
<i>Neotis denhami</i> (Children 1826)	II	-	245,530,650,651,652,1012
(= <i>Neotis cafra</i> ; includes <i>Neotis burchellii</i> (Heuglin 1867))			
E: Stanley Bustard, Denham's Bustard; F: Outarde de Denham, Outarde de Burchell; S: Avutarda de Denham, Avutarda de Burchell			
Breeding:	?Angola; Benin; Burkina Faso [996]; ?Burundi; Central African Republic; Chad; ?Côte d'Ivoire; ?Eritrea; ?Ethiopia; ?Guinea [723]; Kenya [1010]; Malawi [1087]; Mali; Mauritania; ?Mozambique; ?Namibia; Nigeria; Rwanda; ?Senegal; ?Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Uganda; Zaire; Zambia; ?Zimbabwe [488]		
Non-breeding:	Angola; Burundi; Cameroon; Congo; Côte d'Ivoire; Eritrea [59]; Ethiopia [59]; Gambia; Ghana; Guinea; Mozambique; Namibia; Niger; Senegal; Sierra Leone; Tanzania [62]; Uganda; Zimbabwe		
Vagrant:	Botswana; Gabon; Lesotho; Togo		
<i>Neotis heuglinii</i> (Hartlaub 1859)	II	-	46,530,650,1012
E: Heuglin's Bustard; F: Outarde de Heuglin; S: Avutarda de Heuglin			
Breeding:	?Djibouti; Ethiopia [59]; Kenya; Somalia [59]		
Non-breeding:	Djibouti		
Vagrant:	Eritrea		
<i>Neotis ludwigii</i> (Rüppell 1837)	II	-	530,651,652,1012
E: Ludwig's Bustard; F: Outarde de Ludwig; S: Avutarda de Ludwig			
Breeding:	?Angola; Namibia; ?South Africa [146]		
Non-breeding:	Angola; South Africa		
Vagrant:	Botswana; Lesotho		
<i>Neotis nuba</i> (Cretzschmar 1826)	II	-	226,245,530,650,1012
E: Nubian Bustard; F: Outarde nubienne, Outarde de Nubie; S: Avutarda núbica			
Breeding:	?Chad; Mali; Mauritania; Niger [746]; ?Sudan		
Non-breeding:	Chad; Sudan		
Vagrant:	Nigeria		
<i>Otis tarda</i> Linnaeus 1758	II	V	9,222,225,226,245,477,530,10
E: Great Bustard; F: Grande ourarde, Outarde barbue; S: Avutarda			
Breeding:	Algeria (ex); Austria; Bulgaria (ex); China [576]; Czech Republic; Denmark (ex); France (ex); Germany [289]; Greece (ex); Hungary [329,330]; Iran; Iraq (ex); Kazakhstan; Kyrgyzstan; Moldova; Mongolia [576]; Morocco; Poland (ex) [90]; Portugal [164]; Romania; Russian Federation [576,577]; Slovak Republic; Spain [330,771]; Sweden (ex); Switzerland (ex); ?Syria; Tajikistan; Turkey [400,550]; Ukraine; United Kingdom (ex); Uzbekistan; Yugoslavia (ex)		
Non-breeding:	Afghanistan; Azerbaijan; Bosnia and Herzegovina; Bulgaria; Croatia; Iraq; Macedonia; Slovenia; Syria; Turkmenistan; Yugoslavia		
Vagrant:	Albania; Algeria; Belgium; Cyprus; Denmark; Finland; France; Gibraltar; Greece; Ireland; Israel; Italy; Japan; Jersey; D.P.R. Korea; Korea Republic; Latvia; Lebanon; Luxembourg		

Malta; Myanmar; Netherlands; Pakistan; Saudi Arabia; Sweden; Switzerland; Tunisia; United Kingdom

Tetrax tetrax (Linnaeus 1758) II - 9,226,245,530,899,1012
 (= *Otis tetrax*)

E: Little Bustard; F: Outarde canepetière; S: Sisón

Breeding: ?Albania; Algeria [85]; Bulgaria (ex); China; Czechoslovakia (former) (ex); France [19]; Greece (ex); Iran; ?Iraq; Italy [799,888]; Kazakhstan; Kyrgyzstan; Macedonia (ex); Morocco; Portugal; Romania (ex); Russian Federation [577]; Spain; Tunisia (ex); Turkey [550]; Ukraine; ?Uzbekistan; Yugoslavia (ex)

Non-breeding: ?Albania; Azerbaijan; Bosnia and Herzegovina; Croatia; Egypt; Georgia; Iraq; Israel; Libya; Macedonia; Pakistan; Romania; Slovenia; Tajikistan; Tunisia; Turkmenistan; Uzbekistan; Yugoslavia

Vagrant: Afghanistan; Austria; Belgium; Cyprus; Czechoslovakia (former); Denmark; Finland; Germany; Greece; Guernsey; Hungary; India; Iraq; Ireland; Japan; Jersey; Latvia; Lebanon; Luxembourg; Malta; Netherlands; Norway; Poland; Sweden; Switzerland; Syria; United Kingdom

Order CHARADRIIFORMES

Family BURHINIDAE

Burhinus bistriatus (Wagler 1829) III GT - 15,452,713

E: Double-striped Thick-knee; F: Oedicnème bistré; S: Dara, Alcaraván Americana

Breeding: Brazil; Colombia; Costa Rica; Dominican Republic; El Salvador; Guatemala; Guyana; Haiti; Honduras; Mexico; Nicaragua; Venezuela

Vagrant: Barbados; Netherlands Antilles; Curaçao; USA

Family SCOLOPACIDAE

Numenius borealis (Forster 1772) I C 15,115,221,226,229,305,324,3
 84,452,513,527,570

E: Eskimo Curlew; F: Courlis esquimaux; S: Zarapito polar, Chorlito esquimal, Chorlo polar, Zarapito boreal

Breeding: ?Canada; ?USA: Alaska

Non-breeding: Brazil; French Guiana; Guyana; Paraguay; Suriname

Vagrant: Argentina [95]; Barbados; Bermuda; Bolivia; Brazil; Chile; Falkland Islands; Greenland; Grenada; Guadeloupe; Guatemala; Iceland; Ireland; Mexico; Paraguay; Puerto Rico; Russian Federation; Saint Vincent; Trinidad and Tobago; USA; United Kingdom; Uruguay

Numenius tenuirostris Vieillot 1817 I C 43,226,243,414,452,477,527,1
 012

E: Slender-billed Curlew; F: Courlis à bec grêle; S: Zarapito fino

Breeding: ?Russian Federation [577]

Non-breeding: Bosnia and Herzegovina; Croatia; Greece; Hungary; Italy; Morocco [111]; Romania; Slovenia; Tunisia; Turkey; Yugoslavia

Vagrant: Algeria; Austria; Azores; Belgium; Bulgaria; Canada; Cyprus; Czechoslovakia (former); Egypt; France; Germany; Iran; Iraq; Israel; Italy; ?Japan; Jordan; Kuwait; Latvia; Libya; Malta; Netherlands; Oman; Poland; Seychelles; Aldabra; Spain; Switzerland; Ukraine; Yemen

Tringa guttifer (Nordmann 1835) I E 9,226,452,489,490,527,568,570

E: Nordmann's Greenshank, Spotted Greenshank; F: Chevalier tacheté, Chevalier maculé;

S: Archibebe moteado

Breeding: Russian Federation [119,577]

Non-breeding: Bangladesh; China; D.P.R. Korea; Japan; Korea Republic; Malaysia; Peninsular Malaysia; Myanmar; Philippines; Cebu, Luzon; Thailand; Viet Nam

Vagrant: Australia; Guam; Hong Kong [560]; India; Indonesia: Sumatra; Malaysia: Sabah, Sarawak [940]; Singapore; Taiwan

Family LARIDAE

Larus relictus Lönnberg 1931 I - 226,438,570,572,1109

E: Relict Gull; F: Mouette relique, Goéland de Mongolie; S: Gaviota de Mongolia

Breeding: China; Kazakhstan; Mongolia [339]; Russian Federation [577]

Non-breeding: Korea Republic

Vagrant: Hong Kong; Japan; Viet Nam

Order COLUMBIFORMES

Family COLUMBIDAE

Caloenas nicobarica (Linnaeus 1758) I - 9,226,393,568,570

E: Nicobar Pigeon; F: Nicobar à camail, Pigeon chauve, Pigeon nicobar, Pigeon à colerette; S: Paloma nicobar

Breeding: Cambodia; India: Andaman and Nicobar Islands; Indonesia: Bacan, Bangka, Banyak Islands, Batu Islands, Berhala, Halmahera, Kai, Kangean, Karimun Jawa, Kayoa, Komodo, Lepar, Lima, Lingga Archipelago, Lombok, Mirabau, Morotai, Nias, Obi, Padar, Rinca, Sangihe, Satonda, Seram, Siau, Silaut, Sulawesi, Sumbawa, Tayandu, Ternate, Togian; Malaysia: Peninsular Malaysia, Sabah [940], Sarawak [940]; Myanmar; Palau; Papua New Guinea; Philippines; Solomon Islands; Thailand; Viet Nam

Columba guinea Linnaeus 1758 - III GH - 141,203,393,869,905,943,1012

E: Speckled Pigeon, Triangular-spotted Pigeon, Speckled Rock Pigeon; F: Pigeon roussard, Pigeon de Guinée; S: Paloma de Guinea

Breeding: ?Angola; Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; ?Central African Republic; Chad; Côte d'Ivoire; Djibouti; Eritrea; Ethiopia [533]; Gambia; Ghana; ?Guinea [723]; ?Guinea-Bissau; Kenya; Lesotho; Malawi; Mali; Mauritania; Namibia; Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo [195]; Uganda; ?Zaire; Zimbabwe

Non-breeding: Angola; Cameroon; Central African Republic; Guinea; Guinea-Bissau; Tanzania; Togo; Zaire

Columba iriditorques Cassin 1856 III GH - 393,905,943,1012

E: Western Bronze-naped Pigeon; F: Pigeon à nuque bronzée

Breeding: ?Angola; ?Benin; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; Equatorial Guinea [829]; ?Gabon; ?Ghana; ?Guinea [1042]; Liberia; ?Nigeria; Rwanda; ?Sierra Leone; ?Sudan; Togo [200]; ?Uganda; Zaire; Zambia

Non-breeding: Angola; Benin; Cameroon; Central African Republic; Congo; Gabon; Ghana; Guinea [1042]; Nigeria; Sierra Leone; Sudan; Uganda

Columba livia Gmelin 1789 III GH - 9,245,393,477,630,905,943

E: Rock Pigeon, Rock Dove; F: Pigeon biset; S: Paloma bravia

Breeding: Afghanistan; Albania; Algeria; [Angola] [146]; [Antigua and Barbuda]; Armenia; [Austria]; Azerbaijan; Azores; Bangladesh; [Barbados]; Belarus; [Belize]; Bhutan; Bosnia and Herzegovina; [Brunei]; Bulgaria; ?Burkina Faso; [Cambodia]; Canary Islands; Cape Verde; Chad; China; [Costa Rica]; Côte d'Ivoire; Croatia; Cyprus; Czech Republic; [Djibouti]; [Dominica]; Egypt; [El Salvador]; Estonia; Ethiopia; Faeroe Islands; Federated States of Micronesia [817]; Fiji [817]; France; [France]; [French Polynesia]; Gambia; Georgia; ?Ghana; [Gibraltar]; Greece; [Guatemala] [78]; [Guernsey]; ?Guinea; ?Guinea-Bissau; Hawaiian Islands; [Honduras]; Iceland; India; [Indonesia]; Bali] [676], Irian Jaya, Kalimantan [480], ?Sumatra [22]; Iran; Iraq; Ireland; Israel; Italy; Jordan; Kazakhstan; Kyrgyzstan; [Lao P.D.R.]; Latvia; Lebanon; [Lesotho]; Libya; [Liechtenstein]; Lithuania; Macedonia; Madeira; [Malaysia]; [Peninsular Malaysia]; Mali; Malta; Mauritania; [Mexico]; Moldova; Mongolia; Morocco;

including Western Sahara; [Mozambique] [146]; Myanmar; [Namibia]; Nepal; Niger; Nigeria; Norway; Oman; Pakistan; Portugal; Romania; Russian Federation; [Saint Lucia]; São Tomé and Príncipe; São Tomé [302]; Saudi Arabia; ?Senegal; [Seychelles]; [Aldabra] [356]; [Singapore]; Slovak Republic; Slovenia; [South Africa] [145,204]; Spain; Sri Lanka; Sudan; [Swaziland]; Sweden; [Switzerland]; Syria; Taiwan; Tajikistan; ?Togo; Tunisia; Turkey; Turkmenistan; Ukraine; United Arab Emirates; United Kingdom; Uzbekistan; [Viet Nam]; [Virgin Islands of the United States]; Yemen; Yugoslavia; [Zambia] [146]; [Zimbabwe] [146]

Non-breeding: Burkina Faso; Ghana; Guinea; Guinea-Bissau; Senegal; Togo

Vagrant: Jersey

Columba mayeri Prévost 1843 III MU C 226,228,393

(= *Nesoenas mayeri*)

E: Pink Pigeon; F: Pigeon rose, Pigeon de Maurice; S: Paloma de Mauricio

Breeding: Mauritius

Columba unicincta Cassin 1860 III GH - 141,393,905,943,1012

E: Afep Pigeon, African Wood-Pigeon, Grey Wood-Pigeon; F: Pigeon gris, Pigeon gris écaillé; S: Paloma afep

Breeding: ?Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; Guinea [723]; Liberia; Rwanda; ?Sierra Leone; ?Sudan; ?Tanzania; Uganda; Zaire; Zambia

Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Ghana; Sierra Leone; Sudan; Tanzania

Ducula mindorensis (Whitehead 1896) I E 226,393

E: Mindoro Imperial-Pigeon; F: Carpophage de Mindoro; S: Paloma de Mindoro

Breeding: Philippines: Mindoro

Gallicolumba luzonica (Scopoli 1786) II - 226,393,812

E: Luzon Bleeding-heart; F: Gallicolombe poignardée, Colombe poignardée; S: Paloma apuñalada de Luzón

Breeding: Philippines: Catanduanes, Luzon, Polillo

Goura cristata (Pallas 1764) II V 226,393,891

E: Western Crowned-Pigeon, Blue Crowned-Pigeon; F: Goura couronné; S: Paloma crestada azul

Breeding: Indonesia: Batanta, Irian Jaya, Misool, Salawati, [Seram] [647], Waigeo; Papua New Guinea

Goura scheepmakeri Finsch 1876 II V 82,226,393,891

E: Southern Crowned-Pigeon, Maroon-breasted Crowned-Pigeon, Scheepmaker's Crowned-Pigeon;

F: Goura de Sheepmaker; S: Paloma crestada de Scheepmaker

Breeding: Indonesia: Irian Jaya; Papua New Guinea

Goura victoria (Fraser 1844) II V 82,226,393,891

E: Victoria Crowned-Pigeon; F: Goura de Victoria; S: Paloma crestada victoria

Breeding: Indonesia: Biak, Irian Jaya, Yapen; Papua New Guinea

Oena capensis (Linnaeus 1766) III GH - 141,203,245,393,869,905,943, 1012

E: Namaqua Dove, Long-tailed Dove, Masked Dove; F: Tourtelette masquée, Tourterelle du Cap; S: Palomita especulada capense

Breeding: Algeria; Angola; Botswana; Burkina Faso [996]; Central African Republic; Chad; ?Congo; ?Côte d'Ivoire; Djibouti; Eritrea; Ethiopia; Gabon; ?Ghana; ?Guinea; Israel; Kenya; Lesotho; Madagascar; Malawi; Malawi; Mali; Mauritania; Morocco; ?Mozambique; Namibia; ?Niger; Nigeria; Oman; Saudi Arabia; Senegal; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; ?Uganda; Western Sahara; Yemen; Zambia; Zimbabwe

Non-breeding: Bahrain; Benin; Cameroon; Congo; Côte d'Ivoire; Gambia; Ghana; Guinea [1042]; Guinea-Bissau; Jordan; Mozambique; Niger; Rwanda; Tanzania; Uganda; Zaire

Vagrant: Burundi; Egypt; Iraq; Kuwait [807]; Qatar; Sierra Leone; United Arab Emirates

<i>Streptopelia decipiens</i> (Hartlaub & Finsch 1870)	III GH	-	141,203,393,869,905,943,1012
E: Mourning Collared-Dove, African Mourning Dove; F: Tourterelle pleureuse; S: Tórtola engañosa			
Breeding: Angola; Benin; Botswana; Burkina Faso [996]; Burundi; Cameroon; Central African Republic; Chad; ?Djibouti; Ethiopia; Gambia; Ghana; Kenya; Malawi; Mali; Mauritania; Mozambique; Namibia; Niger; Nigeria; Rwanda; Senegal; Somalia; South Africa; Sudan; Tanzania; Togo; Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Djibouti			
<i>Streptopelia roseogrisea</i> (Sundevall 1857)	III GH	-	393,477,905,943,1012
E: African Collared-Dove, Pink-headed Dove, Rose-grey Dove; F: Tourterelle rieuse; S: Tórtola rosigris			
Breeding: Benin; ?Burkina Faso; ?Cameroon; Chad; Djibouti; Egypt; Eritrea; Ethiopia; ?Gambia; Mali; Mauritania; Niger; ?Nigeria; Saudi Arabia; Senegal; Somalia; Sudan; Yemen			
Non-breeding: Burkina Faso; Cameroon; Gambia; Nigeria			
Vagrant: Ghana			
<i>Streptopelia semitorquata</i> (Rüppell 1837)	III GH	-	141,203,393,477,869,905,943,1012
E: Red-eyed Dove; F: Tourterelle à collier; S: Tórtola rizum			
Breeding: Angola; ?Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Eritrea; Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Lesotho; Liberia; Malawi; Mali; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Saudi Arabia; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; Uganda; Yemen; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Cameroon; Chad; Equatorial Guinea; Guinea; Mauritania; Mozambique; Niger; Tanzania; Zaire			
<i>Streptopelia senegalensis</i> (Linnaeus 1766)	III GH	-	9,141,203,245,393,477,869,905,943,1012
E: Laughing Dove, Senegal Dove, Palm Dove; F: Tourterelle maillée; S: Tórtola senegalesa			
Breeding: Afghanistan; Algeria; Angola; [Australia]; Bangladesh; ?Benin; Bhutan; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; Chad; China; Côte d'Ivoire; Djibouti; Egypt; Equatorial Guinea; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; India; Iran; Israel; Jordan; Kazakhstan; Kenya; Kyrgyzstan; Lebanon; Lesotho; Libya [686]; Malawi; Mali; Mauritania; ?Mozambique; Namibia; Nepal; Niger; Nigeria; Oman; Pakistan; Qatar; Rwanda; São Tomé and Príncipe; São Tomé; Saudi Arabia; Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; Syria; Tajikistan; ?Tanzania; Togo; Tunisia; Turkey; Turkmenistan; Uganda; United Arab Emirates; Yemen; Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Cameroon; Gabon; Guinea; Guinea-Bissau; Liberia; Mozambique; Sierra Leone; Tanzania			
Vagrant: Bahrain; Cyprus; Finland; Greece; Iraq; Italy; Kuwait [807]; Malta; Morocco			
<i>Streptopelia tutur</i> (Linnaeus 1758)	III GH	-	141,245,393,477,726,1012
E: European Turtle-Dove, Western Turtle-Dove, Turtle Dove; F: Tourterelle des bois; S: Tórtola común			
Breeding: Afghanistan; Albania; Algeria; Andorra; Armenia; Austria; Azerbaijan; Bahrain; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canary Islands; Chad; China; Croatia; Cyprus; Czech Republic; Denmark; Egypt; Estonia; Finland; France; Georgia; Germany; Greece; Guernsey; Hungary; Iran; Iraq; Ireland; Israel; Italy; Jersey; Jordan; Kazakhstan; Kuwait; Kyrgyzstan; Latvia; Lebanon; Libya; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madeira; Malta; Moldova; Mongolia; Morocco; Netherlands; ?Niger; Oman; Poland; Portugal; Qatar; Romania; Russian Federation; Saudi Arabia; Slovak Republic; Slovenia; Spain; Switzerland; Syria; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; ?United Arab Emirates; United Kingdom; Uzbekistan; Yugoslavia			
Non-breeding: Burkina Faso; Cameroon; Cape Verde; Eritrea; Ethiopia; Faeroe Islands; Gabon; Gambia; Ghana; Gibraltar; Guinea [724]; Guinea-Bissau; Libya; Mali; Mauritania; Morocco; Western Sahara; Niger; Nigeria; Senegal; Sierra Leone; Somalia; Sudan; Sweden; Togo; United Arab Emirates; Yemen			

Vagrant: Azores; Comoros; Côte d'Ivoire; Djibouti; Iceland; Kenya [423]; Maldives; Namibia [1089]; Norway; Pakistan; Seychelles; Aldabra [356]; South Africa; Uganda; Zaire

Streptopelia vinacea (Gmelin 1789) III GH - 141,393,905,943,1012

E: Vinaceous Dove; F: Tourterelle vineuse; S: Tórtola vinosa

Breeding: Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Mali; Mauritania; Niger; Nigeria; Senegal; Sierra Leone; Sudan; ?Togo; ?Uganda; ?Zaire

Non-breeding: Cameroon; Central African Republic; Chad; Eritrea; Guinea; Guinea-Bissau; Liberia; Togo; Uganda; Zaire

Treron calva (Temminck 1808) III GH - 141,203,393,869,905,943,1012

(= *Treron australis calva*)

E: African Green-Pigeon; F: Colombar à front nu

Breeding: Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Equatorial Guinea: continental [829], Bioko; ?Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Liberia; Malawi; Mali; ?Mozambique; ?Namibia; ?Niger; Nigeria; Rwanda; São Tomé and Príncipe; Príncipe; Senegal; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe

Non-breeding: Benin; Burkina Faso; Cameroon; Chad; Congo; Ethiopia; Guinea [1042]; Guinea-Bissau; Mozambique; Namibia; Niger; Tanzania; Togo

Vagrant: Mauritania

Treron waalia (Meyer 1793) III GH - 141,393,905,943,1012

E: Bruce's Green-Pigeon, Yellow-bellied Green-Pigeon; F: Colombar Waalia, Pigeon à epaulettes violettes; S: Vinago Waalia

Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; Djibouti; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; ?Kenya; Mali; Mauritania; Niger; Nigeria; ?Oman; Saudi Arabia; Senegal; Somalia; Sudan; ?Togo; ?Uganda; Yemen; ?Zaire

Non-breeding: Benin; Cameroon; Chad; Guinea [1042]; Guinea-Bissau; Kenya; Oman; Togo; Uganda; Zaire

Turtur abyssinicus (Sharpe 1902) III GH - 141,393,905,943,1012

E: Black-billed Wood-Dove; F: Tourtelette d'Abyssinie, Emeraude à bec noir; S: Palomita especulada abisinica

Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; Djibouti; ?Eritrea; ?Ethiopia; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; ?Kenya; Liberia; Mali; Mauritania; Niger; Nigeria; Senegal; Sudan; ?Togo; ?Uganda

Non-breeding: Benin; Cameroon; Chad; Eritrea; Ethiopia; Guinea [1042]; Guinea-Bissau; Kenya; Togo; Uganda

Turtur afer (Linnaeus 1766) III GH - 141,203,393,905,943,1012

E: Blue-spotted Wood-Dove, Red-billed Wood-Dove; F: Tourtelette améthystine, Emeraude à bec rouge; S: Palomita especulada africana

Breeding: Angola; ?Benin; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Eritrea; Ethiopia [533]; Gabon; Gambia; Ghana; ?Guinea; Guinea-Bissau; Kenya; Liberia; Malawi; Mali; ?Mauritania; ?Mozambique; ?Niger; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?South Africa; ?Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe

Non-breeding: Benin; Cameroon; Chad; Equatorial Guinea [829]; Eritrea; Guinea; Mauritania; Mozambique; Niger; Senegal; South Africa; Sudan; Tanzania; Togo; Uganda

Turtur brehmeri (Hartlaub 1865) III GH - 393,905,943,1012

E: Blue-headed Wood-Dove, Blue-headed Dove; F: Tourtelette demoiselle, Tourterelle à tête bleue; S: Palomita especulada cobrizá

Breeding: ?Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; Gabon; Ghana; Guinea; Liberia; Nigeria; Sierra Leone; ?Togo [200]; Zaire

Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea; Togo

<i>Turtur tympanistria</i> (Temminck 1809)	III GH	-	141,203,393,869,905,943,1012
E: Tambourine Dove; F: Tourtelette tambourette, Tourterelle tambourette; S: Tórtola tamborilera			
Breeding: Angola; ?Benin; Burundi; ?Cameroon; ?Central African Republic; [?Comoros]; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Ethiopia; Gabon; ?Ghana; ?Guinea; Kenya; Liberia; Malawi; ?Mozambique; Nigeria; Rwanda; Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo [200]; Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Cameroon; Central African Republic; Equatorial Guinea [829]; Ethiopia; Ghana; Guinea; Mozambique; Somalia; Tanzania; Togo			
Vagrant: Senegal			

Order PSITTACIFORMES

Family PSITTACIDAE

<i>Agapornis canus</i> (Gmelin 1788)	II	-	348,943
E: Grey-headed Lovebird, Madagascar Lovebird; F: Inséparable à tête grise			
Breeding: [Comoros]; Madagascar [266]; [Mauritius (ex)]; [Mayotte]; [Réunion]; [Seychelles]; [Amirantes]; [South Africa (ex)]			
<i>Agapornis fischeri</i> Reichenow 1887	II	-	141,226,348,358,903,943
E: Fischer's Lovebird; F: inséparable de Fischer			
Breeding: [Kenya]; Tanzania			
Vagrant: Burundi; Rwanda			
<i>Agapornis lilianae</i> Shelley 1894 (= <i>Agapornis lilianae lilianae</i>)	II	-	203,348,358,903,943
E: Lilian's Lovebird, Nyasa Lovebird; F: Inséparable de Lilian			
Breeding: ?Malawi; ?Mozambique; ?Tanzania; ?Zambia; ?Zimbabwe			
Non-breeding: Malawi; Mozambique; Tanzania; Zambia; Zimbabwe			
<i>Agapornis nigrigenis</i> Sclater 1906 (= <i>Agapornis lilianae nigrigenis</i>)	II	E	203,226,228,348,903,943
E: Black-cheeked Lovebird; F: Inséparable à joues noires			
Breeding: Zambia; Zimbabwe (ex?)			
<i>Agapornis personatus</i> Reichenow 1887	II	-	141,348,358,943
E: Yellow-collared Lovebird, Masked Lovebird, Black-masked Lovebird; F: Inséparable masqué			
Breeding: [Burundi]; [Kenya]; Tanzania			
<i>Agapornis pullarius</i> (Linnaeus 1758)	II	-	141,348,358,905,943
E: Red-headed Lovebird, Red-faced Lovebird; F: Inséparable à tête rouge; S: Inseparable carirrojo			
Breeding: ?Angola; ?Benin; Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; ?Côte d'Ivoire; Equatorial Guinea [829]; ?Ethiopia; ?Gabon; ?Ghana; ?Guinea [723]; ?Kenya; ?[Liberia]; Nigeria; Rwanda; São Tomé and Príncipe; São Tomé; Sierra Leone; ?Sudan; ?Tanzania; ?Togo; ?Uganda; ?Zaire			
Non-breeding: Angola; Benin; Cameroon; Chad; Congo; Côte d'Ivoire; Ethiopia; Gabon; Ghana; Guinea [723]; Kenya; Sudan; Tanzania; Togo; Uganda; Zaire			
<i>Agapornis roseicollis</i> (Vieillot 1818)	II	-	203,348,358,903,905
E: Rosy-faced Lovebird, Peach-faced Lovebird; F: Inséparable rosegorge			
Breeding: Angola; Namibia; ?South Africa			
Non-breeding: South Africa			

<i>Agapornis swindernianus</i> (Kuhl 1820)	II	-	141,348,358,903,905,943
E: Black-collared Lovebird; F: Inséparable à collier noir; S: Inseparable de collera			
Breeding: ?Cameroon; ?Central African Republic; ?Congo; ?Côte d'Ivoire; Gabon; ?Ghana; ?Liberia; ?Uganda; Zaire			
Non-breeding: Cameroon; Central African Republic; Congo; Côte d'Ivoire; Ghana; Liberia; Uganda			
<i>Agapornis taranta</i> (Stanley 1814)	II	-	348,358,943
E: Black-winged Lovebird, Abyssinian Lovebird; F: Inséparable d'Abyssinie			
Breeding: ?Eritrea; Ethiopia			
Non-breeding: Eritrea			
<i>Alisterus amboinensis</i> (Linnaeus 1766)	II	-	226,348,903
E: Moluccan King-Parrot, Amboin King-Parrot; F: Perruche tricolore			
Breeding: Indonesia: Ambon, Buru, Halmahera, Irian Jaya, Peleng, Seram, Sula Islands, Western Papuan Islands [1063], Irian Jaya; Papua New Guinea			
<i>Alisterus chloropterus</i> (Ramsay 1879)	II	-	348,903
E: Papuan King-Parrot, Green-winged King-Parrot; F: Perruche à ailes vertes			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Alisterus scapularis</i> (Lichtenstein 1818)	II	-	348,939
E: Australian King-Parrot; F: Perruche royale			
Breeding: Australia			
<i>Amazona aestiva</i> (Linnaeus 1758)	II	-	348,713,840
E: Blue-fronted Parrot, Turquoise-fronted Parrot, Blue-fronted Amazon; F: Amazone à front bleu; S: Loro hablador			
Breeding: Argentina [95]; Bolivia; Brazil; Paraguay			
<i>Amazona agilis</i> (Linnaeus 1758)	II	V	15,115,226,348,903
E: Black-billed Parrot, Black-billed Amazon; F: Amazone verte, Amazone agile; S: Amazonico jamaica, Amazonico todo verde, Amazonico activo			
Breeding: Jamaica			
<i>Amazona albifrons</i> (Spartman 1788)	II	-	15,348,840
E: White-fronted Parrot, White-fronted Amazon; F: Amazone à front blanc; S: Loro frente blanca, Perico manglero, Loro frentiblanco			
Breeding: Belize; Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua			
<i>Amazona amazonica</i> (Linnaeus 1766)	II	-	348,713,840
E: Orange-winged Parrot, Orange-winged Amazon; F: Amazone aourou, Amazone à ailes vertes; S: Loro guaro			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; [Puerto Rico]; Suriname; Trinidad and Tobago; Venezuela			
<i>Amazona arausiaca</i> (Müller 1776)	I	V	15,115,226,229,319,348,570,903
E: Red-necked Parrot, Red-necked Amazon; F: Amazone de Bouquet, Amazone à tête bleue; S: Amazona cabenazul, Amazona cabeza azul			
Breeding: Dominica			
<i>Amazona auropalliata</i> (Lesson 1842)	II	-	15,348,787
(= <i>Amazona ochrocephala auropalliata</i>)			
E: Yellow-naped Parrot, Yellow-naped Amazon; F: Amazone à nuque d'or; S: Loro nuquiamarillo			
Breeding: Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua			

<i>Amazona autumnalis</i> (Linnaeus 1758)	II	-	15,348,713,840
E: Red-lored Parrot, Red-lored Amazon; F: Amazone diadème, Amazone à joues jaunes; S: Loro frente roja, Cotorra cucha, Loro frentirrojo, Loro cachete-amarillo			
Breeding: Belize; Brazil; Colombia; Costa Rica; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela			
<i>Amazona barbadensis</i> (Gmelin 1788)	I	V	226,229,348,713,840,903
E: Yellow-shouldered Parrot, Yellow-shouldered Amazon; F: Amazone à épaulettes jaunes, Amazone de la Barbade; S: Amazona de espalda amarilla, Cotorra cabeciamarilla			
Breeding: Aruba (ex?); Netherlands Antilles: Bonaire; Venezuela [861,928,1026]			
<i>Amazona brasiliensis</i> (Linnaeus 1758)	I	E	226,229,348,570,713,787,840, 889
E: Red-tailed Parrot, Red-tailed Amazon; F: Amazone à joues bleues, Amazone à joues vertes, Amazone à queue rouge, Amazone du Brésil; S: Papagayo de cara roja, Loro cariazul			
Breeding: Brazil			
<i>Amazona collaria</i> (Linnaeus 1758)	II	-	15,115,226,348,903
E: Yellow-billed Parrot, Yellow-billed Amazon; F: Amazone sasabé, Amazone de la Jamaïque; S: Loro de Jamaica			
Breeding: Jamaica			
<i>Amazona dufresniana</i> (Shaw 1812)	II	-	226,348,713,840
E: Blue-cheeked Parrot, Blue-cheeked Amazon; F: Amazone de Dufresne, Amazone à joues bleues; S: Loro cariazul			
Breeding: French Guiana; Guyana; Suriname; Venezuela			
<i>Amazona farinosa</i> (Boddaert 1783)	II	-	15,348,713,840
E: Mealy Parrot, Mealy Amazon; F: Amazone poudrée, Amazone farinienne; S: Loro cabeza azul, Loro burrión, Loro burrón, Loro verde			
Breeding: Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Venezuela			
<i>Amazona festiva</i> (Linnaeus 1758)	II	-	348,713,840
E: Festive Parrot, Festive Amazon; F: Amazone tavoua, Amazone festiva; S: Loro lomirrojo			
Breeding: Brazil; Colombia; ?Ecuador; Guyana; Peru; Venezuela			
<i>Amazona finschi</i> (Sclater 1864)	II	-	15,226,348
E: Lilac-crowned Parrot, Lilac-crowned Amazon; F: Amazone à couronne lilas, Amazone de Finsch; S: Cotorra frente roja, Loro corona-violeta			
Breeding: Mexico			
<i>Amazona guildingii</i> (Vigors 1837)	I	V	15,115,174,226,229,348,514,5 15,570,599,600,903
E: Saint Vincent Parrot, Saint Vincent Amazon; F: Amazone de Saint-Vincent, Amazone de Guilding; S: Amazona de San Vincente			
Breeding: Saint Vincent			
<i>Amazona imperialis</i> Richmond 1899	I	V	15,115,226,229,319,348,570
E: Imperial Parrot, Imperial Amazon; F: Amazone impériale; S: Amazona imperial			
Breeding: Dominica			
<i>Amazona kawalli</i> Grantsau & Camargo 1989	II	-	
E: Kawall's Parrot, Kawall's Amazon; F: Amazone de Kawall			
Breeding: Brazil			

<i>Amazona leucocephala</i> (Linnaeus 1758)	I	-	15,115,226,348,570
E: Cuban Parrot, Cuban Amazon, Caribbean Amazon; F: Amazone de Cuba, Amazone à tête blanche, Amazone à face rouge; S: Amazona de Cuba			
Breeding: Bahamas: Great Inagua, Abaco, Long (ex), Crooked (ex), Fortune (ex), Acklins (ex) [948]; Cayman Islands; Cuba			
<i>Amazona mercenaria</i> (Tschudi 1844)	II	-	348,713,840
E: Scaly-naped Parrot, Scaly-naped Amazon; F: Amazone mercenaire; S: Loro verde			
Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Amazona ochrocephala</i> (Gmelin 1788)	II	-	15,348,713,787
E: Yellow-crowned Parrot, Yellow-crowned Amazon, Yellow-fronted Amazon; F: Amazone à front jaune, Amazone à tête jaune; S: Loro nuca amarilla, Loro mona amarilla, Loro real, Loro cabeza amarilla			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Honduras; Panama; Peru; Suriname; ?Trinidad and Tobago; Trinidad; Venezuela			
<i>Amazona oratrix</i> Ridgway 1887	II	E	15,120,213,226,229,348,787,903
(= <i>Amazona ochrocephala oratrix</i>)			
E: Yellow-headed Parrot, Yellow-headed Amazon; F: Amazone à tête jaune; S: Loro cabeciamarillo			
Breeding: Belize; Guatemala; Honduras; Mexico [1019]; [Puerto Rico]			
<i>Amazona pretrei</i> (Temminck 1830)	I	E	226,229,348,570,713,787,840,903,926
E: Red-spectacled Parrot, Red-spectacled Amazon; F: Amazone de Prêtre, Amazone à face rouge;			
S: Amazona cabecirroja, Loro de cabeza roja, Loro cabecirrojo			
Breeding: Argentina [95]; Brazil [921]; ?Paraguay; Uruguay			
<i>Amazona rhodocorytha</i> (Salvadori 1890)	I	E	226,229,348,713,840,901,903
(= <i>Amazona dufresniana rhodocorytha</i>)			
E: Red-browed Parrot, Red-topped Parrot, Red-browed Amazon, Red-topped Amazon; F: Amazone à sourcils rouges, Amazone à joues bleues; S: Amazona crestirroja			
Breeding: Brazil			
<i>Amazona tucumana</i> (Cabani 1885)	I	-	348,713,787
E: Tucuman Parrot, Alder Parrot, Tucuman Amazon; F: Amazone de Tucuman, Amazone de Tucman;			
S: Loro alisero			
Breeding: Argentina [95]; Bolivia (ex?)			
<i>Amazona ventralis</i> (Müller 1776)	II	-	15,115,226,348,787,903
E: Hispaniolan Parrot, Hispaniolan Amazon; F: Amazone d'Hispaniola, Amazone de San Domingo;			
S: Loro de Hispaniola, Cotorra			
Breeding: Dominican Republic; Haiti; [Puerto Rico]			
<i>Amazona versicolor</i> (Müller 1776)	I	V	15,115,173,175,176,226,229,348,515,516,517,570
E: Saint Lucia Parrot, Saint Lucia Amazon; F: Amazone de Sainte-Lucie, Amazone versicolore;			
S: Amazona de Santa Lucia			
Breeding: Saint Lucia			
<i>Amazona vinacea</i> (Kuhl 1820)	I	E	226,229,348,713,787,840,903
E: Vinaceous Parrot, Vinaceous Amazon; F: Amazone vineuse, Amazone bourgogne; S: Amazona pechivinosa, Loro pecho vinoso, Loro pechivinoso			
Breeding: Argentina [95]; Brazil; Paraguay			

<i>Amazona viridigenalis</i> (Cassin 1853)	II	E	15,226,229,348,787,840,903
E: Red-crowned Parrot, Green-cheeked Amazon, Red-crowned Amazon; F: Amazone à joues vertes; S: Amapola, Loro cabeza roja, Loro Tamaulipeco			
Breeding: Mexico [212]; [Puerto Rico]; [USA]			
<i>Amazona vittata</i> (Boddaert 1783)	I	C	15,115,142,226,229,348,570,6 23,624,636,716,787,903,949
E: Puerto Rican Parrot, Puerto Rican Amazon; F: Amazone de Puerto Rico, Amazone à bandeau rouge; S: Amazona de Puerto Rico			
Breeding: Puerto Rico			
<i>Amazona xantholora</i> (Gray 1859)	II	-	15,348,787
E: Yellow-lored Parrot, Yellow-lored Amazon; F: Amazone du Yucatan, Amazone à lores jaunes; S: Loro yucateci, Loro yucateco			
Breeding: Belize; ?Honduras: Roatan Island; Mexico			
<i>Amazona xanthops</i> (Spix 1824)	II	V	226,348,713,787
E: Yellow-faced Parrot, Yellow-faced Amazon; F: Amazone à face jaune; S: Amazona de cara amarilla			
Breeding: Bolivia [833]; Brazil [921]; Paraguay			
<i>Anodorhynchus glaucus</i> (Vieillot 1816)	I	Ex	193,226,229,348,570,713,787, 840,903
E: Glaucous Macaw; F: Ara glauque, Ara bleu; S: Guacamayo violáceo, Ara azul			
Breeding: Argentina (ex?) [95]; Brazil (ex?); Paraguay (ex?); Uruguay (ex)			
<i>Anodorhynchus hyacinthinus</i> (Latham 1790)	I	V	207,226,229,348,713,734,787, 840,903,925
E: Hyacinth Macaw; F: Ara hyacinthe, Ara bleu, Ara jacinthe; S: Guacamaya azul			
Breeding: Bolivia; Brazil [419,420,733,921]; Paraguay [450]			
<i>Anodorhynchus leari</i> Bonaparte 1856	I	C	129,226,229,348,439,570,648, 713,787,903,918,1099
E: Indigo Macaw, Lear's Macaw; F: Ara de Lear, Ara cobalt; S: Guacamayo cobalto			
Breeding: Brazil			
<i>Aprosmictus erythropterus</i> (Gmelin 1788)	II	-	348,939
E: Red-winged Parrot; F: Perruche érythroptére			
Breeding: Australia; Indonesia: Irian Jaya; Papua New Guinea			
<i>Aprosmictus jonquillaceus</i> (Vieillot 1818)	II	-	226,348,903,1063
E: Olive-shouldered Parrot, Timor Red-winged Parrot; F: Perruche jonquille			
Breeding: Indonesia: Roti, Timor, Wetar			
<i>Ara ambiguus</i> (Bechstein 1811)	I	-	15,348,570,713,787,903
E: Great Green Macaw, Buffon's Macaw; F: Ara de Buffon; S: Guacamayo verde mayor			
Breeding: Colombia; Costa Rica; Ecuador; Honduras [669]; Nicaragua; Panama			
<i>Ara ararauna</i> (Linnaeus 1758)	II	-	348,713,787
(includes <i>Ara caninde</i> (Wagler 1832))			
E: Blue-and-yellow Macaw, Blue-and-gold Macaw; F: Ara bleu; S: Guacamayo azulamarillo, Guacamayo azul y amarillo			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Panama; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Ara auricollis</i> Cassin 1853	II	-	348,713,787
E: Yellow-collared Macaw, Golden-collared Macaw; F: Ara à collier jaune; S: Maracana cuellidorada			
Breeding: Argentina [95]; Bolivia; Brazil; Paraguay			

<i>Ara chloropterus</i> Gray 1859	II	-	15,348,713,787
E: Red-and-green Macaw, Green-winged Macaw; F: Ara chloroptére; S: Guacamayo rojo			
Breeding: Argentina (ex) [95]; Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Panama; Paraguay; Peru; Suriname; Venezuela			
<i>Ara couloni</i> Sclater 1876	II	-	348,713,787
E: Blue-headed Macaw; F: Ara de Coulon			
Breeding: Bolivia [780]; ?Brazil; Peru			
<i>Ara glaucogularis</i> Dabbene 1921	I	E	38,226,229,348,499,570,607,7 13,787,903
(= <i>Ara caninde</i> misapplied)			
E: Blue-throated Macaw; F: (Ara canindé - mis-applied), Ara bleu et jaune; S: Guacamayo amarilla			
Breeding: ?Argentina [95]; Bolivia [540,833]; ?Paraguay			
<i>Ara macao</i> (Linnaeus 1758)	I	-	15,348,713,787
E: Scarlet Macaw; F: Ara rouge; S: Guacamayo bandera, Guacamaya roja			
Breeding: Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador (ex); French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; ?Trinidad and Tobago; Trinidad; Venezuela			
<i>Ara manilata</i> (Boddaert 1783)	II	-	348,713,787
E: Red-bellied Macaw; F: Ara macavouanne; S: Guacamayo barriga roja			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Ara maracana</i> (Vieillot 1816)	I	V	226,348,713,787,903
E: Blue-winged Macaw, Illiger's Macaw; F: Ara d'ILLIGER; S: Maracana dorsirroja			
Breeding: Argentina (ex) [95]; Brazil; Paraguay			
<i>Ara militaris</i> (Linnaeus 1766)	I	V	226,348,713,787,903
E: Military Macaw; F: Ara militaire; S: Guacamayo verde			
Breeding: Argentina (ex) [95]; Bolivia; Colombia; Ecuador; ?Guatemala (ex); Mexico; Peru; Venezuela			
<i>Ara nobilis</i> (Linnaeus 1758)	II	-	348,713,787
E: Red-shouldered Macaw, Noble Macaw; F: Ara noble; S: Guacamayo enano			
Breeding: Bolivia; Brazil; ?French Guiana; Guyana; Peru; Suriname; Venezuela			
<i>Ara rubrogenys</i> Lafresnaye 1847	I	E	126,210,226,229,348,607,608, 713,732,787,840,903
E: Red-fronted Macaw; F: Ara de Lafresnaye; S: Guacamayo frentirroja			
Breeding: Bolivia			
<i>Ara severa</i> (Linnaeus 1758)	II	-	348,713,787
E: Chestnut-fronted Macaw, Severe Macaw; F: Ara vert; S: Maracaná			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Panama; Peru; Suriname; [USA] [619]; Venezuela			
<i>Aratinga acuticaudata</i> (Vieillot 1818)	II	-	348,713,787
E: Blue-crowned Parakeet, Blue-crowned Conure; F: Conure à tête bleue; S: Cotorra de los Palos, Carapaico			
Breeding: Argentina; Bolivia; Brazil; Colombia; Paraguay; Uruguay; Venezuela			
<i>Aratinga aurea</i> (Gmelin 1788)	II	-	348,713,787
E: Peach-fronted Parakeet, Peach-fronted Conure, Golden-crowned Conure; F: Conure couronnée; S: Cotorra frentidorada			
Breeding: Argentina [95]; Bolivia; Brazil; Paraguay; Peru; Suriname			

<i>Aratinga auricapilla</i> (Kuhl 1820)	II	V	226,229,348,713,787,840,903
E: Golden-capped Parakeet, Golden-capped Conure; F: Conure à tête d'or			
Breeding: Brazil			
<i>Aratinga cactorum</i> (Kuhl 1820)	II	-	348,713,787
E: Caatinga Parakeet, Cactus Conure, Cactus Parakeet; F: Conure des cactus			
Breeding: Brazil			
<i>Aratinga canicularis</i> (Linnaeus 1758)	II	-	15,348,787
E: Orange-fronted Parakeet, Orange-fronted Conure; F: Conure à front rouge; S: Perico frentinaranja			
Breeding: Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; [Puerto Rico]			
<i>Aratinga chloroptera</i> (Souancé 1856)	II	V	15,115,226,348,787,903
E: Hispaniolan Parakeet, Hispaniolan Conure; F: Conure maîtresse; S: Perico			
Breeding: Dominican Republic; Haiti; [Puerto Rico]			
<i>Aratinga erythrogenys</i> (Lesson 1844)	II	-	226,348,713,787
E: Red-masked Parakeet, Red-masked Conure; F: Conure à tête rouge; S: Perico caretirrojo			
Breeding: Ecuador; Peru			
<i>Aratinga euops</i> (Wagler 1832)	II	V	15,115,226,229,348,787,903, I 071
E: Cuban Parakeet, Cuban Conure; F: Conure de Cuba			
Breeding: Cuba			
<i>Aratinga finschi</i> (Salvin 1871)	II	-	15,348,787
E: Crimson-fronted Parakeet, Crimson-fronted Conure, Finsch's Conure; F: Conure de Finsch			
Breeding: Costa Rica; Nicaragua; Panama -			
<i>Aratinga guarouba</i> (Gmelin 1788)	I	E	226,229,348,570,713,763,787, 922
(= <i>Guaruba guarouba</i>)			
E: Golden Parakeet, Golden Conure, Queen of Bavaria's Conure; F: Conure doré, Peruche dorée, Guarouba jaune, Perruche guarouba; S: Cotorra amarilla			
Breeding: Brazil			
<i>Aratinga holochlora</i> (Sclater 1859)	II	-	15,348,787
(includes <i>Aratinga brevipes</i> (Lawrence 1871), <i>Aratinga rubritorquis</i> (Sclater 1887))			
E: Green Parakeet, Green Conure; F: Conure verte; S: Perico verde			
Breeding: El Salvador; Guatemala; Honduras; Mexico: including Isla Socorro, Islas Revillagigedo [226,229,518,859]; Nicaragua			
<i>Aratinga jandaya</i> (Gmelin 1788)	II	-	348,713,787
E: Jandaya Parakeet, Yellow-headed Parakeet, Jandaya Conure; F: Conure jandaya			
Breeding: Brazil			
<i>Aratinga leucophthalmus</i> (Müller 1776)	II	-	348,713,787
E: White-eyed Parakeet, White-eyed Conure; F: Conure pavouane; S: Cotorra verde, Perico ojo blanco			
Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Paraguay; Peru; Suriname; Uruguay; Venezuela			
<i>Aratinga mitrata</i> (Tschudi 1844)	II	-	348,713,787
E: Mitred Parakeet, Mitred Conure; F: Conure mitrée; S: Cotorra carirroja			
Breeding: Argentina; Bolivia; Peru			

Psittacidae

CITES RL Ref

<i>Aratinga nana</i> (Vigors 1830) (includes <i>Aratinga astec</i> (Souancé 1857))	II	-	15,348,787
E: Olive-throated Parakeet, Olive-throated Conur, (Aztec Parakeet); pechisucio	F: Conure aztéque;	S: Perico	
Breeding: Belize; Costa Rica; Guatemala; Honduras; Jamaica; Mexico; Nicaragua; Panama			
<i>Aratinga pertinax</i> (Linnaeus 1758)	II	-	15,348,713,787
E: Brown-throated Parakeet, Brown-throated Conure; F: Conure cuivrée;	S: Perico cara sucia		
Breeding: Aruba; [Barbados]; Brazil; Colombia; [Dominica]; French Guiana; Guyana; Netherlands Antilles; Panama; [Puerto Rico]; Suriname [447]; Venezuela; [Virgin Islands of the United States: [Saint Thomas]			
<i>Aratinga solstitialis</i> (Linnaeus 1758)	II	-	348,713,787
E: Sun Parakeet, Sun Conure; F: Conure soleil;	S: Perico dorado		
Breeding: Brazil; French Guiana; Guyana; Suriname; Venezuela			
<i>Aratinga strenua</i> (Ridgway 1915)	II	-	15,348,787
E: Pacific Parakeet; F: Conure de Ridgway;	S: Perico verde centroamericano		
Breeding: El Salvador; Guatemala; Honduras; Mexico; Nicaragua			
<i>Aratinga wagleri</i> (Gray 1845)	II	-	348,713,787
E: Scarlet-fronted Parakeet, Red-fronted Conure; F: Conure de Wagler;	S: Chacaraco		
Breeding: Colombia; Ecuador; Peru; Venezuela			
<i>Aratinga weddellii</i> (Deville 1851)	II	-	348,713,787
E: Dusky-headed Parakeet, Dusky-headed Conure; F: Conure de Weddell;	S: Perico cabecioscuro		
Breeding: Bolivia; Brazil; Colombia; Ecuador; Peru			
<i>Bolbopsittacus lunulatus</i> (Scopoli 1786)	II	-	348,903
E: Guaiabero; F: Perruche lunulée			
Breeding: Philippines			
<i>Bolborhynchus aurifrons</i> (Lesson 1830)	II	-	348,713,787
E: Mountain Parakeet, Golden-fronted Parakeet; F: Toui à bandeau jaune;	S: Catita serrana verde		
Breeding: Argentina; Bolivia; Chile; Peru			
<i>Bolborhynchus aymara</i> (d'Orbigny 1839)	II	-	348,713,787
E: Grey-hooded Parakeet, Sierra Parakeet; F: Toui aymara;	S: Catita serrana común		
Breeding: Argentina; Bolivia; ?Chile			
<i>Bolborhynchus ferrugineifrons</i> (Lawrence 1880)	II	E	226,229,348,406,570,713,787, 840,903
E: Rufous-fronted Parakeet; F: Toui à front roux			
Breeding: Colombia			
<i>Bolborhynchus lineola</i> (Cassin 1853)	II	-	15,348,713,787
E: Barred Parakeet; F: Toui catherine;	S: Perico barreteado, Periquito barrado		
Breeding: Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela			
<i>Bolborhynchus orbygnesius</i> (Souancé 1856)	II	-	348,713,787
E: Andean Parakeet; F: Toui d'Orbigny			
Breeding: Bolivia; Peru			
<i>Brotogeris chiriri</i> (Vieillot 1818) (= <i>Brotogeris versicolurus chiriri</i>)	II	-	348,713,787
E: Yellow-chevroned Parakeet; F: Toui à ailes jaunes			
Breeding: Argentina [95]; Bolivia; Brazil			

<i>Psittacidae</i>	CITES	RL	Ref
<i>Brotogeris chrysopterus</i> (Linnaeus 1766)	II	-	348,713,787
E: Golden-winged Parakeet; F: Toui para; S: Periquito ala dorada			
Breeding: Brazil; French Guiana; Guyana; Suriname; Venezuela			
<i>Brotogeris cyanoptera</i> (Salvadori 1891)	II	-	348,713,787
E: Cobalt-winged Parakeet; F: Toui de Deville; S: Periquito azul			
Breeding: Bolivia; Brazil; Colombia; Ecuador; Peru; Venezuela			
<i>Brotogeris jugularis</i> (Müller 1776)	II	-	348,713,787
E: Orange-chinned Parakeet; F: Toui à menton d'or; S: Churica, Periquito barbinaranja			
Breeding: Colombia; Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela			
<i>Brotogeris pyrrhopterus</i> (Latham 1801)	II	-	226,348,713,787,840
E: Grey-cheeked Parakeet; F: Toui flamboyant; S: Perico cachetigris			
Breeding: Ecuador; Peru			
<i>Brotogeris sanctithomae</i> (Müller 1776)	II	-	348,713,787
E: Tui Parakeet; F: Toue à front d'or; S: Perico tui			
Breeding: Bolivia; Brazil; Colombia; Ecuador; Peru			
<i>Brotogeris tirica</i> (Gmelin 1788)	II	-	348,713,787
E: Plain Parakeet; F: Toui tirica			
Breeding: Brazil			
<i>Brotogeris versicolurus</i> (Müller 1776)	II	-	348,713,787
E: Canary-winged Parakeet; F: Toui à ailes variées; S: Catita aliamarilla			
Breeding: Brazil; Colombia; ?Ecuador; French Guiana; Peru; [Puerto Rico]; ?Suriname; [USA]			
<i>Cacatua alba</i> (Müller 1776)	II	V	224,226,348,601,903,1063
E: White Cockatoo, Umbrella Cockatoo; F: Cacatoès blanc, Cacatoès à huppe blanche; S: Cacatúa blanca, Cacatúa alba			
Breeding: Indonesia: Bacan, Halmahera, Obi, Ternate, Tidore			
<i>Cacatua ducorpii</i> Pucheran 1853	II	-	224,348
E: Ducorp's Cockatoo; F: Cacatoès de Ducorps; S: Cacatúa de Ducorps			
Breeding: Papua New Guinea: Bougainville; Solomon Islands			
<i>Cacatua galerita</i> (Latham 1790)	II	-	348,939
E: Sulphur-crested Cockatoo, Greater Sulphur-crested Cockatoo; F: Cacatoès à huppe jaune, Grand cacatoès à huppe jaune; S: Cacatúa de cresta amarilla grande			
Breeding: Australia; Indonesia: Irian Jaya, [Kai Kecil] [1063], [Seram Laut], Western Papuan Islands; [New Zealand] [619]; [Palau] [817]; Papua New Guinea; [Singapore]			
<i>Cacatua goffini</i> (Finsch 1863)	I	-	178,192,224,226,348,903,1063
E: Tanimbar Cockatoo, Tanimbar Corella, Goffin's Cockatoo; F: Cacatoès de Goffin; S: Cacatúa de Goffin			
Breeding: Indonesia: Tanimbar Islands, ?[Tual]			
<i>Cacatua haematuropygia</i> (Müller 1776)	I	C	224,226,348,903
E: Philippine Cockatoo, Red-vented Cockatoo; F: Cacatoès des Philippines, Cacatoès à ventre rouge; S: Cacatúa de cola sangrante			
Breeding: Philippines			
<i>Cacatua leadbeateri</i> (Vigors 1831)	II	-	226,348,903,939
E: Pink Cockatoo, Major Mitchell's Cockatoo, Leadbeater's Cockatoo; F: Cacatoès de Leadbeater; S: Cacatúa de Leadbeater, Cacatúa Inca			
Breeding: Australia			

<i>Cacatua moluccensis</i> (Gmelin 1788)	I	V	224,226,348,903,1063
E: Salmon-crested Cockatoo, Moluccan Cockatoo; F: Cacatoès à huppe rouge, Cacatoès des Moluques; S: Cacatúa de las Molucas			
Breeding: Indonesia: ?[Ambon], Haruku, Seram, Saparua; [Singapore]			
<i>Cacatua ophthalmica</i> Sclater 1864	II	-	224,348,903
E: Blue-eyed Cockatoo; F: Cacatoès aux yeux bleus, Cacatoès à oeil bleu; S: Cacatúa oftalmica			
Breeding: Papua New Guinea: New Britain, New Ireland			
<i>Cacatua pastinator</i> (Gould 1841)	II	-	226,348
(= <i>Cacatua tenuirostris pastinator</i>)			
E: Western Corella; F: Cacatoès laboureur, Cacatoès aux yeux nus, Cacatoès à lores rouges; S: Cacatúa de pico afilado			
Breeding: Australia			
<i>Cacatua sanguinea</i> Gould 1843	II	-	348,939
E: Little Corella, Bare-eyed Cockatoo; F: Cacatoès corella			
Breeding: Australia; ?Indonesia: Irian Jaya; ?Papua New Guinea; [Singapore]			
Non-breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Cacatua sulphurea</i> (Gmelin 1788)	II	E	224,226,348,1063
E: Yellow-crested Cockatoo, Lesser Sulphur-crested Cockatoo; F: Cacatoès soufré			
Breeding: [Hong Kong]; Indonesia: Alor, Besar, Butung, Flores, Kalao, Kalaotoa, Kayuadi, Komodo, Lombok, Madu, Muna, Padar, Pantar, Penida, Rinca, Salembu [180], Semau, Sulawesi [179], Sumba, Sumbawa, Tanahjampea, Timor, Tukangbesi; [Singapore]			
<i>Cacatua tenuirostris</i> (Kuhl 1820)	II	-	348,939
E: Long-billed Corella; F: Cacatoès nasique, Cacatoès à bec gracile; S: Cacatúa de pico afilado anaranjada			
Breeding: Australia			
<i>Callocephalon fimbriatum</i> (Grant 1803)	II	-	348,939
E: Gang-gang Cockatoo; F: Cacatoès à tête rouge, Cacatoès casqué; S: Cacatúa de cabeza roja, Gan-Gan			
Breeding: Australia			
<i>Calyptorhynchus banksii</i> (Latham 1790)	II	-	348,903,939
(= <i>Calyptorhynchus magnificus</i> (Shaw 1790))			
E: Red-tailed Black-Cockatoo; F: Cacatoès banksien, Cacatoès de Banks; S: Cacatúa de cola roja, Cacatúa negra de cola roja			
Breeding: Australia			
<i>Calyptorhynchus baudinii</i> Lear 1832	II	V	226,348,903,939
(= <i>Calyptorhynchus funereus baudinii</i>)			
E: White-tailed Black-Cockatoo; F: Cacatoès de Baudin			
Breeding: Australia			
<i>Calyptorhynchus funereus</i> (Shaw 1794)	II	-	348,939
E: Yellow-tailed Black-Cockatoo; F: Cacatoès funébre, Cacatoès à oreilles jaunes, Cacatoès à oreilles blanches; S: Cacatúa negra de cola amarilla			
Breeding: Australia			
<i>Calyptorhynchus lathami</i> (Temminck 1807)	II	V	226,348,939
E: Glossy Black-Cockatoo; F: Cacatoès de Latham; S: Cacatúa negra de Latham			
Breeding: Australia			

<i>Psittacidae</i>	CITES	RL	Ref
<i>Calyptrorhynchus laticrostris</i> Carnaby 1948 (= <i>Calyptrorhynchus funereus laticrostris</i>) E: Slender-billed Black-Cockatoo; F: Cacatoès à rectrices blanches Breeding: Australia	II	V	226,348
<i>Chalcopsitta atra</i> (Scopoli 1786) E: Black Lory; F: Lori noir Breeding: Indonesia: Irian Jaya and adjacent islands	II	-	348,891
<i>Chalcopsitta cardinalis</i> (Gray 1849) E: Cardinal Lory; F: Lori cardinal Breeding: Papua New Guinea: Bougainville, Feni Islands, Lihir, Nissan, Tabar, Tanga; Solomon Islands	II	-	348
<i>Chalcopsitta duivenbodei</i> (Dubois 1884) E: Brown Lory, Duyvenbode's Lory; F: Lori de Duyvenbode Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,903
<i>Chalcopsitta sinuata</i> Temminck 1835 E: Yellow-streaked Lory, Greater Streaked Lory; F: Lori flamméché Breeding: Indonesia: Aru Islands, Irian Jaya; Papua New Guinea	II	-	348
<i>Charmosyna amabilis</i> (Ramsay 1875) E: Red-throated Lorikeet; F: Lori à gorge rouge Breeding: Fiji: Viti Levu, Ovalau, Taveuni	II	V	226,348,903
<i>Charmosyna diadema</i> (Verreaux & Des Murs 1860) E: New Caledonian Lorikeet; F: Lori à diadème Breeding: New Caledonia (ex?)	II	E	226,348,903
<i>Charmosyna josefinae</i> (Finsch 1873) E: Josephine's Lorikeet, Josephine's Lory; F: Lori de Joséphine Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,891
<i>Charmosyna margarethae</i> Tristram 1879 E: Duchess Lorikeet; F: Lori de Margaret Breeding: Papua New Guinea: Bougainville; Solomon Islands	II	-	226,348
<i>Charmosyna meeki</i> (Rothschild & Hartert 1901) E: Meek's Lorikeet; F: Lori de Meek Breeding: Papua New Guinea: Bougainville; Solomon Islands: Guadalcanal, Kulambangra, Malaita	II	-	348
<i>Charmosyna multistriata</i> (Rothschild 1911) E: Striated Lorikeet, Streaked Lorikeet; F: Lori strié Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	226,348,891,903
<i>Charmosyna palmarum</i> (Gmelin 1788) E: Palm Lorikeet; F: Lori des palmiers Breeding: Solomon Islands: Banks Islands, Santa Cruz Islands; Vanuatu	II	-	226,348
<i>Charmosyna papou</i> (Scopoli 1786) E: Papuan Lorikeet; F: Lori papou Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,891
<i>Charmosyna placensis</i> (Temminck 1834) E: Red-flanked Lorikeet; F: Lori croquet Breeding: Indonesia: Ambelau, Amboin, Aru Islands, Bacan, Biak, Gebe, Halmahera, Irian Jaya, Kai Islands, Morotai, Obi, Panjang, Seram, Seram Laut, Tayandu, Ternate, Western Papuan Islands, Widi; Papua New Guinea	II	-	348

<i>Psittacidae</i>	CITES	RL	Ref
<i>Charmosyna pulchella</i> Gray 1859 E: Little Red Lorikeet, Fairy Lorikeet; F: Lori féérique Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348
<i>Charmosyna rubrigularis</i> (Sclater 1881) E: Red-chinned Lorikeet; F: Lori à menton rouge Breeding: Papua New Guinea: Karkar Island, New Britain, New Ireland	II	-	348,891,903
<i>Charmosyna rubronotata</i> (Wallace 1862) E: Red-fronted Lorikeet, Red-spotted Lorikeet; F: Lori à front rouge Breeding: Indonesia: Biak, Irian Jaya, Salawati; Papua New Guinea	II	-	348,891
<i>Charmosyna toxopei</i> (Siebers 1930) E: Blue-fronted Lorikeet; F: Lori de Buru Breeding: Indonesia: Buru [1063], Irian Jaya; Papua New Guinea	II	V	226,348,393,903
<i>Charmosyna wilhelminae</i> (Meyer 1874) E: Pygmy Lorikeet, Wilhelmina's Lorikeet; F: Lori de Wilhelmina Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348
<i>Coracopsis nigra</i> (Linnaeus 1758) E: Black Parrot; F: Perroquet noir Breeding: Comoros; Madagascar [266]; Seychelles: Praslin Island	II	-	348,570
<i>Coracopsis vasa</i> (Shaw 1812) E: Vasa Parrot; F: Perroquet vaza Breeding: Comoros; Madagascar [266]	II	-	348
<i>Cyanoliseus patagonus</i> (Vieillot 1818) E: Burrowing Parakeet, Patagonian Conure; F: Conure de Patagonie; S: Loro barranquero Breeding: Argentina [95]; Chile; Uruguay Vagrant: Falkland Islands	II	-	348,713,787
<i>Cyanopsitta spixii</i> (Wagler 1832) E: Little Blue Macaw, Spix's Macaw; F: Ara de Spix, Ara à face grise; S: Guacamayito azul Breeding: Brazil	I	C	226,229,265,348,429,542,543, 544,545,546,553,570,713,789, 840,1301,903,994
<i>Cyanoramphus auriceps</i> (Kuhl 1820) (excluding subspecies <i>forbesi</i> ; includes <i>Cyanoramphus malherbi</i> (Souancé 1857)) E: Yellow-fronted Parakeet, Yellow-crowned Parakeet, Yellow-fronted Kakariki; F: Perruche à tête d'or Breeding: New Zealand	II	-	226,348,718,977,978
<i>Cyanoramphus auriceps forbesi</i> Rothschild 1893 E: Chatham Island Yellow-fronted Parakeet; F: Perruche à tête d'or de Forbes; S: Periquito frentiamarillo de Forbes Breeding: New Zealand: Chatham Islands	I	-	226,348,570,718,977
<i>Cyanoramphus cookii</i> (Gray 1859) (= <i>Cyanoramphus novaezelandiae cookii</i>) E: Norfolk Parakeet, Norfolk Island Parakeet; F: Perruche de Norfolk Breeding: Norfolk Island	I	C	226,348,570
<i>Cyanoramphus novaezelandiae</i> (Sparrman 1787) E: Red-fronted Parakeet; F: Perruche de Sparrman, Perruche de Nouvelle-Zélande à bandea, Perruche de Nouvelle-Zélande; S: Periquito cabecirrojo Breeding: Australia: Lord Howe Island (ex); Macquarie Island (ex); New Caledonia; New Zealand	I	-	348,570,977

<i>Cyanoramphus unicolor</i> (Lear 1831)	II	V	226,348,903,977,1079
E: Antipodes Parakeet, Antipodes Green Parakeet; F: Perruche des Antipodes			
Breeding: New Zealand: Antipodes Islands			
<i>Cyclopsitta diophthalma</i> (Hombron & Jacquinot 1841) II	-		348,903,939
(= <i>Oropsitta diophthalma</i> ; excluding subspecies <i>coxeni</i>)			
E: Double-eyed Fig-Parrot, Dwarf Fig-Parrot; F: Psittacule double-oeil			
Breeding: Australia; Indonesia: Aru Islands, Irian Jaya, Western Papuan Islands; Papua New Guinea			
<i>Cyclopsitta diophthalma coxeni</i> Gould 1867 I	-		348
(= <i>Oropsitta diophthalma coxeni</i>)			
E: Coxen's Double-eyed Fig-Parrot; F: Psittacule à double-oeil de Coxen, Perroquet masqué de Coxen;			
S: Lorito de Coxen, Lorito emmascarado de Coxen			
Breeding: Australia			
<i>Cyclopsitta gulielmitertii</i> (Schlegel 1866) II	-		348
(= <i>Oropsitta gulielmitertii</i>)			
E: Orange-breasted Fig-Parrot; F: Psittacule à poitrine orange			
Breeding: Indonesia: Aru Islands, Irian Jaya, Salawati; Papua New Guinea			
<i>Deroptyus accipitrinus</i> (Linnaeus 1758) II	-		348,713,787
E: Red-fan Parrot, Hawk-headed Parrot; F: Papegeai maillé; S: Loro cacique			
Breeding: Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Venezuela			
<i>Eclectus roratus</i> (Müller 1776) II	-		348,939
E: Eclectus Parrot; F: Grand Éclectus			
Breeding: Australia; Indonesia: Ambon, Aru Islands, Bacan, Buru, Damar, Irian Jaya, Halmahera, Haruku, Kai Islands, Kayoa, Laüt, Mare, Morotai, Obi, Saparua, Seram, Seram Laut, Sumba, Tanimbar Islands, Tayandu, Ternate, Western Papuan Islands; [Palau] [817]; Papua New Guinea; Solomon Islands			
<i>Enicognathus ferrugineus</i> (Müller 1776) II	-		348,713,787
E: Austral Parakeet, Austral Conure; F: Conure magellanique; S: Cotorra austral			
Breeding: Argentina; Chile			
Vagrant: Falkland Islands			
<i>Enicognathus leptorhynchus</i> (King 1831) II	-		226,348,713,787,903
E: Slender-billed Parakeet, Slender-billed Conure; F: Conure à long bec			
Breeding: Chile			
<i>Eolophus roseicapillus</i> (Vieillot 1817) II	-		348,939
(= <i>Cacatua roseicapilla</i>)			
E: Galah, Roseate Cockatoo; F: Cacatoés rosalbin; S: Cacatúa rosada			
Breeding: Australia			
<i>Eos bornea</i> (Linnaeus 1758) II	-		348,903
E: Red Lory, Moluccan Lory; F: Lori écarlate			
Breeding: Indonesia: Ambon, Buru, Haruku, Kai Islands, Saparua, Seram, Seram Laut, Tayandu, Watubela			
<i>Eos cyanogenia</i> Bonaparte 1850 II	V		226,348,891,903
E: Black-winged Lory, Biak Red Lory; F: Lori à joues bleues			
Breeding: Indonesia: Biak, Manim, Meos Num, Numfor			
<i>Eos histrio</i> (Müller 1776) I	E		226,348,903,1063
E: Red-and-blue Lory; F: Lori arlequin			
Breeding: Indonesia: Miangas, Ruang, Sangihe, Siau, Talaud			

<i>Psinacidae</i>	CITES	RL	Ref
<i>Eos reticulata</i> (Müller 1841)	II	-	178,226,348,903,1063
E: Blue-streaked Lory; F: Lori réticulé			
Breeding: Indonesia: Babar, [Damar], [Kai Islands], Tanimbar			
<i>Eos semilarvata</i> Bonaparte 1850	II	-	226,348,903,1063
E: Blue-eared Lory; F: Lori masqué			
Breeding: Indonesia: Seram			
<i>Eos squamata</i> (Boddaert 1783)	II	-	348,601,891
E: Violet-necked Lory, Moluccan Red Lory; F: Lori écaillé			
Breeding: Indonesia: Bacan, Batanta, Damar, Doif, Gag, Gam, Gebe, Halmahera, Kofiau, Mausuar, Mayu, Misool, Morotai, Moti, Muor, Pulau Dua, Schildpad, Ternate, Tidore, Waigeo, Widi			
<i>Eunymphicus cornutus</i> (Gmelin 1788)	II	V	226,348,570,903
E: Horned Parakeet; F: Perruche cornue			
Breeding: New Caledonia			
<i>Forpus coelestis</i> (Lesson 1847)	II	-	348,713,787
E: Pacific Parrotlet, Celestial Parrotlet; F: Toui céleste; S: Periquito del Pacífico			
Breeding: Ecuador; Peru			
<i>Forpus conspicillatus</i> (Lafresnaye 1848)	II	-	348,713,787
E: Spectacled Parrotlet; F: Toui à lunettes; S: Periquito ojiazul			
Breeding: Colombia; Panama; Venezuela			
<i>Forpus cyanopygius</i> (Souancé 1856)	II	-	15,348,787
E: Mexican Parrotlet, Blue-rumped Parrotlet; F: Toui du Mexique; S: Periquito mexicano			
Breeding: Mexico			
<i>Forpus passerinus</i> (Linnaeus 1758)	II	-	348,713,787
E: Green-rumped Parrotlet; F: Toui été; S: Periquito			
Breeding: [Barbados] [115]; Brazil; Colombia; French Guiana; Guyana; [Jamaica] [115]; [Netherlands Antilles]; [Curaçao]; Suriname [447]; Trinidad and Tobago; Trinidad; Venezuela			
<i>Forpus sclateri</i> (Gray 1859)	II	-	348,713
E: Dusky-billed Parrotlet, Sclater's Parrotlet; F: Toui de Sclater; S: Periquito obscuro			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Venezuela			
<i>Forpus xanthops</i> (Salvin 1895)	II	V	226,229,348,713,847,903
E: Yellow-faced Parrotlet; F: Toui à tête jaune			
Breeding: Peru			
<i>Forpus xanthopterygius</i> (Spix 1824)	II	-	348,713,787
E: Blue-winged Parrotlet; F: Toui de Spix; S: Catita enana, Periquito aliazul			
Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; Paraguay; Peru			
<i>Geoffroyus geoffroyi</i> (Bechstein 1811)	II	-	348,891,939
E: Red-cheeked Parrot; F: Perruche de Geoffroy			
Breeding: Australia; Indonesia: Amboin, Aru Islands, Bacan, Boano, Buru, Flores, Halmahera, Haruku, Irian Jaya, Kai Islands, Lombok, Morotai, Obi, Saparua, Semau, Seram, Seram Laut, Sumba, Sumbawa, Tanimbar, Timor, Western Papuan Islands, Wetar [1063]; Papua New Guinea			
<i>Geoffroyus heteroclitus</i> (Hombron & Jacquinot 1841)	II	-	348,891,903
E: Singing Parrot; F: Perruche hétéroclite			
Breeding: Papua New Guinea: Bismarck Archipelago; Solomon Islands			
<i>Geoffroyus simplex</i> (Meyer 1874)	II	-	348,891
E: Blue-collared Parrot; F: Perruche à col bleu			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			

<i>Psittacidae</i>	CITES	RL	Ref
<i>Geopsittacus occidentalis</i> Gould 1861 (= <i>Pezoporus occidentalis</i>) E: Night Parrot; F: Perruche nocturne; S: Loro nocturno Breeding: Australia	I	C	226,348,570,702,939
<i>Glossopsitta concinna</i> (Shaw 1791) E: Musk Lorikeet; F: Lori à bandeau rouge Breeding: Australia	II	-	348,939
<i>Glossopsitta porphyrocephala</i> (Dietrichsen 1837) E: Purple-crowned Lorikeet; F: Lori à couronne pourpre Breeding: Australia	II	-	348,939
<i>Glossopsitta pusilla</i> (Shaw 1790) E: Little Lorikeet; F: Lori à masque rouge Breeding: Australia	II	-	348,939
<i>Graydidascalus brachyurus</i> (Kuhl 1820) E: Short-tailed Parrot; F: Caïque à queue courte; S: Loro colicorto Breeding: Brazil; Colombia; Ecuador; Peru	II	-	348,713,787
<i>Gypopsitta vulturina</i> (Kuhl 1820) E: Vulturine Parrot; F: Caïque vautourin Breeding: Brazil	II	-	348,713,787
<i>Hapalopsittaca amazonina</i> (Des Murs 1845) E: Rusty-faced Parrot; F: Caïque à face rouge; S: Perico multicolor Breeding: Colombia; Venezuela	II	E	226,229,348,570,713,787,840, 903
<i>Hapalopsittaca fuertesi</i> (Chapman 1912) (= <i>Hapalopsittaca amazonina fuertesi</i>) E: Indigo-winged Parrot, Fuertes's Parrot; F: Caïque de Fuertes Breeding: Colombia	II	C	226,229,348,903
<i>Hapalopsittaca melanotos</i> (Lafresnaye 1847) E: Black-winged Parrot, Black-eared Parrot; F: Caïque à ailes noires Breeding: Bolivia; Peru	II	-	348,713,787,903
<i>Hapalopsittaca pyrrhops</i> (Salvin 1876) (= <i>Hapalopsittaca amazonina pyrrhops</i>) E: Red-faced Parrot; F: Caique de Salvin Breeding: Ecuador; Peru	II	E	226,229,348,903
<i>Lathamus discolor</i> (White 1790) E: Swift Parrot; F: Perruche de Latham Breeding: Australia	II	V	226,348,903,939
<i>Leptosittaca branickii</i> Berlepsch & Stolzmann 1894 E: Golden-plumed Parakeet, Golden-plumed Conure; F: Conure à pinceaux d'or Breeding: Colombia [742]; Ecuador; Peru	II	V	226,229,348,713,787,840,903
<i>Loriculus amabilis</i> Wallace 1862 E: Moluccan Hanging-Parrot; F: Coryllis des Moluques Breeding: Indonesia: Bacan, Banggai, Halmahera, Peleng, Sula Islands	II	-	348
<i>Loriculus aurantiifrons</i> Schlegel 1873 E: Orange-fronted Hanging-Parrot, Papuan Hanging-Parrot; F: Coryllis à front orange Breeding: Indonesia: Irian Jaya, Misool, Waigeo; Papua New Guinea	II	-	348,891

<i>Psittacidae</i>	CITES	RL	Ref
<i>Loriculus beryllinus</i> (Forster 1781) E: Ceylon Hanging-Parrot; F: Coryllis de Ceylan Breeding: Sri Lanka	II	-	9,348
<i>Loriculus catamene</i> Schlegel 1873 (= <i>Loriculus amabilis catamene</i>) E: Sangihe Hanging-Parrot; F: Coryllis des Sangi Breeding: Indonesia: Sangihe	II	E	226,348,903,1063
<i>Loriculus exilis</i> Schlegel 1866 E: Red-billed Hanging-Parrot, Green Hanging-Parrot; F: Coryllis vert Breeding: Indonesia: Sulawesi	II	-	348,903,1063
<i>Loriculus flosculus</i> Wallace 1864 E: Wallace's Hanging-Parrot; F: Coryllis de Wallace Breeding: Indonesia: Flores	II	V	226,348,903,1063
<i>Loriculus galgulus</i> (Linnaeus 1758) E: Blue-crowned Hanging-Parrot; F: Coryllis à tête bleue Breeding: Brunei; Indonesia: Anamba Islands, Bangka, Belitung, Enggano, Kalimantan and some offshore islands, Nias, Riau Archipelago, Siberut, Sipora, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Singapore; Thailand [867]	II	-	348,568
<i>Loriculus philippensis</i> (Müller 1776) E: Colasisi, Philippine Hanging-Parrot; F: Coryllis des Philippines Breeding: Philippines	II	-	348,785
<i>Loriculus pusillus</i> Gray 1859 E: Yellow-throated Hanging-Parrot; F: Coryllis à gorge jaune Breeding: Indonesia: Bali, Java	II	-	226,348,903
<i>Loriculus stigmatus</i> (Müller 1843) E: Sulawesi Hanging-Parrot; F: Coryllis des Célèbes Breeding: Indonesia: Bangka, Butung, Lembeh, Manterawu, Muna, Sulawesi, Togian Islands	II	-	348,1063
<i>Loriculus tener</i> Sclater 1877 (= <i>Loriculus stigmatus tener</i>) E: Green-fronted Hanging-Parrot; F: Coryllis des Bismark Breeding: Papua New Guinea: Bismarck Archipelago	II	-	226,348
<i>Loriculus vernalis</i> (Sparrman 1787) E: Vernal Hanging-Parrot; F: Coryllis vernal Breeding: Bangladesh; Bhutan; Cambodia; China; India: including Andaman and Nicobar Islands; Lao P.D.R.; Myanmar; Nepal; Thailand [867]; Viet Nam	II	-	9,348,568
<i>Lorius albidinuchus</i> (Rothschild & Hartert 1924) E: White-naped Lory; F: Lori à nuque blanche Breeding: Papua New Guinea: New Ireland	II	-	226,348,891,903
<i>Lorius chlorocercus</i> Gould 1856 E: Yellow-bibbed Lory; F: Lori à collier jaune Breeding: Solomon Islands: Guadalcanal, Malaita, Rennell, San Cristobal, Savo, Ugi	II	-	348,903
<i>Lorius domicella</i> (Linnaeus 1758) (includes <i>Lorius tibialis</i> (Sclater 1871)) E: Purple-naped Lory, Purple-capped Lory; F: Lori des dames Breeding: Indonesia: Ambon, [Buru], Seram	II	V	226,348,601,903,1063

Psittacidae	CITES	RL	Ref
<i>Lorius garrulus</i> (Linnaeus 1758)	II	V	226,348,601,903
E: Chattering Lory, Yellow-backed Lory; F: Lori noira			
Breeding: Indonesia: Bacan, Halmahera, Morotai, Obi, Rau, ?Ternate, Widi			
<i>Lorius hypoinochrous</i> Gray 1859	II	-	348,891
E: Purple-bellied Lory, Eastern Black-capped Lory; F: Lori à ventre violet			
Breeding: Papua New Guinea			
<i>Lorius lory</i> (Linnaeus 1758)	II	-	348,891
E: Black-capped Lory, Western Black-capped Lory; F: Lori tricolore			
Breeding: Indonesia: Irian Jaya, Western Papuan Islands, islands in Geelvink Bay; Papua New Guinea			
<i>Micropsitta bruijnii</i> (Salvadori 1875)	II	-	348,891
E: Red-breasted Pygmy-Parrot; F: Micropsitte de Bruijn			
Breeding: Indonesia: Buru, Irian Jaya, Seram; Papua New Guinea; Solomon Islands: Guadalcanal, Kolambangara			
<i>Micropsitta finschii</i> (Ramsay 1881)	II	-	348,891
E: Finsch's Pygmy-Parrot; F: Micropsitte de Finsch			
Breeding: Papua New Guinea: Bougainville, Lihir Islands, New Hanover, New Ireland; Solomon Islands			
<i>Micropsitta geelvinkiana</i> (Schlegel 1871)	II	-	226,348,891
E: Geelvink Pygmy-Parrot; F: Micropsitte de Geelvink			
Breeding: Indonesia: Biak, Numfor			
<i>Micropsitta keiensis</i> (Salvadori 1875)	II	-	348
E: Yellow-capped Pygmy-Parrot; F: Micropsitte pygmée			
Breeding: Indonesia: Aru Islands, Irian Jaya, Kai Islands, Western Papuan Islands; Papua New Guinea			
<i>Micropsitta meeki</i> Rothschild & Hartert 1924	II	-	348,891,903
E: Meek's Pygmy-Parrot; F: Micropsitte de Meek			
Breeding: Papua New Guinea: Admiralty Islands, Saint Matthias			
<i>Micropsitta pusio</i> (Sclater 1866)	II	-	348,891
E: Buff-faced Pygmy-Parrot; F: Micropsitte à tête fauve			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Myiopsitta monachus</i> (Boddaert 1783)	II	-	348,713,787
E: Monk Parakeet, Quaker Parakeet, Grey-breasted Parakeet; F: Conure veuve; S: Catita común			
Breeding: Argentina; Bolivia; Brazil; [Canary Islands]; Paraguay; [Puerto Rico]; [Slovak Republic]; [Spain] [619]; [USA] [619]; Uruguay			
<i>Nandayus nenday</i> (Vieillot 1823)	II	-	348,713,787
E: Nanday Parakeet, Black-headed Conure, Black-headed Parakeet, Nanday Conure; F: Conure nanday; S: Cotorra cabecinegra			
Breeding: Argentina; Bolivia; Brazil; Paraguay; [USA]			
<i>Nannopsittaca dachilleae</i> O'Neil, Munn, Franke 1991	II	-	226
E: Amazonian Parakeet; F: Toui de D'Achille			
Breeding: Bolivia; Peru			
<i>Nannopsittaca panychlora</i> (Salvin & Godman 1883)	II	-	348,713,787
E: Tepui Parakeet; F: Toui des tépuis; S: Chirica			
Breeding: ?Brazil; Guyana; Venezuela			

Psittacidae

CITES RL Ref

<i>Neophema chrysogaster</i> (Latham 1790)	I	E	155,156,226,348,570,638,903, 939
E: Orange-bellied Parrot; F: Perruche à ventre orange, Perruche à lunettes vertes; S: Loro ventrinaranja			
Breeding: Australia: Tasmania			
Non-breeding: Australia [524]			
<i>Neophema chrysostoma</i> (Kuhl 1820)	II	-	348,939
E: Blue-winged Parrot, Blue-winged Grass-Parakeet; F: Perruche à bouche d'or			
Breeding: Australia			
<i>Neophema elegans</i> (Gould 1837)	II	-	348,939
E: Elegant Parrot, Elegant Grass-Parakeet; F: Perruche élégante			
Breeding: Australia			
<i>Neophema petrophila</i> (Gould 1841)	II	-	348,939
E: Rock Parrot; F: Perruche des rochers			
Breeding: Australia			
<i>Neophema pulchella</i> (Shaw 1792)	II	-	226,348,570,939
E: Turquoise Parrot, Turquoise Grass-Parakeet; F: Perruche turquoisine			
Breeding: Australia			
<i>Neophema splendida</i> (Gould 1841)	II	V	226,348,570,903,939
E: Scarlet-chested Parrot, Splendid Grass-Parakeet; F: Perruche splendide			
Breeding: Australia			
<i>Neopsephotus bourkii</i> (Gould 1841) (= <i>Neophema bourkii</i>)	II	-	348,939
E: Bourke's Parrot; F: Perruche de Bourke			
Breeding: Australia			
<i>Neopsittacus musschenbroekii</i> (Schlegel 1871)	II	-	348,891
E: Yellow-billed Lorikeet, Musschenbroek's Lorikeet; F: Lori de Musschenbroek			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Nestor meridionalis</i> (Gmelin 1788)	II	-	348
E: Orange-billed Lorikeet, Emerald Lorikeet; F: Lori émeraude			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Nestor pullicauda</i> Hartert 1896	II	V	84,226,348,903
E: Kaka; F: Nestor superbe			
Breeding: New Zealand			
<i>Nestor notabilis</i> Gould 1856	II	-	226,348,903
E: Kea; F: Nestor kéa			
Breeding: New Zealand: South Island			
<i>Nestor productus</i> (Gould 1836)	II	-	348,903
E: Norfolk Kaka; F: Nester de Norfolk			
Breeding: Norfolk Island (ex)			
<i>Northiella haematogaster</i> (Gould 1838) (= <i>Psephotus haematogaster</i>)	II	-	348,939
E: Bluebonnet; F: Perruche à bonnet bleu			
Breeding: Australia			

<i>Ognorhynchus icterotis</i> (Massena & Souancé 1854)	I	C	226,229,348,570,713,787,840, 903
E: Yellow-eared Parrot, Yellow-eared Conure; F: Conure à joues d'or, Perruche aux oreilles jaunes;			
S: Periquito orejiamerillo			
Breeding: Colombia; Ecuador			
<i>Oreopsittacus arfaki</i> (Meyer 1874)	II	-	348,891
E: Plum-faced Lorikeet, Whiskered Lorikeet; F: Lori bridé			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Pezoporus wallicus</i> Kerr 1792	I	-	226,348,570,903,939
E: Ground Parrot; F: Perruche de terre, Perruche terrestre; S: Periquito de tierra			
Breeding: Australia			
<i>Phigys solitarius</i> (Suckow 1800)	II	-	348,817
E: Collared Lory; F: Lori des Fidji			
Breeding: Fiji			
<i>Pionites leucogaster</i> (Kuhl 1820)	II	-	348,713,787
E: White-bellied Parrot, White-bellied Caique; F: Caïque à ventre blanc			
Breeding: Bolivia; ?Brazil; ?Ecuador; Peru			
<i>Pionites melanocephala</i> (Linnaeus 1758)	II	-	348,713,787
E: Black-headed Parrot, Black-headed Caique; F: Caïque maipourri; S: Perico calzoncito			
Breeding: Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname [446]; Venezuela			
<i>Pionopsitta barrabandi</i> (Kuhl 1820)	II	-	348,713,787
E: Orange-cheeked Parrot, Barraband's Parrot; F: Caïque de Barraband; S: Perico cachete amarillo			
Breeding: Bolivia [780]; Brazil; Colombia; Ecuador; Peru; Venezuela			
<i>Pionopsitta caica</i> (Latham 1790)	II	-	348,713,787
E: Caica Parrot; F: Caïque à tête noire; S: Perico cabecinegro			
Breeding: Brazil; French Guiana; Guyana; Suriname; Venezuela			
<i>Pionopsitta haematotis</i> (Sclater & Salvin 1860)	II	-	15,348,787
E: Brown-hooded Parrot; F: Caïque à capuchon; S: Loro orejirrojo			
Breeding: Belize; Colombia; Costa Rica; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Pionopsitta pileata</i> (Scopoli 1769)	I	-	226,348,713,787,903
E: Pileated Parrot, Red-capped Parrot; F: Caïque mitré, Perroquet à oreilles; S: Lorito carirrojo, Cuiu cuiu, Cúiu cíiu			
Breeding: Argentina; Brazil; Paraguay			
<i>Pionopsitta pulchra</i> Berlepsch 1897	II	-	348,713,787
E: Rose-faced Parrot, Beautiful Parrot; F: Caïque à joues roses; S: Loro cachetirrosa			
Breeding: Colombia; Ecuador			
<i>Pionopsitta pyrilia</i> (Bonaparte 1853)	II	-	15,348,713,787,903
E: Saffron-headed Parrot; F: Caïque de Bonaparte; S: Perico cabecidorado			
Breeding: Colombia; ?Panama; Venezuela			
<i>Pionus chalcopterus</i> (Fraser 1841)	II	-	15,348,787
E: Bronze-winged Parrot; F: Pione noire; S: Cotorra negra			
Breeding: Colombia; Ecuador; Peru; Venezuela			
<i>Pionus fuscus</i> (Müller 1776)	II	-	348,713,787
E: Dusty Parrot; F: Pione violette; S: Cotorra morada			
Breeding: Brazil; Colombia; French Guiana; Guyana; Suriname; Venezuela			

Psittacidae

CITES RL Ref

<i>Pionus maximiliani</i> (Kuhl 1820)	II	-	348,713,787
E: Scaly-headed Parrot; F: Pione de Maximilien; S: Loro choclero			
Breeding: Argentina; Bolivia; Brazil; Paraguay			
<i>Pionus menstruus</i> (Linnaeus 1766)	II	-	15,348,713,787
E: Blue-headed Parrot, Red-vented Parrot; F: Pione à tête bleue; S: Cotorra cabeciazul			
Breeding: Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Panama; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
<i>Pionus senilis</i> (Spix 1824)	II	-	15,348,713,787
E: White-crowned Parrot, White-capped Parrot; F: Pione à couronne blanche; S: Loro coroniblanco			
Breeding: Belize; Costa Rica; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Pionus sordidus</i> (Linnaeus 1758)	II	-	348,713,787
E: Red-billed Parrot; F: Pione à bec rouge; S: Perico pico rojo			
Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Pionus tumultuosus</i> (Tschudi 1844)	II	-	348,713,787
(includes <i>Pionus senilooides</i> (Massena & Souancé 1854))			
E: Plum-crowned Parrot; F: Pione pailletée; S: Cotorra cabeciblanca			
Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Platycercus adscitus</i> (Latham 1790)	II	-	348,939
E: Pale-headed Rosella, Mealy Rosella; F: Perruche à tête pâle			
Breeding: Australia; [Hawaiian Islands: Maui (ex?)]			
<i>Platycercus barnardi</i> (Vigors & Horsfield 1827)	II	-	348,939
(= <i>Barnardius barnardi</i>)			
E: Mallee Ringneck, Barnard's Parakeet; F: Perruche de Barnard			
Breeding: Australia			
<i>Platycercus caledonicus</i> (Gmelin 1788)	II	-	348,939
E: Green Rosella, Tasmanian Rosella; F: Perruche à ventre jaune			
Breeding: Australia			
<i>Platycercus elegans</i> (Gmelin 1788)	II	-	348,939
E: Crimson Rosella, Pennant's Parakeet; F: Perruche de Pennant			
Breeding: Australia; [New Zealand]; Norfolk Island			
<i>Platycercus eximius</i> (Shaw 1792)	II	-	348,939
E: Eastern Rosella, Golden-mantled Rosella; F: Perruche omnicolore			
Breeding: Australia; [New Zealand]			
<i>Platycercus flaveolus</i> Gould 1837	II	-	348,939
E: Yellow Rosella; F: Perruche flavéole			
Breeding: Australia			
<i>Platycercus icterotis</i> (Kuhl 1820)	II	-	348,939
E: Western Rosella, Stanley Parakeet; F: Perruche à oreilles jaunes			
Breeding: Australia			
<i>Platycercus venustus</i> (Kuhl 1820)	II	-	348,939
E: Northern Rosella; F: Perruche gracieuse			
Breeding: Australia			

Psittacidae

CITES RL Ref

<i>Platycercus zonarius</i> (Shaw 1805) (= <i>Barnardius zonarius</i>)	II	-	348,939
E: Port Lincoln Ringneck, Twenty-eight Parakeet; F: Perruche à collier jaune Breeding: Australia			
<i>Poicephalus crassus</i> (Sharpe 1884)	II	-	348,358,905,943
E: Niam-niam Parrot; F: Perroquet des niam-niam Breeding: ?Central African Republic [185]; ?Chad; ?Sudan; ?Zaire Non-breeding: Central African Republic [185]; Chad; Sudan; Zaire			
<i>Poicephalus cryptoxanthus</i> (Peters 1854)	II	-	141,203,348,358,943
E: Brown-headed Parrot; F: Perroquet à tête brune Breeding: Kenya; Malawi; ?Mozambique; South Africa; Swaziland; ?Tanzania; Zimbabwe Non-breeding: Mozambique; Tanzania			
<i>Poicephalus flavifrons</i> (Rüppell 1845)	II	-	348,358,533,943
E: Yellow-fronted Parrot; F: Perroquet à face jaune Breeding: Ethiopia			
<i>Poicephalus gulielmi</i> (Jardine 1849)	II	-	141,348,358,905,943
E: Red-fronted Parrot, Jardine's Parrot, Red-crowned Parrot; F: Perroquet à calotte rouge, Perroquet vert à calotte rouge; S: Papagayo de Gulielm Breeding: ?Angola; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; Kenya; ?Liberia; ?Tanzania; ?Uganda; Zaire Non-breeding: Angola; Cameroon; Central African Republic; Equatorial Guinea [829]; Liberia; Tanzania; Uganda			
<i>Poicephalus meyeri</i> (Cretzschmar 1827)	II	-	141,203,348,358,905,943
E: Meyer's Parrot, Brown Parrot; F: Perroquet de Meyer Breeding: Angola; Botswana; Burundi; Central African Republic; Chad; ?Eritrea; Ethiopia; Kenya; Malawi; ?Mozambique; ?Namibia; Rwanda; South Africa; Sudan; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe Non-breeding: Eritrea; Mozambique; Namibia; Tanzania; Uganda; Zaire			
<i>Poicephalus robustus</i> (Gmelin 1788)	II	-	348,358,903
E: Brown-necked Parrot, Cape Parrot; F: Perroquet robuste; S: Papagayo robusto Breeding: ?Angola; ?Botswana; Burundi; Côte d'Ivoire; Gambia; Ghana; ?Guinea-Bissau; Liberia; Malawi; ?Mozambique; ?Namibia; Nigeria; Rwanda; South Africa; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe Non-breeding: Angola; Botswana; Guinea-Bissau; Mozambique; Namibia; Tanzania; Togo; Uganda Vagrant: Mali; Nigeria; Senegal; Sierra Leone			
<i>Poicephalus rueppellii</i> (Gray 1849)	II	-	203,348,358,943
E: Rueppell's Parrot; F: Perroquet de Rüppell Breeding: Angola; Namibia			
<i>Poicephalus rufiventris</i> (Rüppell 1845)	II	-	141,348,358,903,943
E: Red-bellied Parrot, African Orange-bellied Parrot; F: Perroquet à ventre rouge Breeding: Ethiopia; Kenya; Somalia; ?Tanzania Non-breeding: Tanzania			
<i>Poicephalus senegalus</i> (Linnaeus 1766)	II	-	348,358,903,905,943
E: Senegal Parrot; F: Perroquet youyou, Youyou; S: Papaagyo senegalés Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; ?Chad; Côte d'Ivoire; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; ?[Liberia]; Mali; Mauritania; Niger; Nigeria; Senegal; ?Togo Non-breeding: Benin; Cameroon; Chad; Guinea; Sierra Leone; Togo			

Psittacidae

CITES

RL

Ref

<i>Polytelis alexandrae</i> Gould 1863	II	V	226,348,903,939
E: Alexandra's Parrot, Princess Parrot, Princess of Wales Parakeet; Breeding: Australia		F: Perruche d'Alexandra	
<i>Polytelis anthopeplus</i> (Lear 1831)	II	-	348,939
E: Regent Parrot, Rock Peppler; F: Perruche mélancolique; Breeding: Australia			
<i>Polytelis swainsonii</i> (Desmarest 1826)	II	V	226,348,903,939
E: Superb Parrot, Barraband Parakeet, Green Leek Parrot; F: Perruche de Barraband; Breeding: Australia			
<i>Prioniturus discurus</i> (Vieillot 1818)	II	-	226,348,903
E: Blue-crowned Racquet-tail, Palawan Racket-tailed Parrot; F: Palette à couronne bleue; Breeding: Philippines			
<i>Prioniturus flavicans</i> Cassin 1853	II	-	226,348,903,1063
E: Yellow-breasted Racquet-tail; F: Palette de Cassin; Breeding: Indonesia: Bangka, Lembeh, ?Peleng, Sulawesi, Togian Islands			
<i>Prioniturus luconensis</i> Steere 1890	II	E	226,348,903
E: Green Racquet-tail, Green-headed Racket-tailed Parrot, Green-crowned Racket-tailed Parrot; F: Palette verte			
Breeding: Philippines: Luzon, Marinduque			
<i>Prioniturus mada</i> Hartert 1900	II	-	226,348,903,1063
E: Buru Racquet-tail; F: Palette de Buru; Breeding: Indonesia: Buru			
<i>Prioniturus montanus</i> Ogilvie-Grant 1895	II	V	226,348
E: Montane Racquet-tail; F: Palette momot; Breeding: Philippines: Luzon			
<i>Prioniturus platenae</i> Blasius 1888 (= <i>Prioniturus discurus platenae</i>)	II	V	226
E: Blue-headed Racquet-tail; F: Palette de Palawan; Breeding: Philippines: Balabac, Busuanga, Calauit, Culion, Dumaran, Palawan			
<i>Prioniturus platurus</i> (Vieillot 1818)	II	-	348,1063
E: Golden-mantled Racquet-tail; F: Palette à manteau d'or; Breeding: Indonesia: Banggai, Butung, Dodepo, Lembeh, Muna, ?Peleng, ?Sangihe, Siau, Sulawesi, Talaud, Taliabu, Togian			
<i>Prioniturus verticalis</i> Sharpe 1893 (= <i>Prioniturus discurus verticalis</i>)	II	E	226
E: Blue-winged Racquet-tail; F: Palette des Sulu; Breeding: Philippines: Sulu Archipelago, Mindanao			
<i>Prioniturus waterstradti</i> Rothschild 1904 (= <i>Prioniturus montanus waterstradti</i>)	II	V	226
E: Mindanao Racquet-tail; F: Palette de Mindanao; Breeding: Philippines: Mindanao			
<i>Probosciger aterrimus</i> (Gmelin 1788)	I	-	226,348,939
E: Palm Cockatoo; F: Cacatoés noir, Microglosse noir; S: Cacatúa enlutada; Breeding: Australia; Indonesia: Aru Islands, Irian Jaya, [Kai Kecil], Western Papuan Islands, Yapen; Papua New Guinea			

<i>Psittacidae</i>	CITES	RL	Ref
<i>Prosopeia personata</i> (Gray 1848) E: Masked Shining-Parrot; F: Perruche masquée Breeding: Fiji: Viti Levu, Ovalau (ex), Mbau (ex)	II	-	226,348,903
<i>Prosopeia splendens</i> (Peale 1848) (= <i>Prosopeia tabuensis splendens</i>) E: Crimson Shining-Parrot; F: Perruche écarlate Breeding: Fiji: Kandavu, [Viti Levu]	II	-	226,348,903
<i>Prosopeia tabuensis</i> (Gmelin 1788) E: Red Shining-Parrot; F: Perruche pompadour Breeding: Fiji: Vanua Levu, Kea, Koro, Taveuni, Gamea, Gau, Kandavu [817]; [Tonga: Tongatapu (ex?)] [380,817]	II	-	348
<i>Psephotus chrysoterygius</i> Gould 1858 E: Golden-shouldered Parrot; F: Perruche aux ailes d'or, Perruche à capuchon, Perruche à épaules dorées; S: Loro hombroamarillo, Periquito de espalda dorada Breeding: Australia	I	E	226,348,570,903,939,1050
<i>Psephotus dissimilis</i> Collett 1898 (= <i>Psephotus chrysoterygius dissimilis</i>) E: Hooded Parrot; F: Perruche à capuchon noir, Perruche à capuchon; S: Periquito encapuchado Breeding: Australia	I	-	226,348,570,903
<i>Psephotus haematonotus</i> (Gould 1838) E: Red-rumped Parrot; F: Perruche à croupion rouge Breeding: Australia	II	-	348,939
<i>Psephotus pulcherrimus</i> (Gould 1845) E: Paradise Parrot; F: Perruche de paradis, Perruche magnifique; S: Loro del paraíso Breeding: Australia (ex)	I	Ex	226,348,570,903,939
<i>Psephotus varius</i> Clark 1910 E: Mulga Parrot, Many-coloured Parakeet; F: Perruche multicolore Breeding: Australia	II	-	348,939
<i>Pseudeos fuscata</i> (Blyth 1858) E: Dusky Lory; F: Lori sombre Breeding: Indonesia: Irian Jaya, Salawati, Yapen; Papua New Guinea	II	-	348
<i>Psittacula brehmii</i> Schlegel 1873 E: Brehm's Tiger-Parrot; F: Perruche de Brehm Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,891
<i>Psittacula madaraszi</i> Meyer 1886 E: Madarasz's Tiger-Parrot; F: Perruche de Madarasz Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,891
<i>Psittacula modesta</i> Schlegel 1873 E: Modest Tiger-Parrot; F: Perruche modeste Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348,891
<i>Psittacula picta</i> Rothschild 1896 E: Painted Tiger-Parrot; F: Perruche peinte Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	348

<i>Psittacula alexandri</i> (Linnaeus 1758)	II	-	9,348,568
E: Red-breasted Parakeet, Moustached Parakeet; F: Perruche à moustaches			
Breeding: Bangladesh; Bhutan; Cambodia; China; India: including Andaman Islands; Indonesia: Bali, Java, [Kalimantan], Kangean Islands; Lao P.D.R.; Malaysia: Peninsular Malaysia (ex); Myanmar; Nepal; [Singapore]; Thailand [867]; Viet Nam			
Vagrant: Hong Kong			
<i>Psittacula calthropae</i> (Blyth 1849)	II	-	9,348,903
E: Layard's Parakeet, Emerald-collared Parakeet; F: Perruche de Layard			
Breeding: Sri Lanka			
<i>Psittacula caniceps</i> (Blyth 1846)	II	-	9,226,348,903
E: Nicobar Parakeet, Blyth's Parakeet; F: Perruche des Nicobar			
Breeding: India: Nicobar Islands			
<i>Psittacula columboides</i> (Vigors 1830)	II	-	9,348,903
E: Malabar Parakeet; F: Perruche de Malabar			
Breeding: India			
<i>Psittacula cyanocephala</i> (Linnaeus 1766)	II	-	9,348
E: Plum-headed Parakeet; F: Perruche à tête prune			
Breeding: Bangladesh; India; Nepal; Pakistan; Sri Lanka			
<i>Psittacula derbiana</i> (Fraser 1852)	II	-	9,226,348,903
E: Derbyan Parakeet; F: Perruche de Derby			
Breeding: China; India			
<i>Psittacula echo</i> (Newton & Newton 1876) (= <i>Psittacula eques echo</i>)	I	C	30,226,228,348
E: Mauritius Parakeet; F: Perruche de Maurice, Perruche à collier de Maurice; S: Cotorra de Mauricio			
Breeding: Mauritius			
<i>Psittacula eupatria</i> (Linnaeus 1766)	II	-	9,348,477,568
E: Alexandrine Parakeet; F: Perruche alexandre			
Breeding: Afghanistan; Bangladesh; ?Bhutan; Cambodia; India: including Andaman Islands; [Iran]; [Kuwait]; Lao P.D.R.; Myanmar; Nepal; [Oman]; Pakistan; [Saudi Arabia]; Sri Lanka; Thailand [867]; Viet Nam; [Yemen]			
<i>Psittacula finschii</i> (Hume 1874) (= <i>Psittacula himalayana finschii</i>)	II	-	348
E: Grey-headed Parakeet; F: Perruche de Finsch			
Breeding: Bangladesh; Bhutan; Cambodia; China [714]; India; Lao P.D.R.; Myanmar; Thailand [867]; Viet Nam			
<i>Psittacula himalayana</i> (Lesson 1832)	II	-	9,348,568
E: Slaty-headed Parakeet; F: Perruche de l'Himalaya			
Breeding: Afghanistan; India; Nepal; Pakistan			
<i>Psittacula intermedia</i> (Rothschild 1895)	II	V	9,226,348,881
E: Intermediate Parakeet, Rothschild's Parakeet; F: Perruche intermédiaire			
Breeding: ?India			
<i>Psittacula krameri</i> (Scopoli 1769)	III GH	-	9,141,242,348,358,477,568,905,943
E: Rose-ringed Parakeet, Ring-necked Parakeet; F: Perruche à collier; S: Periquito de collar africano, Loro rabudo collar			
Breeding: Afghanistan; [Austria]; [Bahrain]; Bangladesh; [Belgium]; ?Benin; Bhutan; ?Burkina Faso; ?Cameroon; ?Central African Republic; Chad; ?China; Côte d'Ivoire; ?Djibouti; [Egypt];			

	?Eritrea; ?Ethiopia; Gambia; [Germany]; ?Ghana; ?Guinea; ?Guinea-Bissau; [Hawaiian Islands] [817]; [Hong Kong]; India; [Iran]; [Iraq]; [Israel]; [Italy]; [Japan]; [Jordan]; [Kenya]; [Kuwait]; [Lebanon]; ?Liberia; [Macao]; Mali; Mauritania; [Mauritius]; Myanmar; Nepal; [Netherlands]; ?Niger; Nigeria; [Oman]; Pakistan; [Portugal]; [Qatar]; [Saudi Arabia]; Senegal; ?Sierra Leone; [Singapore]; [Slovenia]; [South Africa]; [Spain]; Sri Lanka; Sudan; ?Togo; [USA]; ?Uganda; [United Arab Emirates]; [United Kingdom]; Viet Nam; [Yemen]			
Non-breeding:	Benin; Burkina Faso; Cameroon; Central African Republic; Djibouti; Eritrea; Ethiopia; Ghana; Guinea; Guinea-Bissau; Liberia; Niger; Sierra Leone; Togo; Uganda			
Vagrant:	?Cape Verde; Somalia			
<i>Psittacula longicauda</i> (Boddaert 1783)	II	-	9,348,568	
E: Long-tailed Parakeet; F: Perruche à longs brins				
Breeding:	Brunei; India; India: including Andaman and Nicobar Islands; Indonesia: Anamba Islands, Bangka, Kalimantan, Natuna Islands, Nias, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar: Coco Islands; Singapore; Viet Nam			
<i>Psittacula roseata</i> Biswas 1951	II	-	9,348,568	
E: Blossom-headed Parakeet; F: Perruche à tête rose				
Breeding:	Bangladesh; Cambodia; ?China; India; Lao P.D.R.; Myanmar; Thailand [867]; Viet Nam			
<i>Psittaculirostris desmarestii</i> (Desmarest 1826)	II	-	348,891	
E: Large Fig-Parrot, Golden-headed Fig-Parrot, Desmarest's Fig-Parrot; F: Psittacule de Desmarest				
Breeding:	Indonesia: Batanta, Irian Jaya, Misool, Salawati; Papua New Guinea			
<i>Psittaculirostris edwardsii</i> (Oustalet 1885)	II	-	348	
E: Edwards's Fig-Parrot; F: Psittacule d'Edwards				
Breeding:	Indonesia: Irian Jaya; Papua New Guinea			
<i>Psittaculirostris salvadorii</i> (Oustalet 1880)	II	V	82,226,348,891,903	
E: Salvadori's Fig-Parrot; F: Psittacule de Salvadori				
Breeding:	Indonesia: Irian Jaya			
<i>Psittacus erithacus</i> Linnaeus 1758	II	-	141,348,358,905,943	
E: Grey Parrot; F: Perroquet jaco, Jacko; S: Yaco				
Breeding:	Angola; Benin; ?Burundi; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; Equatorial Guinea; Gabon; Ghana; ?Guinea [1042]; ?Guinea-Bissau; ?Kenya; ?Liberia; Mali; Nigeria; Rwanda; São Tomé and Príncipe; Príncipe, [São Tomé]; ?Sierra Leone; ?Tanzania; ?Togo; ?Uganda; Zaire			
Non-breeding:	Burundi; Cameroon; Central African Republic; Guinea [1042]; Guinea-Bissau; Kenya; Liberia; Sierra Leone; Tanzania; Togo; Uganda			
<i>Psitteuteles goldiei</i> Sharpe 1882 (= <i>Trichoglossus goldiei</i>)	II	-	348	
E: Goldie's Lorikeet; F: Loriquet de Goldie				
Breeding:	Indonesia: Irian Jaya; Papua New Guinea			
<i>Psitteuteles iris</i> (Temminck 1835) (= <i>Trichoglossus iris</i>)	II	V	226,348	
E: Iris Lorikeet, Iris Lory; F: Loriquet iris				
Breeding:	Indonesia: Timor, Wetar			
<i>Psitteuteles versicolor</i> Lear 1831 (= <i>Trichoglossus versicolor</i>)	II	-	348,939	
E: Varied Lorikeet; F: Loriquet versicolore				
Breeding:	Australia			

<i>Psittinus cyanurus</i> (Forster 1795)	II	-	226,348,568
E: Blue-rumped Parrot; F: Perruche à croupion bleu			
Breeding: Brunei; Indonesia: Bangka, Kalimantan, Mentawai, Rhio Archipelago, Simeulue, Siumat, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand; Viet Nam [867]			
Vagrant: Singapore			
<i>Psittichas fulgidus</i> (Lesson 1830)	II	V	226,348,891,903
E: Pesquet's Parrot, Vulturine Parrot; F: Psittichas de Pesquet			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Purpureicephalus spurius</i> (Kuhl 1820)	II	-	348,939
E: Red-capped Parrot, Pileated Parakeet; F: Perruche à tête pourpre			
Breeding: Australia			
<i>Pyrrhura albipeccus</i> Chapman 1914	II	V	226,229,348,713,787,840,903
E: White-necked Parakeet, White-necked Conure, White-breasted Parakeet; F: Conure à col blanc;			
S: Perico pechiblanco			
Breeding: Ecuador			
<i>Pyrrhura calliptera</i> (Massena & Souancé 1854)	II	V	226,229,348,713,787,840,903
E: Brown-breasted Parakeet, Flame-winged Conure, Flame-winged Parakeet; F: Conure à poitrine brune			
Breeding: Colombia			
<i>Pyrrhura cruentata</i> (Wied 1820)	I	V	226,229,348,570,713,787,840,903
E: Blue-throated Parakeet, Red-eared Conure, Ochre-marked Parakeet, Blue-chested Parakeet; F: Conure tiriba, Conure à gorge bleue, Perruche tiriba; S: Perico grande			
Breeding: Brazil			
<i>Pyrrhura devillei</i> (Massena & Souancé 1854)	II	-	348,713,787
E: Blaze-winged Parakeet, Blaze-winged Conure; F: Conure de Deville			
Breeding: ?Bolivia; Brazil; Paraguay			
<i>Pyrrhura egregia</i> (Sclater 1881)	II	-	348,713,787
E: Fiery-shouldered Parakeet, Fiery-shouldered Conure; F: Conure aile-de-feu; S: Perico colimorado			
Breeding: Brazil; Guyana; Venezuela			
<i>Pyrrhura frontalis</i> (Vieillot 1818)	II	-	348,713,787
E: Maroon-bellied Parakeet, Red-bellied Conure, Reddish-bellied Parakeet; F: Conure de Vieillot; S: Chiripepé común			
Breeding: Argentina; Brazil; Paraguay; Uruguay			
<i>Pyrrhura hoematotis</i> Souancé 1857	II	-	348,713,787
E: Red-eared Parakeet, Red-breasted Conure, Blood-eared Parakeet; F: Conure à oreillons; S: Perico cola roja			
Breeding: Venezuela			
<i>Pyrrhura hoffmanni</i> (Cabanis 1861)	II	-	15,348,787
E: Sulphur-winged Parakeet, Hoffmann's Conure; F: Conure de Hoffmann			
Breeding: Costa Rica; Panama			
<i>Pyrrhura leucotis</i> (Kuhl 1820)	II	-	348,713,787,903
E: White-eared Parakeet, White-eared Conure, Maroon-faced Parakeet; F: Conure emma; S: Perico pintado			
Breeding: Brazil; Venezuela			

<i>Pyrrhura melanura</i> (Spix 1824)	II	-	348,713,787
E: Maroon-tailed Parakeet, Maroon-tailed Conure; F: Conure de Souancé; S: Perico cola negra			
Breeding: Brazil; Colombia; Ecuador; Peru; Venezuela			
<i>Pyrrhura molinae</i> (Massena & Souancé 1854)	II	-	348,713,787
(includes <i>Pyrrhura hypoxantha</i> Salvadori 1899)			
E: Green-cheeked Parakeet, Green-cheeked Conure; F: Conure de Molina; S: Chiripepé salteño			
Breeding: Argentina; Bolivia; Brazil; ?Paraguay			
<i>Pyrrhura orcesi</i> Ridgely & Robbins 1988	II	V	226,229,348,903
E: El Oro Parakeet, El Oro Conure; F: Conure d'Orcés; S: Perico de El Oro			
Breeding: Ecuador			
<i>Pyrrhura perlata</i> (Spix 1824)	II	-	226,348,713,787,840
E: Pearly Parakeet, Pearly Conure; F: Conure perlée			
Breeding: Brazil			
<i>Pyrrhura picta</i> (Müller 1776)	II	-	15,348,713,787
E: Painted Parakeet, Painted Conure; F: Conure versicolore; S: Perico cabecirrosoado			
Breeding: Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Panama; Peru; Suriname; Venezuela			
<i>Pyrrhura rhodocephala</i> (Sclater & Salvin 1871)	II	-	226,348,713,787
E: Rose-headed Parakeet, Rose-crowned Conure, Rose-headed Conure; F: Conure tête-de-feu; S: Perico cabecirrojo			
Breeding: Venezuela			
<i>Pyrrhura rhodogaster</i> (Sclater 1864)	II	-	51,348,713,787
E: Crimson-bellied Parakeet, Crimson-bellied Conure; F: Conure à ventre rouge			
Breeding: Bolivia [74]; Brazil			
<i>Pyrrhura rupicola</i> (Tschudi 1844)	II	-	348,713,787
E: Black-capped Parakeet, Black-capped Conure, Rock Parakeet; F: Conure à cape noire			
Breeding: Bolivia; Brazil [919]; Peru			
<i>Pyrrhura viridicata</i> Todd 1913	II	V	226,348,713,787
E: Santa Marta Parakeet, Santa Marta Conure; F: Conure des Santa Marta			
Breeding: Colombia			
<i>Rhynchositta pachyrhyncha</i> (Swainson 1827)	I	E	15,226,229,348,570,579,609,6
			10,637,787,903
(= <i>Rhynchositta pachyrhyncha pachyrhyncha</i>)			
E: Thick-billed Parrot; F: Conure à gros bec, Perruche à gros bec, Perruche ara; S: Periquito de pico grueso, Loro piquigordo, Cotorra-serrana occidental			
Breeding: Mexico; [USA] [536]			
Vagrant: USA			
<i>Rhynchositta terrisi</i> Moore 1947	I	V	15,226,229,348,570,614,787,9
			03
(= <i>Rhynchositta pachyrhyncha terrisi</i>)			
E: Maroon-fronted Parrot; F: Conure à front brun; S: Cotorra-serrana oriental			
Breeding: Mexico			
<i>Strigops habroptilus</i> Gray 1845	I	EW	27,96,97,226,348,549,627,705
			,718,903
E: Kakapo; F: Strigops kakapo, Kakapo, Perroquet nocturne, Perroquet hibou; S: Capapo			
Breeding: New Zealand: North Island (ex), South Island, Stewart Island [1079]			

Psittacidae

CITES RL Ref

<i>Tanygnathus gramineus</i> (Gmelin 1788)	II	V	226,348,903,1063
E: Black-lored Parrot; F: Perruche de Buru			
Breeding: Indonesia: Buru			
<i>Tanygnathus lucionensis</i> (Linnaeus 1766)	II	E	226,348,903
E: Blue-naped Parrot; F: Perruche de Luçon			
Breeding: Indonesia: Maraua, Talaud Islands [1063]; Malaysia: Mantanani Island, Siamil Island; Philippines			
<i>Tanygnathus megalorynchos</i> (Boddaert 1783)	II	-	348,903
E: Great-billed Parrot; F: Perruche à bec de sang			
Breeding: Indonesia: Ambon, Babar, Bacan, Batanta, Biaro, Buka, Buru, Damar, Flores, Gebe, Halmahera, Haruku, Kalao, Kalaotoa, Kayoa, Madu, Makian, Manterawu, Mayu, Misool, Morotai, Meti, Muor, Obi, Ruang, Salawati, Sangihe, Semau, Seram, Seram Laut, Siau, Sulawesi, Sumba, Tahulandang, Talaud, Tanahjampea, Tanimbar, Ternate, Tidore, Timor, Togian, Tukangbesi, Waigeo, Widi; Philippines: Balut			
<i>Tanygnathus sumatranus</i> (Raffles 1822)	II	-	348
(includes <i>Tanygnathus heterurus</i> Salvadori 1912)			
E: Blue-backed Parrot, Müller's Parrot; F: Perruche de Müller			
Breeding: Indonesia: Banggai, Bangka, Butung, Lembeh, Manadotua, Manterawu, Muna, Sangihe, Sula Islands, Sulawesi, Talaud Islands, Talisei, Tobea, Togian Islands; Philippines			
<i>Touit batavica</i> (Boddaert 1783)	II	-	348,713,787
E: Lilac-tailed Parrotlet, Seven-colored Parrotlet; F: Toui à sept couleurs; S: Perico siete colores			
Breeding: Guyana; Suriname; Trinidad and Tobago: [Tobago]; Venezuela			
<i>Touit costaricensis</i> (Cory 1913)	-	II	15,226,348,903
(= <i>Touit dilectissima costaricensis</i>)			
E: Red-fronted Parrotlet; F: Toui du Costa Rica			
Breeding: Costa Rica; Panama			
<i>Touit dilectissima</i> (Sclater & Salvin 1871)	II	-	348,713,787
E: Blue-fronted Parrotlet; F: Toui à front bleu; S: Churiquita, Periquito frentiazul			
Breeding: Colombia; Ecuador; Panama; Venezuela			
<i>Touit huetii</i> (Temminck 1830)	II	-	348,713,787
E: Scarlet-shouldered Parrotlet; F: Toui de Huet; S: Periquito azul alirrojo			
Breeding: Bolivia [780]; Brazil; Colombia; Ecuador; Guyana; Peru; Trinidad and Tobago (ex); Venezuela			
<i>Touit melanotus</i> (Wied 1820)	II	E	226,229,348,570,713,787,808, 840,903
E: Brown-backed Parrotlet, Black-eared Parrotlet; F: Toui à dos noir			
Breeding: Brazil			
<i>Touit purpurata</i> (Gmelin 1788)	II	-	348,713,787
E: Sapphire-rumped Parrotlet; F: Toui à queue pourprée; S: Periquito rabadilla púrpura			
Breeding: Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Venezuela			
<i>Touit stictoptera</i> (Sclater 1862)	II	V	226,229,348,713,787,903
E: Spot-winged Parrotlet; F: Toui tacheté; S: Periquito alipunteado			
Breeding: Colombia; Ecuador; Peru			
<i>Touit surda</i> (Kuhl 1820)	II	E	226,229,348,570,713,787,808, 840,903
E: Golden-tailed Parrotlet; F: Toui à queue d'or			
Breeding: Brazil			

Psittacidae	CITES	RL	Ref
<i>Trichoglossus chlorolepidotus</i> (Kuhl 1820) E: Scaly-breasted Lorikeet; F: Loriquet vert Breeding: Australia	II	-	348,939
<i>Trichoglossus euteles</i> (Temminck 1835) E: Olive-headed Lorikeet, Perfect Lorikeet; F: Loriquet eutèle Breeding: Indonesia: Alor, Babar, Damar, Kisar, Leti, Lomblen, Luang, Moa, Nila, Pantar, Romang, Teun, Timor, Wetar	II	-	348,903
<i>Trichoglossus flavoviridis</i> Wallace 1863 E: Yellow-and-green Lorikeet, Meyer's Lorikeet; F: Loriquet jaune et vert Breeding: Indonesia: Sula Islands, Sulawesi	II	-	348
<i>Trichoglossus haematodus</i> (Linnaeus 1771) E: Rainbow Lorikeet, Green-naped Lorikeet, Rainbow Lory; F: Loriquet à tête bleue Breeding: Australia; [Hong Kong]; Indonesia: Ambon, Aru Islands, Bali, Buru, Flores, Irian Jaya, Kai Islands, Kalaotoa, Kisar, Lombok, Romang, Seram, Seram Laut, Sumba, Sumbawa, Tanahjampea, Tayandu, Timor, Watubela, Western Papuan Islands, Wetar; New Caledonia; Papua New Guinea; Solomon Islands; Vanuatu	II	-	348,891,903,939
<i>Trichoglossus johnstoniae</i> Hartert 1903 E: Mindanao Lorikeet, Johnstone's Lorikeet; F: Loriquet de Johnstone Breeding: Philippines: Mindanao [812]	II	V	226,348,903
<i>Trichoglossus ornatus</i> (Linnaeus 1758) E: Ornate Lorikeet, Ornate Lory; F: Loriquet orné Breeding: Indonesia: Banggai, Bangka, Butung, Manterawu, Muna, Sulawesi, Togian, Tukangbesi	II	-	348,1063
<i>Trichoglossus rubiginosus</i> (Bonaparte 1850) E: Pohnpei Lorikeet, Pohnpei Lory; F: Loriquet de Ponapé Breeding: Federated States of Micronesia: Pohnpei [817]	II	-	348
<i>Trichoglossus rubritorquis</i> Vigors & Horsfield 1827 (= <i>Trichoglossus haematodus rubritorquis</i>) E: Red-collared Lorikeet; F: Loriquet à col rouge Breeding: Australia	II	-	348
<i>Triclaria malachitacea</i> (Spix 1824) E: Blue-bellied Parrot, Purple-bellied Parrot; F: Crick à ventre bleu Breeding: Argentina [95,871]; Brazil [901,923]	II	E	226,229,348,713,787,903
<i>Vini australis</i> (Gmelin 1788) E: Blue-crowned Lorikeet; F: Lori fringillaire Breeding: American Samoa: Manua; Fiji: Lau Archipelago; Niue; Tonga; Wallis and Futuna Islands; Western Samoa: Savaii, Upolu	II	-	348,817,903
<i>Vini kuhlii</i> (Vigors 1824) E: Kuhl's Lorikeet, Scarlet-breasted Lorikeet; F: Lori de Kuhl Breeding: French Polynesia: Rimitara, ?Tubuai; [Kiribati]: Kiritimati, Tabueran, [Teraina]	II	E	226,348,482,817,903
<i>Vini peruviana</i> (Müller 1776) E: Tahitian Lorikeet, Blue Lorikeet; F: Lori nonnette Breeding: Cook Islands: ?[Aitutaki]; French Polynesia: Society Islands, Tuamoto Archipelago	II	V	226,348,482,570,817,903
<i>Vini stepheni</i> (North 1908) E: Stephen's Lorikeet, Henderson Lorikeet; F: Lori de Stephen Breeding: Pitcairn Islands: Henderson Island	II	V	226,348,903

Psittacidae

CITES RL Ref

<i>Vini ultramarina</i> (Kuhl 1820)	II	E	39,226,348,482,570,903
E: Ultramarine Lorikeet, Ultramarine Lory; F: Lori ultramarina Breeding: French Polynesia: Nukuhiva, [Uahuka], Uapou [817]			

Order CUCULIFORMES

Family MUSOPHAGIDAE

<i>Corythaeaola cristata</i> (Vieillot 1816)	III	GH	-	141,358,905,943
E: Great Blue Turaco, Blue Plaintain-eater; F: Touraco géant; S: Turaco gigante				
Breeding: ?Angola; Burundi; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; ?Guinea; ?Guinea-Bissau; Kenya; Liberia; Nigeria; Rwanda; ?Sierra Leone; ?Sudan; ?Tanzania; ?Togo; Uganda; Zaire				
Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Ghana; Guinea; Guinea-Bissau; Sierra Leone; Sudan; Tanzania; Togo				
<i>Crinifer piscator</i> (Boddaert 1783)	III	GH	-	358,905,943
E: Western Grey Plaintain-eater, Grey Plantain-eater; F: Touraco gris; S: Turaco de Crin occidentale				
Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; ?Liberia; Mali; Mauritania; Niger; Nigeria; Senegal; Sierra Leone; Togo; ?Zaire				
Non-breeding: Benin; Cameroon; Central African Republic; Chad; Congo; Guinea [1042]; Guinea-Bissau; Liberia; Zaire				
<i>Musophaga porphyreolopha</i> (Vigors 1831)	II	-	-	141,203,358,943
(= <i>Tauraco porphyreolophus</i>)				
E: Purple-crested Turaco, Violet-crested Turaco; F: Touraco à huppe splendide, Touraco à huppe pourprée; S: Turaco crestivioleta				
Breeding: Burundi; Kenya; Malawi; ?Mozambique; Rwanda; South Africa; Swaziland; ?Tanzania; ?Uganda; Zambia; Zimbabwe				
Non-breeding: Mozambique; Tanzania; Uganda				
<i>Musophaga violacea</i> Isert 1789	III	GH	-	905,943
E: Violet Turaco, Violet Plantain-eater; F: Touraco violet; S: Turaco azul				
Breeding: ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; ?Liberia; ?Mali; ?Niger; Nigeria; ?Senegal; ?Togo				
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Ghana; Guinea [1042]; Guinea-Bissau; Liberia; Mali; Niger; Senegal; Togo				
Vagrant: Sierra Leone				
<i>Tauraco bannermani</i> (Bates 1923)	II	V	-	226,228,358,653,905,943
E: Bannerman's Turaco; F: Touraco doré, Touraco de Bannerman; S: Turaco de Bannerman				
Breeding: ?Cameroon				
Non-breeding: Cameroon				
<i>Tauraco corythaix</i> (Wagler 1827)	II	-	-	203,358,570,943
(= <i>Tauraco persa corythaix</i>)				
E: Knysna Turaco; F: Touraco louri, Touraco vert d'Afrique del Sud; S: Turaco sudafricano				
Breeding: ?Mozambique; South Africa; Swaziland				
Non-breeding: Mozambique				
<i>Tauraco erythrophthalmus</i> (Vieillot) 1819	II	-	-	358
E: Red-crested Turaco; F: Touraco pauline				
Breeding: ?Angola				
Non-breeding: Angola				

Musophagidae	CITES	RL	Ref
<i>Tauraco fischeri</i> (Reichenow 1878) (= <i>Tauraco corythaix fischeri</i>) E: Fischer's Turaco; F: Touraco de Fischer Breeding: Kenya; ?Somalia; ?Tanzania Non-breeding: Somalia; Tanzania	II	-	226,358,943
<i>Tauraco hartlaubi</i> (Fischer and Reichenow) 1884 E: Hartlaub's Turaco; F: Touraco de Hartlaub Breeding: Kenya; ?Tanzania; ?Uganda Non-breeding: Tanzania; Uganda	II	-	358
<i>Tauraco leucolophus</i> (Heuglin) 1855 E: White-crested Turaco; F: Touraco à huppe blanche; S: Turaco capucha-blanca Breeding: ?Cameroon; ?Central African Republic; ?Chad; Kenya; Nigeria; ?Sudan; ?Uganda; Zaire Non-breeding: Cameroon; Central African Republic; Chad; Sudan; Uganda	II	-	358
<i>Tauraco leucotis</i> (Rüppell) 1835 E: White-cheeked Turaco; F: Touraco à joues blanches Breeding: Eritrea; Ethiopia; ?Sudan Non-breeding: Sudan	II	-	358
<i>Tauraco livingstonii</i> (Gray 1864) (= <i>Tauraco corythaix livingstonii</i>) E: Livingstone's Turaco; F: Touraco de Livingstone Breeding: Burundi; Malawi; ?Mozambique; South Africa; ?Tanzania Non-breeding: Mozambique; Tanzania	II	-	358,943
<i>Tauraco macrorhynchus</i> (Fraser 1839) E: Yellow-billed Turaco, Crested Turaco, Verreaux's Turaco, Black-tip Crested Turaco; F: Touraco à gros bec; S: Turaco capucha-franjeada Breeding: ?Angola; ?Cameroon; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; ?Guinea; Liberia; ?Nigeria; Sierra Leone; ?Zaire Non-breeding: Angola; Cameroon; Congo; Equatorial Guinea [829]; Ghana; Guinea; Nigeria; Zaire	II	-	358,905,943
<i>Tauraco persa</i> (Linnaeus 1758) (= <i>Tauraco corythaix persa</i>) E: Guinea Turaco; F: Touraco vert; S: Turaco capucha-verde de Guinea Breeding: ?Angola; ?Benin; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; Liberia; Mali; ?Nigeria; ?Senegal; Sierra Leone; ?Togo; ?Zaire Non-breeding: Angola; Benin; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Gambia; Ghana; Guinea [1042]; Guinea-Bissau; Nigeria; Senegal; Togo; Zaire	II	-	358,905,943
<i>Tauraco ruspolii</i> (Salvadori 1896) E: Ruspoli's Turaco; F: Touraco de Ruspoli Breeding: Ethiopia	II	E	226,228,358,943
<i>Tauraco schalowi</i> (Reichenow 1891) (= <i>Tauraco corythaix schalowi</i>) E: Schalow's Turaco; F: Touraco de Schalow Breeding: Angola; ?Botswana; Burundi; Kenya; Malawi; ?Namibia; ?Tanzania; Zaire; Zambia; Zimbabwe Non-breeding: Botswana; Namibia; Tanzania	II	-	358,943
<i>Tauraco schuettii</i> (Cabanis 1879) (= <i>Tauraco corythaix schuettii</i>) E: Black-billed Turaco; F: Touraco à bec noir Breeding: ?Angola; Burundi; ?Central African Republic; Congo; ?Kenya; Rwanda; Sudan; ?Tanzania; ?Uganda; Zaire	II	-	358,943

Non-breeding: Angola; Central African Republic; Kenya; Tanzania; Uganda

Order STRIGIFORMES

Family TYTONIDAE

<i>Phodilus badius</i> (Horsfield 1821)	II	-	9,14,171,568
E: Oriental Bay-Owl, Bay Owl; F: Phodile calong			
Breeding: ?Bangladesh; Brunei; China; India; Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Singapore (ex); Sri Lanka; Thailand; Viet Nam			
Vagrant: ?Nepal; Philippines: Samar			
<i>Phodilus prigoginei</i> Schouteden 1952	II	V	14,171,206,226,228
E: Congo Bay-Owl, Itombwe Owl; F: Phodile de Prigogine			
Breeding: Zaire			
<i>Tyto alba</i> (Scopoli 1769)	II	-	9,14,15,115,141,169,171,2032 42,358,477,568,713,905,976
(includes <i>Tyto detorta</i> Hartert 1913)			
E: Barn Owl, Common Barn-Owl; F: Effraie des clochers, Effraie africaine; S: Lechuza común, Lechuza de campanario			
Breeding: Albania; Algeria; American Samoa [817]; Andorra; Angola; Argentina; Australia; [Australia: Lord Howe Island]; Austria; Bahamas; Bahrain; Bangladesh; Belarus; Belgium; Belize; Benin; Bermuda; Bolivia; Bosnia and Herzegovina; Botswana; Brazil; Bulgaria; Burkina Faso [996]; Burundi; Cambodia; ?Cameroon; Canada [959]; Canary Islands; Cape Verde; Cayman Islands; Central African Republic; ?Chad; Chile [512]; China; Colombia; ?Comoros; ?Congo; Costa Rica; Côte d'Ivoire; Croatia; Cuba; Cyprus; Czech Republic; Denmark; Dominica; Dominican Republic; Ecuador: including Galapagos Islands;; Egypt; El Salvador; Equatorial Guinea; ?Eritrea; Ethiopia; ?Falkland Islands; Fiji [817]; France; French Guiana; Gabon; Gambia; Germany; Ghana; Gibraltar; Greece; Grenada; Guatemala; Guernsey; ?Guinea [1042]; Guinea-Bissau; Guyana; Haiti; [Hawaiian Islands] [817]; Honduras; Hungary; India: including Andaman Islands; Indonesia; Iran; Iraq; Ireland; Israel; Italy; Jamaica; Jersey; Jordan; Kenya; ?Kuwait; Lao P.D.R.; Latvia; Lebanon; Lesotho; Liberia; ?Libya; Liechtenstein; Lithuania; Luxembourg; Macedonia; Madagascar [266]; Madeira; Malawi; Malaysia: Peninsular Malaysia; Mali; Malta; Mauritania; Mayotte; Mexico; Moldova; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; Netherlands [264]; Netherlands Antilles: Bonaire, Curaçao; Nicaragua; Niger; Nigeria; Niue [817]; Oman; Pakistan; Panama; Papua New Guinea; Paraguay; Peru; Poland; Portugal; Romania; Rwanda; Saint Lucia; Saint Vincent; São Tomé and Príncipe; Saudi Arabia; Senegal; [Seychelles] [619]; Sierra Leone; Singapore; Slovak Republic; Slovenia; Solomon Islands; ?Somalia; South Africa; Spain; Sri Lanka; Sudan; Suriname; Swaziland; Sweden; Switzerland; ?Syria; ?Tanzania; Thailand [867]; ?Togo [200]; Tonga [817]; Trinidad and Tobago; Tunisia; Turks and Caicos Islands; USA [959]; ?Uganda; Ukraine; United Arab Emirates; United Kingdom; Uruguay; Vanuatu; Venezuela; Viet Nam; Wallis and Futuna Islands [817]; Western Sahara; Western Samoa [817]; Yemen; Yugoslavia; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Cameroon; Chad; Comoros; Congo; Eritrea; Guinea; Libya; Mozambique; Somalia; Syria; Tanzania; Togo; Uganda; Zaire			
Vagrant: Azores; Estonia; Finland; Kuwait; New Zealand; Norway; Puerto Rico; Turkey			
<i>Tyto aurantia</i> (Salvadori 1881)	II	V	14,171,226,891
E: Bismarck Masked-Owl, New Britain Masked-Owl, Golden Owl; F: Effraie dorée			
Breeding: Papua New Guinea: New Britain			

<i>Tyto capensis</i> (Smith 1834)	II	-	14,141,171,203,358,905
E: African Grass-Owl; F: Effraie du Cap			
Breeding:	?Angola; ?Burundi; ?Cameroon; ?Congo; ?Ethiopia [1006]; Kenya; Lesotho; Malawi; ?Mozambique; Namibia; Rwanda; South Africa; Swaziland; ?Tanzania; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Burundi; Cameroon; Congo; Ethiopia [1006]; Mozambique; Tanzania; Uganda		
<i>Tyto castanops</i> (Gould 1837)	II	-	14,171
(= <i>Tyto novaehollandiae castanops</i>)			
E: Tasmanian Masked-Owl; F: Effraie de Tasmanie			
Breeding:	Australia		
<i>Tyto glaucops</i> (Kaup 1852)	II	-	14,15
(= <i>Tyto alba glaucops</i>)			
E: Ashy-faced Owl; F: Effraie d'Hispaniola			
Breeding:	Dominican Republic; Haiti		
<i>Tyto inexpectata</i> (Schlegel 1879)	II	DD	14,171,226,1063
E: Minahassa Masked-Owl, Minahassa Owl, Minahassa Barn-Owl; F: Effraie de Minahassa			
Breeding:	Indonesia: Sulawesi		
<i>Tyto longimembris</i> (Jerdon 1839)	II	-	9,14,171,891
(= <i>Tyto capensis longimembris</i>)			
E: Eastern Grass-Owl; F: Effraie de prairie			
Breeding:	Australia; Bangladesh; China; Fiji: Viti Levu (ex) [817]; India; Indonesia: Flores, Irian Jaya, Sulawesi, Tukangbesi; Myanmar; Nepal; New Caledonia; Papua New Guinea; Philippines; Taiwan; Viet Nam		
Vagrant:	?Hong Kong; Japan [134]	-	
<i>Tyto manusi</i> Rothschild & Hartert 1914	II	V	14,226
(= <i>Tyto novaehollandiae manusi</i>)			
E: Manus Masked-Owl; F: Effraie de Manus			
Breeding:	Papua New Guinea: Manus Island		
<i>Tyto multipunctata</i> Mathews 1912	II	-	14,226
(= <i>Tyto tenebricosa multipunctata</i>)			
E: Lesser Sooty-Owl; F: Effraie piquetée			
Breeding:	Australia; Indonesia: Irian Jaya, Yapen; Papua New Guinea		
<i>Tyto nigrobrunnea</i> Neumann 1939	II	V	14,171,226,1063
E: Taliabu Masked-Owl, Sula Barn-Owl, Taliabu Owl; F: Effraie de Taliabu			
Breeding:	Indonesia: Taliabu		
<i>Tyto novaehollandiae</i> (Stephens 1826)	II	-	14,171,557
E: Australian Masked-Owl; F: Effraie masquée			
Breeding:	Australia; Indonesia: Irian Jaya; Papua New Guinea		
<i>Tyto rosenbergii</i> (Schlegel 1866)	II	-	14,171
(= <i>Tyto novaehollandiae rosenbergii</i>)			
E: Sulawesi Owl; F: Effraie des Célèbes			
Breeding:	Indonesia: Peleng, Sangihe, Sulawesi		
<i>Tyto sororcula</i> (Sclater 1883)	II	-	14,171,226,1063
(= <i>Tyto novaehollandiae sororcula</i>)			
E: Lesser Masked-Owl, Tanimbar Owl; F: Effraie des Tanimbar			
Breeding:	Indonesia: Buru, Tanimbar Islands		

<i>Tyto soumagnei</i> (Milne-Edwards 1878)	I	E	14,171,206,226,228
E: Soumagne's Owl, Madagascar Red Owl, Madagascar Owl; F: Effraie de Soumagne, Effraie de Madagascar; S: Lechuza de Madagascar			
Breeding: Madagascar [266]			
Tyto tenebricosa (Gould 1845)			
E: Greater Sooty-Owl; F: Effraie ombrée	II	-	14,171,557
Breeding: Australia; Indonesia: Irian Jaya, Yapen; Papua New Guinea			
Family STRIGIDAE			
<i>Aegolius acadicus</i> (Gmelin 1788)	II	-	14,15,171,226
(includes <i>Aegolius ridgwayi</i> (Alfaro 1905))			
E: Northern Saw-whet Owl, Saw-whet Owl; F: Petite Nyctale; S: Tecolote-abetero norteño			
Breeding: Canada; Costa Rica; El Salvador; Guatemala; Mexico; USA			
Vagrant: Bermuda; Panama			
<i>Aegolius funereus</i> (Linnaeus 1758)	II	-	14,15,171,242
E: Boreal Owl, Tengmalm's Owl; F: Nyctale de Tengmalm; S: Lechuza de Tengmalm			
Breeding: Andorra; Austria; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canada; China; Croatia; Czech Republic; ?Denmark; Estonia; Finland; France; Germany; Greece; India; Italy; Japan [134]; Kazakhstan; Kyrgyzstan; Latvia; Liechtenstein; Lithuania; Macedonia; Mongolia; Netherlands; Norway; Poland; ?Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; ?Tajikistan; ?Turkey [477]; USA [455]; Ukraine; Yugoslavia			
Non-breeding: Denmark; Japan; Romania; Saint Pierre and Miquelon; Tajikistan			
Vagrant: Hungary; Luxembourg; Turkey; United Kingdom			
<i>Aegolius harrisii</i> (Cassin 1849)	II	-	14,171,226,713
E: Buff-fronted Owl; F: Nyctale de Harris, Chouette d'Harris; S: Lechucita acanelada, Carburé acanelado, Curucú barriga amarilla			
Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; Paraguay; Peru; Uruguay; Venezuela			
<i>Asio abyssinicus</i> (Guérin-Méneville 1843)	II	-	14,141,171
(= <i>Asio otus abyssinicus</i>)			
E: Abyssinian Owl; F: Hibou d'Abyssinie			
Breeding: ?Ethiopia; ?Kenya; ?Rwanda; ?Uganda; ?Zaire			
Non-breeding: Ethiopia; Kenya; Rwanda; Uganda; Zaire			
<i>Asio capensis</i> (Smith 1834)	II	-	14,141,171,203,358,477,905
E: Marsh Owl, African Marsh Owl; F: Hibou du Cap; S: Lechuza mora			
Breeding: Algeria (ex); Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Chad; Kenya; Lesotho; Madagascar [266]; ?Malawi; Mali; Morocco; ?Mozambique; Namibia; Nigeria; Rwanda; South Africa; Swaziland; ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Burkina Faso; Cameroon; Canary Islands; Chad; Congo; Ethiopia; Gambia; Malawi; Mauritania; Mozambique; Sudan; Tanzania; Uganda; Zaire			
Vagrant: Algeria; Guinea; Portugal; Senegal; Spain			
<i>Asio clamator</i> (Vieillot 1807)	II	-	14,171,206,713
(= <i>Rhinoptynx clamator</i>)			
E: Striped Owl; F: Hibou strié, Hibou criard; S: Lechuzón, Lechuzón orejas largas, Lechuzón orejudo, Lechuza listada, Búho-cornudo cariblanco			
Breeding: Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Tobago; Uruguay; Venezuela			

<i>Asio flammeus</i> (Pontoppidan 1763)	II	-	9, 14, 15, 115, 171, 206, 242, 358, 568, 713, 905
E: Short-eared Owl; F: Hibou des marais, Hibou brachyote; S: Lechuza campestre, Lechuzón campestre, Lechuza orejicorta, Búho orejicorta			
Breeding:	Argentina; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bolivia [703]; Bosnia and Herzegovina; Brazil [87, 810]; Bulgaria; Canada; Chile [44, 144]; China; Colombia; Croatia; Cuba [368]; Czech Republic; Denmark; Dominican Republic; Ecuador; including Galapagos Islands [172]; Estonia; Falkland Islands; Federated States of Micronesia; Pohnpei [817]; Finland; France; French Guiana; Georgia; Germany; Greece; Guyana; Haiti; Hawaiian Islands; Hungary; Iceland; Ireland; Israel; Kazakhstan; Kyrgyzstan; Latvia; Lithuania; Macedonia; ?Madeira; Moldova; Mongolia; Netherlands; Norway; Paraguay; Peru; Poland; Puerto Rico; Romania; Russian Federation; Saint Pierre and Miquelon; Slovak Republic; Spain; Suriname; Sweden; Turkey; Turkmenistan; USA; Ukraine; United Kingdom; Uruguay; Uzbekistan; Venezuela; Yugoslavia		
Non-breeding:	Afghanistan; Albania; Algeria; Bahrain [167]; Bangladesh; Cyprus; Egypt; Eritrea; Ethiopia; Faeroe Islands; Guernsey; Guinea; India; Iran [477]; Iraq; Italy; Japan [1068]; Jersey; Jordan; D.P.R. Korea; Korea Republic; Kuwait [167]; Lao P.D.R.; Lebanon; Libya; Luxembourg; Madeira; Maldives; Mali; Malta; Mauritania; Mexico; Morocco; Myanmar; Nepal; Oman; Pakistan; Portugal; Qatar [167]; Saudi Arabia; Senegal; Slovenia; Sudan; Switzerland; Taiwan [910]; Tajikistan; Tunisia; United Arab Emirates; Viet Nam		
Vagrant:	Azores; Bermuda; Brunei; Canary Islands; Cape Verde; Chad; Costa Rica [934]; Gibraltar; Greenland; Guadeloupe; Saint Barthelemy; Guam; Guatemala; Hong Kong; Kenya [141]; Liechtenstein; Malaysia; Peninsular Malaysia, Sarawak [940]; Marshall Islands; Mauritania; Niger; Northern Marianas [817]; Philippines [812]; Singapore; Somalia; Sri Lanka; Svalbard and Jan Mayen Islands; Syria; Thailand; Turks and Caicos Islands; Uganda; Virgin Islands of the United States [973]; Yemen		
<i>Asio madagascariensis</i> (Smith 1834)	II	-	14, 171
E: Madagascar Owl; F: Hibou malgache, Hibou de Madagascar; S: Lechuza orejita de Madagascar			
Breeding:	Madagascar [266]		
<i>Asio otus</i> (Linnaeus 1758)	II	-	9, 14, 15, 171, 242, 358, 477
E: Long-eared Owl; F: Hibou moyen-duc; S: Búho chico, Búho-cornudo caricafe			
Breeding:	Afghanistan; Albania; Algeria; Andorra; Armenia; Austria; Azerbaijan; Azores; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Canada; Canary Islands; China; Croatia; ?Cyprus; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Guernsey; Hungary; India; Iran; Ireland; Israel; Italy; Japan [134]; Kazakhstan; Kyrgyzstan; Latvia; Liechtenstein; Lithuania; Luxembourg; Macedonia; Mexico; Moldova; Mongolia; Morocco; Netherlands; Norway; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; Tajikistan; Tunisia; Turkey; Turkmenistan; USA; Ukraine; United Kingdom; Uzbekistan; Yugoslavia		
Non-breeding:	Afghanistan; Cyprus; Egypt; Iraq; Jersey; Jordan; D.P.R. Korea; Korea Republic; Malta; Taiwan		
Vagrant:	Bermuda; Cuba [115]; Faeroe Islands; Gibraltar; Hong Kong; Iceland; Iraq; Lao P.D.R.; Lebanon; Libya; Myanmar; Nepal; Oman; Saint Pierre and Miquelon; Saudi Arabia; Syria; United Arab Emirates		
<i>Asio stygius</i> (Wagler 1832)	II	-	14, 15, 115, 171, 713
E: Stygian Owl; F: Hibou maître-bois; S: Lechuzón negruzco, Lechuza estigia, Búho-cornudo oscuro			
Breeding:	Argentina; Belize; Bolivia [75]; Brazil; Colombia; Cuba; Dominican Republic; Ecuador; Guatemala; Haiti; Honduras; México; Nicaragua; Paraguay; Venezuela		
<i>Athene blewitti</i> (Hume 1873)	I	C	9, 14, 171, 206, 226, 570
E: Forest Owlet, Forest Little Owl; F: Chevêche forestière, Chouette des forêts; S: Mochuelo forestal			
Breeding:	India (ex?)		

<i>Athene brama</i> (Temminck 1821)	II	-	9,14,171,477,568
E: Spotted Owllet; Spotted Little Owl; F: Chevêche brame			
Breeding:	Bangladesh; Bhutan; Cambodia; China [1100]; India; Iran; Lao P.D.R.; Myanmar; Nepal; Pakistan; Thailand [867]; Viet Nam		
<i>Athene noctua</i> (Scopoli 1769)	II	-	9,14,171,242,358,375,477,905
E: Little Owl, Northern Little Owl, Tibet Owllet; F: Chevêche d'Athéna; S: Mochuelo común			
Breeding:	Afghanistan; Albania; Algeria; Andorra; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; ?Chad; China; Croatia; Cyprus; Czech Republic; Denmark; ?Djibouti; Egypt; ?Eritrea; ?Ethiopia; France; Georgia; Germany; Gibraltar; Greece; Hungary; India; Iran; Iraq; Israel; Italy; Jordan; Kazakhstan; Korea Republic; ?Kuwait; Kyrgyzstan; Latvia; Lebanon; Libya; Liechtenstein (ex?); Lithuania; Luxembourg; Macedonia; ?Mali; Mauritania; Moldova; Mongolia; Morocco; Nepal; Netherlands; [New Zealand]; ?Niger; Oman; Pakistan; Poland; Portugal; Romania; Russian Federation; Saudi Arabia; Slovak Republic; Slovenia; Somalia; Spain; ?Sudan; Switzerland; Syria; Tajikistan; Tunisia; Turkey; Turkmenistan [969]; Ukraine; United Arab Emirates; [United Kingdom]; Uzbekistan; Western Sahara; Yemen; Yugoslavia		
Non-breeding:	Djibouti; Eritrea; Ethiopia; Kuwait; Mali; Niger; Sudan		
Vagrant:	Finland; Ireland; Jersey; D.P.R. Korea; Malta; Norway; Sweden		
<i>Bubo africanus</i> (Temminck 1821)	II	-	14,141,171,203,358,477,905
E: Spotted Eagle-Owl, African Eagle-Owl; F: Grand-duc africain; S: Buho africano chico			
Breeding:	Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Djibouti; ?Eritrea; ?Ethiopia; ?Gabon; ?Gambia; ?Ghana; ?Guinea; ?Guinea-Bissau; Kenya; ?Lesotho; ?Liberia; Malawi; Mali; ?Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Oman; Rwanda; Saudi Arabia; ?Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Yemen; Zaire; Zambia; Zimbabwe		
Non-breeding:	Benin; Burkina Faso; Cameroon; Chad; Congo; Djibouti; Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Lesotho; Liberia; Mauritania; Mozambique; Niger; Senegal; Sierra Leone; Tanzania; Togo; Uganda		
<i>Bubo ascalaphus</i> Savigny 1809 (= <i>Bubo bubo ascalaphus</i>)	II	-	14,242,358,905
E: Pharaoh Eagle-Owl; F: Grand-duc ascalaphe			
Breeding:	Algeria; ?Chad; Egypt; Eritrea; Iraq; Israel; Jordan; Kuwait; Libya; Mali; Mauritania; Morocco; Morocco; Western Sahara; Niger; Oman; Saudi Arabia; Sudan; Tunisia; United Arab Emirates		
Non-breeding:	Chad		
Vagrant:	Senegal		
<i>Bubo bengalensis</i> (Franklin 1831) (= <i>Bubo bubo bengalensis</i>)	II	-	9,14
E: Rock Eagle-Owl; F: Grand-duc indien			
Breeding:	Bangladesh; India; Myanmar; Nepal; Pakistan		
<i>Bubo bubo</i> (Linnaeus 1758)	II	-	9,14,171,242
E: Eurasian Eagle-Owl; F: Grand-duc d'Europe; S: Buho real			
Breeding:	?Afghanistan; Albania; Andorra; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Estonia; Finland; France; Georgia; Germany; Greece; Hong Kong; Hungary; India; Iran; Iraq; Israel; Italy; Japan [134]; Kazakhstan; D.P.R. Korea; Korea Republic; Kyrgyzstan; Latvia; Lebanon; Liechtenstein; Lithuania; Luxembourg; Macedonia; Moldova; Mongolia; Netherlands; Norway; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak Republic; Slovenia; Spain; Sweden; Switzerland; Syria; Tajikistan; Turkey; Turkmenistan; Ukraine; Uzbekistan; Yugoslavia		
Non-breeding:	Afghanistan		
Vagrant:	Denmark; Gibraltar; United Kingdom		

<i>Bubo capensis</i> Smith 1834	II	-	14,141,171,203,358
E: Cape Eagle-Owl, Mackinder's Eagle-Owl, Mountain Eagle-Owl; F: Grand-duc du Cap			
Breeding: ?Eritrea; ?Ethiopia; Kenya; ?Mozambique [509]; Namibia [681,1044]; South Africa; Swaziland; ?Tanzania; Zimbabwe			
Non-breeding: Eritrea; Ethiopia; Mozambique [509]; Tanzania			
Vagrant: Lesotho; Malawi			
<i>Bubo coromandus</i> (Latham 1790)	II	-	9,14,171,568
E: Dusky Eagle-Owl; F: Grand-duc de Coromandel			
Breeding: Bangladesh; India; Myanmar; Nepal; Pakistan; ?Thailand [867]			
Non-breeding: Thailand			
Vagrant: China; Malaysia; Peninsular Malaysia			
<i>Bubo lacteus</i> (Temminck 1820)	II	-	14,141,171,203,358,905
E: Verreaux's Eagle-Owl, Giant Eagle-Owl, Milky Eagle-Owl; F: Grand-duc de Verreaux; S: Gran buho etípico			
Breeding: Angola; Benin; Botswana; Burkina Faso [996]; Burundi; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; Djibouti; Eritrea; Ethiopia; Gambia; ?Ghana; ?Guinea; Guinea-Bissau; Kenya; Lesotho (ex); ?Liberia; Malawi; Mali; ?Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; ?Senegal; ?Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Cameroon; Chad; Ghana; Guinea; Liberia; Mauritania; Mozambique; Niger; Senegal; Sierra Leone; Tanzania; Togo			
<i>Bubo leucostictus</i> Hartlaub 1855	II	-	14,171,358,557,905
E: Akun Eagle-Owl, Sooty Eagle-Owl; F: Grand-duc tacheté; S: Buho de Akun			
Breeding: ?Angola; ?Cameroon; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; ?Guinea; Liberia; ?Nigeria; Sierra Leone; Zaire			
Non-breeding: Angola; Cameroon; Congo; Equatorial Guinea [829]; Ghana; Guinea; Nigeria			
<i>Bubo nipalensis</i> Hodgson 1836	II	-	9,14,171,226,568
E: Spot-bellied Eagle-Owl, Forest Eagle-Owl; F: Grand-duc du Népal			
Breeding: Bangladesh; Bhutan; Cambodia; India; Lao P.D.R.; Myanmar; Nepal; Sri Lanka; Thailand [867]; Viet Nam			
Vagrant: China			
<i>Bubo philippensis</i> (Kaup 1851)	II	E	14,171,226
(= <i>Pseudoptynx philippensis</i>)			
E: Philippine Eagle-Owl; F: Grand-duc des Philippines			
Breeding: Philippines [812]			
<i>Bubo poensis</i> Fraser 1853	II	-	14,141,171,226,228,358,557,905
E: Fraser's Eagle-Owl, (Usambara Eagle-Owl); F: Grand-duc à aigrettes			
Breeding: ?Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Gabon; ?Ghana; Liberia; Nigeria; Rwanda; ?Sierra Leone; ?Uganda; Zaire			
Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea [829]; Gabon; Ghana; Sierra Leone; Uganda			
<i>Bubo shelleyi</i> (Sharpe & Ussher 1872)	II	-	14,171,358,557,905
E: Shelley's Eagle-Owl, Banded Eagle-Owl; F: Grand-duc de Shelley			
Breeding: ?Cameroon; ?Congo; Côte d'Ivoire; ?Gabon; ?Ghana; ?Liberia; ?Sierra Leone; ?Zaire			
Non-breeding: Cameroon; Congo; Gabon; Ghana; Liberia; Sierra Leone; Zaire			
<i>Bubo sumatranus</i> (Raffles 1822)	II	-	14,171,568
E: Barred Eagle-Owl; F: Grand-duc bruyant			
Breeding: Brunei; Indonesia: Bali, Java, Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Singapore (ex); Thailand [867]			

Vagrant: Cocos (Keeling) Islands

Bubo virginianus (Gmelin 1788) II - 14,15,171,713
 E: Great Horned Owl; F: Grand-duc d'Amérique; S: Búho, Nacurutú, Lechuzón orejudo, Búho cornudo
 Breeding: Argentina; Belize; Bolivia; Brazil; Canada; Chile [512]; Colombia; Costa Rica; Ecuador; El Salvador; ?French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Paraguay; Peru; Suriname; USA; Uruguay; Venezuela
 Non-breeding: Saint Pierre and Miquelon
 Vagrant: Bermuda; Falkland Islands; Panama

Bubo vosseleri Reichenow 1908 II V 206,226
 (= *Bubo poensis vosseleri*)
 E: Usambara Eagle-Owl; F: Grand-duc des Usambara
 Breeding: Tanzania

Glaucidium albentinum Prigogine 1983 II V 14,206,226,228,358,557
 E: Albertine Owlet, Prigogine's Owl; F: Chevêchette du Graben
 Breeding: ?Rwanda; Zaire
 Non-breeding: Rwanda

Glaucidium bolivianum König 1991 II -
 E: Yungas Pygmy-Owl
 Breeding: Argentina; Bolivia; Peru

Glaucidium brasilianum (Gmelin 1788) II - 14,15,171,713
 E: Ferruginous Pygmy-Owl; F: Chevêchette brune; S: Caburé, Pavita ferruginea, Tecolotito común
 Breeding: Argentina; Belize; Bolivia; Brazil; Chile [512]; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; USA; Uruguay; Venezuela

Glaucidium brodiei (Burton 1836) II - 9,14,171,568
 E: Collared Owlet, Collared Pygmy-Owl; F: Chevêchette à collier
 Breeding: Afghanistan; Bangladesh; Bhutan; Brunei; China; India; Indonesia: Kalimantan, Sumatra; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Taiwan; Thailand [867]; Viet Nam

Glaucidium californicum Sclater 1857 II - 15
 (= *Glaucidium gnoma californicum*) (includes *Glaucidium hoskinsii* Brewster 1888)
 E: Northern Pygmy-Owl; F: Chevêchette des Rocheuses; S: Tecolotito del cabo
 Breeding: Canada; Mexico; USA

Glaucidium capense (Smith 1834) II - 14,141,171,203,358,557
 E: African Barred Owlet, Barred Owl; F: Chevêchette du Cap
 Breeding: ?Angola; Botswana; Malawi; ?Mozambique; Namibia; South Africa; Swaziland; Tanzania; ?Zambia; Zimbabwe
 Non-breeding: Angola; Mozambique; Zambia
 Vagrant: Rwanda

Glaucidium castaneum Neumann 1893 II - 358
 (= *Glaucidium capense castaneum*)
 E: Chestnut Owlet; F: Chevêchette châtaigne
 Breeding: Côte d'Ivoire; Liberia

Glaucidium castanonotum (Blyth 1846) II - 9,226
 (= *Glaucidium radiatum castanonotum*)
 E: Chestnut-backed Owlet
 Breeding: Sri Lanka

<i>Glaucidium castanopterum</i> (Horsfield 1821) (= <i>Glaucidium cuculoides castanopterum</i>) E: Javan Owl; F: Chevêchette spadicee Breeding: Indonesia: Bali, Java	II	-	14
<i>Glaucidium cuculoides</i> (Vigors 1831) E: Asian Barred Owl, Cuckoo Owl; F: Chevêchette cuculoïde Breeding: Bangladesh; Bhutan; Cambodia; China; Hong Kong (ex); India; Lao P.D.R.; Myanmar; Nepal; Pakistan; Thailand [867]; Viet Nam	II	-	9,14,171,568
<i>Glaucidium gnoma</i> Wagler 1832 E: Mountain Pygmy-Owl; F: Chevêchette naine; S: Tecolotito serrano Breeding: Guatemala; Honduras; Mexico; USA	II	-	14,15,171
<i>Glaucidium hardyi</i> Vielliard 1990 E: Hardy's Pygmy-Owl; F: Chevêchette d'Amazonie Breeding: Bolivia; Brazil	II	-	
<i>Glaucidium jardinii</i> (Bonaparte 1855) E: Andean Pygmy-Owl; F: Chevêchette des Andes; S: Pavita andina Breeding: Colombia; Costa Rica; Ecuador; Panama; Peru; Venezuela	II	-	14,15,713
<i>Glaucidium minutissimum</i> (Wied 1821) (includes <i>Glaucidium griseiceps</i> Sharpe 1875, <i>Glaucidium palmarum</i> Nelson 1901, <i>Glaucidium sanchezi</i> Lowery & Newman 1949)) E: Least Pygmy-Owl; F: Chevêchette cabouré Breeding: Belize; Bolivia [780]; Brazil; Colombia; Costa Rica; Guatemala [78]; Guyana; Honduras; Mexico; Panama; Paraguay; Perú; Suriname	II	-	14,15,171,713
<i>Glaucidium nanum</i> (King 1828) E: Austral Pygmy-Owl; F: Chevêchette australe; S: Caburé patagónico Breeding: Argentina; Chile	II	-	
<i>Glaucidium ngamiense</i> (Roberts 1932) (= <i>Glaucidium capense ngamiense</i>) E: Ngami Owl; F: Chevêchette de Ngami Breeding: Angola; Botswana; Namibia; Zaire; Zambia	II	-	204,358
<i>Glaucidium passerinum</i> (Linnaeus 1758) E: Eurasian Pygmy-Owl; F: Chevêchette d'Europe, Chouette chevêchette; S: Mochuelo chico Breeding: Austria; Belarus; Bosnia and Herzegovina; China; Czech Republic; Estonia; Finland; France; Germany; Italy; Latvia; Liechtenstein; Lithuania; Mongolia; Norway; Poland; Romania; Russian Federation; Slovak Republic; Slovenia; Sweden; Switzerland; Yugoslavia Vagrant: Belgium; Bulgaria; Croatia; Denmark; Spain; Ukraine	II	-	14,171,242
<i>Glaucidium perlatum</i> (Vieillot 1818) E: Pearl-spotted Owl; F: Chevêchette perlée; S: Mochuelin perlado Breeding: ?Angola; ?Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; ?Ethiopia; Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; ?Liberia; Malawi; ?Mali; ?Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe Non-breeding: Angola; Benin; Burkina Faso; Cameroon; Chad; Eritrea; Ethiopia; Ghana; Guinea [1042]; Guinea-Bissau; Liberia; Mali; Mauritania; Mozambique; Niger; Somalia; Tanzania; Togo; Uganda; Zaire	II	-	14,141,171,203,358,905

<i>Glaucidium peruanum</i> König 1991	II	-	
E: Peruvian Pygmy-Owl; F: Chevêchette du Pérou			
Breeding: Ecuador; Peru			
<i>Glaucidium radiatum</i> (Tickell 1833)	II	-	9,14,171
E: Jungle Owl, Barred Jungle Owl; F: Chevêchette de jungle			
Breeding: Bangladesh; India; Myanmar; Nepal			
<i>Glaucidium scheffleri</i> Neumann 1911 (= <i>Glaucidium capense scheffleri</i>)	II	-	
E: Scheffler's Owl; F: Chevêchette de Scheffler			
Breeding: ?Kenya; ?Somalia; ?Tanzania; ?Uganda			
Non-breeding: Kenya; Somalia; Tanzania; Uganda			
<i>Glaucidium siju</i> (d'Orbigny 1839)	II	-	14,171
E: Cuban Pygmy-Owl; F: Chevêchette de Cuba; S: Siju, Sijucito			
Breeding: Cuba			
<i>Glaucidium sjostedti</i> Reichenow 1893	II	-	14,171,557,905
E: Sjostedt's Owl; F: Chevêchette à queue barrée; S: Mochuelo chico, Mochelo de Sjöstedt			
Breeding: ?Cameroon; ?Congo; ?Equatorial Guinea [829]; ?Gabon; ?Nigeria; Zaire			
Non-breeding: Cameroon; Congo; Equatorial Guinea [829]; Gabon; Nigeria			
<i>Glaucidium tephronotum</i> Sharpe 1875	II	-	14,141,171,358,557,905
E: Red-chested Owl, Yellow-legged Owl; F: Chevêchette à pieds jaunes			
Breeding: ?Cameroon; ?Congo; Côte d'Ivoire; ?Gabon; Ghana; Kenya; Liberia [282]; ?Rwanda; ?Sierra Leone; ?Uganda; Zaire			
Non-breeding: Cameroon; Congo; Gabon; Rwanda; Sierra Leone; Uganda			
<i>Jubula lettii</i> (Büttikofer 1889) (= <i>Lophostrix lettii</i>)	II	-	14,171,206,358,557,905
E: Maned Owl; F: Duc à crinière, Hibou à bec jaune; S: Buho de Guinea			
Breeding: Cameroon; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; Gabon [148]; ?Ghana; Liberia; Zaire			
Non-breeding: Congo; Equatorial Guinea; Ghana			
<i>Ketupa blakistoni</i> (Seeböhm 1884) (= <i>Bubo blakistoni</i>)	II	E	14,171,206,226
E: Blakiston's Fish-Owl; F: Kétoupa de Blakiston			
Breeding: China; Japan: Hokkaido [130,134]; Russian Federation [119,345,577]			
<i>Ketupa flavipes</i> (Hodgson 1836) (= <i>Bubo flavipes</i>)	II	-	9,14,171,226,568
E: Tawny Fish-Owl; F: Kétoupa roux, Hibou pêcheur roux; S: Buho pescador			
Breeding: Bangladesh; Bhutan; China; India; Lao P.D.R.; Myanmar; Nepal; Taiwan; Viet Nam			
<i>Ketupa ketupu</i> (Horsfield 1821) (= <i>Bubo ketupu</i>)	II	-	9,14,171,568
E: Buffy Fish-Owl, Malay Fish-Owl; F: Kétoupa malais			
Breeding: Brunei; Cambodia; India (ex); Indonesia; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; ?Singapore (ex); Thailand [867]; Viet Nam			
Vagrant: Cocos (Keeling) Islands			
<i>Ketupa zeylonensis</i> (Gmelin 1788) (= <i>Bubo zeylonensis</i>)	II	-	9,14,171,242,477,568
E: Brown Fish-Owl; F: Kétoupa brun			
Breeding: Bangladesh; Cambodia; China; India; Iran; ?Iraq; Israel; Jordan; Lao P.D.R.; Malaysia: Peninsular Malaysia; Myanmar; Nepal; Pakistan; Sri Lanka; ?Syria; Thailand [867]; Turkey [656]; Viet Nam			

Non-breeding:	Hong Kong				
Vagrant:	Lebanon				
<i>Lophostrix cristata</i> (Daudin 1800)		II	-	14,15,171,713	
E: Crested Owl; F: Duc à aigrettes, Hibou à casque; S: Buho cornudo, Lechuza copetona, Búho corniblanco					
Breeding:	Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Venezuela				
<i>Micrathene whitneyi</i> (Cooper 1861)		II	-	14,15,171	
E: Elf Owl; F: Chevêchette des saguaros, Chevêchette-elfe; S: Mochuelo duende, Tecolotito enano					
Breeding:	Mexico; USA				
<i>Mimizuku gurneyi</i> (Tweeddale 1879)		I	E	14,171,206,226	
(= <i>Otus gurneyi</i>)					
E: Lesser Eagle-Owl, Giant Scops-Owl; F: Petit-duc de Gurney, Hibou de Guernsey; S: Autillo de Guernsey					
Breeding:	Philippines: Marinduque, Mindanao				
<i>Nesasio solomonensis</i> (Hartert 1901)		II	V	14,171,206,226,891	
E: Fearful Owl; F: Hibou redoutable, Chouette des îles Salomon; S: Buho de las islas Salomón					
Breeding:	Papua New Guinea: Bougainville; Solomon Islands: Choiseul, Santa Isabel				
<i>Ninox affinis</i> Beavan 1867		II	-	9,14,171,226	
E: Andaman Hawk-Owl; F: Ninoxe des Andaman					
Breeding:	India: Andaman and Nicobar Islands				
<i>Ninox boobook</i> (Latham 1801)		II	-		
(= <i>Ninox novaeseelandiae boobook</i>)					
E: Southern Boobook; F: Ninoxe d'Australie					
Breeding:	Australia				
<i>Ninox connivens</i> (Latham 1801)		II	-	14,171	
E: Barking Owl, Winking Owl; F: Ninoxe aboyeuse					
Breeding:	Australia; Indonesia: Bacan, Halmahera, Irian Jaya, Morotai, Obi; Papua New Guinea				
<i>Ninox jacquinoti</i> (Bonaparte 1850)		II	-	14,171,891	
E: Solomon Hawk-Owl; F: Ninoxe de Jacquinot					
Breeding:	Papua New Guinea: Bougainville; Solomon Islands				
<i>Ninox meeki</i> Rothschild & Hartert 1914		II	-	14,171,891	
E: Manus Hawk-Owl, Admiralty Hawk-Owl; F: Ninoxe de l'Amirauté					
Breeding:	Papua New Guinea: Admiralty Islands				
<i>Ninox novaeseelandiae</i> (Gmelin 1788)		II	-	14,171	
(excluding subspecies <i>undulata</i>)					
E: Morepork; F: Ninoxe boubouk					
Breeding:	Australia: Lord Howe Island (ex?); Indonesia: Alor, Babar, Irian Jaya, Kai Islands, Leti, Moa, Romang, Sawu, Sumba, Timor; New Zealand; Papua New Guinea				
<i>Ninox novaeseelandiae undulata</i> (Latham 1801)		I	-	14,171,206,570,761	
(= <i>Ninox novaeseelandiae roynana</i> Mathews 1912)					
E: Norfolk Boobook; F: Chouette coucou, Chouette-coucou de l'île Norfolk; S: Lechuza gavilana de Norfolk					
Breeding:	Norfolk Island [107,863]				

Strigidae

CITES RL Ref

<i>Ninox ochracea</i> (Schlegel 1865) (= <i>Ninox perversa</i> Stresemann 1938)	II	-	14,171,206
E: Ochre-bellied Hawk-Owl; F: Ninoxe ocrée Breeding: Indonesia: Butung, Sulawesi			
<i>Ninox odiosa</i> Sclater 1877	II	-	14,171,891
E: Russet Hawk-Owl, New Britain Hawk-Owl; F: Ninoxe odieuse Breeding: Papua New Guinea: New Britain			
<i>Ninox philippensis</i> Bonaparte 1855	II	-	14,171
E: Philippine Hawk-Owl; F: Ninoxe des Philippines Breeding: Philippines [812]			
<i>Ninox punctulata</i> (Quoy & Gaimard 1830)	II	-	14,171
E: Speckled Hawk-Owl; F: Ninoxe pointillée Breeding: Indonesia: Butung, Kabaena, Muna, Sulawesi [1063]			
<i>Ninox rudolfi</i> Meyer 1882	II	V	14,226
(= <i>Ninox novaezelandiae rudolfi</i>)			
E: Sumba Boobook; F: Ninoxe de Sumba Breeding: Indonesia: Sumba			
<i>Ninox rufa</i> (Gould 1846)	II	-	14,171
E: Rufous Owl; F: Ninoxe rousse Breeding: Australia; Indonesia: Aru Islands, Irian Jaya, Waigeo; Papua New Guinea			
<i>Ninox scutulata</i> (Raffles 1822)	II	-	9,14,171,568
E: Brown Hawk-Owl; F: Ninoxe hirsute			
Breeding: Bangladesh; Bhutan; Brunei; Cambodia; China; D.P.R. Korea; India: Andaman and Nicobar Islands; Indonesia; Japan [134]; Korea Republic; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Philippines [812]; Russian Federation [577]; Singapore; Sri Lanka; Taiwan; Thailand [867]; Viet Nam			
Non-breeding: Hong Kong			
Vagrant: Australia			
<i>Ninox squamipila</i> (Bonaparte 1850)	II	-	14,171
(excluding subspecies <i>natalis</i>)			
E: Moluccan Hawk-Owl; F: Ninoxe des Moluques Breeding: Indonesia: Bacan, Buru, Halmahera, Seram, Tanimbar, Ternate			
<i>Ninox squamipila natalis</i> Lister 1889	I	-	14,206,570,760
E: Christmas Hawk-Owl, Christmas Island Hawk-Owl; F: Chouette des Moluques, Chouette épervière de l'île Christmas; S: Lechuza gavilana (de las Molucas)			
Breeding: Christmas Island			
<i>Ninox strenua</i> (Gould 1838)	II	V	14,171,226
E: Powerful Owl; F: Ninoxe puissante Breeding: Australia			
<i>Ninox superciliaris</i> (Vieillot 1817)	II	-	14,171
E: Madagascar Hawk-Owl, White-browed Owl; F: Ninoxe à sourcils blancs Breeding: Madagascar [266]			
<i>Ninox theomacha</i> (Bonaparte 1855)	II	-	14,171,891
(includes <i>Ninox goldii</i> Gurney 1883)			
E: Jungle Hawk-Owl, Sooty-backed Hawk-Owl, Chestnut Hawk-Owl; F: Ninoxe brune Breeding: Indonesia: Irian Jaya, Misool, Waigeo; Papua New Guinea			

<i>Ninox variegata</i> (Quoy & Gaimard 1830) (= <i>Ninox solomonis</i> Sharpe 1876)	II	-	14,171
E: Bismarck Hawk-Owl; New Ireland Hawk-Owl; F: Ninoxe bariolée Breeding: Papua New Guinea; New Britain; New Hanover; New Ireland			
<i>Nyctea scandiaca</i> (Linnaeus 1758)	II	-	14,15,171,242
E: Snowy Owl; F: Harsfang des neiges; Chouette harfang; S: Buho nival Breeding: Canada; Finland; Greenland; Iceland; Norway; Russian Federation; Svalbard and Jan Mayen Islands; Svalbard; Sweden; USA: Alaska; United Kingdom			
Non-breeding: Faeroe Islands; Kazakhstan; Saint Pierre and Miquelon Vagrant: Albania; Austria; Azores; Belgium; Bermuda; China; Croatia; Czech Republic; D.P.R. Korea; Denmark; France; Germany; Hungary; Iran [477]; Ireland; Japan [134]; Korea Republic; Kyrgyzstan; Latvia; Luxembourg; Mongolia; Netherlands; Pakistan; Poland; Slovak Republic; Turkmenistan; USA; Ukraine; Yugoslavia			
<i>Otus albogularis</i> (Cassin 1850)	II	-	14,171,713
E: White-throated Screech-Owl; F: Petit-duc à gorge blanche; S: Curucú gargantiblanco Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Otus angelinae</i> (Finsch 1912) (= <i>Otus spilocephalus angelinae</i>)	II	V	14,23,171,226
E: Javan Scops-Owl; F: Petit-duc de Java Breeding: Indonesia: Java [80]			
<i>Otus asio</i> (Linnaeus 1758)	II	-	14,15,171
E: Eastern Screech-Owl; F: Petit-duc maculé; S: Tecolote oriental Breeding: Canada; Mexico; USA Vagrant: Bermuda			
<i>Otus atricapillus</i> (Temminck 1822) (includes <i>Otus guatemalae</i> (Sharpe 1875), <i>Otus hoyi</i> König & Straneck 1989)	II	-	14,15,171,713
E: Variable Screech-Owl, Black-capped Screech-Owl; F: Petit-duc à mèches noires; S: Lechucita rojiza, Curucú vermiculado, Tecolote vermiculado Breeding: Argentina; Belize [241]; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Uruguay; Venezuela			
<i>Otus bakkamoena</i> Pennant 1769 (includes <i>Otus lempiji</i> (Horsfield 1821))	II	-	9,14,171
E: Collared Scops-Owl; F: Petit-duc à collier Breeding: Bangladesh; Bhutan; Brunei; Cambodia; China; D.P.R. Korea; Hong Kong; India; Indonesia: Bali, Bangka, Belitung, Java, Kalimantan, Kangean Islands, Sumatra; Iran; Japan [134]; Korea Republic; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Russian Federation; Singapore; Sri Lanka; Taiwan; Thailand [867]; Viet Nam Vagrant: ?Oman [477]			
<i>Otus balli</i> (Hume 1873)	II	-	9,14,171,226
E: Andaman Scops-Owl; F: Petit-duc des Andaman Breeding: India: Andaman Islands			
<i>Otus barbarus</i> (Sclater & Salvin 1868)	II	-	14,15,171,226
E: Santa Barbara Screech-Owl; F: Petit-duc bridé; S: Tecolote barbuda Breeding: Guatemala; Mexico			
<i>Otus brookii</i> (Sharpe 1892)	II	-	14,171
E: Rajah Scops-Owl; F: Petit-duc radjah Breeding: Indonesia: Java, Sumatra; Malaysia: Sarawak [940]			

<i>Otus brucei</i> (Hume 1873)	II	-	9,14,171,242,358,477,557
E: Pallid Scops-Owl; Striated Scops-Owl; F: Petit-duc de Bruce			
Breeding: Iran; Iraq; ?Israel; ?Jordan; Kazakhstan; ?Lebanon; Oman; Pakistan; ?Syria; Tajikistan; Turkey; Turkmenistan; United Arab Emirates; Uzbekistan; ?Yemen			
Non-breeding: India; Jordan [1039]; Saudi Arabia; Syria; Yemen			
Vagrant: Afghanistan; Bahrain; Egypt; Israel			
<i>Otus choliba</i> (Vieillot 1817)	II	-	14,15,171,713
E: Tropical Screech-Owl; F: Petit-duc choliba; S: Lechucita común, Curucucú común			
Breeding: Argentina; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; French Guiana; Guyana; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Uruguay; Venezuela			
<i>Otus clarkii</i> Kelso & Kelso 1935	II	-	14,15,171,713
E: Bare-shanked Screech-Owl; F: Petit-duc de Clark; S: Buhito en Pernetas			
Breeding: Colombia; Costa Rica; Panama			
<i>Otus elegans</i> (Cassin 1852)	II	-	206
(= <i>Otus scops elegans</i>)			
E: Elegant Scops-Owl; F: Petit-duc élégant			
Breeding: Japan: Daito Islands, islands off Kyushu, Ryukyu Islands; Philippines: Batan, Calayan, Sabtang; Taiwan: Lan Yü Island [134,907]			
<i>Otus flammeolus</i> (Kaup 1853)	II	-	14,15,171
E: Flammulated Owl; F: Petit-duc nain; S: Tecolote flameado			
Breeding: Canada; Mexico; USA			
Non-breeding: Guatemala			
<i>Otus fuliginosus</i> (Sharpe 1888)	-	II	226
(= <i>Otus bakkamoena fuliginosus</i>)		V	
E: Palawan Scops-Owl; F: Petit-duc de Palawan			
Breeding: Philippines: Palawan			
<i>Otus hartlaubi</i> (Giebel 1849)	II	-	14,171,206,226,228,358,557,905
E: São Tomé Scops-Owl; F: Petit-duc de São Tomé			
Breeding: São Tomé and Príncipe: São Tomé, ?Príncipe [539]			
<i>Otus icterorhynchus</i> (Shelley 1873)	II	-	14,171,358,557,905
E: Sandy Scops-Owl; F: Petit-duc à bec jaune			
Breeding: ?Cameroon; Côte d'Ivoire; ?Ghana; ?Liberia; Zaire			
Non-breeding: Cameroon; Ghana; Liberia [282]			
<i>Otus ingens</i> (Salvin 1897)	II	-	14,171,713
(includes <i>Otus colombianus</i> Traylor 1952)			
E: Rufescent Screech-Owl, (Colombian Screech-Owl); F: Petit-duc de Salvin; S: Curucucú Pálido			
Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela			
<i>Otus ireneae</i> Ripley 1966	II	V	14,141,171,206,226,228,327,358,557
E: Sokoke Scops-Owl, Morden's Scops-Owl; F: Petit-duc d'Iréne			
Breeding: ?Kenya			
Non-breeding: Kenya			
<i>Otus kennicottii</i> (Elliot 1867)	II	-	15
(= <i>Otus asio kennicottii</i> ; includes <i>Otus cooperi</i> (Ridgway 1878), <i>Otus seductus</i> Moore 1941)			
E: Western Screech-Owl; F: Petit-duc des montagnes; S: Tecolote occidental			
Breeding: Canada; Costa Rica; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; USA			

Strigidae

CITES RL Ref

<i>Otus koepckeae</i> Hekstra 1982 E: Koepcke's Screech-Owl; F: Petit-duc de Koepcke Breeding: Bolivia; Peru	II	-	14
<i>Otus lawrencii</i> (Sclater & Salvin 1868) (= <i>Gymnoglaux lawrencii</i>) E: Bare-legged Owl; F: Petit-duc de Cuba, Chouette de Cuba; S: Cotunto, Cuco, Siju cotunto Breeding: Cuba	II	-	14,15,115,171
<i>Otus leucotis</i> (Temminck 1820) E: White-faced Scops-Owl; F: Petit-duc à face blanche; S: Gran autillo veliblanco Breeding: Angola; ?Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Djibouti; Eritrea; Ethiopia; ?Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Liberia; Malawi; Mali; Mauritania; ?Mozambique; Namibia; ?Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo [198]; Uganda; Zaire; Zambia; Zimbabwe Non-breeding: Benin; Burundi; Cameroon; Central African Republic; Chad; Congo; Djibouti; Gabon; Guinea [1042]; Mozambique; Niger; Tanzania; Togo	II	-	14,141,171,203,358,905
<i>Otus longicornis</i> (Ogilvie-Grant 1894) (= <i>Otus scops longicornis</i>) E: Luzon Scops-Owl; F: Petit-duc longicorne Breeding: Philippines: Luzon	II	V	226
<i>Otus magicus</i> (Müller 1841) (= <i>Otus manadensis magicus</i> ; includes <i>Otus alfredi</i> (Hartert 1897), <i>Otus beccarii</i> (Salvadori 1876), <i>Otus enganensis</i> Riley 1927, <i>Otus insularis</i> (Tristram 1880)) E: Moluccan Scops-Owl, (Papuan Scops-Owl); F: Petit-duc mystérieux Breeding: Indonesia: Ambon, Bacan, Biak, Buru, Enggano, Flores, Halmahera, Lombien, Lombok, Morotai, Obi, Peleng, Sangihe, Seram, Siau, Sula Islands, Sumbawa, Ternate, Tukangbesi, Wetar; Seychelles: Mahé	II	-	14,171,206,226,228,891
<i>Otus manadensis</i> (Quoy & Gaimard 1830) E: Sulawesi Scops-Owl; F: Petit-duc Manado Breeding: Indonesia: Kaledupa, Mangole, Peleng, Sangihe, Sulawesi, Siau	II	-	14,171
<i>Otus mantananensis</i> (Sharpe 1892) (= <i>Otus scops mantananensis</i>) E: Mantanani Scops-Owl; F: Petit-duc de Mantanani Breeding: Malaysia: Mantanani Island; Philippines: Banton, Cuyo, Dicabaito, Linapacan, Palawan, Romblon, Semirana, Sibutu, Sibuyan, Tablas, Tumindao	II	-	
<i>Otus marshalli</i> Weske & Terborgh 1981 (includes <i>Otus petersoni</i> Fitzpatrick & O'Neill 1986) E: Cloud-forest Screech-Owl; F: Petit-duc de Marshall Breeding: Ecuador; Peru [1060]	II	-	14,206,340
<i>Otus megalotis</i> (Walden 1875) (= <i>Otus bakkamoena megalotis</i>) E: Philippine Scops-Owl; F: Petit-duc de Luçon Breeding: Philippines: Basilan, Biliran, Bohol, Catanduanes, Dinagat, Leyte, Luzon, Marinduque, Mindanao, Mindoro, Negros	II	-	14
<i>Otus mentawai</i> Chasen & Kloss 1926 (= <i>Otus bakkamoena mentawai</i>) E: Mentawai Scops-Owl; F: Petit-duc des Mentawai Breeding: Indonesia: Pagai, Siberut, Sipura	II	-	

<i>Strigidae</i>	CITES	RL	Ref
<i>Otus mindorensis</i> (Whitehead 1899) (= <i>Otus scops mindorensis</i>) E: Mindoro Scops-Owl; F: Petit-duc de Mindoro Breeding: Philippines: Mindoro	II	V	14,226
<i>Otus mirus</i> Ripley & Rabor 1968 (= <i>Otus scops mirus</i>) E: Mindanao Scops-Owl; F: Petit-duc de Mindanao Breeding: Philippines: Mindanao	II	V	226
<i>Otus nudipes</i> (Daudin 1800) E: Puerto Rican Screech-Owl; F: Petit-duc de Porto Rico Breeding: British Virgin Islands: Tortola, Virgin Gorda; Puerto Rico; Virgin Islands of the United States	II	-	14,15,115,171,206
<i>Otus pauliani</i> (Benson 1960) (= <i>Otus rutilus pauliani</i>) E: Grand Comoro Scops-Owl Breeding: Comoros: Grand Comoro	II	C	14,206,226,228,469,633
<i>Otus podarginus</i> (Hartlaub & Finsch 1872) (= <i>Pyrroglaux podargina</i>) E: Palau Owl; F: Petit-duc des Palau Breeding: Palau [817]	II	-	14,171,206
<i>Otus roboratus</i> Bangs & Noble 1918 E: West Peruvian Screech-Owl; F: Petit-duc du Pérou; S: Autillo roborado Breeding: ?Ecuador; Peru	II	-	14,171,713
<i>Otus rufescens</i> (Horsfield 1821) E: Reddish Scops-Owl; F: Petit-duc roussâtre Breeding: Brunei; Indonesia: Bangka, Java, Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; ?Philippines: Jolo Island; Thailand [867]	II	-	14,171,568
<i>Otus rutilus</i> (Pucheran 1849) (includes <i>Otus pemaensis</i> Pakenham 1937, <i>Otus capnodes</i> (Gurney 1889)) E: Madagascar Scops-Owl, (Pemba Scops-Owl); F: Petit-duc malagache Breeding: Comoros: Anjouan; Madagascar [266]; Mayotte; ?Tanzania: Pemba Non-breeding: Tanzania: Pemba	II	-	14,41,141,171,206,226,358,55 7,570
<i>Otus sagittatus</i> (Cassin 1848) E: White-fronted Scops-Owl; F: Petit-duc à front blanc Breeding: ?Indonesia: Sumatra [671]; Malaysia: Peninsular Malaysia; Myanmar; Thailand [867] Vagrant: Taiwan	II	V	14,171,226,568
<i>Otus sanctaecatarinae</i> (Salvin 1897) E: Long-tufted Screech-Owl; F: Petit-duc à digrettes longues Breeding: Argentina; Brazil	II	-	
<i>Otus scops</i> (Linnaeus 1758) (includes <i>Otus senegalensis</i> (Swainson 1834), <i>Otus sunia</i> (Hodgson 1836)) E: Eurasian Scops-Owl; F: Petit-duc scops, Petit-duc africain, Hibour petit-duc; S: Autillo, Autillo europeo Breeding: ?Afghanistan; Albania; Algeria; Angola; Armenia; Austria; Azerbaijan; Bangladesh; Belarus; ?Benin; Bhutan; Botswana; Bulgaria; ?Burkina Faso; Burundi; Cambodia; Cameroon; ?Central African Republic; ?Chad; China; Côte d'Ivoire; Cyprus; Czech Republic; ?Djibouti; ?Equatorial Guinea; Pagalu; ?Eritrea; Ethiopia; France; Gambia; Georgia; Ghana; ?Gibraltar; Greece; ?Guinea [723]; ?Guinea-Bissau; Hungary; India: including Andaman and Nicobar	II	-	9,14,141,171,242,358,477,568

	Islands; Iran; Iraq; Israel; Italy; Japan [134]; Jordan; Kazakhstan; Kenya; D.P.R. Korea; Korea Republic; Kyrgyzstan; Lao P.D.R.; Lebanon; ?Liberia; Libya; Malawi; ?Mauritania; Moldova; Mongolia; Morocco; ?Mozambique; Myanmar; Namibia; Nepal; ?Niger; Nigeria; Oman; Pakistan; Poland; Portugal; Romania; Russian Federation; Rwanda; Saudi Arabia; Senegal; ?Sierra Leone; Slovak Republic; South Africa; Spain; Sri Lanka; Sudan; Swaziland; Switzerland; ?Syria; Tajikistan; ?Tanzania; Thailand [867]; ?Togo; Tunisia; Turkey; Turkmenistan; Uganda; Ukraine; Uzbekistan; Viet Nam; Yemen; Yugoslavia; Zaire; Zambia; Zimbabwe	
Non-breeding:	Afghanistan; Bahrain; Benin; Burkina Faso; Central African Republic; Chad; Djibouti; Egypt; Equatorial Guinea; Pagalu; Eritrea; Gibraltar; Guinea; Guinea-Bissau; Hong Kong; Kuwait; Liberia; Malaysia; Peninsular Malaysia; Malta; Mauritania; Mozambique; Niger; Sierra Leone; Syria; Tanzania; Togo; United Arab Emirates; Western Sahara	
Vagrant:	Andorra; Belgium; Canary Islands; Denmark; Faeroe Islands; Germany; Iceland; Ireland; Latvia; Lesotho; Liechtenstein; Luxembourg; Madeira; Netherlands; Norway; Qatar; Singapore; Somalia; Sweden; United Kingdom	
<i>Otus silvicola</i> (Wallace 1864)	II -	14,171,226
E: Wallace's Scops-Owl, Lesser Sunda Scops-Owl; F: Petit-duc Wallace		
Breeding:	Indonesia: Flores, Sumbawa	
<i>Otus spilocephalus</i> (Blyth 1846)	II -	9,14,171,568
E: Mountain Scops-Owl, Spotted Scops-Owl; F: Petit-duc tacheté		
Breeding:	Bangladesh; Bhutan; China; India; Indonesia: ?Kalimantan; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Pakistan; Taiwan; Thailand [867]; Viet Nam	
<i>Otus trichopsis</i> (Wagler 1832)	II -	14,15,171
E: Whiskered Screech-Owl; F: Petit-duc à moustaches; S: Tecolote bigotudo		
Breeding:	El Salvador; Guatemala; Honduras; Mexico; Nicaragua	
Vagrant:	USA	
<i>Otus umbra</i> (Richmond 1903)	II -	14,171
E: Simeulue Scops-Owl, Mentaur Scops-Owl; F: Petit-duc de Simalur		
Breeding:	Indonesia: Simeulue	
<i>Otus vermiculatus</i> (Ridgway 1887)	II -	
(= <i>Otus guatemalae vermiculatus</i>)		
E: Vermiculated Screech-Owl; F: Petit-duc vermiculé		
Breeding:	Colombia; Costa Rica; Panama	
<i>Otus watsonii</i> (Cassin 1848)	II -	14,171,713
(includes <i>Otus usta</i> (Sclater 1859))		
E: Tawny-bellied Screech-Owl; F: Petit-duc de Watson; S: Curucucú orejudo		
Breeding:	Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Peru; Suriname; Venezuela	
<i>Pseudoscops grammicus</i> (Gosse 1847)	II -	14,15,115,171
E: Jamaican Owl; F: Hibou de la Jamaïque; S: Buho de Jamaica		
Breeding:	Jamaica	
<i>Pulsatrix koeniswaldiana</i> (Bertoni & Bertoni 1901)	II -	14,171,713
E: Tawny-browed Owl, White-chinned Owl; F: Chouette à sourcils jaunes, Chouette de Koeniswald; S: Lechuzón pardo menor, Lechuzón anteojos menor		
Breeding:	Argentina; Brazil; Paraguay	
<i>Pulsatrix melanota</i> (Tschudi 1844)	II -	14,171,713
E: Band-bellied Owl, Band-tailed Owl, Rusty-barred Owl; F: Chouette à collier; S: Cucupa		
Breeding:	Bolivia; Ecuador; Peru	
Vagrant:	Colombia	

<i>Pulsatrix perspicillata</i> (Latham 1790)	II	-	14,171,713
E: Spectacled Owl; F: Chouette à lunettes; S: Lechuzón anteojos, Lechuzón de Anteojos, Búho de anteojos			
Breeding:	Argentina; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala [78]; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela		
<i>Sceloglaux albifacies</i> (Gray 1844)	II	-	14,171,206,718
E: Laughing Owl, White-faced Owl; F: Ninoxe rieuse, Chouette à joues blanches; S: Lechuzón cariblanco			
Breeding:	New Zealand (ex)		
<i>Scotopelia bouvieri</i> Sharpe 1875	II	-	14,171,358,557,905
E: Vermiculated Fishing-Owl; F: Chouette-pêcheuse de Bouvier			
Breeding:	?Angola; ?Cameroon; ?Central African Republic; ?Congo; Gabon; ?Nigeria; Zaire		
Non-breeding:	Angola; Cameroon; Central African Republic; Congo; Nigeria		
<i>Scotopelia peli</i> (Bonaparte 1850)	II	-	14,141,171,203,358,905
E: Pel's Fishing-Owl; F: Chouette-pêcheuse de Pel, Chouette pêcheuse; S: Lechuza pescadora			
Breeding:	?Angola; ?Benin; Botswana [152]; ?Burkina Faso; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Eritrea; ?Ethiopia [152,533]; Gabon; ?Gambia; ?Ghana; ?Kenya; Liberia; ?Malawi; ?Mali; ?Mozambique; ?Namibia; ?Niger; Nigeria; ?Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; ?Sudan; Swaziland (ex?); ?Tanzania; ?Uganda; ?Zaire; Zambia; Zimbabwe		
Non-breeding:	Angola; Benin; Burkina Faso; Cameroon; Central African Republic; Congo; Eritrea; Ethiopia [152,533]; Gambia; Ghana; Kenya; Malawi; Mali; Mozambique; Namibia; Niger; Rwanda; Senegal; Somalia; Sudan; Tanzania; Uganda; Zaire		
<i>Scotopelia ussheri</i> Sharpe 1871	II	E	14,171,206,226,228,358,557,905
E: Rufous Fishing-Owl; F: Chouette-pêcheuse rousse, Chouette d'Ussher; S: Buho pescador rojizo			
Breeding:	Côte d'Ivoire; ?Ghana; Guinea; Liberia; Sierra Leone		
Non-breeding:	Ghana		
<i>Speotyto cunicularia</i> (Molina 1782)	II	-	14,15,115,171,713
(= <i>Athene cunicularia</i>)			
E: Burrowing Owl; F: Chevêche des terriers, Chouette de terrier; S: Lechucita de las viscacheras, Mochuelo de Hoyo, Lechucita común, Cucú, Búho llanero			
Breeding:	Antigua and Barbuda (ex); Argentina; Aruba; Bahamas; Bolivia; Brazil; Canada; Chile [512]; Colombia; Cuba; Dominican Republic; Ecuador; Guadeloupe; Marie Galante (ex); Guyana; Haiti; Mexico; Paraguay; Peru; Saint Kitts and Nevis (ex); Suriname; USA; Uruguay; Venezuela		
Non-breeding:	El Salvador; Guatemala; Honduras		
Vagrant:	Costa Rica; Falkland Islands; Panama		
<i>Strix albitarsus</i> (Bonaparte 1850)	II	-	14,171,713
(= <i>Ciccaba albitarsus</i>)			
E: Rufous-banded Owl; F: Chouette fasciée; S: Lechuza colilarga, Lechuza patiblanca			
Breeding:	Bolivia; Colombia; Ecuador; Peru; Venezuela		
<i>Strix aluco</i> Linnaeus 1758	II	-	9,14,171,242,358,477
E: Tawny Owl, Tawny Wood-Owl; F: Chouette hulotte; S: Cárobo común			
Breeding:	Afghanistan; Albania; Algeria; Andorra; Armenia; Austria; Azerbaijan; Belarus; Belgium; Bhutan; Bosnia and Herzegovina; Bulgaria; China; Croatia; Czech Republic; Denmark; Estonia; Finland; France; Georgia; Germany; Greece; Hungary; India; Iran; Iraq; Israel; Italy; Jordan; Kazakhstan; D.P.R. Korea; Korea Republic; Kyrgyzstan; Latvia; Lebanon; Liechtenstein; Lithuania; Luxembourg; Macedonia; Moldova; Morocco; Myanmar; Nepal; Netherlands; Norway; Pakistan; Poland; Portugal; Romania; Russian Federation; Slovak		

	Republic; Slovenia; Spain; Sweden; Switzerland; Syria; Taiwan [696]; Tajikistan; Tunisia; Turkey; Turkmenistan; Ukraine; United Kingdom; Uzbekistan; Viet Nam; Yugoslavia		
Non-breeding:	Guernsey; Jersey		
<i>Strix butleri</i> (Hume 1878)	II	-	14,171,206,358,477,557
E: Hume's Owl, Hume's Tawny Owl, Hume's Wood-Owl, Desert Owl; F: Chouette de Butler; S: Carabo de Hume			
Breeding: Egypt; ?Iran; Israel [52]; Jordan; ?Oman; Pakistan; Saudi Arabia; ?Yemen			
Non-breeding: Iran; Oman; Yemen			
<i>Strix davidi</i> (Sharpe 1875) (= <i>Strix uralensis davidi</i>)	II	V	14,226,714
E: Sichuan Wood-Owl, David's Owl; F: Chouette de Sitchouan			
Breeding: China			
<i>Strix fulvescens</i> (Sclater & Salvin 1875) (= <i>Strix varia fulvescens</i>)	II	-	
E: Fulvous Owl; F: Chouette fauve; S: Búho fulvo			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Strix huhula</i> Daudin 1800 (= <i>Ciccaba huhula</i>)	II	-	14,171,713
E: Black-banded Owl; F: Chouette huhul; S: Lechuza negra			
Breeding: Argentina; Bolivia; Brazil; Colombia; Ecuador; French Guiana; Guyana; Paraguay; Peru; Suriname; Venezuela			
<i>Strix hylophila</i> Temminck 1825	II	-	14,171,713
E: Rusty-barred Owl; F: Chouette dryade; S: Lechuza listada			
Breeding: Argentina [95]; Brazil; Paraguay			
<i>Strix leptogrammica</i> Temminck 1831	II	-	9,14,171,568
E: Brown Wood-Owl; F: Chouette leptogramme			
Breeding: Bhutan; Brunei; China; India; Indonesia; Lao P.D.R.; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Sri Lanka; Taiwan [696]; Thailand [867]; Viet Nam			
Vagrant: Bangladesh			
<i>Strix nebulosa</i> Forster 1772	II	-	14,15,171,242
E: Great Grey Owl, Lapp Owl; F: Chouette lapone			
Breeding: Belarus; Canada; China; Finland; Latvia (ex); Lithuania; Mongolia; Norway; Russian Federation; Sweden; USA			
Non-breeding: Latvia			
Vagrant: Germany; Poland			
<i>Strix nigrolineata</i> Sclater 1859 (= <i>Ciccaba nigrolineata</i>)	II	-	14,15,171,713
E: Black-and-white Owl; F: Chouette à lignes noires, Chouette noire et blanche; S: Carabo de Sudamérica, Lechuza blanquinegra, Búho blanquinegro			
Breeding: Belize; Colombia; Costa Rica; Ecuador; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela			
<i>Strix occidentalis</i> (Xantus de Vesey 1860)	II	-	14,15,171,206,226,1067
E: Spotted Owl; F: Chouette tachetée; S: Búho manchado			
Breeding: Canada; Mexico; USA [422]			
<i>Strix ocellata</i> (Lesson 1839)	II	-	9,14,171
E: Mottled Wood-Owl; F: Chouette ocellée			
Breeding: ?Bangladesh; India; Myanmar; Pakistan			

Strigidae

CITES RL Ref

<i>Strix rufipes</i> King 1828	II	-	14,171,713
E: Rufous-legged Owl; F: Chouette masquée; S: Lechuza bataraz			
Breeding: Argentina; Bolivia; Chile [512]; Paraguay			
Vagrant: Falkland Islands			
<i>Strix seloputo</i> Horsfield 1871	II	-	14,171,568
E: Spotted Wood-Owl; F: Chouette des pagodes			
Breeding: Cambodia; Indonesia: Bawean, Java, ?Sumatra [671]; Malaysia: Peninsular Malaysia; Myanmar; Philippines: Palawan [812]; Singapore; Thailand [867]; Viet Nam			
<i>Strix uralensis</i> Pallas 1771	II	-	14,171,242
E: Ural Owl; F: Chouette de l'Oural			
Breeding: ?Albania; ?Austria; Belarus; Bosnia and Herzegovina; Bulgaria; China; Croatia; Estonia; Finland; Hungary; Japan [134]; Latvia; Lithuania; Macedonia; Mongolia; Norway; Poland; Romania; Russian Federation; Slovak Republic; Slovenia; Sweden; Yugoslavia			
Vagrant: D.P.R. Korea; Germany; Italy; Korea Republic			
<i>Strix varia</i> Barton 1799	II	-	14,15,171
E: Barred Owl; F: Chouette rayée; S: Búho barrado			
Breeding: Canada; Mexico; USA			
Vagrant: Bermuda			
<i>Strix virgata</i> (Cassin 1850)	II	-	14,15,171,713
(= <i>Ciccaba virgata</i>)			
E: Mottled Owl; F: Chouette mouchetée; S: Lechuza colilarga, Búho café			
Breeding: Argentina [95]; Belize; Bolivia; Brazil; Colombia; Costa Rica; Ecuador; El Salvador; French Guiana; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Trinidad; Venezuela			
Vagrant: USA			
<i>Strix woodfordii</i> (Smith 1834)	II	-	14,141,171,203,358,905
(= <i>Ciccaba woodfordii</i>)			
E: African Wood-Owl, Woodford's Owl; F: Chouette africaine, Hulotte africaine; S: Lechuzón de Woodford			
Breeding: Angola; ?Benin; Botswana; Burundi; ?Cameroon; Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Ethiopia; Gabon; Ghana; ?Guinea; ?Guinea-Bissau; Kenya; Liberia; Malawi; ?Mozambique; Namibia; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe			
Non-breeding: Benin; Cameroon; Congo; Equatorial Guinea [829]; Ethiopia; Guinea; Guinea-Bissau; Mozambique; Senegal; Somalia; Tanzania; Togo; Uganda			
<i>Surnia ulula</i> (Linnaeus 1758)	II	-	14,15,171,242
E: Northern Hawk Owl, Hawk Owl; F: Chouette épervière; S: Lechuza gavilana			
Breeding: Canada; China; D.P.R. Korea; Estonia; Finland; Latvia (ex); Mongolia; Norway; Russian Federation; Sweden; USA			
Non-breeding: Kazakhstan; Latvia			
Vagrant: Austria; Belgium; Bermuda; ?Canary Islands; Czechoslovakia (former); Denmark; Faeroe Islands; France; Germany; Hungary; Japan; Luxembourg; Netherlands; Poland; Romania; Switzerland; Ukraine; United Kingdom; Yugoslavia			
<i>Uroglauks dimorpha</i> (Salvadori 1874)	II	DD	14,171,206
E: Papuan Hawk-Owl; F: Ninoxe papoue, Chouette de Nouvelle Guinée; S: Buho aguilicho de Neuva Guinea			
Breeding: Indonesia: Irian Jaya, Yapen; Papua New Guinea			

Xenoglaux loweryi O'Neill & Graves 1977 II - 14,206,226,229
E: Long-whiskered Owl; F: Chevêchette nimbée; S: Búho pequeño de bigotes alargados
Breeding: Peru

Order APODIFORMES

Family TROCHILIDAE

Abeillia abeillei (Lesson & DeLattre 1839) II - 15
 E: Emerald-chinned Hummingbird; F: Colibri d'Abeillé; S: Colibri barbiermeralda
 Breeding: El Salvador; Guatemala; Honduras; Mexico; Nicaragua

Acestrura astreans Bangs 1899 II - 713
 (= *Acestrura heliodor astreans*)
E: Santa Marta Woodstar; **F:** Colibri des Santa Marta
 Breeding: Colombia

Acestrura berlepschi (Simon 1889) II E 36,226,229,713
E: Esmeraldas Woodstar; F: Colibri de Berlepsch; S: Estrellita esmeraldeña
Breeding: Ecuador

Acestrura bumbus (Gould 1871) II E 36,226,229,713
 E: Little Woodstar; F: Colibri bourdon; S: Estrellita chica
 Breeding: Ecuador; Peru

Acestrura heliodor (Bourcier 1840) II 15,713
 E: Gorgetted Woodstar; F: Colibri héliodore; S: Estrella cuellirroja, Estrellita de gorguera
 Breeding: Colombia; Ecuador; Panama [849]; Venezuela

Acestrura mulsant (Bourcier 1842) Il - 713
E: White-bellied Woodstar; **F:** Colibri de Mulsant; **S:** Estrellita ventriblanca
 Breeding: Bolivia [703]; Colombia; Ecuador; Peru

Adelomyia melanogenys (Fraser 1840) II - 713
 E: Speckled Hummingbird; F: Colibri moucheté; S: Picaflor gargantiazul, Colibrí serrano gargantiazul
 Breeding: Argentina [95]; Bolivia [703]; Colombia; Ecuador; Peru; Venezuela

Aglaeactis aliciae Salvin 1896 II V 226,229,713
E: Purple-backed Sunbeam; F: Colibri d'Alice
 Breeding: Peru

Aglaeactis castelnaudii (Borcier & Mulsant 1848) II - 713
E: White-tufted Sunbeam; F: Colibri de Castelnau
Breeding: Peru

Aglaeactis cupripennis (Bourcier 1843) II - 713
E: Shining Sunbeam; **F:** Colibri étincelant; **S:** Rayito brillante
 Breeding: Colombia; Ecuador; Peru

Aglaeactis pamela (D'Orbigny 1838) II - 713
E: Black-hooded Sunbeam; **F:** Colibri paméla
 Breeding: Bolivia [703]

Aglaiaocercus coelestis (Gould 1861) II - 713
E: Violet-tailed Sylph; F: Sylphe à queue violette; S: Silfo colivioleta
 Breeding: Colombia: Ecuador

<i>Aglaiaocercus kingi</i> (Lesson 1832)	II	-	713
E: Long-tailed Sylph; F: Sylphe à queue d'azur; S: Colibri coludo azul, Silfo colilargo			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Amazilia amabilis</i> (Gould 1853)	II	-	15,713
E: Blue-chested Hummingbird; F: Ariane aimable; S: Amazilia pechiazul			
Breeding: Colombia; Costa Rica [934]; Ecuador; Nicaragua; Panama			
<i>Amazilia amazilia</i> (Lesson 1828)	II	-	713
E: Amazilia Hummingbird; F: Ariane de Lesson; S: Amazilia ventrirrufa			
Breeding: Ecuador; Peru			
<i>Amazilia beryllina</i> (Deppe 1830)	II	-	15
E: Berylline Hummingbird; F: Ariane beryl; S: Colibri de Berilo			
Breeding: El Salvador; Guatemala [78]; Honduras; Mexico			
Vagrant: USA [526]			
<i>Amazilia boucardi</i> (Mulsant 1877)	II	V	15,226,229
E: Mangrove Hummingbird; F: Ariane de Boucard			
Breeding: Costa Rica [934]			
<i>Amazilia candida</i> (Bourcier & Mulsant 1846)	II	-	15
E: White-bellied Emerald; F: Ariane candide; S: Esmeralda vientre-blanc			
Breeding: Belize; Guatemala; Honduras; Mexico; Nicaragua			
Vagrant: Costa Rica			
<i>Amazilia castaneiventris</i> Gould 1856	II	E	226,229,713
E: Chestnut-bellied Hummingbird; F: Ariane à ventre roux			
Breeding: Colombia [472]			
<i>Amazilia chionogaster</i> (Tschudi 1844)	II	-	713
E: White-bellied Hummingbird; F: Ariane à ventre blanc			
Breeding: Argentina; Bolivia [703]; Brazil [920]; ?Paraguay; Peru			
<i>Amazilia chionopectus</i> (Gould 1859)	II	-	713
E: White-chested Emerald; F: Ariane à poitrine blanche; S: Diamante colidorado			
Breeding: Brazil [920]; French Guiana [93]; ?Grenada; Guyana; Suriname; Trinidad and Tobago; Uruguay [396]			
<i>Amazilia cyanifrons</i> (Bourcier 1843)	II	-	713
E: Indigo-capped Hummingbird; F: Ariane à front bleu			
Breeding: Colombia; ?Costa Rica [934]			
<i>Amazilia cyanocephala</i> (Lesson 1829)	II	-	15
(includes <i>Amazilia microrhyncha</i> (Elliot 1876))			
E: Azure-crowned Hummingbird; F: Ariane à couronne azur; S: Colibri coroniazul			
Breeding: Belize [874]; El Salvador; Guatemala [78]; Honduras; Mexico; Nicaragua			
<i>Amazilia cyanura</i> Gould 1859	II	-	15
E: Blue-tailed Hummingbird; F: Ariane à queue bleue; S: Colibri coliazul			
Breeding: El Salvador; Guatemala; Honduras; Mexico; Nicaragua			
Vagrant: Costa Rica			
<i>Amazilia decora</i> (Salvin 1891)	II	-	15
(= <i>Amazilia amabilis decora</i>)			
E: Charming Hummingbird; F: Ariane charmante			
Breeding: Costa Rica; Panama			

Trochilidae

CITES RL Ref

<i>Amazilia distans</i> Wetmore & Phelps 1956 E: Tachira Emerald; F: Ariane du Tachira; S: Diamante de Wetmore Breeding: Venezuela	II	E	226,229,713
<i>Amazilia edward</i> (DeLattre & Bourcier 1846) E: Snowy-breasted Hummingbird; F: Ariane d'Edward Breeding: Costa Rica [934]; Panama	II	-	15
<i>Amazilia fimbriata</i> (Gmelin 1788) E: Glittering-throated Emerald; F: Ariane de Linné; S: Diamante gargantiverde, Amazilia gorjibrillante Breeding: Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [93]; Guyana; Paraguay; Peru; Suriname; Trinidad and Tobago; Venezuela	II	-	713
<i>Amazilia franciae</i> (Bourcier & Mulsant 1846) E: Andean Emerald; F: Ariane de Francia; S: Amazilia andina Breeding: Colombia; Ecuador; Peru	II	-	713
<i>Amazilia lactea</i> (Lesson 1829) E: Sapphire-spangled Emerald; F: Ariane saphirine; S: Diamante pechizafiro Breeding: Bolivia [703]; Brazil [920]; Peru; Venezuela	II	-	713
<i>Amazilia leucogaster</i> (Gmelin 1788) E: Plain-bellied Emerald; F: Ariane vert-doré; S: Diamante ventriblanco Breeding: Brazil [920]; French Guiana [94]; Guyana; Suriname; Venezuela	II	-	713
<i>Amazilia luciae</i> (Lawrence 1867) E: Honduran Emerald; F: Ariane de Lucy; S: Esmeralda Hondureña Breeding: Honduras [32]	II	C	15,226,229
<i>Amazilia rosebergi</i> (Boucard 1895) E: Purple-chested Hummingbird; F: Ariane de Rosenberg; S: Amazilia pechimorada Breeding: Colombia; Ecuador	II	-	713
<i>Amazilia rutila</i> (DeLattre 1842) E: Cinnamon Hummingbird; F: Ariane cannelle; S: Colibri canelo Breeding: Belize [314]; Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua	II	-	15
<i>Amazilia saucerrottei</i> (DeLattre & Bourcier 1846) E: Steely-vented Hummingbird, Blue-vented Hummingbird; F: Ariane de Sophie; S: Amazilia verde-azul Breeding: Colombia; Costa Rica [934]; ?Ecuador; Nicaragua; Venezuela	II	-	15,713
<i>Amazilia tobaci</i> (Gmelin 1788) E: Copper-rumped Hummingbird; F: Ariane de Félicie; S: Amazilia bronceada coliazul Breeding: ?French Guiana [700]; ?Grenada; Trinidad and Tobago; Venezuela	II	-	713
<i>Amazilia tzacatl</i> (De la Llave 1833) (includes <i>Amazilia handleyi</i> Wetmore 1963) E: Rufous-tailed Hummingbird; F: Ariane à ventre gris; S: Amazilia colirrufa, Colibri colirrufo Breeding: Belize; Colombia; Costa Rica [934]; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela Vagrant: USA [526]	II	-	15,713
<i>Amazilia versicolor</i> (Vieillot 1818) E: Versicolored Emerald; F: Ariane versicolore; S: Picaflor pequeño verde, Diamante multicolor Breeding: Argentina; Bolivia [703]; Brazil [901,920]; Colombia; Paraguay; Venezuela	II	-	713

<i>Amazilia violiceps</i> (Gould 1859)	II	-	15
E: Violet-crowned Hummingbird; F: Ariane à couronne violette; S: Colibri corona-violeta			
Breeding: Mexico; USA [526]			
<i>Amazilia viridicauda</i> (Berlepsch 1883)	II	-	713
E: Green-and-white Hummingbird; F: Ariane du Pérou			
Breeding: Peru			
<i>Amazilia viridifrons</i> (Elliot 1871)	II	-	15
(includes <i>Amazilia wagneri</i> (Phillips 1965))			
E: Green-fronted Hummingbird; F: Ariane à front vert; S: Colibri corona-verde			
Breeding: Mexico			
<i>Amazilia viridigaster</i> (Bourcier 1843)	II	-	713
E: Green-bellied Hummingbird; F: Ariane à ventre vert; S: Amazilia colimorada			
Breeding: Brazil [920]; Colombia; Guyana; Venezuela			
<i>Amazilia yucatanensis</i> (Cabot 1845)	II	-	15
E: Buff-bellied Hummingbird, Fawn-breasted Hummingbird; F: Ariane du Yucatan, Colibri vientre-canelo			
Breeding: Belize; Guatemala; Mexico; USA [526]			
<i>Androdon aequatorialis</i> Gould 1863	II	-	15,713
E: Tooth-billed Hummingbird; F: Colibri d'Équateur; S: Colibri piquidentado			
Breeding: Colombia; Ecuador; Panama [849]			
<i>Anthocephala floriceps</i> (Gould 1854)	II	-	226,713
E: Blossomcrown; F: Colibri à tête rose	-	-	
Breeding: Colombia [472]			
<i>Anthracothorax dominicus</i> (Linnaeus 1766)	II	-	15,115
E: Antillean Mango, Dominican Mango; F: Mango doré; S: Zumbador grande			
Breeding: British Virgin Islands (ex) [822]; Dominican Republic; Haiti [1093]; Puerto Rico; Virgin Islands of the United States [822]			
<i>Anthracothorax mango</i> (Linnaeus 1758)	II	-	15,115
E: Jamaican Mango; F: Mango de la Jamaïque			
Breeding: Jamaica			
<i>Anthracothorax nigricollis</i> (Vieillot 1817)	II	-	15,713
E: Black-throated Mango; F: Mango à cravate noire; S: Picaflor ventrinegro, Mango, Mango pechinegro			
Breeding: Argentina; Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [94]; Guyana; Panama; Paraguay; Peru; Suriname; Trinidad and Tobago; Venezuela			
Vagrant: Uruguay [396]			
<i>Anthracothorax prevostii</i> (Lesson 1832)	II	-	15,115,713
(includes <i>Amazilia veraguensis</i> Reichenbach 1855)			
E: Green-breasted Mango, (Veraguas Mango); F: Mango de Prévost; S: Mango pechiverde			
Breeding: Bahamas; Belize; Colombia; Costa Rica [934]; Ecuador; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela			
<i>Anthracothorax viridigula</i> (Boddaert 1783)	II	-	713
E: Green-throated Mango; F: Mango à cravate verte; S: Mango gargantiverde			
Breeding: Brazil [920]; French Guiana [93]; ?Grenada [15]; Guyana; Suriname; Trinidad and Tobago; Venezuela			

<i>Trochilidae</i>	CITES	RL	Ref
<i>Anthracothorax viridis</i> (Audebert & Vieillot 1801)	II	-	15,115
E: Green Mango; F: Mango vert			
Breeding: Puerto Rico			
<i>Aphantochroa cirrochloris</i> (Vieillot 1818)	II	-	713
E: Sombre Hummingbird; F: Colibri vert et gris			
Breeding: Brazil [901,920]			
<i>Archilochus alexandri</i> (Bourcier & Mulsant 1846)	II	-	15,526
E: Black-chinned Hummingbird; F: Colibri à gorge noire; S: Colibri barbinegro			
Breeding: Canada; Mexico; USA			
<i>Archilochus colubris</i> (Linnaeus 1758)	II	-	15,115
E: Ruby-throated Hummingbird; F: Colibri à gorge rubis; S: Colibri gorjirrubi			
Breeding: Canada [526]; USA [526]			
Non-breeding: Bahamas; Belize; Bermuda [15]; Cayman Islands; Costa Rica [934]; Cuba; El Salvador; Guatemala [78]; Honduras; Mexico; Nicaragua; Panama			
Vagrant: ?Dominican Republic [15]; Haiti [15,1093]; ?Jamaica [15]; ?Puerto Rico [15]			
<i>Atthis ellioti</i> Ridgway 1878	II	-	15
(= <i>Selasphorus ellioti</i>)			
E: Wine-throated Hummingbird; F: Colibri d'Elliot; S: Zumbador centroamericano			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Atthis heloisa</i> (Lesson & DeLattre 1839)	II	-	15
(= <i>Selasphorus heloisa</i>)			
E: Bumblebee Hummingbird; F: Colibri héloïse; S: Zumbador Mexicano			
Breeding: Mexico			
Vagrant: USA [526]			
<i>Augastes geoffroyi</i> (Bourcier 1843)	II	-	713
(= <i>Schistes geoffroyi</i>)			
E: Wedge-billed Hummingbird; F: Colibri de Geoffroy; S: Colibrí pico de Cuña, Colibrí piquicuña			
Breeding: Bolivia [703]; Colombia [472]; Ecuador; Peru; Venezuela			
<i>Augastes lumachellus</i> (Lesson 1838)	II	-	226,404,713
E: Hooded Visorbearer; F: Colibri lumachelle			
Breeding: Brazil [920]			
<i>Augastes scutatus</i> (Temminck 1822)	II	-	226,404,713
E: Hyacinth Visorbearer; F: Colibri superbe			
Breeding: Brazil [920,921]			
<i>Avocettula recurvirostris</i> (Swainson 1822)	II	-	226,713
E: Fiery-tailed Awlbill; F: Colibri avocette; S: Colibrí pico lezna			
Breeding: Brazil [920]; Ecuador; ?French Guiana; Guyana; Suriname [1002]; Venezuela			
<i>Boissonneaua flavescens</i> (Loddiges 1832)	II	-	713
E: Buff-tailed Coronet; F: Colibri flavescent; S: Colibrí cabecidorado, Coronita colibabana			
Breeding: Colombia; Ecuador; Venezuela			
<i>Boissonneaua jordini</i> (Bourcier 1851)	II	-	713
E: Velvet-purple Coronet; F: Colibri de Jardine; S: Coronita aterciopelada			
Breeding: Colombia; Ecuador			
<i>Boissonneaua matthewsii</i> (Bourcier 1847)	II	-	713
E: Chestnut-breasted Coronet; F: Colibri de Matthews; S: Coronita pechicastaña			
Breeding: Colombia; Ecuador; Peru			

<i>Calliphlox amethystina</i> (Boddaert 1783)	II	-	713
E: Amethyst Woodstar; F: Colibri améthyste; S: Picaflor amatista, Tucusito amatista, Estrellita amatista			
Breeding: Argentina [95]; Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [93]; Guyana; Paraguay; Peru; Suriname [446]; Venezuela			
<i>Calliphlox evelynae</i> (Bourcier 1847)	II	-	15,115
(= <i>Philodice evelynae</i>)			
E: Bahama Woodstar; F: Colibri des Bahamas			
Breeding: Bahamas			
Vagrant: USA [526]			
<i>Calothorax lucifer</i> (Swainson 1827)	II	-	15
E: Lucifer Hummingbird; F: Colibri lucifer; S: Tijereta norteña			
Breeding: Mexico; USA [526]			
<i>Calothorax pulcher</i> Gould 1859	II	-	15
E: Beautiful Hummingbird; F: Colibri charmant; S: Tijereta Oaxaqueña			
Breeding: Mexico			
<i>Calypte anna</i> (Lesson 1829)	II	-	15
(= <i>Archilochus anna</i>)			
E: Anna's Hummingbird; F: Colibri d'Anna; S: Colibri de Anna			
Breeding: Mexico; USA [526]			
Vagrant: Canada [526]			
<i>Calypte costae</i> (Bourcier 1839)	II	-	15,66
E: Costa's Hummingbird; F: Colibri de Costa			
Breeding: Mexico; USA [526]			
Vagrant: ?Canada [15,526]			
<i>Campylopterus curvipennis</i> (Deppe 1830)	II	-	15
E: Wedge-tailed Sabrewing; F: Campyloptère pampa; S: Fandangero colicuña			
Breeding: Belize; Guatemala; Honduras; Mexico			
<i>Campylopterus duidae</i> Chapman 1929	II	-	713
E: Buff-breasted Sabrewing; F: Campyloptère montagnard; S: Ala de sable anteado			
Breeding: Brazil [713]; Venezuela			
<i>Campylopterus ensipennis</i> (Swainson 1822)	II	V	226,229,713
E: White-tailed Sabrewing; F: Campyloptère à queue blanche; S: Ala de sable verde			
Breeding: Trinidad and Tobago [982]; Tobago; Venezuela			
<i>Campylopterus excellens</i> (Wetmore 1941)	II	-	15,226
(= <i>Campylopterus curvipennis excellens</i>)			
E: Long-tailed Sabrewing; F: Campyloptère de Wetmore; S: Fandangero colilargo			
Breeding: Mexico			
<i>Campylopterus falcatus</i> (Swainson 1821)	II	-	713
E: Lazuline Sabrewing; F: Campyloptère lazulite; S: Ala de sable pechivioleta, Alasable azulino			
Breeding: Colombia; Ecuador; Venezuela			
<i>Campylopterus hemileucurus</i> (Deppe 1830)	II	-	15
E: Violet Sabrewing; F: Campyloptère violet; S: Fandangero morado			
Breeding: Belize; Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Campylopterus hyperythrus</i> Cabanis 1848	II	-	713
E: Rufous-breasted Sabrewing; F: Campyloptère rougeâtre; S: Ala de sable rufo			
Breeding: Brazil [713]; Venezuela			

<i>Campylopterus largipennis</i> (Boddaert 1783)	II	-	713
E: Grey-breasted Sabrewing; F: Campyloptère à ventre gris; S: Ala de sable gris, Alasable pechigris Breeding: Bolivia [703]; Brazil [920]; Colombia; Ecuador; French Guiana [281]; Guyana; Peru; Suriname; Venezuela			
<i>Campylopterus phainopeplus</i> Salvin & Godman 1879	II	-	226,713
E: Santa Marta Sabrewing; F: Campyloptère des Santa Marta Breeding: Colombia			
<i>Campylopterus rufus</i> Lesoon 1840	II	-	15
E: Rufous Sabrewing; F: Campyloptère roux; S: Fandangero rufo Breeding: El Salvador; Guatemala; Mexico			
<i>Campylopterus villaviscensio</i> (Bourcier 1851)	II	-	226,713
E: Napo Sabrewing; F: Campyloptère du Napo; S: Alasable del Napo Breeding: Ecuador; Peru			
<i>Chaetocercus jourdanii</i> (Bourcier 1839)	II	-	713
E: Rufous-shafted Woodstar; F: Colibri de Jourdan; S: Tucusito garganta rosa Breeding: Colombia; Trinidad and Tobago; Venezuela			
<i>Chalcostigma herrani</i> (DeLattre & Bourcier 1846)	II	-	713
E: Rainbow-bearded Thornbill; F: Métallure arc-en-ciel; S: Picoespina arcoiris Breeding: Colombia; Ecuador; Peru			
<i>Chalcostigma heteropogon</i> (Boissonneau 1839)	II	-	713
E: Bronze-tailed Throbnbill; F: Métallure à queue bronzée; S: Pico espina bronzeado Breeding: Colombia; Venezuela			
<i>Chalcostigma olivaceum</i> (Lawrence 1864)	II	-	713
E: Olivaceous Throbnbill; F: Métallure olivâtre Breeding: Bolivia [703]; Peru			
<i>Chalcostigma ruficeps</i> (Gould 1846)	II	-	713
E: Rufous-capped Throbnbill; F: Métallure à tête rousse; S: Picoespina gorrirrufa Breeding: Bolivia [703]; ?Colombia [895]; Ecuador; Peru			
<i>Chalcostigma stanleyi</i> (Bourcier 1851)	II	-	713
E: Blue-mantled Throbnbill; F: Métallure de Stanley; S: Picoespina dorsiazul Breeding: Bolivia [703]; Ecuador; Peru			
<i>Chalybura buffonii</i> (Lesson 1832)	II	-	713
E: White-vented Plumbeleteer; F: Colibri de Buffon; S: Colibrí grande colinegro, Calzonario colibronceado Breeding: Colombia; Ecuador; Panama; Peru; Venezuela			
<i>Chalybura urochrysia</i> (Gould 1861)	II	-	15,713.
E: Bronze-tailed Plumbeleteer; F: Colibri à queue bronzée Breeding: Colombia; Costa Rica [934]; Ecuador; Honduras; Nicaragua; Panama			
<i>Chlorestes notatus</i> (Reichenbach 1795)	II	-	713
E: Blue-chinned Sapphire; F: Colibri à menton bleu; S: Colibrí verdecito, Zafiro barbiasul Breeding: Brazil [920]; Colombia; Ecuador; French Guiana [281]; Guyana; Peru; Suriname; Trinidad and Tobago; Venezuela			
<i>Chlorostilbon alice</i> (Bourcier & Mulsant 1848)	II	-	713
E: Green-tailed Emerald; F: Émeraude alice; S: Esmeralda coliverde Breeding: Venezuela			

<i>Chlorostilbon assimilis</i> Lawrence 1861 (= <i>Chlorostilbon canivetii assimilis</i>)	II	-	15
E: Garden Emerald; F: Émeraude du Panama Breeding: Costa Rica; Panama			
<i>Chlorostilbon aureoventris</i> (d'Orbigny & Lafresnaye 1838)	II	-	713
E: Glittering-bellied Emerald; F: Émeraude splendide; S: Picaflor común Breeding: Argentina; Bolivia [703]; Brazil [901,920]; Paraguay; Uruguay			
<i>Chlorostilbon bracei</i> (Lawrence 1877) (= <i>Chlorostilbon maugaeus bracei</i>)	II	-	15
E: Brace's Emerald; F: Émeraude de New Providence Breeding: Bahamas (ex?)			
<i>Chlorostilbon canivetii</i> (Lesson 1832) (includes <i>Chlorostilbon auriceps</i> (Gould 1852), <i>Chlorostilbon forficatus</i> Ridgway 1885, <i>Chlorostilbon salvini</i> Cabanis & Heine 1860)	II	-	15
E: Fork-tailed Emerald; F: Émeraude de Cavinet; S: Esmeralda de Canivet Breeding: Belize [314]; Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua			
<i>Chlorostilbon gibsoni</i> (Fraser 1840)	II	-	713
E: Red-billed Emerald; F: Émeraude de Gibson; S: Esmeralda pico rojo Breeding: Colombia; Venezuela			
<i>Chlorostilbon maugaeus</i> (Audebert & Vieillot 1801)	II	-	15,115
E: Puerto Rican Emerald; F: Émeraude de Porto Rico Breeding: Puerto Rico			
<i>Chlorostilbon mellisugus</i> (Linnaeus 1758)	II	-	15,713
E: Blue-tailed Emerald; F: Émeraude orvert; S: Esmeralda coliazul Breeding: Aruba; Bolivia [703]; Brazil [920]; Colombia; Ecuador; French Guiana [94]; Guyana; Netherlands Antilles; Peru; Suriname [447]; Trinidad and Tobago [982]; Venezuela			
<i>Chlorostilbon poortmani</i> (Bourcier 1843) (includes <i>Chlorostilbon auratus</i> (Cabanis & Heine 1860), <i>Chlorostilbon inexpectatus</i> (Berlepsch 1879))	II	-	713
E: Short-tailed Emerald; F: Émeraude à queue courte; S: Esmeralda cola corta Breeding: Colombia; Venezuela			
<i>Chlorostilbon ricordii</i> (Gervais 1835)	II	-	15,115
E: Cuban Emerald; F: Émeraude de Ricord Breeding: Bahamas; Cuba Vagrant: USA [526]			
<i>Chlorostilbon russatus</i> (Salvin & Godman 1881)	II	-	713
E: Coppery Emerald; F: Émeraude cuivrée; S: Esmeralda bronceada Breeding: Colombia; Venezuela			
<i>Chlorostilbon stenura</i> (Cabanis & Heine 1860)	II	-	713
E: Narrow-tailed Emerald; F: Émeraude à queue étroite; S: Esmeralda cola de Alambre Breeding: Colombia; ?Ecuador; Venezuela			
<i>Chlorostilbon swainsonii</i> (Lesson 1829)	II	-	15,115
E: Hispaniolan Emerald; F: Émeraude d'Hispaniola; S: Zumbador Breeding: Dominican Republic; Haiti [1093]			

<i>Chrysolampis mosquitus</i> (Linnaeus 1758)	II	-	15,713
E: Ruby-topaz Hummingbird; F: Colibri rubis-topaze; S: Tucusito rubí			
Breeding: Aruba; Bolivia [703]; Brazil [920]; Colombia; French Guiana [94]; Guyana; Netherlands Antilles; Suriname; Trinidad and Tobago; Venezuela			
Vagrant: Grenada [15,115]; Panama			
<i>Chrysuronia oenone</i> (Lesson 1832)	II	-	713
E: Golden-tailed Sapphire; F: Saphir oenome; S: Colibrí cola de oro, Zafiro colidorado			
Breeding: Bolivia [703]; Brazil [920]; Colombia; Ecuador; Peru; ?Trinidad and Tobago; Venezuela			
<i>Clytolaema rubricauda</i> (Boddaert 1783)	II	-	713
E: Brazilian Ruby; F: Colibri rubis-émeraude			
Breeding: Brazil [901,920]			
<i>Coeligena bonapartei</i> (Boissonneau 1840)	II	-	713
E: Golden-bellied Starfrontlet; F: Inca de Bonaparte; S: Colibrí inca dorado			
Breeding: Colombia [472]; Venezuela			
<i>Coeligena coeligena</i> (Lesson 1833)	II	-	713
E: Bronzy Inca; F: Inca céleste; S: Colibrí inca bronzeado			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Coeligena helianthea</i> (Lesson 1838)	II	-	713
E: Blue-throated Starfrontlet; F: Inca porphyre; S: Colibrí inca ventrivoleta			
Breeding: Colombia; Venezuela			
<i>Coeligena iris</i> (Gould 1854)	II	-	713
E: Rainbow Starfrontlet; F: Inca iris; S: Frentiestrella arcoiris			
Breeding: Ecuador; Peru			
<i>Coeligena lutetiae</i> (DeLattre & Bourcier 1846)	II	-	713
E: Buff-winged Starfrontlet; F: Inca à gemme bleue; S: Frentiestrella alihabana			
Breeding: Colombia; Ecuador; Peru			
<i>Coeligena orina</i> Wetmore 1953	II	-	713
E: Dusky Starfrontlet; F: Inca de Wetmore			
Breeding: Colombia			
<i>Coeligena phalerata</i> (Bangs 1898)	II	-	713
E: White-tailed Starfrontlet; F: Inca à queue blanche			
Breeding: Colombia			
<i>Coeligena prunellei</i> (Bourcier 1843)	II	V	226,229,570,713
E: Black Inca; F: Inca noir			
Breeding: Colombia [472]			
<i>Coeligena torquata</i> (Boissonneau 1840)	II	-	713
(includes <i>Coeligena inca</i> (Gould 1852))			
E: Collared Inca; F: Inca à collier; S: Colibrí inca acollarado			
Breeding: Bolivia; Brazil [920]; Colombia; Ecuador; Peru; Venezuela			
<i>Coeligena violifer</i> (Gould 1846)	II	-	713
E: Violet-throated Starfrontlet; F: Inca violifère			
Breeding: Bolivia [703]; Peru			
<i>Coeligena wilsoni</i> (DeLattre & Bourcier 1846)	II	-	713
E: Brown Inca; F: Inca brun; S: Inca café			
Breeding: Colombia; Ecuador			

<i>Colibri coruscans</i> (Gould 1846)	II	-	713
E: Sparkling Violet-ear; F: Colibri anaïs; S: Picaflor ventriazul, Orejavioleta grande			
Breeding: Argentina; Bolivia [703]; Brazil [920]; Chile [487]; Colombia; Ecuador; Peru; Venezuela			
<i>Colibri delphinae</i> (Lesson 1839)	II	-	15,713
E: Brown Violet-ear; F: Colibri de Delphine; S: Orejavioleta marrón, Orejavioleta café			
Breeding: Belize; Bolivia [703]; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; ?French Guiana; Guatemala; Guyana; Honduras; Nicaragua; Panama; Peru; Suriname; Trinidad and Tobago; Venezuela			
<i>Colibri serrirostris</i> (Vieillot 1816)	II	-	713
E: White-vented Violet-ear; F: Colibri à ventre blanc; S: Picaflor ventriverde			
Breeding: Argentina; Bolivia [703]; Brazil [901,920]; ?Paraguay			
<i>Colibri thalassinus</i> (Swainson 1827)	II	-	15,713
E: Green Violet-ear; F: Colibri thalassin; S: Picaflor orejiazul, Orejavioleta verde			
Breeding: Argentina [95]; Bolivia [703]; Colombia; Costa Rica [934]; Ecuador; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela			
Vagrant: Argentina; USA [526]			
<i>Cyanophrys bicolor</i> (Gmelin 1788)	II	-	15,115
E: Blue-headed Hummingbird; F: Colibri à tête bleue			
Breeding: Dominica [896]; Martinique [896]			
<i>Cynanthus latirostris</i> Swainson 1827	II	-	15
(includes <i>Cynanthus doubledayi</i> (Bourcier 1847))			
E: Broad-billed Hummingbird; F: Colibri circé; S: Colibri piquiancho			
Breeding: Mexico; USA [526]			
<i>Cynanthus sordidus</i> (Gould 1859)	II	-	15
E: Dusky Hummingbird; F: Colibri sombre; S: Colibri prieto			
Breeding: Mexico			
<i>Damophila julie</i> (Bourcier 1842)	II	-	15,713
E: Violet-bellied Hummingbird; F: Colibri julie; S: Colibri ventrивioleta			
Breeding: Colombia; Ecuador; Panama; Peru			
Vagrant: ?Costa Rica [934]			
<i>Discosura longicauda</i> (Gmelin 1788)	II	-	713
E: Racket-tailed Coquette; F: Coquette à raquettes; S: Coqueta cola raqueta			
Breeding: Brazil [920]; French Guiana [94]; Guyana; Suriname; Venezuela			
<i>Doricha eliza</i> (Lesson & DeLattre 1839)	II	-	15
(= <i>Calothorax eliza</i>)			
E: Mexican Sheartail; F: Colibri élise; S: Tijereta Yucateca			
Breeding: Mexico [304]			
<i>Doricha enicura</i> (Vieillot 1818)	II	-	15
(= <i>Calothorax enicura</i>)			
E: Slender Sheartail; F: Colibri à queue singulière; S: Tijereta centroamericana			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Doryfera johannae</i> (Bourcier 1847)	II	-	713
E: Blue-fronted Lancebill; F: Porte-lance de Jeanne; S: Pico lanza frentiazul			
Breeding: Brazil [920]; Colombia; Ecuador; Guyana; Peru; Venezuela			

<i>Doryfera ludovicae</i> (Bourcier & Mulsant 1847)	II	-	15,713
E: Green-fronted Lancebill; F: Porte-lance de Louise; S: Pico lanza frentiverde			
Breeding: Bolivia [703]; Colombia; Costa Rica [934]; Ecuador; Panama; Peru; Venezuela			
<i>Elvira chionura</i> (Gould 1851)	II	-	15
E: White-tailed Emerald; F: Colibri elvire			
Breeding: Costa Rica [934]; Panama			
<i>Elvira cupreiceps</i> (Lawrence 1867)	II	-	15
E: Coppery-headed Emerald; F: Colibri à tête cuivrée			
Breeding: Costa Rica [934]			
<i>Ensifera ensifera</i> (Boissonneau 1839)	II	-	713
E: Sword-billed Hummingbird; F: Colibri porte-épée; S: Colibrí pico espada			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Eriocnemis alinae</i> (Bourcier 1842)	II	-	713
E: Emerald-bellied Puffleg; F: Érione d'Aline; S: Zamarrito pechiblanco			
Breeding: Colombia [472]; Ecuador; Peru			
<i>Eriocnemis cupreoventris</i> (Fraser 1840)	II	-	713
E: Coppery-bellied Puffleg; F: Érione à ventre cuivré; S: Colibrí pantalón cobrizo			
Breeding: Colombia; Venezuela			
<i>Eriocnemis derbyi</i> (DeLattre & Bourcier 1846)	II	-	226,713
E: Black-thighed Puffleg; F: Érione de Derby; S: Zamarrito muslinegro			
Breeding: Colombia; Ecuador			
<i>Eriocnemis glaucoptoides</i> (d'Orbigny & Lafresnaye 1838)	II	-	713
E: Blue-capped Puffleg; F: Érione à front bleu; S: Picaflor frentivioleta			
Breeding: Argentina; Bolivia [703]			
<i>Eriocnemis godini</i> (Bourcier 1851)	II	C	226,229,713
E: Turquoise-throated Puffleg; F: Érione turquoise; S: Zamarrito gorjiturquesa			
Breeding: Colombia; Ecuador			
<i>Eriocnemis luciani</i> (Bourcier 1847)	II	-	713
E: Sapphire-vented Puffleg; F: Érione catherine; S: Zamarrito colilargo			
Breeding: Colombia; Ecuador; Peru			
<i>Eriocnemis mirabilis</i> Meyer de Schauensee 1967	II	V	226,229,713,741
E: Colourful Puffleg; F: Érione multicolore			
Breeding: Colombia [472]			
<i>Eriocnemis mosquera</i> (DeLattre & Bourcier 1846)	II	-	713
E: Golden-breasted Puffleg; F: Érione à poitrine d'or; S: Zamarrito pechidorado			
Breeding: Colombia; Ecuador			
<i>Eriocnemis nigrivestis</i> (Bourcier & Mulsant 1852)	II	C	226,229,713
E: Black-breasted Puffleg; F: Érione à robe noire; S: Zamarrito pechinegro			
Breeding: Ecuador [109]			
<i>Eriocnemis vestitus</i> (Lesson 1838)	II	-	713
E: Glowing Puffleg; F: Érione pattue; S: Colibrí pantalón verde, Zamarrito luciente			
Breeding: Colombia; Ecuador; Peru; Venezuela			

<i>Eugenes fulgens</i> (Swainson 1827)	II	-	15
E: Magnificent Hummingbird; Rivoli's Hummingbird; F: Colibri de Rivoli; S: Colibri magnífico			
Breeding: Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico [304]; Nicaragua; Panama; USA [526]			
<i>Eulampis holosericeus</i> (Linnaeus 1758)	II	-	15,115,1033
(= <i>Sericotes holosericeus</i>)			
E: Green-throated Carib; F: Colibri falle-vert			
Breeding: Antigua and Barbuda; Barbados; British Virgin Islands [822]; Dominica; Grenada; Guadeloupe; Martinique; Montserrat; Netherlands Antilles; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Virgin Islands of the United States [822]			
<i>Eulampis jugularis</i> (Linnaeus 1766)	II	-	15,115,1033
E: Purple-throated Carib; F: Colibri madère			
Breeding: Antigua and Barbuda; Antigua; Dominica; Guadeloupe; Martinique; Montserrat; Netherlands Antilles; Saint Kitts and Nevis; Saint Lucia; Saint Vincent			
Vagrant: Antigua and Barbuda; Barbados; Brazil [920]; Grenada; Virgin Islands of the United States [753]			
<i>Eulidia yarrellii</i> (Bourcier 1847)	II	-	226,229,570,713
E: Chilean Woodstar; F: Colibri d'Arca			
Breeding: Chile; Peru [778]			
<i>Eupetomena macroura</i> (Gmelin 1788)	II	-	713
E: Swallow-tailed Hummingbird; F: Colibri hirondelle			
Breeding: Bolivia [703]; Brazil [901,920]; French Guiana [93]; Guyana; Paraguay; Peru; Suriname			
<i>Euperusa cyanophrys</i> Rowley & Orr 1964	II	E	15,226,229
E: Blue-capped Hummingbird, Oaxaca Hummingbird; F: Colibri d'Oaxaca; S: Colibri Oaxaqueño			
Breeding: Mexico [870]			
<i>Euperusa eximia</i> (DeLatre 1843)	II	-	15
E: Stripe-tailed Hummingbird; F: Colibri à épaulettes; S: Colibri colirrayado			
Breeding: Belize; Costa Rica [934]; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Euperusa nigriventris</i> Lawrence 1867	II	-	15
E: Black-bellied Hummingbird; F: Colibri à ventre noir			
Breeding: Costa Rica [934]; Panama			
<i>Euperusa poliocerca</i> Elliot 1871	II	E	15,226,229,740
E: White-tailed Hummingbird; F: Colibri du Guerrero; S: Colibri Guerrerense			
Breeding: Mexico			
<i>Eutoxeres aquila</i> (Bourcier 1847)	II	-	15,713
E: White-tipped Sicklebill; F: Bec-en-faucille aigle; S: Pico-de-Hoz puntiblanco			
Breeding: Colombia; Costa Rica [934]; Ecuador; Panama; Peru			
<i>Eutoxeres condamini</i> (Boucier 1851)	II	-	713
E: Buff-tailed Sicklebill; F: Bec-en-faucille de La Condamine; S: Pico-de-Hoz colihabano			
Breeding: Bolivia [184,703]; Colombia; Ecuador; Peru			
<i>Florisuga mellivora</i> (Linnaeus 1758)	II	-	15,115,713
E: White-necked Jacobin; F: Colibri jacobin; S: Colibrí nuca blanca, Jacobino collarejo, Jacobino nuquiblanco			
Breeding: Aruba; Belize; Bolivia [703]; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; French Guiana [94]; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname [447]; Trinidad and Tobago; Venezuela			
Vagrant: Netherlands Antilles			

<i>Glaucis aenea</i> Lawrence 1867	II	-	15,713
E: Bronzy Hermit; F: Ermite bronzé; S: Ermitaño bronceado			
Breeding: Colombia; Costa Rica [934]; Ecuador; Nicaragua; Panama			
<i>Glaucis hirsuta</i> (Gmelin 1788)	II	-	15,570,713
(includes <i>Threnetes griseimaculatus</i> Ruschi 1973)			
E: Rufous-breasted Hermit; F: Ermite hirsute; S: Colibrí pecho canela, Ermitaño pechicanelo			
Breeding: Bolivia [703]; Brazil [872,901]; Colombia; Ecuador; French Guiana [94]; Grenada [115]; Guyana; Panama; Peru; Suriname; Trinidad and Tobago; Venezuela			
Vagrant: Netherlands Antilles			
<i>Goethalsia bella</i> Nelson 1912	II	-	15,226,713
E: Rufous-cheeked Hummingbird; F: Colibri du Pirré			
Breeding: Colombia; Panama [849]			
<i>Goldmania violiceps</i> Nelson 1911	II	-	15,713
E: Violet-capped Hummingbird; F: Colibri à calotte violette			
Breeding: Colombia; Panama			
<i>Haplophaedia aureliae</i> (Bourcier & Mulsant 1846)	II	-	15,713
E: Greenish Puffleg; F: Érione d'Aurélie; S: Zamarrito verdosa			
Breeding: Bolivia; Colombia; Ecuador; Panama; Peru			
<i>Haplophaedia lugens</i> (Gould 1851)	II	-	226,229,713
E: Hoary Puffleg; F: Érione givrée; S: Zamarrito canoso			
Breeding: Colombia; Ecuador			
<i>Heliactin cornuta</i> (Wied 1821)	II	-	699,713
(= <i>Heliactin bilophum</i> (Temminck 1820))			
E: Horned Sunbeam; F: Colibri aux huppes d'or			
Breeding: Bolivia [703]; Brazil [920]; Suriname [261]			
<i>Heliangelus amethysticollis</i> (d'Orbigny & Lafresnaye 1938)	II	-	713
E: Amethyst-throated Sunangel; F: Héliange clarisse; S: Angel de Sol Amatista, Solángel gorjiamatista			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Heliangelus exortis</i> (Fraser 1840)	II	-	713
(includes <i>Heliangelus micraster</i> Gould 1872)			
E: Tourmaline Sunangel, (Little Sunangel); F: Héliange tourmaline; S: Solángel turmalino			
Breeding: Colombia; Ecuador; Peru			
<i>Heliangelus mavors</i> Gould 1848	II	-	713
E: Orange-throated Sunangel; F: Héliange mars; S: Angel de Sol Cuellocre			
Breeding: Colombia; Venezuela			
<i>Heliangelus regalis</i> Fitzpatrick, Willard & Terborgh 1979	II	V	348,229
E: Royal Sunangel; F: Héliange royale			
Breeding: Peru [342]			
<i>Heliangelus spencei</i> (Bourcier 1847)	II	-	713
E: Merida Sunangel; F: Héliange de Mérida; S: Angel de Sol de Mérida			
Breeding: Venezuela			
<i>Heliangelus strophianus</i> (Gould 1846)	II	-	713
E: Gorgeted Sunangel; F: Héliange à queue bleue; S: Solángel de gorquera			
Breeding: Colombia; Ecuador			

<i>Heliangelus viola</i> (Gould 1853)	II	-	713
E: Purple-throated Sunangel; F: Héliange violette; S: Solángel gorjipúrpura			
Breeding: Ecuador; Peru			
<i>Heliangelus zusii</i> Graves 1993	II	C	348
E: Bogotá Sunangel			
Breeding: ?Colombia			
<i>Heliodoxa aurescens</i> (Gould 1846) (= <i>Polyplancta aurescens</i>)	II	-	713
E: Gould's Jewelfront; F: Brillant à bandeau bleu; S: Colibrí cuellicastaño, Frentijoya			
Breeding: Bolivia [703,897]; Brazil [920]; Colombia [341]; Ecuador; Peru; Venezuela			
<i>Heliodoxa branickii</i> (Taczanowski 1874)	II	-	713
E: Rufous-webbed Brilliant; F: Brillant de Branicki			
Breeding: Peru [898]			
<i>Heliodoxa gularis</i> (Gould 1860)	II	-	226,713
E: Pink-throated Brilliant; F: Brillant à gorge rose; S: Brillante gorjirrosado			
Breeding: Brazil [920]; Colombia [341]; Ecuador; Peru			
<i>Heliodoxa imperatrix</i> (Gould 1856)	II	-	713
E: Empress Brilliant; F: Brillant impératrice; S: Brillante emperatriz			
Breeding: Colombia; Ecuador			
<i>Heliodoxa jacula</i> Gould 1850	II	-	15,713
E: Green-crowned Brilliant; F: Brillant fer-de-lance; S: Brillante coroniverde			
Breeding: Colombia; Costa Rica [934]; Ecuador; Panama			
<i>Heliodoxa leadbeateri</i> (Bourcier 1843)	II	-	713
E: Violet-fronted Brilliant; F: Brillant à front violet; S: <i>Heliodoxa frentiazul</i> , Brillante frentivioleta			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Suriname; Venezuela			
<i>Heliodoxa rubinoides</i> (Bourcier & Mulsant 1846)	II	-	713
E: Fawn-breasted Brilliant; F: Brillant rubinoïde; S: Brillante pechianteado			
Breeding: Colombia [472]; Ecuador; Peru			
<i>Heliodoxa schreibersii</i> (Bourcier 1847)	II	-	713
E: Black-throated Brilliant; F: Brillant à gorge noire; S: Brillante gorjinegro			
Breeding: Brazil [920]; Colombia [341]; Ecuador; Peru			
<i>Heliodoxa xanthogonys</i> Salvin & Godman 1882	II	-	713
E: Velvet-browed Brilliant, Velvet-crowned Brilliant; F: Brillant à couronne verte; S: Colibrí frentiverde			
Breeding: Brazil [920]; Guyana; Venezuela			
<i>Heliomaster constantii</i> (DeLattre 1843)	II	-	15
E: Plain-capped Starthroat; F: Colibri de Constant; S: Picolargo coronioscuro			
Breeding: Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua			
Vagrant: USA [526]			
<i>Heliomaster furcifer</i> (Shaw 1812)	II	-	713
E: Blue-tufted Starthroat; F: Colibri d'Angèle; S: Picaflor de Barbijo			
Breeding: Argentina; Bolivia [703]; Brazil [920]; Colombia; Paraguay; Uruguay			
<i>Heliomaster longirostris</i> (Audebert & Vieillot 1801)	II	-	15,713
E: Long-billed Starthroat; F: Colibri corinne; S: Colibrí estrella picolargo, <i>Heliomaster piquilargo</i> , Picolargo coroniazul			

Breeding:	Bolivia [703]; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; El Salvador; French Guiana [93]; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname [261]; Trinidad and Tobago; Venezuela	II	-	713
<i>Heliomaster squamosus</i> (Temminck 1823)	E: Stripe-breasted Starthroat; F: Colibri médiastin; S: Picaflor escamado	II	-	713
Breeding:	Argentina; Brazil [920]			
<i>Heliothryx aurita</i> (Gmelin 1788)	E: Black-eared Fairy; F: Colibri oreillard; S: Colibrí hada orejazul, Hada orejinegro	II	-	713
Breeding:	Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [281]; Guyana; Peru; Suriname; Venezuela			
<i>Heliothryx barroti</i> (Bourcier 1843)	E: Purple-crowned Fairy; F: Colibri féérique; S: Hada gorrímorada, Hada coronímorada	II	-	15,713
Breeding:	Belize; Colombia; Costa Rica [934]; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Hylocharis chrysura</i> (Shaw 1812)	E: Gilded Hummingbird; F: Saphir à queue d'or; S: Picaflor bronceado, Picaflor dorado	II	-	713
Breeding:	Argentina; Bolivia [703]; Brazil [920]; Paraguay; Venezuela			
<i>Hylocharis cyanus</i> (Vieillot 1818)	E: White-chinned Sapphire; F: Saphir azuré; S: Picaflor cabeciazul, Zafiro cabecimorado	II	-	713
Breeding:	Argentina [95]; Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [93]; Guyana; Peru; Suriname; Venezuela			
<i>Hylocharis eliciae</i> (Bourcier & Mulsant 1846)	E: Blue-throated Goldentail; F: Saphir d'Elicia; S: Zafiro gorjiazul	II	-	15,713
Breeding:	Belize; Colombia; Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua; Panama			
<i>Hylocharis grayi</i> (DeLattre & Bourcier 1846)	E: Blue-headed Sapphire; F: Saphir ulyssse; S: Zafiro cabeciazul	II	-	15,713
Breeding:	Colombia; Ecuador; Panama			
<i>Hylocharis leucotis</i> (Vieillot 1818) (= <i>Basilinna leucotis</i>)	E: White-eared Hummingbird; F: Saphir à oreilles blanches; S: Colibri orejiblanco	II	-	15
Breeding:	El Salvador; Guatemala; Honduras; Mexico [304]; Nicaragua			
<i>Hylocharis pyroptogia</i> (Salvin & Godman 1881)	E: Flame-rumped Sapphire; F: Saphir embrasé	II	-	713
Breeding:	?Brazil [920]			
<i>Hylocharis sapphirina</i> (Gmelin 1788)	E: Rufous-throated Sapphire; F: Saphir à gorge rousse; S: Picaflor pechiazel, Zafiro gargantirrufo	II	-	713
Breeding:	Argentina; Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [93,94]; Guyana; Paraguay; Peru; Suriname; Venezuela			
<i>Hylocharis xanthusii</i> (Lawrence 1860) (= <i>Basilinna xanthusii</i>)	E: Xantus's Hummingbird, Black-fronted Hummingbird; F: Saphir de Xantus; S: Colibri de Xantus	II	-	15
Breeding:	Mexico			
Vagrant:	USA			
<i>Hylonympha macrocerca</i> Gould 1873	E: Scissor-tailed Hummingbird; F: Colibri à queue en ciseaux; S: Colibrí tijereta	II	C	226,229,713
Breeding:	Venezuela			

<i>Klais guimeti</i> (Bourcier 1843)	II	-	15,713
E: Violet-headed Hummingbird; F: Colibri à tête violette; S: Tucusito cabeza azul, Colibri cabecivioleta			
Breeding: Bolivia [703]; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; Honduras; Nicaragua; Panama; Peru; Venezuela			
<i>Lafresnaya lafresnayi</i> (Boissonneau 1840)	II	-	713
E: Mountain Velvetbreast; F: Colibri de Lafresnaye; S: Colibrí terciopelo			
Breeding: Colombia; Ecuador; Peru; Venezuela			
<i>Lampornis amethystinus</i> Swainson 1827	II	-	15
E: Amethyst-throated Hummingbird; F: Colibri à gorge améthyste; S: Colibrí-serrano gorjiamatisto			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Lampornis castaneoventris</i> (Gould 1851)	II	-	15
(includes <i>Lampornis calolaema</i> (Salvin 1865), <i>Lampornis cinereicauda</i> (Lawrence 1867))			
E: Variable Mountaingem, (Purple-throated Mountaingem, White-throated Mountaingem); F: Colibri à ventre châtain			
Breeding: Costa Rica [934]; Nicaragua; Panama			
<i>Lampornis clemenciae</i> (Lesson 1829)	II	-	15
E: Blue-throated Hummingbird; F: Colibri à gorge bleue; S: Colibrí-serrano gorjiazul			
Breeding: Mexico; USA [526]			
<i>Lampornis hemileucus</i> (Salvin 1865)	II	-	15
E: White-bellied Mountain-gem; F: Colibri à gorge lilas			
Breeding: Costa Rica [934]; Panama			
<i>Lampornis sybillae</i> (Salvin & Godman 1892)	-	-	II - 15
(= <i>Lampornis viridipallens sybillae</i>)			
E: Green-breasted Mountain-gem; F: Colibri de Sybil; S: Colibrí-serrano pechiverde			
Breeding: Honduras; Nicaragua			
<i>Lampornis viridipallens</i> (Bourcier & Mulsant 1846)	II	-	15
E: Green-throated Mountain-gem; F: Colibri vert-d'eau; S: Colibrí-serrano gorjiverde			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Lamprolaima rhami</i> (Lesson 1838)	II	-	15
E: Garnet-throated Hummingbird; F: Colibri à gorge grenat; S: Colibrí alicastaño			
Breeding: El Salvador; Guatemala; Honduras; Mexico			
<i>Lepidopyga coeruleogularis</i> (Gould 1851)	II	-	15,713
E: Sapphire-throated Hummingbird; F: Colibri faux-saphir			
Breeding: Colombia; Costa Rica [934]; Panama			
<i>Lepidopyga goudoti</i> (Bourcier 1843)	II	-	713
E: Shining-green Hummingbird; F: Colibri de Goudot; S: Tucusito pico curvo			
Breeding: Colombia; Venezuela			
<i>Lepidopyga lilliae</i> Stone 1917	II	C	226,229,713
E: Sapphire-bellied Hummingbird; F: Colibri de Lillian			
Breeding: Colombia			
<i>Lesbia nuna</i> (Lesson 1832)	II	-	713
E: Green-tailed Trainbearer; F: Porte-traine nouna; S: Colibrí coludo verde, Colacinta coliverde			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru			
Vagrant: ?Venezuela [715]			

<i>Lesbia victoriae</i> (Bourcier & Mulsant 1846)	II	-	713
E: Black-tailed Trainbearer; F: Porte-traine lesbie; S: Colacinta colinegra			
Breeding: Colombia; Ecuador; Peru			
<i>Leucippus baeri</i> Simon 1901	II	-	713
E: Tumbes Hummingbird; F: Colibri de Tumbes			
Breeding: Peru			
<i>Leucippus chlorocercus</i> (Gould 1866)	II	-	713
E: Olive-spotted Hummingbird; F: Colibri à queue verte; S: Colibri olivipunteado			
Breeding: Brazil [920]; Colombia; Ecuador; Peru			
<i>Leucippus fallax</i> (Bourcier 1843)	II	-	713
E: Buffy Hummingbird; F: Colibri trompeur; S: Colibrí anteado			
Breeding: Colombia; ?French Guiana [700]; Venezuela			
<i>Leucippus tacjanowskii</i> (Sclater 1879)	II	-	713
E: Spot-throated Hummingbird; F: Colibri de Taczanowski			
Breeding: Peru			
<i>Leucochloris albicollis</i> (Vieillot 1818)	II	-	713
E: White-throated Hummingbird; F: Colibri à gorge blanche; S: Picaflor cuelliblanco			
Breeding: Argentina; Brazil [901,920]; Paraguay; Uruguay			
<i>Loddigesia mirabilis</i> (Bourcier 1847)	II	V	112,226,229,713,974
E: Marvelous Spatuletail; F: Loddigésie admirable			
Breeding: Peru			
<i>Lophornis adorabilis</i> Salvin 1870	II	-	15
(= <i>Paphosia adorabilis</i>)			
E: White-crested Coquette, Adorable Coquette; F: Coquette adorable			
Breeding: Costa Rica [934]; Panama			
<i>Lophornis brachylopha</i> Moore 1949	II	E	67,226,229,485
(= <i>Lophornis delattrei brachylopha</i>)			
E: Short-crested Coquette; F: Coquette du Guerrero; S: Coqueta cresticorta			
Breeding: Mexico			
<i>Lophornis chalybeus</i> (Vieillot 1823)	II	-	713
E: Festive Coquette; F: Coquette chalybée; S: Picaflor abanico verde, Coqueta abanico puntiblanco, Coqueta festiva			
Breeding: Argentina [95]; Bolivia [703]; Brazil [920]; Colombia; Ecuador; Peru; Venezuela			
<i>Lophornis delattrei</i> (Lesson 1839)	II	-	15,713
E: Rufous-crested Coquette; F: Coquette de Delattre			
Breeding: Bolivia [703]; Colombia; ?Costa Rica [934]; Panama; Peru			
<i>Lophornis gouldii</i> (Lesson 1833)	II	-	713
E: Dot-eared Coquette; F: Coquette de Gould			
Breeding: Bolivia [703]; Brazil [920]			
<i>Lophornis helenae</i> (DeLattre 1843)	II	-	15
(= <i>Paphosia helenae</i>)			
E: Black-crested Coquette; F: Coquette d'Hélène; S: Coqueta crestinegra			
Breeding: Belize; Costa Rica [934]; Guatemala [78]; Honduras; Mexico; Nicaragua			

<i>Trochilidae</i>	CITES	RL	Ref
<i>Lophornis magnificus</i> (Vieillot 1817) E: Frilled Coquette; F: Coquette magnifique Breeding: Brazil [920]	II	-	713
<i>Lophornis ornatus</i> (Boddaert 1783) E: Tufted Coquette; F: Coquette huppe-col; S: Coqueta abanico canela Breeding: Brazil [920]; French Guiana [700]; Guyana; Suriname; Trinidad and Tobago; Venezuela	II	-	713
<i>Lophornis pavoninus</i> Salvin & Godman 1882 E: Peacock Coquette; F: Coquette paon; S: Coqueta abanico pavo real Breeding: Brazil [920]; Guyana; Venezuela	II	-	713
<i>Lophornis stictolophus</i> Salvin & Elliot 1873 E: Spangled Coquette; F: Coquette pailletée; S: Coqueta coronada, Coqueta lentejuelada Breeding: Colombia; Ecuador; Peru; Venezuela	II	-	226,713
<i>Melanotrochilus fuscus</i> (Vieillot 1817) E: Black Jacobin; F: Colibri demi-deuil; S: Picaflor negro Breeding: Argentina; Brazil [920]; Uruguay	II	-	713
<i>Mellisuga helena</i> (Lembeye 1850) (= <i>Calyptra helena</i>) E: Bee Hummingbird; F: Colibri d'Helen Breeding: Cuba	II	-	15,115,226,366
<i>Mellisuga minima</i> (Linnaeus 1758) E: Vervain Hummingbird; F: Colibri nain; S: Zumbadorcito Breeding: Dominican Republic; Haiti [1093]; Jamaica Vagrant: Puerto Rico	II	-	15,115
<i>Metallura aeneocauda</i> (Gould 1846) (includes <i>Metallura malagae</i> Berlepsch 1897) E: Scaled Metaltail; F: Métallure à queue d'airain Breeding: Bolivia [703,830]; Peru	II	-	713
<i>Metallura baroni</i> Salvin 1893 E: Violet-throated Metaltail; F: Métallure de Baron; S: Metalura gorjivioleta Breeding: Ecuador	II	V	226,229,713,766,839
<i>Metallura eupogon</i> (Cabanis 1874) E: Fire-throated Metaltail; F: Métallure à gorge feu Breeding: Peru	II	-	713
<i>Metallura iracunda</i> Wetmore 1947 E: Perija Metaltail; F: Métallure dorée; S: Colibrí de Perijá Breeding: Colombia; Venezuela	II	-	226,713
<i>Metallura odoma</i> Graves 1980 E: Neblina Metaltail; F: Métallure du Chinguela Breeding: Peru	II	-	226,229,405,782
<i>Metallura phoebe</i> (Lesson & DeLattre 1839) E: Black Metaltail; F: Métallure phébé Breeding: Peru	II	-	713
<i>Metallura theresiae</i> Simon 1902 E: Coppery Metaltail; F: Métallure de Thérèse Breeding: Peru	II	-	713

<i>Metallura tyrianthina</i> (Loddiges 1832)	II	-	713
E: Tyrian Metaltail; F: Métallure émeraude; S: Colibrí verde colirrojo, Metalura tibia			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Metallura williami</i> (DeLattre & Bourcier 1846)	II	-	713
E: Viridian Metaltail; F: Métallure verte; S: Metalura verde			
Breeding: Colombia; Ecuador			
<i>Microchera albocoronata</i> (Lawrence 1855)	II	-	15
E: Snowcap; F: Colibri à coiffe blanche			
Breeding: Costa Rica [934]; Honduras; Nicaragua; Panama			
<i>Microstilbon burmeisteri</i> (Sclater 1887)	II	-	713
E: Slender-tailed Woodstar; F: Colibri de Burmeister; S: Picaflor enano			
Breeding: Argentina; Bolivia [703]			
<i>Myrmia micrura</i> (Gould 1854)	II	-	713
E: Short-tailed Woodstar; F: Colibri à queue courte; S: Estrellita colicorta			
Breeding: Ecuador; Peru			
<i>Myrtis fanny</i> (Lesson 1838)	II	-	713
E: Purple-collared Woodstar; F: Colibri fanny; S: Estrellita gargantillada			
Breeding: Ecuador; Peru			
<i>Ocreatus underwoodii</i> (Lesson 1832)	II	-	713
E: Booted Racket-tail; F: Haut-de-chausses à palettes; S: Colibrí cola de hoja, Colaespátula zamarrito			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru; Venezuela			
<i>Opisthoprorra eryptera</i> (Loddiges 1832)	II	-	713
E: Mountain Avocetbill; F: Colibri avocettin; S: Colibrí piquiavoceta			
Breeding: Colombia [341]; Ecuador; Peru			
<i>Oreonympha nobilis</i> Gould 1869	II	-	713
E: Bearded Mountaineer; F: Colibri noble			
Breeding: Peru			
<i>Oreotrochilus adela</i> (d'Orbigny & Lafresnaye 1838)	II	-	226,713
E: Wedge-tailed Hillstar; F: Colibri adèle			
Breeding: Bolivia [703]			
<i>Oreotrochilus chimborazo</i> (DeLattre & Bourcier 1846) (= <i>Oreotrochilus estella chimborazo</i>)	II	-	713
E: Ecuadorian Hillstar; F: Colibri du Chimborazo; S: Estrella ecuatoriana			
Breeding: Ecuador			
<i>Oreotrochilus estella</i> (d'Orbigny & Lafresnaye 1838)	II	-	713
E: Andean Hillstar; F: Colibri estelle; S: Picaflor serrano ventricanela			
Breeding: Argentina; Bolivia [703]; Chile; Peru			
<i>Oreotrochilus leucopleurus</i> Gould 1847	II	-	713
E: White-sided Hillstar; F: Colibri à flancs blancs; S: Picaflor serrano ventrinegro			
Breeding: Argentina; Bolivia [703]; Chile [846]			
<i>Oreotrochilus melanogaster</i> Gould 1847	II	-	713
E: Black-breasted Hillstar; F: Colibri à plastron noir			
Breeding: Peru			

<i>Orthorhynchus cristatus</i> (Linnaeus 1758)	II	-	15,115
E: Antillean Crested Hummingbird; F: Colibri buppé			
Breeding:	Antigua and Barbuda; Barbados; British Virgin Islands [822]; Dominica; Grenada; Guadeloupe; Martinique; Montserrat; Netherlands Antilles; Puerto Rico; Saint Kitts and Nevis; Saint Lucia; Saint Vincent; Virgin Islands of the United States [822]		
Vagrant:	?USA [526]		
<i>Oxypogon guerinii</i> (Boissonneau 1840)	II	-	713
E: Bearded Helmetcrest; F: Colibri casqué; S: Chivito de los Páramos			
Breeding:	Colombia; Venezuela		
<i>Panterpe insignis</i> Cabanis & Heine 1860	II	-	15,960
E: Fiery-throated Hummingbird; F: Colibri insigne			
Breeding:	Costa Rica [934]; Panama		
<i>Patagona gigas</i> (Vieillot 1824)	II	-	713
E: Giant Hummingbird; F: Colibri géant; S: Picaflor gigante, Colibri gigante			
Breeding:	Argentina; Bolivia [703]; Chile; ?Colombia; Ecuador; Peru		
<i>Phaeochroa cuvierii</i> (DeLattre & Bourcier 1846)	II	-	15,713
E: Scaly-breasted Hummingbird; F: Colibri de Cuvier; S: Fandangero pechiescamoso			
Breeding:	Belize; Colombia; Costa Rica [934]; Guatemala; Honduras; ?Mexico; Nicaragua; Panama		
Vagrant:	Mexico		
<i>Phaethornis anthophilus</i> (Bourcier 1843)	II	-	15,713
E: Pale-bellied Hermit; F: Ermite anthophile; S: Ermitaño carinegro			
Breeding:	Colombia; Panama; Venezuela		
<i>Phaethornis augusti</i> (Bourcier 1847)	II	-	713
E: Sooty-capped Hermit; F: Ermite d'Auguste; S: Limpiacasa			
Breeding:	Brazil [920]; Colombia; Guyana; Venezuela		
<i>Phaethornis bourcieri</i> (Lesson 1832)	II	-	713
E: Straight-billed Hermit; F: Ermite de Bourcier; S: Ermitaño de Picorrecto			
Breeding:	Brazil [920]; Colombia; Ecuador; French Guiana [700]; Guyana; Peru; Suriname; Venezuela		
<i>Phaethornis eurynome</i> (Lesson 1832)	II	-	570,713
(includes <i>Phaethornis nigrirostris</i> Ruschi 1973)			
E: Scale-throated Hermit; F: Ermite eurynome; S: Ermitaño manchado			
Breeding:	Argentina; Brazil [919,920]; Paraguay		
<i>Phaethornis gounellei</i> Boucard 1891	II	-	713
E: Broad-tipped Hermit; F: Ermite de Gounelle			
Breeding:	Brazil [920]		
<i>Phaethornis griseogularis</i> Gould 1851	II	-	713
(includes <i>Phaethornis porculae</i> Carriker 1935)			
E: Grey-chinned Hermit, (Porcula Hermit); F: Ermite à gorge grise; S: Ermitaño barbigrís			
Breeding:	Bolivia [703]; Colombia; Ecuador; Peru; Venezuela		
<i>Phaethornis guy</i> (Lesson 1833)	II	-	15,713
E: Green Hermit; F: Ermite vert; S: Ermitaño verde			
Breeding:	Colombia; Costa Rica [934]; Ecuador; Panama; Peru; Trinidad and Tobago; Venezuela		
<i>Phaethornis hispidus</i> (Gould 1846)	II	-	713
E: White-bearded Hermit; F: Ermite d'Osery; S: Ermitaño barbillanco			
Breeding:	Bolivia [703]; Brazil [920]; Colombia; Ecuador; Peru; Venezuela		

<i>Trochilidae</i>	CITES	RL	Ref
<i>Phaethornis idaliae</i> (Bourcier & Mulsant 1856) E: Minute Hermit; F: Ermite d'Idalie Breeding: Brazil [901,920]	II	-	713
<i>Phaethornis koepckeae</i> Weske & Terborgh 1977 E: Koepcke's Hermit; F: Ermite de Koepcke Breeding: Peru	II	-	226,1059
<i>Phaethornis longuemareus</i> (Lesson 1832) (= <i>Pygmornis longuemareus</i> , = <i>Pygmornis striigularis</i> Gould 1854) E: Little Hermit; F: Ermite nain; S: Ermitaño pequeño, Ermitaño chico Breeding: Belize; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; French Guiana [700]; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Trinidad and Tobago; Venezuela	II	-	15,713
<i>Phaethornis malaris</i> (Nordmann 1835) (includes <i>Phaethornis margaretae</i> Ruschi 1972) E: Great-billed Hermit, (Margaretta's Hermit); F: Ermite à long bec Breeding: Brazil [697,920]; French Guiana [281]; Suriname [261]	II	-	713
<i>Phaethornis nattereri</i> Berlepsch 1887 (includes <i>Phaethornis maranhensis</i> Grantsau 1968) E: Cinnamon-throated Hermit; F: Ermite de Natterer Breeding: Bolivia [703]; Brazil [920]	II	-	713
<i>Phaethornis philippii</i> (Bourcier 1847) E: Needle-billed Hermit; F: Ermite de Filippi Breeding: Bolivia [703]; Brazil [920]; Perú	II	-	713
<i>Phaethornis pretrei</i> (Lesson & DeLattre 1839) E: Planalto Hermit; F: Ermite de Prêtre; S: Ermitaño frentrinegro Breeding: Argentina; Bolivia [703]; Brazil [920]; Paraguay	II	-	713
<i>Phaethornis ruber</i> (Linnaeus 1758) E: Reddish Hermit; F: Ermite roussâtre; S: Ermitaño rufo, Ermitaño rojizo Breeding: Bolivia [703]; Brazil [901,920]; Colombia; Ecuador; French Guiana [701]; Guyana; Peru; Suriname; Venezuela	II	-	713
<i>Phaethornis squalidus</i> (Temminck 1822) E: Dusky-throated Hermit; F: Ermite terne; S: Ermitaño gargantifusco, Ermitaño colilargo Breeding: Brazil [901,920]; Colombia; Guyana; Venezuela	II	-	713
<i>Phaethornis stuarti</i> Hartert 1897 E: White-browed Hermit; F: Ermite de Stuart; S: Ermitaño ventrihabano Breeding: Bolivia [703]; Peru	II	-	713
<i>Phaethornis subochraceus</i> Todd 1915 E: Buff-bellied Hermit; F: Ermite ocre; S: Ermitaño bigotiblanco Breeding: Bolivia [703]; Brazil [920]	II	-	713
<i>Phaethornis superciliosus</i> (Linnaeus 1766) (includes <i>Phaethornis mexicanus</i> Hartert 1897) E: Long-tailed Hermit; F: Ermite à brins blancs; S: Ermitaño guayanés, Ermitaño colilargo Breeding: Belize; Bolivia [703]; Brazil [920]; Colombia; Costa Rica [934]; Ecuador; French Guiana [281]; Guatemala; Guyana; Honduras; Mexico; Nicaragua; Panama; Peru; Suriname; Venezuela	II	-	15,713

Trochilidae	CITES	RL	Ref
<i>Phaethornis syrmatophorus</i> Gould 1851 E: Tawny-bellied Hermit; F: Ermite à ventre fauve Breeding: Colombia; Ecuador; Peru	II	-	713
<i>Phaethornis yaruqui</i> (Bourcier 1851) E: White-whiskered Hermit; F: Ermite yaruqui Breeding: Colombia; Ecuador	II	-	713
<i>Philodice bryantae</i> (Lawrence 1867) (= <i>Calliphlox bryantae</i>) E: Magenta-throated Woodstar; F: Colibri magenta Breeding: Costa Rica [934]; Panama	II	-	15,226
<i>Philodice mitchellii</i> (Bourcier 1847) (= <i>Calliphlox mitchellii</i>) E: Purple-throated Woodstar; F: Colibri de Mitchell; S: Estrellita gorjipúrpura Breeding: Colombia; Ecuador; Panama [849]	II	-	15,713
<i>Phlogophilus harterti</i> Berlepsch & Stolzmann 1901 E: Peruvian Piedtail; F: Colibri de Hartert Breeding: Peru	II	-	226,713
<i>Phlogophilus hemileucurus</i> Gould 1860 E: Ecuadorian Piedtail; F: Colibri à queue mi-blanche; S: Colapinto ecuatoriano Breeding: Colombia [341]; Ecuador; Peru	II	-	226,713
<i>Polyonymus caroli</i> (Bourcier 1847) E: Bronze-tailed Comet; F: Colibri de Bourcier Breeding: Peru	II	-	226,713
<i>Polytmus guainumbi</i> (Pallas 1764) E: White-tailed Goldenthroat; F: Colibri guaínumbi; S: Picaflor coliverde, Colibrí gargantidorado Breeding: Argentina [95]; Bolivia [703]; Brazil [901,920]; Colombia; French Guiana [93]; Guyana; Paraguay; Peru [403]; Suriname [447]; Trinidad and Tobago [982]; Venezuela	II	-	713
<i>Polytmus milleri</i> (Chapman 1929) E: Tepui Goldenthroat; F: Colibri des tépuis; S: Colibrí tepui Breeding: Brazil [920]; Venezuela	II	-	713
<i>Polytmus theresiae</i> (Da Silva Maia 1843) E: Green-tailed Goldenthroat; F: Colibri tout-vert; S: Garganta de oro coliverde Breeding: Brazil [920]; Colombia; Ecuador; Guyana; Peru; Suriname [447]; Venezuela	II	-	713
<i>Popelairia conversii</i> (Bourcier & Mulsant 1846) (= <i>Discosura conversii</i>) E: Green Thorntail; F: Coquette à queue fine; S: Colacerda verde Breeding: Colombia; Costa Rica [934]; Ecuador; Panama	II	-	15,713
<i>Popelairia langsdorffi</i> (Temminck 1821) (= <i>Discosura langsdorffi</i>) E: Black-bellied Thorntail; F: Coquette de Langsdorff; S: Coqueta cola de Lira, Colacerda ventrinegra Breeding: Bolivia [780]; Brazil [920]; Colombia; Ecuador; Peru; Venezuela	II	-	713
<i>Popelairia letitiae</i> (Bourcier & Mulsant 1852) (= <i>Discosura letitiae</i>) E: Coppery Thorntail; F: Coquette de Létitia Breeding: ?Bolivia	II	DD	226,229,713

<i>Popelairia popelairii</i> (DuBus & Gisignies 1846) (= <i>Discosura popelairii</i>)	II	-	713
E: Wire-crested Thorntail; F: Coquette de Popelaire; S: Colacerda crestuda			
Breeding: Colombia; Ecuador; Peru			
<i>Pterophanes cyanopterus</i> (Fraser 1839)	II	-	713
E: Great Sapphirewing; F: Colibri à ailes saphir; S: Alazafiro grande			
Breeding: Bolivia [703]; Colombia; Ecuador; Peru			
<i>Ramphodon dohrnii</i> (Bourcier & Mulsant 1852) (= <i>Glaucis dohrnii</i>)	I	C	223,226,229,570,713
E: Hook-billed Hermit; F: Colibri de Dohrn, Colibrí à bec incurvé; S: Colibrí picosierra chico			
Breeding: Brazil			
<i>Ramphodon naevius</i> (Dumont 1818)	II	-	226,713
E: Saw-billed Hermit; F: Colibri tacheté			
Breeding: Brazil			
<i>Ramphomicron dorsale</i> Salvin & Godman 1880	II	-	713
E: Black-backed Thornbill; F: Colibri à dos noir			
Breeding: Colombia			
<i>Ramphomicron microrhynchum</i> (Boissonneau 1839)	II	-	713
E: Purple-backed Thornbill; F: Colibri à petit bec; S: Colibrí pico espina, Picoespina dorsipúrpura			
Breeding: Bolivia [703]; Colombia; Ecuador; Venezuela			
<i>Rhodopis vesper</i> (Lesson 1829)	II	-	713
E: Oasis Hummingbird; F: Colibri vesper			
Breeding: Chile; Peru			
<i>Sappho sparganura</i> (Shaw 1812)	II	-	713
E: Red-tailed Comet; F: Colibri sapbo; S: Picaflor coludo rojo			
Breeding: Argentina; Bolivia [703]; Chile [386]; Peru			
<i>Selasphorus ardens</i> Salvin 1870	II	V	15,226,229
E: Glow-throated Hummingbird; F: Colibri ardent			
Breeding: Panama			
<i>Selasphorus flammula</i> Salvin 1864	II	-	15
(includes <i>Selasphorus simoni</i> Carriker 1910, <i>Selasphorus torridus</i> Salvin 1870)			
E: Volcano Hummingbird, (Cerise-throated Hummingbird, Heliotrope-throated Hummingbird); F: Colibri flammule			
Breeding: Costa Rica [934]; Panama			
<i>Selasphorus platycercus</i> (Swainson 1827)	II	-	15
E: Broad-tailed Hummingbird; F: Colibri à queue large; S: Zumbador coliancho			
Breeding: Guatemala; Mexico; USA [526]			
<i>Selasphorus rufus</i> (Gmelin 1788)	II	-	15
E: Rufous Hummingbird; F: Colibri roux; S: Zumbador rufo			
Breeding: Canada [526]; Mexico; USA [526]			
<i>Selasphorus sasin</i> (Lesson 1829)	II	-	15
E: Allen's Hummingbird; F: Colibri d'Allen; S: Zumbador de Allen			
Breeding: Mexico; USA [526]			
Vagrant: ?Canada [526]			

<i>Trochilidae</i>	CITES	RL	Ref
<i>Selasphorus scintilla</i> (Gould 1851) E: Scintillant Hummingbird; F: Colibri scintillant Breeding: Costa Rica [934]; Panama	II	-	15
<i>Sephanoides fernandensis</i> (King 1831) E: Juan Fernandez Firecrown; F: Colibri robinson Breeding: Chile: Juan Fernandez Islands	II	C	125,144,220,226,229,961
<i>Sephanoides sephaniodes</i> (Lesson 1827) E: Green-backed Firecrown; F: Colibri du Chili; S: Picaflor cabeza granate Breeding: Argentina; Chile Vagrant: Falkland Islands	II	-	713
<i>Stellula calliope</i> (Gould 1847) (= <i>Archilochus calliope</i>) E: Calliope Hummingbird; F: Colibri calliope; S: Colibri de calliope Breeding: Canada [526]; Mexico; USA [526]	II	-	15
<i>Stephanoxis lalandi</i> (Vieillot 1818) E: Plovercrest; F: Colibri de Delalande; S: Picaflor copetón Breeding: Argentina; Brazil [901,920]; Paraguay	II	-	713
<i>Sternoclyta cyanopectus</i> (Gould 1846) E: Violet-chested Hummingbird; F: Colibri à poitrine violette; S: Colibrí pechiazul Breeding: Venezuela	II	-	713
<i>Taphrolesbia griseiventris</i> (Taczanowski 1883) E: Grey-bellied Comet; F: Colibri comète Breeding: Peru	II	V	226,229,713
<i>Taphrospilus hypostictus</i> (Gould 1862) E: Many-spotted Hummingbird; F: Colibri grivelé; S: Colibri multipunteado Breeding: ?Argentina; Bolivia [703]; Brazil [920]; Ecuador; Peru	II	-	713
<i>Thalurania colombica</i> (Bourcier 1843) (= <i>Thalurania furcata colombica</i>) E: Blue-crowned Woodnymph; F: Dryade couronnée; S: Ninfa coronada Breeding: Belize; Colombia; Costa Rica; Guatemala; Honduras; Nicaragua; Panama; Venezuela	II	-	15,713
<i>Thalurania fannyi</i> (DeLattre & Bourcier 1846) (= <i>Thalurania colombica fannyi</i>) E: Green-crowned Woodnymph; F: Dryade de Fanny; S: Ninfa coronada Breeding: Colombia; Ecuador; Panama	II	-	
<i>Thalurania furcata</i> (Gmelin 1788) E: Fork-tailed Woodnymph; F: Dryade à queue fourchue; S: Picaflor gargantiverde, Tucusito moradito Breeding: Argentina [95]; Bolivia [703]; Brazil [920]; Colombia; Ecuador; French Guiana [281]; Guyana; Paraguay; Peru; Suriname; ?Trinidad and Tobago; Venezuela	II	-	713
<i>Thalurania glaukopis</i> (Gmelin 1788) E: Violet-capped Woodnymph; F: Dryade glaucope; S: Picaflor corona azul Breeding: Argentina; Brazil [901,920]; Paraguay; Uruguay	II	-	713
<i>Thalurania ridgwayi</i> Nelson 1900 (= <i>Thalurania colombica ridgwayi</i>) E: Mexican Woodnymph; F: Dryade du Mexique; S: Ninfa Mexicana Breeding: Mexico	II	V	226,229,315

<i>Trochilidae</i>	CITES	RL	Ref
<i>Thalurania watertonii</i> (Bourcier 1847) E: Long-tailed Woodnymph; F: Dryade de Waterton Breeding: Brazil [920]; ?Guyana	II	-	713
<i>Thaumastura cora</i> (Lesson 1827) E: Peruvian Sheartail; F: Colibri cora Breeding: Peru Vagrant: Chile [487]	II	-	713
<i>Threnetes leucurus</i> (Linnaeus 1766) (includes <i>Threnetes cristinae</i> Ruschi 1975, <i>Threnetes loehkeni</i> Grantsau 1969) E: Pale-tailed Barbthroat, (Bronze-tailed Barbthroat); F: Ermite à queue blanche; S: Garganta lanza coliblanca, Barbita colipálida Breeding: Bolivia [703]; Brazil [920]; Colombia; Ecuador; French Guiana [93]; Guyana; Peru; Suriname; Venezuela	II	-	713,873
<i>Threnetes niger</i> (Linnaeus 1758) E: Sooty Barbthroat; F: Ermite d'Antonie Breeding: Brazil [920]; French Guiana [93]	II	-	713
<i>Threnetes ruckeri</i> (Bourcier 1847) E: Band-tailed Barbthroat; F: Ermite de Rucker; S: Tucuso de Barba, Barbita colibandeada, Ermitaño barbudo Breeding: Belize; Colombia; Costa Rica [934]; Ecuador; Guatemala; Honduras; Nicaragua; Panama; Venezuela	II	-	15,713
<i>Tilmatura dupontii</i> (Lesson 1832) (= <i>Philodice dupontii</i>) E: Sparkling-tailed Hummingbird, Sparkling-tailed Barbthroat; F: Colibri zémès; S: Colibri colipinto Breeding: ?Costa Rica [934]; El Salvador; Guatemala; Honduras; Mexico; Nicaragua	II	-	15
<i>Topaza pella</i> (Linnaeus 1758) E: Crimson Topaz; F: Colibri topaze; S: Topacio candela colicanelo, Topacio carmesi Breeding: Brazil [920]; Ecuador; French Guiana [94]; Guyana; Suriname; Venezuela	II	-	713
<i>Topaza pyra</i> (Gould 1846) E: Fiery Topaz; F: Colibri flamboyant; S: Topacio candela colimorado, Topacio fuego Breeding: Colombia; Ecuador; Peru; Venezuela	II	-	713
<i>Trochilus polytmus</i> Linnaeus 1758 (includes <i>Trochilus scitulus</i> (Brewster & Bangs 1901)) E: Streamertail; F: Colibri à tête noire Breeding: Jamaica	II	-	15,115,894
<i>Urochroa bougueri</i> (Bourcier 1851) E: White-tailed Hillstar; F: Colibri de Bouquer; S: Estrella coliblanca Breeding: Colombia; Ecuador; Peru	II	-	713
<i>Urosticte benjamini</i> (Bourcier 1851) E: Purple-bibbed Whitetip; F: Colibri de Benjamin; S: Punta blanca Breeding: Colombia [341]; Ecuador	II	-	713
<i>Urosticte ruficrissa</i> Lawrence 1864 (= <i>Urosticte benjamini ruficrissa</i>) E: Rufous-vented Whitetip; F: Colibri à sous-caudales rousses Breeding: Colombia [341]; Ecuador; Peru	II	-	713

Order TROGONIFORMES**Family TROGONIDAE**

Pharomachrus mocinno de la Llave 1832 I - 15,226,570,1062
 E: Resplendent Quetzal; F: Quetzal resplendissant, Quetzal, Quetzal magnifique; S: Quetzal centroamericano
 Breeding: Costa Rica; El Salvador; Guatemala; Honduras [436]; Mexico; Nicaragua; Panama

Order CORACIFORMES**Family BUCEROTIDAE**

Aceros cassidix (Temminck 1823) II - 556,815
 (= *Rhyticeros cassidix*)
 E: Knobbed Hornbill; F: Calao à cimier
 Breeding: Indonesia: Butung, Lembeh, Muna, Sulawesi, Togian Islands

Aceros comatus (Raffles 1822) II - 556,815
 (= *Berenicornis comatus*)
 E: White-crowned Hornbill; F: Calao coiffé
 Breeding: Brunei; Indonesia: Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand; Viet Nam

Aceros corrugatus (Temminck 1832) II V 226,556,814,815
 (= *Rhyticeros corrugatus*)
 E: Wrinkled Hornbill; F: Calao à casque rouge
 Breeding: Brunei; Indonesia: Batu Islands, Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Thailand

Aceros everetti Rothschild 1897 II V 226,541,556,814,815,1063
 (= *Rhyticeros everetti*)
 E: Sumba Hornbill; F: Calao de Sumba
 Breeding: Indonesia: Sumba

Aceros leucocephalus (Vieillot 1816) II E 226,556,815
 (= *Rhyticeros leucocephalus*)
 E: Writhed Hornbill; F: Calao de Vieillot
 Breeding: Philippines: Camiguin Sur, Mindanao

Aceros narcondami Hume 1873 II V 9,226,496,556,814,815
 (= *Rhyticeros narcondami*)
 E: Narcondam Hornbill; F: Calao de Narcondam; S: Cálaо de Narcondam
 Breeding: India: Narcondam

Aceros nipalensis (Hodgson 1829) I V 9,226,556,568,814,815
 E: Rufous-necked Hornbill, Rufous-cheeked Hornbill; F: Calao à cou roux
 Breeding: Bangladesh; Bhutan; China; India; Lao P.D.R.; Myanmar; Nepal (ex?); Thailand [867]; Viet Nam

Aceros plicatus (Forster 1781) II - 556,815
 (= *Rhyticeros plicatus*)
 E: Blyth's Hornbill, Papuan Hornbill; F: Calao papou
 Breeding: Indonesia: Ambon, Bacan, Halmahera, Irian Jaya, Kasiruta, Kelang, Morotai, Obi, Seram; Papua New Guinea; Solomon Islands

<i>Aceros subruficollis</i> (Blyth 1843) (= <i>Aceros plicatus subruficollis</i> , <i>Rhyticeros subruficollis</i>) E: Plain-pouched Hornbill; F: Calao à gorge claire Breeding: India; Indonesia: Sumatra; Myanmar; Thailand	I	V	226,556,814,815
<i>Aceros undulatus</i> (Shaw 1811) (= <i>Rhyticeros undulatus</i>) E: Wreathed Hornbill; F: Calao festonné Breeding: Bangladesh; Bhutan; Brunei; Cambodia; India; Indonesia: Bali, Batu Islands, Java, Kalimantan, Lingga Archipelago, Sumatra; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand; Viet Nam	II	-	556,814,815
<i>Aceros waldeni</i> (Sharpe 1877) (= <i>Aceros leucocephalus waldeni</i> , <i>Rhyticeros leucocephalus waldeni</i>) E: Writhed-billed Hornbill; F: Calao de Walden Breeding: Philippines: Guimaras, Negros, Panay	II	C	226,556,815
<i>Anorrhinus galeritus</i> (Temminck 1831) E: Bushy-crested Hornbill; F: Calao largup Breeding: Brunei; Indonesia: Kalimantan, Natuna Islands, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand	II	-	815
<i>Anorrhinus tickelli</i> (Blyth 1855) (= <i>Prilolaemus tickelli</i>) E: Brown Hornbill; F: Calao brun Breeding: China; India; Lao P.D.R.; Myanmar; Thailand; Viet Nam	II	-	226,814,815
<i>Anthracoceros albirostris</i> (Shaw & Nodder 1807) (= <i>Anthracoceros malabaricus</i> ; includes <i>Anthracoceros convexus</i> (Temminck 1831)) E: Oriental Pied-Hornbill, (Malaysian Pied-Hornbill); F: Calao pie Breeding: Bangladesh; Brunei; Cambodia; China; India; Indonesia: Java, Kalimantan, Sumatra; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Thailand; Viet Nam Vagrant: Singapore	II	-	556,815
<i>Anthracoceros coronatus</i> (Boddart 1783) E: Malabar Pied-Hornbill; F: Calao de Malabar Breeding: India; Sri Lanka	II	-	226,556,815
<i>Anthracoceros malayanus</i> (Raffles 1822) E: Black Hornbill; F: Calao charbonnier Breeding: Brunei; Indonesia: Bangka, Belitung, Kalimantan, Sumatra, Lingga Archipelago; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Thailand; ?Viet Nam	II	-	226,556,815
<i>Anthracoceros marchei</i> Oustalet 1885 E: Palawan Hornbill; F: Calao de Palawan Breeding: Philippines: Balabac, Busuanga, Calamian Islands, Palawan	II	-	556,815
<i>Anthracoceros montani</i> (Oustalet 1880) E: Sulu Hornbill; F: Calao des Sulu Breeding: Philippines: Jolo, Tawitawi	II	C	226,556,814,815
<i>Buceros bicornis</i> Linnaeus 1758 E: Great Hornbill; F: Calao bicorne; S: Cáalo grande Breeding: Bangladesh; Bhutan; Cambodia; China; India; Indonesia: Sumatra [671]; Lao P.D.R.; Malaysia: Peninsular Malaysia; Myanmar; Nepal [500]; Thailand [867]; Viet Nam Vagrant: Singapore	I	-	9,556,568,814,815,882

<i>Buceros hydrocorax</i> Linnaeus 1766	II	-	226,556,815
E: Rufous Hornbill; F: Calao à casque plat, Calao des Philippines; S: Cálao rojipardo			
Breeding: Philippines			
<i>Buceros rhinoceros</i> Linnaeus 1758	II	-	556,568,814,815
E: Rhinoceros Hornbill; F: Calao rhinocéros; S: Cálao rinoceronte			
Breeding: Brunei; Indonesia: Java, Kalimantan, Sumatra; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Singapore (ex); Thailand [867]			
<i>Buceros vigil</i> (Forster 1781)	I	-	226,556,568,814,815
(= <i>Rhinoplax vigil</i>)			
E: Helmeted Hornbill; F: Calao à casque rond, Calao à casque; S: Cálao de casco			
Breeding: Brunei; Indonesia: Kalimantan [480], Sumatra [671]; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Thailand [867]			
<i>Penelopides affinis</i> Tweeddale 1877	II	-	226,556,815
(= <i>Penelopides panini affinis</i>)			
E: Mindanao Hornbill; F: Calao de Mindanao			
Breeding: Philippines: Basilan, Dinagat, Mindanao, Siargao			
<i>Penelopides exarhatus</i> (Temminck 1823)	II	-	556,815
E: Sulawesi Hornbill; F: Calao des Célèbes			
Breeding: Indonesia: Butung, Lembeh, Muna, Sulawesi			
<i>Penelopides manillae</i> (Boddaert 1783)	II	-	226,556,815
(= <i>Penelopides panini manillae</i>)			
E: Luzon Hornbill; F: Calao de Manille			
Breeding: Philippines: Catanduanes, Luzon, Marinduque, Polillo			
<i>Penelopides mindorensis</i> Steere 1890	II	E	226,556,815
(= <i>Penelopides panini mindorensis</i>)			
E: Mindoro Hornbill; F: Calao de Mindoro			
Breeding: Philippines: Mindoro			
<i>Penelopides panini</i> (Boddaert 1783)	II	C	226,556,815
(= <i>Penelopides panini panini</i>)			
E: Tarictic Hornbill; F: Calao tarictic			
Breeding: Philippines: Guimaras, Masbate, Negros, Panay, Ticao			
<i>Penelopides samarensis</i> Steere 1890	II	-	226,556,815
(= <i>Penelopides panini samarensis</i>)			
E: Samar Hornbill; F: Calao de Samar			
Breeding: Philippines: Bohol, Leyte, Samar			

Order PICIFORMES

Family CAPITONIDAE

<i>Semnornis ramphastinus</i> (Jardine 1855)	III CO	-	226,229,570,713
E: Toucan Barbet; F: Caebézon toucan			
Breeding: Colombia; Ecuador			

Family RAMPHASTIDAE

<i>Baillonius bailloni</i> (Vieillot 1819)	III AR	-	226,713
E: Saffron Toucanet; S: Tucán amarillo Breeding: Argentina [95]; Brazil [919]; Paraguay [713]			
<i>Pteroglossus aracari</i> (Linnaeus 1758)	II	-	713
E: Black-necked Aracari; S: Tilingo cuellinegro Breeding: Brazil [713]; French Guiana; Guyana; Suriname; Venezuela			
<i>Pteroglossus castanotis</i> Gould 1834	III AR	-	713
E: Chestnut-eared Aracari; S: Tucán-Tilingo verde, Arasari roejicastaño Breeding: Argentina; Bolivia; Brazil [713]; Colombia; Ecuador; Paraguay [713]; Peru			
<i>Pteroglossus viridis</i> (Linnaeus 1766)	II	-	713
E: Green Aracari; S: Tilingo limón Breeding: Brazil [713]; French Guiana; Guyana; Suriname; Venezuela			
<i>Ramphastos dicolorus</i>	III AR	-	
E: Red-breasted Toucan; F: Toucan à ventre rouge; S: Tucán rojo y amarillo Breeding: Argentina; Brazil [713]; Paraguay			
<i>Ramphastos sulfuratus</i> Lesson 1830	II	-	15,713
E: Keel-billed Toucan; F: Toucan à carène; S: Piapoco pico verde, Tucán pico-multicolor Breeding: Belize; Colombia; Costa Rica; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela			
<i>Ramphastos toco</i> Müller 1776	II	-	713
E: Toco Toucan; S: Tucán grande Breeding: Argentina [95]; Bolivia; Brazil [713]; Guyana; Paraguay [713]; Peru; Suriname			
<i>Ramphastos tucanus</i> Linnaeus 1758	II	-	713
E: Red-billed Toucan; S: Piapoco pico rojo Breeding: Brazil [713]; Colombia; French Guiana; Guyana; Suriname; Venezuela			
<i>Ramphastos vitellinus</i> Lichtenstein 1823	II	-	713
E: Channel-billed Toucan; F: Toucan ariel; S: Diostedé pico acanelado Breeding: Brazil; French Guiana; Guyana; Suriname; Venezuela			
<i>Selenidera maculirostris</i> (Lichtenstein 1823)	III AR	-	713
E: Spot-billed Toucanet; S: Tucancito picomaculado Breeding: Argentina [95]; Brazil [713]			
Family PICIDAE			
<i>Campephilus imperialis</i> (Gould 1832)	I	C	15,226,229,570,917
E: Imperial Woodpecker; F: Pic impérial; S: Pito imperial, Pitorreal octero, Carpintero gigante Breeding: Mexico (ex?)			
<i>Dryocopus javensis richardsi</i> Tristan 1879	I	-	570,917
E: Tristram's Woodpecker; F: Pic à ventre blanc de Corée; S: Pito ventriblanco de Corea Breeding: Japan: Tsushima (ex); D.P.R. Korea; Korea Republic			

Order PASSERIFORMES

Family COTINGIDAE

Cephalopterus ornatus Geoffroy Saint-Hilaire 1809 III CO - 713,945
E: Amazonian Umbrellabird, Ornate Umbrellabird; **F:** Coracine ornée; **S:** Pájaro-paraguas amazónico
Breeding: Bolivia; Brazil [713]; Colombia; Ecuador; French Guiana; Guyana; Peru [906]; Suriname; Venezuela

Cephalopterus penduliger Sclater 1859 III CO V 226,570,713,945
E: Long-wattled Umbrellabird; **F:** Coracine casquée; **S:** Pájaro-paraguas longuipéndulo
Breeding: Colombia; Ecuador

Cotinga maculata (Müller 1776) I E 226,229,570,713,945
E: Banded Cotinga; **F:** Cotinga cordonbleu, Cotinga maculé; **S:** Cotinga de corbata
Breeding: Brazil [901]

Rupicola peruviana (Latham 1790) II - 713,945
E: Andean Cock-of-the-rock; **F:** Coq-de-rouche péruvien; **S:** Gallito de las Sierras, Gallito de roca peruano, Tunqui
Breeding: Bolivia; Colombia; Ecuador; Peru; Venezuela

Rupicola rupicola (Linnaeus 1766) II - 713,945
E: Guianan Cock-of-the-rock; **F:** Coq-de-rouche orange; **S:** Gallito de las Rocas, Gallito de roca anaranjado
Breeding: Brazil [713]; Colombia; French Guiana; Guyana; Suriname; Venezuela

Xipholena atropurpurea (Wied 1820) - I V 226,229,570,713,945
E: White-winged Cotinga; **F:** Cotinga porphyron, Cotinga à ailes blanches; **S:** Cotinga aliblanca
Breeding: Brazil [713]

Family Pittidae

Pitta guajana (Müller 1776) II - 568
E: Banded Pitta, Blue-tailed Pitta; **F:** Brève azurine
Breeding: Brunei [663]; Indonesia; Malaysia; Peninsular Malaysia, Sabah, Sarawak [940]; Thailand [867]

Pitta gurneyi Hume 1875 I C 226,230,568,570
E: Gurney's Pitta; **F:** Brève de Gurney
Breeding: Myanmar (ex?); Thailand [5,413,415,867,868]

Pitta kochi Brüggemann 1876 I V 226,523
E: Whiskered Pitta, Koch's Pitta; **F:** Brève de Koch; **S:** Pita de Koch
Breeding: Philippines: Luzon

Pitta nympha Temminck & Schlegel 1850 II V 226,568
(= *Pitta brachyura nympha*)
E: Fairy Pitta; **F:** Brève migratrice
Breeding: China [696]; Japan [696]; Korea Republic: Cheju Do and nearby islands [696]; Taiwan
Non-breeding: Indonesia: Kalimantan [696]; Malaysia: Sarawak [696,940]; Viet Nam
Vagrant: Brunei; Hong Kong

Family ATRICHORNITHIDAE

Atrichornis clamosus (Gould 1844) I V 226,259,570,938
E: Noisy Scrub-bird; **F:** Atrichorne bruyant, Oiseau bruyant de buissons; **S:** Corredor chillón
Breeding: Australia

Family HIRUNDINIDAE

Pseudochelidon sirintarae Thonglongya 1968 I C 226,568,570,1005
E: White-eyed River-Martin; **F:** Pseudolangrayen d'Asie, Hirondelle à lunettes
 Breeding: ?Thailand [756,867,953]
 Non-breeding: Thailand

Family MUSCICAPIDAE

Bebrornis rodericanus (Newton 1865) III MU C 226,228
 (= *Acrocephalus rodericanus*)
E: Rodriguez Brush-Warbler, Rodrigues Warbler; **F:** Rousserolle de Rodriguez
 Breeding: Mauritius: Rodrigues

Cyornis ruckii (Oustalet 1881) II V 226
 (= *Niltava rueckii*, *Muscicapa rueckii*)
E: Rueck's Blue-Flycatcher, Rueck's Niltava; **F:** Gobemouche de Rueck
 Breeding: Indonesia: Sumatra (ex?) [671]; ?Malaysia: Peninsular Malaysia

Dasyornis broadbenti litoralis (Milligan 1902) I - 226,570,777
E: Western Rufous Bristlebird; **F:** Fauvette rousse de l'Ouest; **S:** Curruga bigotuda rojiza
 Breeding: Australia (ex)

Dasyornis longirostris Gould 1841 I E 226,570,692
 (= *Dasyornis brachypterus longirostris*)
E: Western Bristlebird; **F:** Dasyorne à long bec, Fauvette des herbes à long bec; **S:** Curruga bigotuda piquilarga
 Breeding: Australia

Picathartes gymnocephalus (Temminck 1825) I V 196,226,228,427,905,992
E: White-necked Rockfowl, Yellow-headed Rockfowl, White-necked Picathartes; **F:** Picatharte de Guinée, Picatharte chauve; **S:** Cuervo calvo de cuello blanco, Picartes cuelliblanco
 Breeding: Côte d'Ivoire [33]; Ghana; Guinea; Liberia [231]; Sierra Leone [993]

Picathartes oreas Reichenow 1899 I V 226,228,427,905
E: Grey-necked Rockfowl, Red-headed Rockfowl, Grey-necked Picathartes; **F:** Picatharte du Cameroun, Picatharte à cou gris, Picatharte à tête rouge; **S:** Cuervo calvo de cuello gris, Picartes cuelligris
 Breeding: Cameroon; Equatorial Guinea: Bioko, ?continental; Gabon [148,149]; Nigeria [58]

Terpsiphone bourbonnensis (Müller 1776) III MU - 570
 (= *Tchitrea bourbonnensis*)
E: Mascarene Paradise-Flycatcher, Coq de Bois; **F:** Tchitrec des Mascareignes
 Breeding: Mauritius; Réunion

Family ZOSTEROPIDAE

Zosterops albogularis Gould 1837 I C 226,535,570,863
E: White-chested White-eye, White-breasted White-eye; **F:** Zostérops à poitrine blanche, Oiseau-lunettes à poitrine blanche; **S:** Gafudo gorgiblanco
 Breeding: Norfolk Island

Family MELIPHAGIDAE

Lichenostomus melanops cassidix (Gould 1867) I - 570
 (= *Lichenostomus cassidix*, *Meliphaga cassidix*, *Meliphaga melanops cassidix*)
E: Helmeted Honeyeater; **F:** Méliphage casqué; **S:** Melero de casco
 Breeding: Australia

Family EMBERIZIDAE

<i>Gubernatrix cristata</i> (Vieillot 1817)	II	E	226,229,713,858
E: Yellow Cardinal; F: Commandeur huppé, Cardinal vert; S: Cardenal amarillo			
Breeding: Argentina [95]; Brazil; Paraguay (ex?); Uruguay			
<i>Paroaria capitata</i> (d'Orbigny & Lafresnaye 1837)	II	-	713
E: Yellow-billed Cardinal; S: Cardenal cabecirrojo			
Breeding: Argentina; Bolivia; Brazil; [Hawaiian Islands: Hawaii] [817]; Paraguay [713]; ?Uruguay			
<i>Paroaria coronata</i> (Miller 1776)	II	-	713
E: Red-crested Cardinal; S: Cardenal copetón			
Breeding: Argentina; Bolivia; Brazil; [Hawaiian Islands]; Paraguay [713]; Uruguay			
Family ICTERIDAE			
<i>Agelaius flavus</i> (Gmelin 1788)	I	E	226,229,713
(= <i>Xanthopsar flavus</i>)			
E: Saffron-cowled Blackbird; F: Carouge safran, Ictéride à tête jaune; S: Mirlo americano pechiamarillo, Tordo amarillo, Dragón, Tordo de cabeza amarilla			
Breeding: Argentina [95,351]; Brazil; Paraguay; Uruguay			
Family FRINGILLIDAE			
<i>Carduelis cucullata</i> Swainson 1820	I	E	15,18,218,226,229,353,401,40 2,570,713,820
(= <i>Spinus cucullatus</i>)			
E: Red Siskin; F: Chardonneret rouge, Serín à tête noire; S: Cardenalito, Lúgano encapuchado, Lúgano cardenalito			
Breeding: Colombia; ?Guyana; [Puerto Rico] [821]; ?Trinidad and Tobago (ex); Venezuela [215]			
<i>Carduelis yarrellii</i> (Audubon 1839)	II	V	226,229,713
(= <i>Spinus yarrellii</i>)			
E: Yellow-faced Siskin; F: Chardonneret de Yarrell; S: Jilguero cara amarilla, Jilguero de Yarrell, Lúgano de Yarrell			
Breeding: Brazil; Venezuela			
<i>Serinus canicapillus</i> (Du Bus & Gisignies 1855)	III GH	-	141,203,427,905
(= <i>Serinus gularis canicapillus</i>)			
E: West African Seedeater; F: Serin uest-africain; S: Serin mofletudo			
Breeding: ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; Côte d'Ivoire; ?Ghana; ?Guinea [1042]; ?Mali; ?Niger; Nigeria; ?Sierra Leone; ?Sudan; Togo [200]; ?Uganda; Zaire			
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Ghana; Guinea [1042]; Mali; Niger; Sierra Leone; Sudan; Uganda			
<i>Serinus leucopygius</i> (Sundevall 1850)	III GH	-	427
E: White-rumped Seedeater, Grey Singing Finch; F: Serin à croupion blanc, Chanteur d'Afrique; S: Serin culiblanco			
Breeding: Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; ?Eritrea; ?Ethiopia; ?Gambia; ?Ghana; [Hawaiian Islands: Oahu (ex?)]; Mali; Mauritania; Niger; Nigeria; Senegal; Sudan; ?Uganda; ?Zaire			
Non-breeding: Cameroon; Central African Republic; Eritrea; Ethiopia; Gambia; Ghana; Uganda; Zaire			
Vagrant: Togo			

<i>Serinus mozambicus</i> (Müller 1776)	III GH -	141,203,427,905
E: Yellow-fronted Canary, Green Singing Finch; F: Serin du Mozambique; S: Canario de Mozambique		
Breeding: Angola; ?Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; ?Eritrea; ?Ethiopia [533]; Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; [Hawaiian Islands: Hawaii, Oahu] [619,817]; Kenya; ?Liberia; Malawi; Mali; Mauritania; [Mauritius] [619]; ?Mozambique; ?Namibia; Niger; Nigeria; [Puerto Rico] [619]; Rwanda; [Réunion] [619]; São Tomé and Príncipe: São Tomé; ?Senegal; [Seychelles]; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Benin; Burundi; Cameroon; Central African Republic; Chad; Congo; Eritrea; Ethiopia [533]; Guinea [1042]; Liberia; Mozambique; Namibia; Senegal; Tanzania; Togo; Uganda		
Vagrant: Lesotho		

Family ESTRILDIDAE

<i>Amadina fasciata</i> (Gmelin 1789)	III GH -	141,392,427,905
E: Cut-throat, Ribbon Finch; F: Amadine cou-coupé, Cou-coupé; S: Amadina gorgirroja		
Breeding: ?Angola; ?Benin; Botswana; ?Burkina Faso; ?Cameroon; Chad; ?Côte d'Ivoire; Eritrea; Ethiopia; ?Ghana; Kenya; Malawi; Mali; Mauritania; ?Mozambique; Namibia [203]; ?Niger; Nigeria; Senegal; Somalia; South Africa; Sudan; ?Tanzania; ?Uganda; Zambia; Zimbabwe		
Non-breeding: Angola; Benin; Burkina Faso; Cameroon; Côte d'Ivoire; Gambia; Ghana; Mozambique; Niger; Tanzania; Uganda		
Vagrant: Togo		
<i>Amandava subflava</i> (Vieillot 1819) (= <i>Estrilda subflava</i> , <i>Sporaeginthus subflavus</i>)	III GH -	141,392,427,905
E: Zebra Waxbill, Golden-breasted Waxbill, Orange-breasted Waxbill; F: Bengali zébré, Ventre orange; S: Astrilda pechiguada		
Breeding: ?Angola; ?Botswana; ?Burkina Faso; ?Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Ethiopia; ?Gabon; Ghana; ?Guinea; Kenya; ?Lesotho; ?Liberia; Malawi; ?Mali; ?Mozambique; ?Namibia; Nigeria; Rwanda; Senegal; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Yemen; Zaire; Zambia; Zimbabwe [203]		
Non-breeding: Angola; Botswana; Burkina Faso; Burundi; Cameroon; Chad; Congo; Gabon; Gambia; Guinea; Lesotho; Liberia; Mali; Mozambique; Namibia; Tanzania; Togo; Uganda		
<i>Estrilda astrild</i> (Linnaeus 1758)	III GH -	141,619,630,905
E: Common Waxbill, Saint Helena Waxbill; F: Astrild ondulé, Bec de corail ondulé; S: Astrilda común		
Breeding: ?Angola; Botswana; [Brazil]; ?Burundi; ?Cameroon; [Cape Verde]; Central African Republic; ?Congo; Côte d'Ivoire; Equatorial Guinea [829]; Ethiopia; [French Polynesia: Tahiti] [817]; Gabon; ?Ghana; ?Guinea; [Hawaiian Islands: Oahu] [817]; Kenya; Lesotho; Liberia; Malawi; [Mauritius]; ?Mozambique; Namibia; [New Caledonia]; ?Nigeria; [Portugal]; [Puerto Rico]; Rwanda; [Réunion]; Saint Helena: Ascension; [São Tomé and Príncipe]; [Seychelles]; Sierra Leone; ?Somalia; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Uganda; [Vanuatu]; Zaire; Zambia; Zimbabwe		
Non-breeding: Angola; Burundi; Cameroon; Congo; Ghana; Guinea; Mozambique; Nigeria; Somalia; Sudan; Tanzania; Uganda		
Vagrant: Mali; Niger		

<i>Estrilda caerulescens</i> (Vieillot 1817)	III GH -	392,427,905
E: Lavender Waxbill, Lavender Firefinch; F: 'Astrild queue-de-vinaigre, Queue de vinaigre; S: Astrilda ceniza del Sénegal		
Breeding: Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; Gambia; ?Ghana; ?Guinea [837]; ?Guinea-Bissau; [Hawaiian Islands: Hawaii, Oahu] [817]; ?Mali; ?Niger [580]; Nigeria; ?Senegal; ?Togo		
Non-breeding: Cameroon; Central African Republic; Chad; Ghana; Guinea [837]; Guinea-Bissau; Liberia;		

<i>Estrilda melpoda</i> (Vieillot 1817)	III GH -	392,427,619,905
E: Orange-cheeked Waxbill; F: Astrild à joues orange, Joues-oranges; S: Astrilda carirroja		
Breeding: ?Angola; ?Benin; [Bermuda]; ?Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Gambia; Ghana; ?Guinea [1042]; [Hawaiian Islands] [817]; Liberia; Mali; Mauritania; ?Niger [580]; Nigeria; [Puerto Rico]; ?Rwanda; Senegal; Sierra Leone; ?Togo; Zaire; ?Zambia		
Non-breeding: Angola; Benin; Burkina Faso; Burundi; Cameroon; Central African Republic; Chad; Equatorial Guinea [829]; Guinea [1042]; Niger [580]; Rwanda; Togo; Zambia		
<i>Estrilda troglodytes</i> (Lichtenstein 1823)	III GH -	392,409,427,619,905
E: Black-rumped Waxbill, Red-eared Waxbill, Pink-cheeked Waxbill; F: Astrild cendré, Bec de corail cendré; S: Astrilda culinegra		
Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; ?Ethiopia; ?Gambia; Ghana; [Guadeloupe]; ?Guinea; [Hawaiian Islands (ex)]; Kenya; Mali; Mauritania [157]; Niger; Nigeria; [Puerto Rico]; Senegal; Sudan; Togo; ?Uganda; ?Zaire		
Non-breeding: Benin; Cameroon; Central African Republic; Chad; Eritrea; Ethiopia; Gambia; Guinea; Uganda; Zaire		
<i>Lagonosticta rara</i> (Antinori 1864)	III GH -	141,392,427,905
E: Black-bellied Firefinch, Black-bellied Waxbill; F: Amarante à ventre noir		
Breeding: ?Benin; Burkina Faso; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Ghana; ?Guinea [723]; ?Kenya; ?Liberia; Nigeria; ?Senegal; ?Sierra Leone; Sudan; ?Togo [197]; ?Uganda; ?Zaire		
Non-breeding: Benin; Burkina Faso; Cameroon; Chad; Ghana; Guinea [723]; Kenya; Liberia; Senegal; Sierra Leone; Togo [197]; Uganda; Zaire		
<i>Lagonosticta rubricata</i> (Lichtenstein 1823) - -	III GH -	141,392,409,427
E: African Firefinch, Blue-billed Firefinch, Brown-backed Firefinch; F: Amarante foncé, Amarante flambé; S: Bengali de Lichtenstein		
Breeding: Angola; ?Burundi; ?Cameroon; Central African Republic; Congo; Côte d'Ivoire; ?Ethiopia; Gabon; Ghana; ?Guinea-Bissau; ?Guinea; Kenya; Liberia; Malawi; ?Mozambique; Nigeria; Rwanda; ?Senegal; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo [197]; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Burundi; Cameroon; Ethiopia; Guinea-Bissau; Guinea; Mozambique; Senegal; Tanzania; Togo [197]; Uganda		
<i>Lagonosticta rufopicta</i> (Fraser 1843)	III GH -	141,392,427,905
E: Bar-breasted Firefinch, Bar-breasted Waxbill; F: Amarante pointé; S: Bengali de Fraser		
Breeding: ?Benin; Burkina Faso [996]; ?Cameroon; Central African Republic; ?Chad; Côte d'Ivoire; ?Ethiopia; Gambia; Ghana; ?Guinea [1042]; Kenya; Liberia; ?Mali; Nigeria; ?Rwanda; ?Senegal; Sierra Leone; Sudan; Togo; ?Uganda; Zaire		
Non-breeding: Benin; Cameroon; Chad; Ethiopia; Guinea [1042]; Mali; Rwanda; Senegal; Uganda		
Vagrant: Niger		
<i>Lagonosticta senegala</i> (Linnaeus 1766)	III GH -	141,392,427,477,905
E: Red-billed Firefinch, Senegal Firefinch; F: Amarante du Sénégal, Amarante commun; S: Bengali senegalés		
Breeding: [Algeria]; ?Angola; ?Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Djibouti; Eritrea; Ethiopia; Gambia; ?Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; ?Liberia; Malawi; Mali; Mauritania; ?Mozambique; ?Namibia; Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Angola; Benin; Burundi; Cameroon; Ghana; Guinea [1042]; Guinea-Bissau; Liberia; Mozambique; Namibia; Tanzania; Togo; Uganda		
Vagrant: ?Lesotho		

Estrildidae

CITES RL Ref

<i>Lagonosticta vinacea</i> (Hartlaub 1857) (= <i>Lagonosticta larvata vinacea</i>)	III GH -	141,392,427
E: Black-faced Firefinch, Vinaceous Firefinch, Vinaceous Waxbill; F: Amarante vineux, Amarante masqué; S: Bengali carinegro		
Breeding: ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Gambia; ?Ghana; ?Guinea-Bissau; ?Mali; ?Niger; ?Nigeria; ?Senegal; ?Sierra Leone; Sudan; ?Togo; ?Uganda; ?Zaire		
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Gambia; Ghana; Guinea-Bissau; Mali; Niger; Nigeria; Senegal; Sierra Leone; Togo; Uganda; Zaire		
<i>Lonchura bicolor</i> (Fraser 1843) (= <i>Spermestes bicolor</i>)	III GH -	141,392,427,905
E: Black-and-white Munia, Blue-billed Mannikin, Black-and-white Mannikin; F: Capucin bicolore, Spermète à bec bleu		
Breeding: ?Angola; ?Benin; ?Burundi; ?Cameroon; Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Ethiopia; Gabon; Ghana; ?Guinea; ?Guinea-Bissau; Kenya; Liberia; ?Mali; Nigeria; Rwanda; Sierra Leone; Sudan; ?Tanzania; ?Togo [198]; Uganda; Zaire		
Non-breeding: Angola; Benin; Burundi; Cameroon; Congo; Equatorial Guinea [829]; Ethiopia; Guinea; Guinea-Bissau; Mali; Tanzania; Togo		
<i>Lonchura cantans</i> (Gmelin 1789) (= <i>Lonchura malabarica cantans</i> , <i>Euodice cantans</i>)	III GH -	141,167,392,409,427,477,905
E: African Silverbill; F: Capucin bec-d'argent, Bec-d'argent; S: Monjita pico-de-plata		
Breeding: Bahrain; ?Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; Djibouti [1053]; Egypt; ?Eritrea; Ethiopia; Gambia; Ghana; [Hawaiian Islands] [619,817]; Kenya; Mali; Mauritania; Niger; Nigeria; Oman [1036]; [Puerto Rico]; Saudi Arabia; Senegal; Somalia; Sudan; ?Tanzania; ?Togo; ?Uganda; Yemen		
Non-breeding: Benin; Cameroon; Central African Republic; Eritrea; Tanzania; Togo; Uganda		
<i>Lonchura cucullata</i> (Swainson 1837) (= <i>Spermestes cucullatus</i>)	III GH -	141,392,427,905
E: Bronze Munia, Bronze Mannikin, Bronze-winged Mannikin; F: Capucin nonnette, Spermète nonnette; S: Negrita bronceada		
Breeding: Angola; Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; ?Chad; Comoros; Congo; Côte d'Ivoire; Equatorial Guinea [829]; Ethiopia; Gabon; Gambia; Ghana; Guinea [1042]; ?Guinea-Bissau; Kenya; Liberia; Malawi; Mali; ?Mozambique; ?Namibia; ?Niger; Nigeria; [Puerto Rico] [115,619]; Rwanda; São Tomé and Príncipe; Senegal; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Burundi; Cameroon; Chad; Guinea-Bissau; Mozambique; Namibia; Niger; Tanzania		
<i>Lonchura fringilloides</i> (Lafresnaye 1835) (= <i>Spermestes fringilloides</i>)	III GH -	141,392,427,905
E: Magpie Munia, Magpie Mannikin, Pied Mannikin; F: Capucin pie, Spermète pie; S: Negrita picanza		
Breeding: ?Angola; ?Cameroon; ?Central African Republic; Côte d'Ivoire; ?Ethiopia; Gabon; Ghana; ?Guinea; Liberia; Malawi; ?Mali; ?Mozambique; Nigeria; ?Senegal; Sierra Leone; South Africa; Swaziland; ?Tanzania; Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Angola; Cameroon; Central African Republic; Ethiopia [53]; Gambia; Guinea; Mali; Mozambique; Senegal; Sudan; Tanzania; Uganda		
Vagrant: Congo; Kenya; Namibia		
<i>Mandingoa nitidula</i> (Hartlaub 1865) (= <i>Hypargos nitidula</i>)	III GH -	141,392,427,905
E: Green-backed Twinspot, Green Twinspot; F: Sénégali vert		
Breeding: ?Angola; ?Burundi; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [723]; Ethiopia; Gabon; ?Ghana; ?Guinea; Kenya; Liberia; Malawi; ?Mozambique; ?Nigeria; ?Rwanda; Sierra Leone; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; ?Zambia; Zimbabwe		

Non-breeding: Angola; Burundi; Cameroon; Central African Republic; Congo; Equatorial Guinea; Ghana; Guinea; Mozambique; Nigeria; Rwanda; Sudan; Tanzania; Togo; Uganda; Zambia

Nesocharis capistrata (Hartlaub 1861) III GH - 141,392,427,905
E: Grey-headed Olive-back, White-cheeked Olive Weaver; F: Dos-vert à joues blanches, Sénégali vert à joues blanches; S: Olivino cariblanco

Breeding: ?Burkina Faso; ?Cameroon; Central African Republic; Chad; Côte d'Ivoire; ?Ghana; ?Guinea-Bissau; ?Mali; Nigeria; Sierra Leone; ?Sudan; Togo; ?Uganda; Zaire

Non-breeding: Burkina Faso; Cameroon; Ghana; Guinea-Bissau; Mali; Sudan; Uganda
Vagrant: Gambia

Nigrita bicolor (Hartlaub 1844) III GH - 141,392,427,905
E: Chestnut-breasted Negrofinch; F: Nigrette à ventre roux, Sénégali brun à ventre roux; S: Negrita pechirroja

Breeding: Angola; ?Cameroon; Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; ?Guinea; ?Kenya; Liberia; ?Mali; Nigeria; São Tomé and Príncipe; ?Senegal; Sierra Leone; ?Togo; ?Uganda; Zaire

Non-breeding: Cameroon; Equatorial Guinea; Guinea; Kenya; Mali; Senegal; Togo; Uganda
Vagrant: Gambia

Nigrita canicapilla (Strickland 1841) III GH - 141,392,427,905
E: Grey-headed Negrofinch, Grey-crowned Negrofinch; F: Nigrette à calotte grise, Sénégali nègre; S: Negrita cana

Breeding: Angola; ?Benin; ?Burundi; ?Cameroon; Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; ?Guinea [1042]; Kenya; Liberia; Nigeria; Rwanda; Sierra Leone; Sudan; ?Tanzania; ?Togo; Uganda; Zaire

Non-breeding: Benin; Burundi; Cameroon; Congo; Equatorial Guinea; Guinea; Tanzania; Togo
Vagrant: Mali

Nigrita fusconota Fraser 1843 III GH - 141,392,427,905
E: White-breasted Negrofinch; F: Nigrette à ventre blanc, Sénégali brun à ventre blanc; S: Negrita pechiblanca

Breeding: Angola; Benin; ?Cameroon; ?Central African Republic; ?Congo; ?Côte d'Ivoire; ?Equatorial Guinea; Gabon; Ghana; ?Guinea; ?Kenya; ?Liberia; ?Mali; Nigeria; Rwanda; ?Sierra Leone; ?Uganda; Zaire

Non-breeding: Cameroon; Central African Republic; Congo; Côte d'Ivoire; Equatorial Guinea; Guinea; Kenya; Liberia; Mali; Sierra Leone; Uganda

Nigrita luteifrons Verreaux & Verreaux 1851 III GH - 141,392,427,905
E: Pale-fronted Negrofinch; F: Nigrette à front jaune, Sénégali nègre à front jaune; S: Negrita frentigualda

Breeding: ?Angola; ?Cameroon; ?Central African Republic; ?Congo; ?Equatorial Guinea [829]; Gabon; ?Ghana; ?Nigeria; ?Sierra Leone; ?Uganda; ?Zaire

Non-breeding: Angola; Cameroon; Central African Republic; Congo; Equatorial Guinea; Ghana; Nigeria; Sierra Leone; Uganda; Zaire

Ortygospiza atricollis (Vieillot 1817) III GH - 141,392,409,427,905
E: African Quailfinch; F: Astrild-caille à lunettes, Astrild-caille; S: Astrilda aperdizada

Breeding: ?Angola; ?Benin; Botswana; ?Burkina Faso; ?Cameroon; ?Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [837,1042]; ?Guinea-Bissau; Kenya; Lesotho; ?Liberia; ?Malawi; Mali; Mauritania [157]; ?Mozambique; ?Namibia; Nigeria; Senegal; Sierra Leone; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Togo [197]; ?Uganda; ?Zaire; Zambia; Zimbabwe

Non-breeding: Angola; Benin; Burkina Faso; Cameroon; Chad; Guinea; Guinea-Bissau; Liberia; Malawi; Mozambique; Namibia; Sudan; Tanzania; Togo; Uganda; Zaire

Vagrant: Niger; Somalia

<i>Parmoptila rubrifrons</i> (Sharpe & Ussher 1872) (= <i>Parmoptila woodhousei rubrifrons</i>)	III GH -	392,427,905
E: Jameson's Antpecker, Red-fronted Antpecker; F: Parmoptile à front rouge		
Breeding: Côte d'Ivoire; ?Ghana; Liberia [282]; ?Mali; ?Sierra Leone; Zaire		
Non-breeding: Ghana; Mali; Sierra Leone		
<i>Pholidornis rushiae</i> (Cassin 1855)	III GH -	141,392,427,905
E: Tit-hylia; F: Mésangette rayée		
Breeding: Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea; Bioko; ?Gabon [148]; Ghana; ?Guinea; Liberia; Nigeria; Sierra Leone; ?Uganda; Zaire		
Non-breeding: Cameroon; Central African Republic; Congo; Equatorial Guinea; Bioko; Gabon [148]; Guinea; Uganda		
<i>Poephila cincta cincta</i> (Gould 1837)	II -	392,777
E: Southern Black-throated Finch; F: Diamant à bavette; S: Diamante de pecho negro		
Breeding: Australia		
<i>Pyrenestes ostrinus</i> (Vieillot 1805)	III GH -	141,392,427,905
(includes <i>Pyrenestes frommi</i> Kothe 1911, <i>Pyrenestes maximus</i> Chapin 1923, <i>Pyrenestes rathbunii</i> Neumann 1910)		
E: Black-bellied Seedcracker; F: Pyrénette ponceau, Gros-bec ponceau à ventre noir; S: Pirenestes ventrinegro		
Breeding: Angola; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; ?Kenya; Nigeria; ?Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia		
Non-breeding: Cameroon; Central African Republic; Congo; Equatorial Guinea; Kenya; Sudan; Tanzania; Togo; Uganda		
Vagrant: Gambia		
<i>Ptilia hypogrammica</i> Sharpe 1870	III GH -	392,427,905
E: Red-faced Pytilia, Yellow-winged Pytilia; F: Beaumarquet à ailes jaunes		
Breeding: ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Ghana; ?Guinea [1042]; ?Liberia; Nigeria; ?Sierra Leone; ?Togo; ?Zaire		
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Ghana; Guinea; Liberia; Nigeria; Sierra Leone; Togo; Zaire		
<i>Ptilia phoenicoptera</i> Swainson 1837	III GH -	141,392,427,905
E: Red-winged Pytilia, Aurora Finch, Crimson-winged Pytilia; F: Beaumarquet aurore, Beaumarquet; S: Pitilia alirroja		
Breeding: ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic [408]; ?Chad; Côte d'Ivoire; ?Ethiopia [533]; Gambia; ?Ghana; ?Guinea-Bissau; Mali; ?Niger [580]; Nigeria; ?Senegal; ?Sierra Leone; ?Sudan; Togo; ?Uganda; ?Zaire		
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Chad; Ethiopia; Ghana; Guinea-Bissau; Niger; Senegal; Sierra Leone; Sudan; Uganda; Zaire		
<i>Spermophaga haematina</i> (Vieillot 1805)	III GH -	392,427,905
E: Western Bluebill, Blue-billed Weaver; F: Sénégal sanguin, Gros-bec sanguin; S: Espermófaga hematina		
Breeding: ?Angola; ?Cameroon; ?Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Gambia; Ghana; ?Guinea; Liberia; ?Mali; Nigeria; ?Senegal; Sierra Leone; ?Togo; ?Zaire		
Non-breeding: Angola; Cameroon; Congo; Equatorial Guinea; Guinea; Mali; Senegal; Togo; Zaire		

<i>Uraeginthus bengalus</i> (Linnaeus 1766) (= <i>Estrilda bengala</i>)	III GH -	141,392,427,905
E: Red-cheeked Cordonbleu, Cordonbleu; F: Cordonbleu à joues rouges, Cordon bleu; S: Coliazul bengali		
Breeding: ?Angola; Benin; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; [Hawaiian Islands]; Kenya; Mali; Mauritania; Niger; Nigeria; Rwanda; Senegal; Somalia; Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia		
Non-breeding: Angola; Burundi; Cameroon; Guinea; Tanzania; Togo; Uganda		

Family PLOCEIDAE

<i>Amblyospiza albifrons</i> (Vigors 1831)	III GH -	141,203,427,905
E: Grosbeak Weaver, White-fronted Grosbeak, Thick-billed Weaver; F: Amblyospize à front blanc, Bros-bec à front blanc; S: Tejedor picogordo		
Breeding: ?Angola; ?Benin; Botswana; ?Burundi; ?Cameroon; Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea; Ethiopia; ?Gabon; Ghana; Kenya; Liberia; Malawi; ?Mozambique; Namibia; Nigeria; Rwanda; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Benin; Burundi; Cameroon; Equatorial Guinea; Gabon; Mozambique; Tanzania; Togo; Uganda		
Vagrant: Senegal		

<i>Anaplectes rubriceps</i> (Sundevall 1850)	III GH -	141,203,427,905
(= <i>Malimbus rubriceps</i> , <i>Anaplectes melanotis</i> (Lafresnaye 1840))		
E: Red-headed Weaver; F: Tisserin écarlate, Tisserin à ailes rouges; S: Mailimbo capirotado		
Breeding: ?Angola; Benin; Botswana; ?Burkina Faso; Burundi; ?Cameroon; ?Central African Republic; Côte d'Ivoire; Ethiopia; ?Gabon; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Malawi; ?Mali; ?Mozambique; Namibia; Nigeria; Rwanda; ?Senegal; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Burkina Faso; Cameroon; Central African Republic; Gabon; Guinea; Guinea-Bissau; Mali; Mozambique; Senegal; Tanzania		
Vagrant: Gambia		

<i>Anomalospiza imberbis</i> (Cabanis 1868)	III GH -	141,203,427,905
E: Parasitic Weaver, Cuckoo Weaver; F: Anomalospize parasite		
Breeding: ?Angola; Botswana; ?Cameroon; Congo; Côte d'Ivoire; Ethiopia; ?Ghana; ?Guinea; Kenya; Liberia; Malawi; ?Mozambique; ?Namibia; ?Nigeria; ?Sierra Leone; South Africa; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Angola; Cameroon; Ghana; Guinea; Mozambique; Namibia; Nigeria; Rwanda; Sierra Leone; Sudan; Tanzania; Togo; Uganda		
Vagrant: Gambia; Mali		

<i>Bubalornis albirostris</i> (Vieillot 1817)	III GH -	141,427,905
E: White-billed Buffalo Weaver; F: Alecto à bec blanc		
Breeding: Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea-Bissau; ?Guinea [723]; Kenya; Mali; Mauritania; Niger; Nigeria; Senegal; Sudan; ?Uganda		
Non-breeding: Cameroon; Central African Republic; Guinea-Bissau; Guinea; Uganda		

<i>Euplectes afer</i> (Gmelin 1789)	III GH -	141,203,427,905
E: Yellow-crowned Bishop, Golden Bishop, Napoleon Weaver; F: Euplecte vorabé, Vorabé; S: Euplectes amarillo		
Breeding: ?Angola; ?Benin; Botswana; Burkina Faso [996]; ?Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; [Japan]; Kenya; Lesotho; ?Liberia; Mali; Mauritania; ?Mozambique; Namibia; Niger; Nigeria; [Puerto Rico]; Senegal; Sierra Leone; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Benin; Cameroon; Guinea; Liberia; Mozambique; Tanzania; Togo; Uganda		

<i>Euplectes ardens</i> (Boddaert 1783) (= <i>Coliuspasser ardens</i>)	III GH -	141,203,427,905
E: Red-collared Widowbird, Red-collared Whydah; F: Euplecte veuve-noire, Veuve-noire; S: Falsa viuda pechirroja		
Breeding:	Angola; ?Burkina Faso; ?Burundi; ?Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Eritrea; Ethiopia [533]; ?Gabon; ?Ghana; ?Guinea [1042]; Kenya; Lesotho; Liberia; Malawi; ?Mozambique; Nigeria; Rwanda; Sierra Leone; South Africa; ?Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe	
Non-breeding:	Burkina Faso; Burundi; Cameroon; Central African Republic; Congo; Eritrea; Gabon; Ghana; Guinea; Mozambique; Sudan; Swaziland; Tanzania; Togo	
Vagrant:	Botswana; Gambia; Niger	
<i>Euplectes franciscanus</i> (Isert 1789) (= <i>Euplectes orix franciscanus</i>)	III GH -	141,203,427,905
E: Orange Bishop, Orange Weaver; F: Euplecte franciscain, Ignicolore; S: Euplectes rojo		
Breeding:	Benin; [Bermuda]; Burkina Faso [996]; ?Cameroon; Central African Republic; Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Mali; [Martinique]; Mauritania; Niger; Nigeria; [Puerto Rico]; Senegal; ?Sierra Leone; Somalia; Sudan; Togo; ?Uganda; Zaire	
Non-breeding:	Cameroon; Guinea; Sierra Leone; Uganda	
<i>Euplectes hordeaceus</i> (Linnaeus 1758)	III GH -	141,203,427,905
E: Black-winged Bishop, Fire-crowned Bishop; F: Euplecte monseigneur, Monseigneur; S: Euplectes alinegro		
Breeding:	Angola; ?Benin; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Ethiopia [533]; ?Gabon; Gambia; Ghana; ?Guinea [1042]; Guinea-Bissau; Kenya; Liberia; Malawi; Mali; Mauritania; ?Mozambique; Nigeria; ?Rwanda; São Tomé and Príncipe; São Tomé; ?Senegal; Sierra Leone; Sudan; ?Tanzania; Togo; ?Uganda; Zaire; Zambia; Zimbabwe	
Non-breeding:	Benin; Burundi; Cameroon; Chad; Congo; Gabon; Guinea; Mozambique; Rwanda; Senegal; Tanzania; Uganda	
Vagrant:	Niger	
<i>Euplectes macrourus</i> (Gmelin 1789) (= <i>Coliuspasser macrourus</i>)	III GH -	141,427,905
E: Yellow-mantled Widowbird, Yellow-backed Whydah, Yellow-mantled Whydah; F: Euplecte à dos d'or, Veuve à dos d'or; S: Falsa viuda dorsigualda		
Breeding:	Angola; ?Benin; Burkina Faso [996]; ?Burundi; ?Cameroon; Central African Republic; Chad; ?Congo; Côte d'Ivoire; Eritrea; Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Kenya; Liberia; Malawi; ?Mozambique; ?Niger; Nigeria; ?Senegal; Sierra Leone; Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire; Zambia; Zimbabwe	
Non-breeding:	Benin; Burundi; Cameroon; Congo; Guinea; Guinea-Bissau; Mozambique; Niger; Senegal; Tanzania; Togo; Uganda	
Vagrant:	Mali	
<i>Malimbus cassini</i> (Elliot 1859)	III GH -	427,905
E: Black-throated Malimbe, Cassin's Malimbe; F: Malimbe de Cassin		
Breeding:	?Ghana; ?Cameroon; ?Central African Republic; Congo; Gabon; Zaire	
Non-breeding:	Ghana; Cameroon; Central African Republic	
<i>Malimbus malimbicus</i> (Daudin 1802)	III GH -	141,427,905
E: Crested Malimbe; F: Malimbe huppé; S: Malimbo moñudo		
Breeding:	Angola; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; ?Ghana; ?Guinea; Liberia; Mali; Nigeria; Sierra Leone; ?Togo; ?Uganda; Zaire	
Non-breeding:	Cameroon; Central African Republic; Equatorial Guinea; Ghana; Guinea; Togo; Uganda	

<i>Malimbus nitens</i> (Gray 1831)	III GH -	141,427,905
E: Gray's Malimbe, Blue-billed Malimbe; F: Malimbe à bec bleu; S: Malimbo cabecinegro		
Breeding: Angola; ?Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Ghana; Guinea; ?Guinea-Bissau; Liberia; ?Mali; ?Niger; Nigeria; Senegal; Sierra Leone; ?Sudan; ?Togo; ?Uganda; Zaire		
Non-breeding: Benin; Burkina Faso; Cameroon; Central African Republic; Equatorial Guinea; Guinea-Bissau; Mali; Niger; Sudan; Togo; Uganda		
<i>Malimbus rubricollis</i> (Swainson 1838)	III GH -	141,427,905
E: Red-headed Malimbe, Red-headed Weaver; F: Malimbe à tête rouge; S: Malimbo cuellirrojo		
Breeding: Angola; Benin; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Gabon; Ghana; ?Guinea; ?Kenya; Liberia; Nigeria; Sierra Leone; ?Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire		
Non-breeding: Cameroon; Central African Republic; Equatorial Guinea; Gabon; Guinea; Kenya; Sudan; Tanzania; Togo; Uganda		
Vagrant: Mali		
<i>Malimbus scutatus</i> (Cassin 1849)	III GH -	427,905
E: Red-vented Malimbe; F: Malimbe à queue rouge; S: Malimbo culirrojo		
Breeding: Benin; ?Cameroon; Côte d'Ivoire; Ghana; ?Guinea; Liberia; Nigeria; Sierra Leone		
Non-breeding: Cameroon; Guinea		
<i>Pachyphantes superciliosus</i> (Shelley 1873)	III GH -	141,427,905
(= <i>Ploceus superciliosus</i>)		
E: Compact Weaver; F: Tisserin gros-bec; S: Tejedor rollizo		
Breeding: Angola; ?Benin; ?Burkina Faso; ?Burundi; Cameroon; ?Central African Republic; ?Congo; Côte d'Ivoire; ?Ethiopia; ?Gabon [148]; Ghana; ?Guinea [723]; Guinea-Bissau; Kenya; Liberia; Nigeria; Rwanda; ?Senegal; Sierra Leone; ?Sudan; ?Tanzania; ?Togo; ?Uganda; Zaire		
Non-breeding: Benin; Burkina Faso; Burundi; Cameroon; Central African Republic; Congo; Ethiopia; Gabon; Guinea; Senegal; Sudan; Tanzania; Togo; Uganda		
Vagrant: Zambia		
<i>Passer griseus</i> (Vieillot 1817)	III GH -	141,203,427,905
E: Grey-headed Sparrow; F: Moineau gris; S: Gorrión pardillo		
Breeding: Angola; ?Benin; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; Chad; ?Congo; Côte d'Ivoire; Djibouti; ?Equatorial Guinea [829]; Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea [1042]; ?Guinea-Bissau; Kenya; Liberia; Malawi; Mali; Mauritania; Niger; Nigeria; ?Rwanda; Senegal; Sierra Leone; Sudan; Tanzania; Togo; Uganda; Zaire; Zambia		
Non-breeding: Benin; Burundi; Cameroon; Central African Republic; Congo; Equatorial Guinea; Guinea-Bissau; Rwanda		
<i>Petronia dentata</i> (Sundevall 1850)	III GH -	427,905
E: Bush Petronia, Bush Sparrow; F: Petit Moineau, Petit moineau soulcie; S: Chillón de Sundevall		
Breeding: ?Benin; Burkina Faso [996]; Cameroon; ?Central African Republic; Chad; Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; Mali; Mauritania; Niger; Nigeria; Senegal; Sierra Leone; Sudan; Togo; Yemen		
Non-breeding: Benin; Central African Republic; Guinea; Guinea-Bissau		
<i>Plocepasser superciliosus</i> (Cretzschmar 1827)	III GH -	141,427,905
E: Chestnut-crowned Sparrow-Weaver; F: Mahali à calotte marron, Moineau-tisserin; S: Tejedor parda capirogado		
Breeding: Benin; ?Burkina Faso; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; Eritrea; Ethiopia [533]; Gambia; Ghana; Kenya; ?Mali; ?Niger; Nigeria; ?Senegal; Sudan; Togo; Uganda; Zaire		
Non-breeding: Burkina Faso; Cameroon; Central African Republic; Chad; Mali; Niger; Senegal		

<i>Ploceus albinucha</i> (Barboza du Bocage 1876)	III GH -	141,427,905
E: Maxwell's Black Weaver; White-naped Weaver; F: Tisserin de Maxwell, Tisserin noir de Maxwell;		
S: Tejedor negro albinuca		
Breeding: ?Cameroon; Côte d'Ivoire; ?Equatorial Guinea; Bioko; Gabon; Ghana; ?Liberia; ?Nigeria; Sierra Leone; ?Uganda; Zaire		
Non-breeding: Cameroon; Equatorial Guinea; Bioko; Liberia; Nigeria; Uganda		
<i>Ploceus aurantius</i> (Vieillot 1805)	III GH -	141,427,905
E: Orange Weaver; F: Tisserin orangé; S: Tejedor naranja		
Breeding: ?Angola; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; Gabon; Ghana; Liberia; Nigeria; Sierra Leone; ?Tanzania; Togo; Uganda; Zaire		
Non-breeding: Angola; Cameroon; Central African Republic; Tanzania		
Vagrant: Kenya		
<i>Ploceus cucullatus</i> (Müller 1776)	III GH -	141,203,204,427,619,905
(includes <i>Ploceus nigriceps</i> (Layard 1867))		
E: Village Weaver, Spot-backed Weaver, (Layard's Black-headed Weaver); F: Tisserin gendarme;		
S: Tejedor cogullado		
Breeding: Angola; Benin; Botswana; Burkina Faso [996]; ?Burundi; Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; [Dominican Republic]; Equatorial Guinea [829]; Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Kenya; Lesotho; Liberia; Malawi; Mali; [Martinique]; Mauritania; [Mauritius]; Mozambique; Namibia; Niger; Nigeria; [Puerto Rico]; Rwanda; [Réunion]; [São Tomé and Príncipe]; [São Tomé]; Senegal; Sierra Leone; Somalia; South Africa; Sudan; Swaziland; ?Tanzania; Togo; Uganda; Zaire; Zambia; Zimbabwe		
Non-breeding: Burundi; Tanzania		
<i>Ploceus heuglini</i> Reichenow 1886	III GH -	141,427,905
(= <i>Textu atrogularis</i> Heuglin 1864)		
E: Heuglin's Masked-Weaver; F: Tisserin masqué; S: Tejedor de Heuglin		
Breeding: Benin; ?Burkina Faso; ?Cameroon; ?Chad; Côte d'Ivoire; Gambia; Ghana; Kenya; Mali; ?Niger; Nigeria; Senegal; Sudan; Togo; Uganda; Zaire		
Non-breeding: Burkina Faso; Cameroon; Chad; Niger		
<i>Ploceus luteolus</i> (Lichtenstein 1823)	III GH -	141,228,427,905
E: Little Weaver; F: Tisserin minule; S: Sitragra chico común		
Breeding: Benin; Burkina Faso [996]; ?Cameroon; Central African Republic; Chad; ?Côte d'Ivoire; Eritrea; Ethiopia; Gambia; Ghana; Kenya; Mali; Mauritania; Niger; Nigeria; Senegal; Sudan; ?Tanzania; Togo; ?Uganda; Zaire		
Non-breeding: Cameroon; Côte d'Ivoire; Tanzania; Uganda		
<i>Ploceus melanocephalus</i> (Linnaeus 1758)	III GH -	141,427,905
(= <i>Sitagra melanocephala</i> ; includes <i>Ploceus capitalis</i> (Latham 1790))		
E: Black-headed Weaver, (Yellow-backed Weaver); F: Tisserin à tête noire; S: Tejedor cabecinegro		
Breeding: Benin; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; Chad; Congo; ?Eritrea; ?Ethiopia; Gambia; ?Ghana; Guinea [1042]; ?Guinea-Bissau; Kenya; Mali; Mauritania; Niger; Nigeria; Rwanda; Senegal; Sudan; ?Tanzania; ?Togo; Uganda; Zaire; Zambia		
Non-breeding: Burundi; Cameroon; Central African Republic; Eritrea; Ethiopia; Ghana; Guinea-Bissau; Tanzania; Togo		
<i>Ploceus nigerrimus</i> Vieillot 1819	III GH -	141,427,905
E: Vieillot's Black Weaver; F: Tisserin noir, Tisserin noir de Vieillot; S: Tejedor negro de Vieillot		
Breeding: Angola; Benin; ?Burundi; ?Cameroon; Central African Republic; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; Gabon; Gambia; Ghana; Guinea [1042]; Kenya; Liberia; Nigeria; Rwanda; Sierra Leone; Sudan; ?Tanzania; Togo; Uganda; Zaire		
Non-breeding: Burundi; Cameroon; Equatorial Guinea; Tanzania		

<i>Ploceus nigricollis</i> (Vieillot 1805)	III GH -	141,427,905
E: Black-necked Weaver; F: Tisserin à cou noir, Tisserin à lunettes; S: Tejedor cuellinegro		
Breeding: Angola; Benin; Burkina Faso [996]; ?Burundi; Cameroon; Central African Republic; ?Chad; Congo; Côte d'Ivoire; ?Equatorial Guinea [829]; ?Ethiopia; Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Kenya; Liberia; ?Mali; ?Niger; Nigeria; Rwanda; Senegal; Sierra Leone; Somalia; ?Sudan; ?Tanzania; Togo; ?Uganda; Zaire		
Non-breeding: Burundi; Chad; Equatorial Guinea; Ethiopia; Mali; Niger; Sudan; Tanzania; Uganda		
<i>Ploceus pelzelni</i> (Hartlaub 1887)	III GH -	141,427,905
E: Slender-billed Weaver; F: Tisserin de Pelzeln, Tisserin nain; S: Sitagra de Pelzeln		
Breeding: ?Angola; ?Burundi; ?Cameroon; ?Congo; Côte d'Ivoire; Gabon; Ghana; Kenya; Nigeria; Rwanda; ?Sierra Leone; ?Sudan; ?Tanzania; ?Togo; Uganda; Zaire; Zambia		
Non-breeding: Angola; Burundi; Cameroon; Congo; Sierra Leone; Sudan; Tanzania; Togo		
<i>Ploceus preussi</i> (Reichenow 1892)	III GH -	427,905
E: Preuss's Weaver, Yellow-capped Weaver, Golden-backed Weaver; F: Tisserin de Preuss		
Breeding: ?Cameroon; Côte d'Ivoire; ?Gabon [148]; ?Ghana; ?Guinea [723]; ?Liberia; Sierra Leone; Zaire		
Non-breeding: Cameroon; Gabon; Ghana; Guinea; Liberia		
<i>Ploceus tricolor</i> (Hartlaub 1854)	III GH -	141,427,905
E: Yellow-mantled Weaver; F: Tisserin tricolore; S: Tejedor tricolor		
Breeding: Angola; ?Cameroon; ?Central African Republic; Congo; Côte d'Ivoire; Gabon [148]; Ghana; ?Guinea; ?Kenya; Liberia; Nigeria; Sierra Leone; ?Sudan; Togo; ?Uganda; Zaire		
Non-breeding: Cameroon; Central African Republic; Guinea; Kenya; Sudan; Uganda		
<i>Ploceus vitellinus</i> (Lichtenstein 1823)	III GH -	141,203,427,905
(= <i>Ploceus velatus vitellinus</i>)	-	
E: Vitelline Masked-Weaver; F: Tisserin vitellin, Tisserin à tête rousse; S: Tejedor velado		
Breeding: Benin; Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; Equatorial Guinea; Bioko; Ethiopia; Gambia; Ghana; Kenya; Mali; Mauritania; Niger; Nigeria; Senegal; Somalia; Sudan; ?Tanzania; ?Togo; Uganda; Zaire		
Non-breeding: Cameroon; Central African Republic; Tanzania; Togo		
<i>Quelea erythrops</i> (Hartlaub 1848)	III GH -	141,203,427,905
E: Red-headed Quelea, Red-headed Dioch; F: Travailleur à tête rouge; S: Laborioso cabecirrojo		
Breeding: Angola; Benin; Burkina Faso [996]; Cameroon; Central African Republic; Chad; Côte d'Ivoire; Equatorial Guinea; ?Ethiopia; Gambia; Ghana; Guinea-Bissau; Malawi; Mali; Niger; Nigeria; São Tomé and Príncipe; São Tomé; Sierra Leone; South Africa; Sudan; ?Swaziland; Tanzania; Zaire; Zambia		
Non-breeding: Burundi; Congo; Ethiopia; Gabon; Guinea; Kenya; Liberia; Mozambique; Rwanda; Senegal; Togo; Uganda		
Vagrant: Botswana; Somalia		
<i>Sporopipes frontalis</i> (Daudin 1802)	III GH -	141,427,905
E: Speckle-fronted Weaver, Scaly-fronted Weaver; F: Sporopipe quadrillé, Moineau quadrillé;		
S: Tejedorcito punteado		
Breeding: Burkina Faso [996]; ?Cameroon; ?Central African Republic; Chad; Eritrea; Ethiopia; Ghana; Kenya; Mali; Mauritania; Niger; Nigeria; Senegal; Sudan; ?Tanzania; ?Uganda		
Non-breeding: Cameroon; Central African Republic; Gambia; Tanzania; Uganda		
Vagrant: Somalia		

<i>Vidua chalybeata</i> (Müller 1776)	III GH -	141,203,427,790,905
(= <i>Hypochera chalybeata</i> ; includes <i>Vidua amauropteryx</i> (Sharpe 1890), <i>Vidua centralis</i> (Neunzig 1928), <i>Vidua neumanni</i> (Alexander 1908), <i>Vidua okavangoensis</i> Payne 1973, <i>Vidua ultramarina</i> (Gmelin 1789))		
E: Village Indigobird, Green Indigobird, Senegal Combassou; F: Combassou du Sénégal; S: Tejedor brñido verdoso		
Breeding:	?Angola; ?Benin; Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; Côte d'Ivoire; ?Eritrea; ?Ethiopia; Gambia; ?Ghana; ?Guinea; Kenya; ?Lesotho; Malawi; Mali; Mauritania; ?Mozambique; ?Namibia; ?Niger; Nigeria; Rwanda; Senegal; ?Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; ?Uganda; ?Zaire; Zambia; Zimbabwe	
Non-breeding:	Angola; Benin; Burundi; Cameroon; Central African Republic; Chad; Eritrea; Ethiopia; Ghana; Guinea; Lesotho; Mozambique; Namibia; Niger; Sierra Leone; Somalia; Tanzania; Togo; Uganda; Zaire	
<i>Vidua interjecta</i> (Grote 1922)	III GH -	791
(= <i>Vidua orientalis interjecta</i>)		
E: Long-tailed Paradise-Whydah, Uelle Paradise-Whydah; F: Veuve nigérienne		
Breeding:	?Cameroon; Central African Republic; ?Chad; ?Ethiopia; ?Ghana; ?Guinea; ?Mali; ?Nigeria; ?Sudan; ?Zaire	
Non-breeding:	Cameroon; Chad; Ethiopia; Ghana; Guinea; Mali; Nigeria; Sudan; Zaire	
<i>Vidua larvaticola</i> Payne 1982	III GH -	790,791
E: Baka Indigobird; F: Combassou de Baka		
Breeding:	?Cameroon; ?Ethiopia; ?Gambia; ?Ghana; ?Guinea; ?Nigeria; ?Sudan	
Non-breeding:	Cameroon; Ethiopia; Gambia; Ghana; Guinea; Nigeria; Sudan	
<i>Vidua macroura</i> (Pallas 1764)	III GH -	141,203,427,905
E: Pin-tailed Whydah; F: Veuve dominicaine; S: Viuda colicinta		
Breeding:	?Angola; ?Benin; ?Botswana; Burkina Faso [996]; ?Burundi; ?Cameroon; ?Central African Republic; ?Chad; ?Congo; Côte d'Ivoire; Equatorial Guinea [829]; ?Eritrea; Ethiopia; Gabon; Gambia; Ghana; ?Guinea [1042]; ?Guinea-Bissau; [Hawaiian Islands (ex)]; Kenya; Lesotho; Liberia; Malawi; Mali; Mauritania; ?Mozambique; ?Namibia; ?Niger; ?Nigeria; [Puerto Rico]; Rwanda; São Tomé and Príncipe; Senegal; ?Sierra Leone; ?Somalia; South Africa; Sudan; Swaziland; ?Tanzania; ?Togo; Uganda; Zaire; Zambia; Zimbabwe	
Non-breeding:	Angola; Benin; Botswana; Burundi; Cameroon; Central African Republic; Chad; Congo; Eritrea; Guinea; Guinea-Bissau; Mozambique; Namibia; Niger; Nigeria; Sierra Leone; Somalia; Tanzania; Togo	
<i>Vidua orientalis</i> Heuglin 1871	III GH -	141,203,427,905
(= <i>Vidua paradisaea orientalis</i>)		
E: Northern Paradise-Whydah; F: Veuve à collier d'or; S: Viuda del Paraíso oriental		
Breeding:	Burkina Faso [996]; Chad; ?Eritrea; ?Ethiopia; Gambia; ?Guinea; Mali; Mauritania; ?Niger; ?Nigeria; ?Senegal; Sudan	
Non-breeding:	Eritrea; Ethiopia; Guinea; Niger; Nigeria; Senegal	
<i>Vidua raricola</i> Payne 1982	III GH -	790,791
E: Jambandu Indigobird; F: Combassou de Jamdandu		
Breeding:	?Cameroon; ?Ghana; ?Nigeria; Sierra Leone; ?Sudan	
Non-breeding:	Cameroon; Ghana; Nigeria; Sudan	
<i>Vidua togoensis</i> (Grote 1923)	III GH -	791
(= <i>Vidua orientalis togoensis</i>)		
E: Togo Paradise-Whydah; F: Veuve du Togo		
Breeding:	?Cameroon; ?Chad; Côte d'Ivoire; ?Ghana; ?Sierra Leone; ?Togo	
Non-breeding:	Cameroon; Chad; Ghana; Sierra Leone; Togo	
Vagrant:	Mali	

<i>Vidua wilsoni</i> (Hartert 1901) (= <i>Hypochera wilsoni</i> ; includes <i>Vidua camerunensis</i> (Grote 1922), <i>Vidua incognita</i> Nicolai 1972, <i>Vidua lorenzi</i> Nicolai 1972)	III GH -	427,790,905
E: Pale-winged Indigobird, Wilson's Indigobird; F: Combassou de Wilson, Combassou noir; S: Tejedor bruñido de Wilson		
Breeding: Cameroon; Central African Republic; Chad; Congo; Côte d'Ivoire; Ghana; Guinea-Bissau; Nigeria; Senegal; Sudan; Togo; Zaire		
Non-breeding: Cameroon; Central African Republic; Chad; Congo; Guinea-Bissau; Nigeria; Senegal; Togo; Zaire		

Family STURNIDAE

<i>Gracula religiosa</i> Linnaeus 1758	III TH -	
E: Hill Myna		
Breeding: Bangladesh; Bhutan; Brunei; Cambodia; China; [Christmas Island]; India: Andaman Islands; India; India: Nicobar Islands; Indonesia: Alor, Bali, Flores, Pantar, Sumatra, Sumbawa, Alor, Bali, Flores, Java, Pantar, Sumatra, Sumbawa; Lao P.D.R.; Malaysia: Peninsular Malaysia, Sabah, Sarawak [940]; Myanmar; Nepal; Philippines: Balabac, Calamian Islands, Palawan; [Puerto Rico]; Sri Lanka; Thailand; Viet Nam		

<i>Leucopsar rothschildi</i> Stresemann 1912	I C	35,37,42,226,464,570
E: Bali Myna, Bali Starling, Rothschild's Mynah; F: Étourneau de Rothschild, Mainate de Rothschild, Martin de Rothschild; S: Estornino de Rothschild, Miná de Rothschild		
Breeding: Indonesia: Bali		

Family PARADISAEIDAE

<i>Astrapia mayeri</i> Stonor 1939	- - II V	82,226,237,891
E: Ribbon-tailed Astrapia, Ribbon-tailed Bird-of-paradise; F: Paradisier à rubens		
Breeding: Papua New Guinea		

<i>Astrapia nigra</i> (Gmelin 1788)	II -	82,226,237,891
E: Arfak Astrapia; F: Paradisier à gorge noire, Housse-col doré		
Breeding: Indonesia: Irian Jaya		

<i>Astrapia rothschildi</i> Foerster 1906	II -	82,237,891
E: Huon Astrapia; F: Paradisier de Rothschild, Housse-col de Rothschild		
Breeding: Papua New Guinea		

<i>Astrapia splendidissima</i> Rothschild 1895	II -	82,237,891
E: Splendid Astrapia; F: Paradisier splendide, Housse-col splendide		
Breeding: Indonesia: Irian Jaya; Papua New Guinea		

<i>Astrapia stephaniae</i> (Finsch 1885)	II -	82,237
E: Stephanie's Astrapia, Princess Stephanie's Bird-of-paradise; F: Paradisier de Stéphanie, Housse-col à queue rubanée, Paradisier de la Princesse Stéphanie		
Breeding: Papua New Guinea		

<i>Cicinnurus magnificus</i> (Pennant 1781)	II -	82,237
(= <i>Diphylloides magnificus</i>)		
E: Magnificent Bird-of-paradise; F: Paradisier magnifique		

Breeding: Indonesia: Irian Jaya, Misool, Salawati, Yapen; Papua New Guinea

<i>Cicinnurus regius</i> (Linnaeus 1758)	II -	82,237,891
E: King Bird-of-paradise; F: Paradisier royal		

Breeding: Indonesia: Irian Jaya, Misool, Salawati, Batanta, Yapen, Aru Islands; Papua New Guinea

<i>Paradisaeidae</i>	CITES	RL	Ref
<i>Cicinnurus respublica</i> (Bonaparte 1850) (= <i>Diphylloides respublica</i>) E: Wilson's Bird-of-paradise; F: Paradisier républicain Breeding: Indonesia: Batanta, Waigeo	II	-	226,237,891
<i>Cnemophilus loriae</i> (Salvadori 1894) (= <i>Loria loriae</i>) E: Loria's Bird-of-paradise; F: Paradisier de Loria, Paradisier loria Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	82,237
<i>Cnemophilus macgregorii</i> De Vis 1890 E: Crested Bird-of-paradise; F: Paradisier huppé Breeding: Papua New Guinea	II	-	82,237,891
<i>Epimachus alberti</i> (Sclater 1873) (= <i>Drepanornis alberti</i>) E: Black-billed Sicklebill, Buff-tailed Sicklebill; F: Paradisier d'Albertis, Drépanornis d'Albertis Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	82,237,891
<i>Epimachus bruijnii</i> (Oustalet 1880) (= <i>Drepanornis bruijnii</i>) E: Pale-billed Sicklebill, White-billed Sicklebill; F: Paradisier à bec blanc, Drépanornis de Bruijn Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	82,226,237
<i>Epimachus fastuosus</i> (Hermann 1783) E: Black Sicklebill; F: Paradisier fastueux, Epimaque fastueux Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	V	82,226,237,891
<i>Epimachus meyeri</i> Finsch 1885 E: Brown Sicklebill; F: Paradisier de Meyer, Epimaque de Mayer Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	82,237,891
<i>Loboparadisea sericea</i> Rothschild 1896 E: Yellow-breasted Bird-of-paradise, Wattle-billed Bird-of-paradise; F: Paradisier soyeux Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	DD	82,237
<i>Lophorina superba</i> (Pennant 1781) E: Superb Bird-of-paradise; F: Paradisier superbe Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	-	82,237,891
<i>Lycocorax pyrrhocopterus</i> (Bonaparte 1851) E: Paradise-crow, Silky-crow; F: Paradisier corvin, Corneille de paradis Breeding: Indonesia: Bacan, Halmahera, Morotai, Obi, Rau, Irian Jaya; Papua New Guinea	II	-	82,237
<i>Macgregoria pulchra</i> De Vis 1897 E: MacGregor's Bird-of-paradise; F: Paradisier de Macgregor Breeding: Indonesia: Irian Jaya; Papua New Guinea	II	V	82,226,237,891
<i>Manucodia atra</i> (Lesson 1830) E: Glossy-mantled Manucode; F: Paradisier noir, Manucaude noir Breeding: Indonesia: Aru Islands, Batanta, Gebe, Gemien, Irian Jaya, Misool, Salawati, Waigeo; Papua New Guinea	II	-	82,237,891
<i>Manucodia chalybata</i> (Pennant 1781) E: Crinkle-collared Manucode; F: Paradisier vert, Manucaude vert Breeding: Indonesia: Irian Jaya, Misool; Papua New Guinea	II	-	82,237

<i>Manucodia comrii</i> Sclater 1876	II	-	237,891
E: Curl-crested Manucode; F: Paradisier d'Entrecasteaux, Manucaude de Comrie			
Breeding: Papua New Guinea: Fergusson, Goodenough, Kaileuna, Kiriwana, Normanby			
<i>Manucodia jobiensis</i> Salvadori 1876	II	-	82,237,891
E: Jobi Manucode; F: Paradisier de Jobi, Manucaude de Jobi			
Breeding: Indonesia: Irian Jaya, Yapen; Papua New Guinea			
<i>Manucodia keraudrenii</i> (Lesson & Garnot 1826)	II	-	82,237,891
(= <i>Phonygammus keraudrenii</i>)			
E: Trumpet Manucode, Trumpetbird; F: Paradisier de Keraudren, Manucaude de Keraudren			
Breeding: Australia; Indonesia: Aru Islands, Irian Jaya; Papua New Guinea			
<i>Melampitta gigantea</i> (Rothschild 1899)	II	-	82,891
E: Greater Melampitta; F: Grande Mélampitte			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Melampitta lugubris</i> Schlegel 1873	II	-	82,891
E: Lesser Melampitta; F: Petite Mélampitte			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Paradigalla brevicauda</i> Rothschild & Hartert 1911	II	-	82,237
E: Short-tailed Paradigalla; F: Paradisier à queue courte, Paradigalle à queue courte			
Breeding: Papua New Guinea			
<i>Paradigalla carunculata</i> Lesson 1835	II	-	82,226,237,891
E: Long-tailed Paradigalla; F: Paradisier caronculé, Paradigalle caronculée			
Breeding: Indonesia: Aru Islands, Irian Jaya; Papua New Guinea			
<i>Paradisaea apoda</i> Linnaeus 1758	II	-	82,237,891
E: Greater Bird-of-paradise; F: Paradisier grand-émeraude, Grand paradisier			
Breeding: Indonesia: Aru Islands, Irian Jaya; Papua New Guinea; [Trinidad and Tobago: Little Tobago]			
<i>Paradisaea decora</i> Salvin & Godman 1883	II	V	226,237,891
E: Goldie's Bird-of-paradise; F: Paradisier de Goldie			
Breeding: Papua New Guinea: Fergusson, Normanby			
<i>Paradisaea guilielmi</i> Cabanis 1888	II	-	82,226,237,891
E: Emperor Bird-of-paradise, Emperor of Germany's Bird-of-paradise; F: Paradisier de Guillaume, Paradisier de l'Empereur Guillaume			
Breeding: Papua New Guinea			
<i>Paradisaea minor</i> Shaw 1809	II	-	82,237,891
E: Lesser Bird-of-paradise; F: Paradisier petit-émeraude, Petit paradisier			
Breeding: Indonesia: Irian Jaya, Misool, Yapen; Papua New Guinea			
<i>Paradisaea raggiana</i> Sclater 1873	II	-	82,237
E: Raggiana Bird-of-paradise, Count Raggi's Bird-of-paradise; F: Paradisier de Raggi, Paradisier du Comte Raggi			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Paradisaea rubra</i> Daudin 1800	II	-	226,237,891
E: Red Bird-of-paradise; F: Paradisier rouge			
Breeding: Indonesia: Batanta, Gemien, Saonek, Waigeo			
<i>Paradisaea rudolphi</i> (Finsch 1885)	II	V	82,226,237,891
E: Blue Bird-of-paradise; F: Paradisier bleu, Paradisier de Rodolphe			
Breeding: Papua New Guinea			

<i>Parotia carolae</i> Meyer 1894	II	-	82,237,891
E: Carola's Parotia; Queen Carola's Parotia; F: Paradisier de Carola, Sifilet de Carola			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Parotia heleneae</i> De Vis 1891	II	-	82,237
(= <i>Parotia lawesii heleneae</i>)			
E: Eastern Parotia; F: Paradisier d'Helena, Sifilet d'Hélène			
Breeding: Papua New Guinea			
<i>Parotia lawesii</i> Ramsay 1885	II	-	82,237
E: Lawes's Parotia; F: Paradisier de Lawes, Sifilet de Lawe			
Breeding: Papua New Guinea			
<i>Parotia sefilata</i> (Pennant 1781)	II	-	82,237
E: Western Parotia, Arfak Parotia, Six-plumed Parotia; F: Paradisier sifilet, Sifilet d'Arfak			
Breeding: Indonesia: Irian Jaya			
<i>Parotia wahnesi</i> Rothschild 1906	II	V	82,226,237,891
E: Wahnes's Parotia; F: Paradisier de Wahnes, Sifilet de Wahnes			
Breeding: Papua New Guinea [82]			
<i>Pteridophora alberti</i> Meyer 1894	II	-	82,237
E: King-of-Saxony Bird-of-paradise; F: Paradisier du Prince Albert, Paradisier d'Albert			
Breeding: Indonesia: Irian Jaya; Papua New Guinea			
<i>Ptiloris intercedens</i> Sharpe 1882	II	-	82,237
E: Eastern Riflebird			
Breeding: Papua New Guinea	-		
<i>Ptiloris magnificus</i> (Vieillot 1819)	II	-	82,237
E: Magnificent Riflebird; F: Paradisier gorge-d'acier, Proméfil			
Breeding: Australia; Indonesia: Irian Jaya; Papua New Guinea			
<i>Ptiloris paradiseus</i> Swainson 1825	II	-	226,237
E: Paradise Riflebird; F: Paradisier festonné, Ptiloris paradis			
Breeding: Australia			
<i>Ptiloris victoriae</i> Gould 1850	II	-	237
E: Victoria's Riflebird, Queen Victoria's Riflebird; F: Paradisier de Victoria, Ptiloris de Victoria			
Breeding: Australia			
<i>Seleucidis melanoleuca</i> (Daudin 1800)	II	-	82,237
E: Twelve-wired Bird-of-paradise; F: Paradisier multifil			
Breeding: Indonesia: Irian Jaya, Salawati; Papua New Guinea			
<i>Semioptera wallacii</i> Gould 1859	II	-	102,226,237
E: Standard-wing Bird-of-paradise, Wallace's Standardwing, Standardwing; F: Paradisier de Wallace			
Breeding: Indonesia: Bacan, Halmahera			

REFERENCES

1. Abdulali, H. 1965. The birds of the Andaman and Nicobar Islands. *Journal of the Bombay Natural History Society* 61: 438-571.
2. Abdusalyamov, I.A. 1977. [Fauna of the Tadzhik Soviet Socialist Republic. Vol.19 Part 3: birds.] Donish, Dushanbe. (In Russian).
3. Abu Yaman, I.K. et al. 1985. *Fauna of Jordan. II. Aves: a check list of the birds of Jordan*. Amman.
4. Achaval, F. 1989. *Lista de Especies de Vertebrados del Uruguay Parte 2: Anfibios, reptiles aves y mamíferos*. Facultad de Humanidades y Ciencias, Universidad de la Republica, Uruguay.
5. Aitchison, J. 1993. Pitas or Plantations? *World Birdwatch* 15(1):7-10.
6. Akcakaya, H.R. 1990. Bald Ibis *Geronticus eremita* population in Turkey: an evaluation of the captive breeding project for reintroduction. *Biological Conservation* 51: 225-237.
7. Akcakaya, H.R. and Akcakaya, R. 1986. Concern for Turkey's last Bald Ibises. *WWF Monthly Reports* September: 243-245.
8. Albuquerque, J.L.B. 1986. Conservation and status of raptors in southern Brazil. *Birds of Prey Bulletin* 3: 88-94.
9. Ali, S. and Ripley, S.D. 1987. *Compact handbook of the birds of India and Pakistan together with those in Bangladesh, Nepal, Bhutan and Sri Lanka*. Oxford University Press, Oxford.
10. Ali, S., Daniel, J.C. and Rahmani, A.R. 1986. *Study of ecology of certain endangered species of wildlife and their habitats. The Floricans*. Annual Report 1. Bombay Natural History Society, Bombay.
11. Allan, D. 1989. The Bald Ibis returns to Cape Town. *Quagga* 25:18-20.
12. Allen, G.M. 1965. The birds of Liberia. *Contr. Dep. trop. Med. & Inst. trop. Biol. Med.* 5: 636-748.
13. Allouse, B.E. 1953. The avifauna of Iraq. *Iraq Natural History Museum Publication* 3.
14. Amadon,D.,Bull,J.,Marshall,J.T. and King,B.F. 1988. Hawks and owls of the world: a distributional and taxonomic list. *Proceedings of the Western Foundation of Vertebrate Zoology* 3(4): 295-357.
15. American Ornithologists' Union. 1983. *Checklist of North American birds*. Sixth edition. American Ornithologists' Union, New York.
16. Amerson, A.B. 1969. Ornithology of the Marshall and Gilbert Islands. *Aroll Research Bulletin* 127.
17. Amos, E.J.R. 1991. *A guide to the birds of Bermuda*. Eric J.R. Amos, Warwick, Bermuda.
18. Amos, S.H. 1985/86. Efforts to save the endangered Black-hooded Red Siskin. *AFA Watchbird* 12(6): 19.
19. Andre, R. 1985. Some aspects of the biological reproduction of the Little Bustard and a contribution to an estimate of its population in France 1978/79. *Bustard Studies* 2: 153-160.
20. Andres, B., Haag, W. and Andres, S. 1991. Recent records of Swainson's Hawk in Trinidad and Tobago. *Journal of the Trinidad and Tobago Field Naturalists Club* 1991: 45.
21. Andrew, P. 1985. An annotated checklist of the birds of Cibodas-Gunung Gede Nature Reserve. *Kukila* 2: 10-28.
22. Andrew, P. 1992. *The birds of Indonesia: a checklist (Peters' sequence)*. Indonesian Ornithological Society, Jakarta.
23. Andrew, P. and Milton, G.R. 1988. A note on the Javan Scops-owl *Otus angelinae* Finsch. *Kukila* 3: 79.
24. Andrews, I.J. 1995. *The Birds of the Hashemite Kingdom of Jordan*. Published by the author, Musselburgh, U.K.
25. Anon. 1985. Conservationists battle for Caroni Swamp and Scarlet Ibis. *World Birdwatch* 7(3): 3.
26. Anon. 1985. European news. *British Birds* 78: 638-645.
27. Anon. 1985. No Kakapo chicks survive breeding season in New Zealand. *World Birdwatch* 7(2): 1-2.
28. Anon. 1987. More Plains-wanderers located. *World Birdwatch* 9(2): 5.
29. Anon. 1988. European news. *British Birds* 81: 330-340.
30. Anon. 1988. Parakeets breed in Mauritius. *World Birdwatch* 10(1): 3.
31. Anon. 1988. *The official list of the birds of the Sultanate of Oman*. 2nd edition.
32. Anon. 1989. Rediscoveries. *World Birdwatch* 11(1): 4.
33. Anon. 1989. Tai Forest news. *World Birdwatch* 11(2): 3.
34. Anon. 1989. Tragopan triumph. *World Birdwatch* 11(3): 3.
35. Anon. 1991. Recent news from Bali. *World Birdwatch* 13(2): 3.
36. Anon. 1991. Woodstar turn. *World Birdwatch* 13(2): 3.
37. Anon. 1992. Bali Starling increase. *World Birdwatch* 14(3): 5.
38. Anon. 1992. Bolivian find. *World Birdwatch* 14(4): 3.
39. Anon. 1992. Lorikeet transfer. *World Birdwatch* 14(4): 4.
40. Anon. 1992. Morocco last hope. *World Birdwatch* 14(3): 4.
41. Anon. 1992. New species of owl. *World Birdwatch* 14(3): 4.
42. Anon. 1993. Back from the brink. *World Birdwatch* 15(2): 4.
43. Anon. 1994. Slender-billed Curlew: situation critical. *World Birdwatch* 16(1): 4.
44. Araya, L. 1982. *Lista patron de las aves Chilenas*. Publicaciones ocasionales No.1, Instituto de Oceanología, Universidad de Valparaíso, Vina del Mar, Chile.
45. Araya Modinger, B. 1983. A preliminary report on the status and distribution of the Humboldt Penguin in Chile. Pp. 125-140 In: *Proceedings of the Jean Delacour/IFCB Symposium on breeding birds in captivity*. North Hollywood, California: International Foundation for the Conservation of Birds.
46. Archer, G. and Godman, E.M. 1937-1961. *The birds of British Somaliland and the Gulf of Aden*. Volumes 1 and 2, Gurney and Jackson, London; Volumes 3 and 4, Oliver and Boyd, Edinburgh.
47. Archibald, G. 1988. Whooping Crane update. *ICF Bugle* 14(1): 4-6.

48. Archibald, G. 1993. Saddlebill Storks in the Okavango, Botswana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 13.
49. Argeloo, M. 1992. The Maleo - more than a symbol. *World Birdwatch* 14(1): 8-9.
50. Arinaitwe, J. 1994. Red DataBird: Shoebill. *World Birdwatch* 16(2): 20-21.
51. Arndt, T. and Roth, P. 1986. Der Rotbauchsittich *Pyrrhura rhodogaster* im Vergleich mit den verschiedenen Unterarten des Blaustellisittichs *Pyrrhura perlata*: Vorschlag für nomenklatorische und systematische Änderungen. *Verhandlungen der Orn. Gesellschaft Bayern* 24: 313-317.
52. Aronson, L. and van den Berg, A.B. 1979. Hume's Tawny Owl *Strix butleri* in Israel. *Dutch Birding* 1: 18-19.
53. Ash, J. 1973. Six species of birds new to Ethiopia. *Bulletin of the British Ornithologists' Club* 93: 3-6.
54. Ash, J.S. 1977. Four species of birds new to Ethiopia and other notes. *Bulletin of the British Ornithologists' Club* 97: 4-9.
55. Ash, J.S. 1981. Ayres' Hawk Eagle *Hieraetus dubius* in Ethiopia and Somalia. *Scopus* 5: 54-56.
56. Ash, J.S. 1984. Bird observations on Bali. *Bulletin of the British Ornithologists' Club* 104: 24-35.
57. Ash, J.S. 1985. Midwinter observations from Djibouti. *Scopus* 9: 43-49.
58. Ash, J.S. 1987. Surveys of *Picathartes oreas*, *Malimbus ibadanensis* and other species in Nigeria. International Council for Bird Preservation and Nigerian Conservation Foundation. Unpublished.
59. Ash, J.S. 1989. An atlas of the past and present distribution of bustards in Ethiopia and Somalia. *Bustard Studies* 4.
60. Ash, J.S. and Miskell, J.E. 1983. Birds of Somalia, their habitat, status and distribution. *Scopus* special suppl. 1: 1-97.
61. Ash, J.S. and Shafeeq, A. 1994. The birds of the Maldives. *Forktail* 10: 3-31.
62. Baker, N. 1989. The distribution and legal status of bustards in Tanzania. *Bustard Studies* 4: 35-40.
63. Balchin, C.S. 1988. Recent observations of birds from the Ivory Coast. *Malimbus* 10: 201-206.
64. Balen, S. van and Compost, A.R. 1989. Overlooked evidence of the Short-toed Eagle *Circaetus gallicus* on Java. *Kukila* 4: 44-46.
65. Balen, S. van. 1984. Sight records of the Black Baza *Aviceda leuphotis* on Java. *Ardeo* 72: 234.
66. Baltosser, W.H. 1989. Costa's Hummingbird: its distribution and status. *Western Birds* 20(2): 1-62.
67. Banks, R.C. 1990. Taxonomic status of the coquette hummingbird of Guerrero, Mexico. *Auk* 107: 191-192.
68. Bannerman, D.A. 1921. A complete list of the birds known from Sierra Leone. *Ibis* (11)3: 289-302.
69. Bannerman, D.A. 1963. *Birds of the Atlantic Islands, 1. A history of the birds of the Canary Islands and of the Salvages*. Oliver and Boyd, Edinburgh.
70. Bannerman, D.A. and Bannerman, W.M. 1965. *Birds of the Atlantic Islands, 2. A history of the birds of Madeira, the Desertas and the Porto Santo Islands*. Oliver and Boyd, Edinburgh.
71. Bannerman, D.A. and Bannerman, W.M. 1966. *Birds of the Atlantic Islands, 2. A history of the birds of the Azores*. Oliver and Boyd, Edinburgh.
72. Bannerman, D.A. and Bannerman, W.M. 1968. *Birds of the Atlantic Islands, 2. History of the birds of the Cape Verde Islands*. Oliver and Boyd, Edinburgh.
73. Baral, H.S. 1993. Status of storks, ibises and spoonbills in Nepal. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 6-8.
74. Bates, J.M., Garrin, M.C., Schmitt, D.C. and Schmitt, C.G. 1989. Notes on bird distributions in northeastern dept. Santa Cruz, Bolivia with 15 species new to Bolivia. *Bulletin of the British Ornithologists' Club* 109: 236-244.
75. Bates, J.M., Parker, T.A., Capparella, A.P. and Davis, T.J. 1992. Observations on the campo, cerrado and forest avifaunas of eastern Dpto. Santa Cruz, Bolivia, including 21 species new to the country. *Bulletin of the British Ornithologists' Club* 112: 86-98.
76. Beaman, M. (ed.). 1975. *Turkey bird report 1970-1973*. Ornithological Society of Turkey, Sandy.
77. Beaman, M. and Porter, R.F. 1985. Status of birds of prey in Turkey. *Bulletin of the World Working Group on Birds of Prey* 2: 52-56.
78. Beavers, R.A., Delaney, D.J., Leahy, C.W. and Oatman, G.F. 1991. New and noteworthy bird records from Petén, Guatemala, including Tikal National Park. *Bulletin of the British Ornithologists' Club* 111: 77-90.
79. Becking, J.H. 1976. Feeding range of Abbot's Booby *Sula abbotti* at the coast of Java. *Ibis* 118: 589-590.
80. Becking, J.H. 1994. On the biology of the Javan Scops Owl *Otus angelinae*. *Bulletin of the British Ornithologists' Club* 114: 211-224.
81. Beehler, B.M. 1985. Conservation of New Guinea rainforest birds. Pp. 233-247 In: Diamond A.W. and Lovejoy, T.E. (eds.) *Conservation of tropical forest birds*. (Techn. Publ. 4). International Council for Bird Preservation, Cambridge, U.K.
82. Beehler, B.M., Pratt, T.K. and Zimmerman, D.A. 1986. *Birds of New Guinea*. Princeton University Press, Princeton, New Jersey.
83. Bege, L.A.R. and Pauli, B.T. 1990. Two new birds to the Brazilian avifauna. *Bulletin of the British Ornithologists' Club* 110: 93-94.
84. Beggs, J. and Wilson, P. 1988. Kaka: a threatened species? *Forest and Bird* 250: 18-19.
85. Belarbi, A. 1989. A note on the Little Bustard in Algeria. *Bustard Studies* 4.
86. Bell, J. 1970. The white-quilled black bustard. *Animal Kingdom* 73: 25-28.
87. Belton, W. 1984. Birds of Rio Grande do Sul, Brazil, part 1: Rheidae through Furnariidae. *Bulletin of the American Museum of Natural History* 178(4).
88. Benson, C.W. 1960. The birds of the Comoro Islands: results of the British Ornithologists' Union Centenary Expedition 1958. *Ibis* 103b: 5-106.
89. Benson, C.W., Brooke, R.K., Dowsett, R.J. and Irwin, M.P.S. 1971. *The Birds of Zambia*. Collins, London.
90. Bereszynski, A. and Kaczmarkowski, M. 1983. Bustard (*Otis tarda* L.) in Poland. Pp. 118-120 In: Gorup, P.D. and Vardhan, H. (eds.) *Bustards in Decline*. Tourism and Wildlife Society of India, Jaipur.

91. Bergier, P. and Bergier, F. 1990. *A Birdwatcher's Guide to Morocco*. Prion, Huntingdon, U.K.
92. Berlanga, M. and Wood, P. 1992. Observations of the King Vulture *Sarcophagus papa* in the Calakmul Biosphere Reserve, Campeche, Mexico. *Vulture News* 26: 15-21.
93. Berlepsch, H.G. von. 1908. On the birds of Cayenne. *Novitates Zoologicae* 15: 103-164, 261-324.
94. Berlitz, J. 1962. Etude d'une collection d'oiseaux de Guyane française. *Bulletin du Muséum National d'Histoire Naturelle* 34: 131-143.
95. Bertoni, C. and Gonzalez, F. 1992. *Lista de vertebrados argentinos en peligro de extinción*. Fundación Vida Silvestre Argentina, Boletín Técnico No. 8.
96. Best, H. and Powlesland, R. 1985. *Kakapo*. John McIndoe and New Zealand Wildlife Service, Dunedin, New Zealand.
97. Best, H.A. 1984. The foods of Kakapo on Stewart Island as determined from their feeding sign. *New Zealand Journal of Ecology* 7: 71-83.
98. Bezzel, E. and Wartmann, B. 1990. Neue Beobachtungen des Waldrappes (*Geronticus eremita*) in Jemen. *Journal für Ornithologie* 131: 456-457.
99. Biber, J.-P. 1992. Red Data bird: Lesser Kestrel. *World Birdwatch* 14(2): 14.
100. Bierregaard, R.O. 1984. Observations of the nesting biology of the Guiana Crested Eagle (*Morphnus guianensis*). *Wilson Bulletin* 96: 1-5.
101. Bildstein, K.L. 1990. Status, conservation and management of the Scarlet Ibis *Eudocimus ruber* in the Caroni Swamp, Trinidad, West Indies. *Biological Conservation* 54: 61-78.
102. Bishop, D. 1992. The Standardwing Bird of Paradise *Semioptera wallacii* (Paradisaeidae), its ecology, behaviour, status and conservation. *Emu* 92: 72-78.
103. Bishop, K.D. 1983. Some notes on non-passerine birds of west New Britain. *Emu* 83: 235-241.
104. Bissot, A.J. 1983. *Checklist of the birds of the Channel Islands*. Staples Press.
105. Black, J. 1991. The Nene Recovery Initiative. *IWRB Threatened Waterfowl Research Group Newsletter* 1: 4.
106. Blake, E.R. 1977. *Manual of Neotropical birds*. University of Chicago Press, Chicago.
107. Blakers, M., Davies, S.J.F. and Reilly, P.N. 1984. *The atlas of Australian birds*. Royal Australian Ornithologists' Union and Melbourne University Press, Melbourne.
108. Blasius, W. 1884. Über die neusten Ergebnisse von Herrn F.J. Grabowsky's Ornithologischen Forschungen in Süd-Ost-Borneo. *Journal für Ornithologie* 32: 210-227.
109. Bleiweiss, R. and Olalia, P.M. 1983. Notes on the ecology of the Black-breasted Puffleg on Volcan Pinchinchá, Ecuador. *Wilson Bulletin* 94: 656-661.
110. Bloch, D. and Sørensen, S. 1984. *Check list of Faroe birds*. Torshavn.
111. Blondel, J. and Blondel, C. 1964. Remarques sur l'hivernage des limicoles et autres oiseaux aquatiques au Maroc. *Alauda* 32: 250-279.
112. Boeke, J.D. 1978. A food source of the Marvellous Spatuletail. *Ibis* 120: 551.
113. Bokermann, W.C.A. 1991. Observaciones sobre la biología del Macuco, *Tinamus solitarius* (Aves - Tinamidae). Doctoral Thesis, Universidad de São Paulo.
114. Bond, J. 1956. *Check-list of birds of the West Indies*. The Academy of Natural Sciences of Philadelphia.
115. Bond, J. 1985. *Birds of the West Indies*. 5th edition. Collins, London.
116. Bonde, K. 1993. *Birds of Lesotho, a guide to distribution past and present*. University of Natal Press.
117. Boonsong Lekagul and Round, P.D. 1991. *A Guide to the Birds of Thailand*. Saha Karn Bhaet Co. Ltd., Bangkok.
118. Borello, W. and Borello, R. 1987. The Cape Vulture colonies in Botswana in 1985 and 1986. *Vulture News* 17: 37-42.
119. Borodin, A.M. (ed.). 1984. *Red data book of the USSR: rare and endangered species of animals and plants. Vol. 1: animals* [In Russian]. 2nd edition. Promyshlennost, Moscow.
120. Bosch, K. 1991. Welche Gelbkopfamazone haben Sie? *Gefiederte Welt* 115: 342-344.
121. Boshoff, A.F. and Robertson, A.S. 1985. A conservation plan for the Cape Vulture colony at Potberg, de Hoop Nature Reserve, southwestern Cape Province. *Bontebok* 4: 25-31.
122. Boshoff, A.F. and Vernon, C.J. 1987. The Cape Vulture colonies at Kammelkspuit 1984-1986 and Balloch 1978-1986, north-eastern Cape Province. *Vulture News* 17: 31-36.
123. Bourne, W.R.P. 1971. The birds of the Chagos group, Indian Ocean. *Atoll Research Bulletin* 149: 175-207.
124. Bourne, W.R.P. 1976. On subfossil bones of Abbott's Booby *Sula abbotti* from the Mascarene Islands, with a note on the proportions and distribution of the Sulidae. *Ibis* 118: 119-123.
125. Bourne, W.R.P., Brooke, M. de L., Clark, G.S. and Stone, T. 1992. Wildlife conservation problems in the Juan Fernandez Archipelago, Chile. *Oryx* 26: 43-51.
126. Boussekey, M., Saint-Pie, J. and Morvan, O. 1992. Beobachtungen an einer Population des Rotobrasas (*Ara rubrogenys*) im Rio-Caine-Tal, Zentral Bolivien. *Papageien* 5: 54-57, 95-99.
127. Bradley, P.E. 1985. *A Guide to the Birds of the Cayman Islands*. P.E. Bradley, George Town, Grand Cayman.
128. Brandis, C. 1989. Sighting of a Northern Shoveler at Lake Cowal, central New South Wales. *Australian Birds* 23(2): 37-38.
129. Brandt, A. and Machado, R.B. 1990. Área de alimentação e comportamento alimentar de *Anodorhynchus leari*. *Ararajuba* 1: 57-63.
130. Brazil, M. 1985. Owl of the setting sun. *BBC Wildlife* 3: 110-115.
131. Brazil, M. 1986. Sea eagle sunrise. *BBC Wildlife* 4: 588-592.
132. Brazil, M. 1987. Where have all the Baikal Teals gone? *Oriental Bird Club Bulletin* 5: 29.
133. Brazil, M. 1991. *The Birds of Japan*. Christopher Helm, London.
134. Brazil, M. and Yamamoto, S. 1989. The status and distribution of owls in Japan. Pp. 389-401 in Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls*, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.

135. Bregulla, H. 1987. Zur Biologie des Kagu, *Rhynochetos jubatus*. *Zool. Garten N.F.* 57: 349-365.
136. Bregulla, H.L. 1992. *Birds of Vanuatu*. Anthony Nelson, Oswestry, UK.
137. Breuil, M. 1989. *Les oiseaux d'Islande*. Le Chevalier, Paris.
138. Brichetti, P. and Massa, B. 1984. Check-list degli uccelli italiani. *Rivista italiana di Ornitologia* 54: 3-37.
139. Brickell, N. 1988. *Ducks, Geese and Swans of Africa and its outlying Islands*. Frandesen Publishers. Sandton.
140. British Ornithologists' Union. 1971. *The status of birds in Britain and Ireland*. British Ornithologists' Union, London.
141. Britton, P.L. (ed.). 1980. *Birds of East Africa*. East Africa Natural History Society, Nairobi.
142. Brock, M.K. 1991. Genetic assessment of the captive breeding programs for the Puerto Rican Parrot *Amazona vittata*, and other Caribbean parrots. Ph.D. thesis, Department of Biology, Queen's University, Kingston, Ontario.
143. Broni, S.C. 1985. Social and spatial foraging patterns of the Jackass Penguin *Spheniscus demersus*. *South African Journal of Zoology* 20: 241-245.
144. Brooke, M. de L. 1987. *The birds of the Juan Fernandez Islands, Chile*. (Study Report 16). International Council for Bird Preservation, Cambridge, U.K.
145. Brooke, R.K. 1981. The feral pigeon: a 'new' bird for the South African list. *Bokmakierie* 33: 37-40.
146. Brooke, R.K. 1984. *South African Red Data Book: birds*. South African National Scientific Programmes Report No. 97.
147. Brooks, D.J., Evans, M.I., Martins, R.P. and Porter, R.F. 1987. The status of birds in North Yemen and the records of the OSME Expedition in autumn 1985. *Sandgrouse* 9: 4-66.
148. Brosset, A. and Erard, C. 1977. New faunistic records from Gabon. *Bulletin of the British Ornithologists' Club* 97: 125-132.
149. Brosset, A. and Erard, C. 1986. *Les oiseaux des régions forestières du nord-est du Gabon*, 1. Société Nationale de Protection de la Nature, Paris.
150. Brown, C.J. 1985. The status and conservation of the Cape Vulture in SWA/Namibia. *Vulture News* 14: 4-15.
151. Brown, C.J. and Hines, C.J.H. 1987. Western Banded Snake Eagles in Namibia. *Gabar* 2(2): 40-42.
152. Brown, L.H. 1976. Observations on Pel's Fishing Owl *Scotopelia peli*. *Bulletin of the British Ornithologists' Club* 96: 49-53.
153. Brown, L.H. and Amadon, D. 1968. *Eagles, hawks and falcons of the world*. 2 volumes. Country Life Books, Feltham, Middlesex.
154. Brown, L.H., Urban, E.K. and Newman, K. 1982. *The birds of Africa* 1. Academic Press, London and New York.
155. Brown, P.B. and Wilson, R.I. 1984. *Orange-bellied Parrot recovery plan*. National Parks and Wildlife Service, Tasmania.
156. Brown, P.B., Wilson, R., Loyd, R., Murray, N. and Lane, B. 1985. *The Orange-bellied Parrot - an RAOU conservation statement*. Royal Australasian Ornithologists' Union, Melbourne.
157. Browne, P.W.P. 1981. New bird species in Mauritania. *Malimbus* 3(2): 63-72.
158. Brudenell-Bruce, P.G.C. 1975. *The birds of New Providence and the Bahama Islands*. Collins, London.
159. Brüggemann, J. 1877. Über eine Vögelssammlung aus Süd-Ost Borneo. *Abhandlungen Naturw. Vereins Bremen* 5: 453-466.
160. Bruner, P.L. 1972. *Field guide to the birds of French Polynesia*. Pacific Scientific Information Center, Bernice P. Bishop Museum, Honolulu, Hawaii.
161. Bucher, E.H. and Nores, M. 1988. Present status of birds in steppes and savannas of northern and central Argentina. Pp. 71-79 in Gorup, P.D. (ed) *Ecology and Conservation of Grassland Birds*. ICBP Technical Publication 7. Cambridge, England.
162. Buden, D.W. 1987. *The birds of the southern Bahamas*. British Ornithologists' Union Check-list No. 8. BOU, London.
163. Buden, D.W. 1990. The birds of Rum Cay, Bahama Islands. *Wilson Bulletin* 102: 451-468.
164. Bugalho, F.F. 1987. Great Bustard in Portugal. Pp. 65-76 In: Farago, S. (ed.) *The Great Bustard Otis tarda L.*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation, Budapest.
165. Bullock, I. 1990. *Birds of the Republic of Seychelles*. Seychelles Ministry of Education and the International Council for Bird Preservation, Cambridge, U.K.
166. Bundy, G. 1976. *The birds of Libya*. British Ornithologists' Union, London.
167. Bundy, G. and Warr, E. 1980. A checklist of the birds of the Arabian Gulf States. *Sandgrouse* 1: 4-49.
168. Bundy, G., Connor, R.J. and Harrison, C.J.O. 1989. *Birds of the eastern province of Saudi Arabia*. H.F. & G. Witherby, London.
169. Bunn, D.S., Warburton, A.B. and Wilson, R.D. 1982. *The Barn Owl*. Poyser, Calton, U.K.
170. Burbridge, A.A. and Jenkins, R.W.G. (eds.). 1984. *Endangered vertebrates of Australia and its island territories*. Australian National Parks and Wildlife Service, Canberra.
171. Burton, J.A. (ed.). 1973. *Owls of the world, their evolution, structure and ecology*. Peter Lowe, London.
172. Butler, L.Y. 1979. *The birds of Ecuador and the Galapagos Archipelago*. The Ramphastos Agency, Portsmouth, N.H.
173. Butler, P.J. 1981. The St. Lucia Amazon (*Amazona versicolor*): its changing status and conservation. Pp. 171-180 In: Pasquier, R.F. (ed.) *Conservation of New World parrots*. Smithsonian Institution Press for the International Council for Bird Preservation, Washington D.C.
174. Butler, P.J. 1990. Some observations on polymorphism in the St Vincent Parrot *Amazona guildingii*. *Dodo* 26 [1989]: 98-107.
175. Butler, P.J. 1991. *Saint Lucia Parrot Amazona versicolor: consolidating a conservation campaign*. RARE Center for Tropical Conservation, Philadelphia.
176. Butler, P.J. 1992. Parrots, pressures, people, and pride. Pp. 25-46 In: Beissinger, S.R. and Snyder, N.F.R. (eds.) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press, Washington, D.C.
177. Cade, T.J. 1982. *The falcons of the world*. Collins, London.

178. Cahyadin, Y., Jepson, P. and Manoppo, B.I. 1994. The status of *Cacatua goffini* and *Eos reticulata* on the Tanimbar Islands. PHPA/Birdlife International Laporan. 26pp.
179. Cahyadin, Y., Jepson, P. and Syarief, M. 1994. A rapid assessment of *Cacatua sulphurea sulphurea* in South Sulawesi Province, Indonesia. PHPA/Birdlife International (3), 13pp.
180. Cahyadin, Y., Jepson, P. and Arif, S. 1994. Status of *Cacatua sulphurea abbotti* on the Masalemba Islands. PHPA/Birdlife International Laporan (2) 11pp.
181. Cajal, J.L. 1988. The Lesser Rhea in the Argentine Puna region: present situation. *Biological Conservation* 45(2): 81-91.
182. Caleda, M., Lanante, R. and Viloria, E. 1986. Preliminary studies of the Palawan Peacock Pheasant *Potyclectron emphanum*. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association. Basildon, U.K.
183. Camp, K. 1993. Observations of Short-tailed Albatross (*Diomedea albarrus*) in the Bering Sea. *Colonial Waterbirds* 16(2): 221-222.
184. Cardiff, S.W. and Remsen, J.V. Jr. 1981. Three bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 101: 304-305.
185. Carroll, R.W. 1988. Birds of the Central African Republic. *Malimbus* 10(2): 177-200.
186. Carswell, M. 1984 *Checklist of the birds of Uganda*. Compiled from Britton, P.L. (ed.) and Backhurst, G.C. *Birds of East Africa: their habitat, status and distribution*. East African Natural History Society, Nairobi.
187. Casanova, F.D. 1989. The Houbara Bustard in the Canary Islands: towards a recovery plan. *Bustard Studies* 4.
188. Cataneaunu, I. 1978. *Aves. Fauna Republicii Socialistă România*. Vol. XV, Fasc. 1. Editura Academiei RSR, Bucarest.
189. Cavalcanti, R.B. 1988. Conservation of the birds in the cerrado of Central Brazil. Pp. 59-66 in Gorup, P.D. (ed) *Ecology and Conservation of Grassland Birds*. ICBP Technical Publication 7. Cambridge, England.
190. Cave, F.O. and Macdonald, J.D. 1955 *The birds of Sudan*. Edinburgh, Oliver and Boyd, Scotland.
191. Chalmers, M.L. 1986. *Annotated checklist of the birds of Hong Kong*. Fourth edition, The Hong Kong Bird Watching Society, Hong Kong.
192. Chayadin, Y. 1993. Tanimbar Corella on Yamdena. *Oriental Bird Club Bulletin* 18: 55-56.
193. Chebez, J.C. 1986. El Guacamayo Violaceo (*Anodorhynchus glaucus*). *Nuestras Aves* 4(9): 17-20.
194. Cheke, A.S. 1987. The legacy of the Dodo - conservation in Mauritius. *Oryx* 21: 29-36.
195. Cheke, R.A. 1982. More bird records from the Republic of Togo. *Malimbus* 4: 55-56.
196. Cheke, R.A. 1986. The supposed occurrence of the White-necked Picathartes *Picathartes gymnocephalus* in Togo. *Bulletin of the British Ornithologists' Club* 106: 152.
197. Cheke, R.A. and Walsh, J.F. 1980. Bird records from the Republic of Togo. *Malimbus* 2(2): 112-120.
198. Cheke, R.A. and Walsh, J.F. 1984. Further bird records from the Republic of Togo. *Malimbus* 6(1/2): 15-22.
199. Cheke, R.A., Walsh, J.F. and Fishpool, D.C. 1985. Bird records from the Republic of Niger. *Malimbus* 7: 73-90.
200. Cheke, R.A., Walsh, J.F. and Sowah, S.A. 1986. Records of birds seen in the Republic of Togo during 1984-1986. *Malimbus* 8(2): 51-72.
201. Cheng Tso-hsin 1987. *A synopsis of the avifauna of China*. Science Press, Beijing.
202. Christensen, S. and Sorensen, U.G. 1989. A review of the migration and wintering of *Aquila pomarina* and *Aquila nipalensis orientalis*. Pp. 139-150 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
203. Clancey, P.A. (ed.). 1980. *Checklist of southern African birds*. Southern African Ornithological Society, Pretoria.
204. Clancey, P.A., Brooke, R.K., Crowe, T.M. and Mendelsohn, J.M. 1987. *S.A.O.S. checklist of southern African birds. First updating report*. Southern African Ornithological Society, Johannesburg.
205. Clark, A. 1977. Review of the records of three Palearctic ducks in southern Africa. *Bulletin of the British Ornithologists' Club* 97: 107-114.
206. Clark, R.J. and Mikkola, H. 1989. A preliminary revision of threatened and near-threatened nocturnal birds of prey of the world. Pp. 371-388 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
207. Clark, W.D. 1991. Hyacinth Macaws: nesting habits in the wild. *AFA Watchbird* 18(3): 8-10.
208. Clark, W.S. 1986. What is *Buteo ventralis*? *Birds of Prey Bulletin* 3: 115-118.
209. Clark, W.S. and Parslow, R. 1991. A specimen record of Shikra *Accipiter badius* for Saudi Arabia. *Sandgrouse* 13: 44-46.
210. Clarke, R.O.S. and Duran Patiño, E. 1991. The Red-fronted Macaw (*Ara rubrogenys*) in Bolivia: distribution, abundance, biology and conservation. Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation.
211. Clements, F.A. and Bradbear, N.J. 1986. Status of wintering Black-necked Cranes *Grus nigricollis* in Bhutan. *Forktail* 2: 103-107.
212. Clinton-Etniear, J. 1986. Status of the Green-cheeked Amazon in north-eastern Mexico. *AFA Watchbird* 12(6): 22-24.
213. Clinton-Etniear, J. 1990. *Amazona oratrix belizensis*. *AFA Watchbird* 17(2): 25-26.
214. Coates, B.J. 1985-1990. *Birds of Papua New Guinea*. 2 vols. Dove Publications, Alderley, Australia.
215. Coats, S. and Phelps, W.H. 1985. The Venezuelan Red Siskin: case history of an endangered species. Pp. 977-985 in Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. AOU, Washington D.C.
216. Colebrook-Robjent, J.F.R. and Osborne, T.O. 1973. Nesting of Verreaux's Eagle *Aquila verreauxii* in Zambia. *Bulletin of the British Ornithologists' Club* 93: 166.

217. Colebrook-Robjent, J.F.R. and Osborne, T.O. 1974. High density breeding of the Red-necked Falcon *Falco chicquera* in Zambia. *Bulletin of the British Ornithologists' Club* 94: 172-176.
218. Collar, N. 1992. Red Data bird: Red Siskin. *World Birdwatch* 14(1): 13.
219. Collar, N.J. 1979. The world status of the Houbara: a preliminary review. 12 pp. (unpaginated) In: Coles, C.L. and Collar, N.J. (eds.) *Symposium papers: the Great Bustard (Otis tarda), Sofia, Bulgaria, May 26th, 1978 [and] the Houbara Bustard (Chlamydotis undulata), Athens, Greece, May 24th 1979.* [Fordingbridge, U.K.: The Game Conservancy.]
220. Collar, N.J. 1985. Red Data bird: The Juan Fernandez Firecrown. *World Birdwatch* 7(2): 5.
221. Collar, N.J. 1985. Red Data bird: The Eskimo Curlew. *World Birdwatch* 7(1): 5.
222. Collar, N.J. 1985. The world status of the Great Bustard. *Bustard Studies* 2: 1-20.
223. Collar, N.J. 1987. Red Data bird: Hook-billed Hermit. *World Birdwatch* 9(1): 5.
224. Collar, N.J. 1989. Red Data birds: the cockatoos. *World Birdwatch* 11(1): 5.
225. Collar, N.J. 1991. Red Data bird: Great Bustard. *World Birdwatch* 13(1): 13.
226. Collar, N.J., Crosby, M.J. and Stattersfield, A.J. 1994. *Birds to watch 2, the world list of threatened birds.* BirdLife International, Cambridge, U.K.
227. Collar, N.J. and Goriup, P.D. (eds.). 1983. Report of the ICBP Fuerteventura Houbara Expedition, 1979. *Bustard Studies* 1.
228. Collar, N.J. and Stuart, S.N. 1985. *Threatened birds of Africa and related islands: The ICBP/IUCN Red Data Book*, Part 1. 3rd edition. International Council for Bird Preservation and International Union for Conservation of Nature and Natural Resources, Cambridge, U.K.
229. Collar, N.J., Gonzaga, L.P., Krabbe, N., Madroño Nieto, A., Naranjo, L.G., Parker, T.A. III and Wege, D.C. 1992. *Threatened birds of the Americas: the ICBP/IUCN Red Data Book*, 2. 3rd edition. Cambridge, U.K.
230. Collar, N.J., Round, P.D. and Wells, D.R. 1986. The past and future of Gurney's Pitta *Pitta gurneyi*. *Forktail* 1: 29-51.
231. Colston, P.R. and Curry-Lindahl, K. 1986. *The birds of Mount Nimba, Liberia*. British Museum (Natural History), London.
232. Commissie voor de Nederlandse Avifauna. 1970. *Avifauna van Nederland*. Brill, Leiden.
233. Commission pour l'avifaune belge. 1967. Avifaune de Belgique. *Gefau* 57: 273-465.
234. Contreras-Baldaras, A.J. 1988. New records of birds from Nuevo Leon, Mexico. *Southwestern Naturalist* 33: 251-252.
235. Conway, W.G. 1991. The secret lives of the volcano flamingos. *Wildlife Conservation* 94(6): 56-63.
236. Cooper, J. 1985. New breeding locality data for southern African seabirds: Jackass Penguin *Spheniscus demersus*. *Cormorant* 13: 81.
237. Cooper, W.T. and Forshaw, J.M. 1977. *The birds of paradise and bower birds*. Collins, Sydney.
238. Cortes, J.E., Finlayson, J.C., Mosquera, M.A. and Garcia, E.F.J. 1980. *The birds of Gibraltar*.
239. Coulter, M. and Brower, K. 1993. Storks unlimited. *World Birdwatch* 15(2): 13-17.
240. Coulter, M.C. 1990. The conservation status of the Oriental White Stork *Ciconia boyciana*. P. 209 in Matthews, G.V.T. (ed) 1990. *Managing Waterfowl Populations. Proceedings of the IWRB Symposium, Astrakhan 1989*. IWRB Special Publication 12. IWRB, Slimbridge, U.K.
241. Counsell, D. 1988. The RAFOS expedition to Belize Feb-Mar 1986. *Royal Air Force Ornithological Society Journal* 18: 17-63.
242. Cramp, S. (ed.). 1985. *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 4. Oxford University Press, Oxford.
243. Cramp, S. and Simmons, K.E.L. (eds.). 1983. *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 3. Oxford University Press, Oxford.
244. Cramp, S. and Simmons, K.E.L. (eds.). 1977. *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 1. Oxford University Press, Oxford.
245. Cramp, S. and Simmons, K.E.L. (eds.). 1980. *Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Volume 2. Oxford University Press, Oxford.
246. Cranbrook, Lord 1980. Birds recorded within Gunung Mulu National Park. Pp. 157-164 In: Hanbury-Tenison, R. *Mulu: the rain forest*. Weidenfeld and Nicolson, London.
247. Crawford, R.J.M., Williams, A.J., Randall, R.M., Randall, B.M., Bertruti, A. and Ross, G.J.B. 1990. Recent population trends of Jackass Penguins *Spheniscus demersus* off Southern Africa. *Biological Conservation* 52: 229-243.
248. Crivelli, A.J. 1987. The ecology and behaviour of the Dalmatian Pelican, *Pelecanus crispus* Bruch. A world endangered species. Commission of the European Communities and Station Biologique de la Tour de Valat. Unpublished report.
249. Crivelli, A.J. and Schreiber, R.W. 1984. Status of the Pelecanidae. *Biological Conservation* 30: 147-156.
250. Crivelli, A.J. and Vizi, O. 1981. The Dalmatian Pelican *Pelecanus crispus* Bruch 1832, a recently world endangered bird species. *Biological Conservation* 20: 297-310.
251. Crivelli, A.J., Catsadorakis, G., Jerrentrup, H., Hatzilacos, D. and Mitchv, T. 1991. Conservation and management of pelicans nesting in the Palearctic. Pp. 137-152 in Salathe, Y. 1991. *Conserving Migratory Birds*. ICBP Technical Publication 12. ICBP, Cambridge, England.
252. Cuello, J.P. 1985. *Lista de referencia y bibliografía de las aves Uruguayas*. Museo Damaso Antonio Larrañaga.
253. Dallmeier, F. 1991. Whistling Ducks as a manageable and sustainable resource in Venezuela: balancing economic costs and benefits. Pp. 266-287 in Robinson, J.G. and Redford, K.H. (eds) 1991. *Neotropical Wildlife Use and Conservation*.
254. Danforth, S.T. 1934. The birds of Antigua. *Auk* 51: 350-364.
255. Danforth, S.T. 1935. *The birds of Saint Lucia*. Monographs of the University of Puerto Rico, Physical and Biological Sciences, series B, no. 3.

256. Danforth, S.T. 1936. The birds of St Kitts and Nevis. *Tropical Agriculture* 13(8): 213-217.
257. Danforth, S.T. 1939a. The birds of Guadeloupe and adjacent islands. *J. Agric. Univ. Puerto Rico* 23(1): 9-46.
258. Danforth, S.T. 1939b. The birds of Montserrat. *J. Agric. Univ. Puerto Rico* 23(1): 47-66.
259. Danks, A. 1990. Red Data bird: Noisy Scrub-bird. *World Birdwatch* 12(4): 13.
260. Davies, A.G. 1987. *The Gola Forest Reserves, Sierra Leone: wildlife conservation and forest management*. International Union for Conservation of Nature and Natural Resources, Gland, Switzerland and Cambridge, U.K.
261. Davis, I. 1979. Additions to the Birds of Suriname. *Continental Birdlife* 1(6): 136-146.
262. Davison, G.W.H. 1982. Systematics within the genus *Arborophila* Hodgson. *Federation of Museums Journal* 27: 125-134.
263. Dean, W.R.J. and Tarboton, W.R. 1983. Osprey breeding records in South Africa. *Ostrich* 54: 241-242.
264. Debruijn, O. 1994. Population ecology and conservation of the Barn Owl *Tyto alba* in farmland habitats in Liemers and Achterhoek (the Netherlands). *Ardea* 82(1): 1-109.
265. DeDios [sic], A. and Hill, P. 1990. Breeding the Spix Macaw. *Bird World* 13(4) (November/December): 16, 18.
266. Dee, T.J. 1987. *The status and distribution of the endemic birds of Madagascar*. International Council for Bird Preservation, Cambridge, U.K.
267. Dekker, R.W.R.J. 1990. The distribution and status of nesting grounds of the Maleo *Macrocephalon maleo* in Sulawesi, Indonesia. *Biological Conservation* 5: 139-150.
268. Dekker, R.W.R.J. and Wattel, J. 1987. Egg and image: new and traditional uses for the Maleo (*Macrocephalon maleo*). Pp. 83-87 In: Diamond, A.W. and Finion, F.L. (eds.) *The value of birds*. International Council for Bird Preservation, Cambridge, U.K.
269. Del Hoyo, J., Elliot, A. and Sargatal, J. eds. 1992. *Handbook of the Birds of the World. Vol 1 Ostriches to Ducks*. Lynx editions, Barcelona.
270. Delacour, J. 1977. *The pheasants of the world*. 2nd edition. World Pheasant Association and Spur Publications, Hindhead, Surrey.
271. Delacour, J. and Amadon, D. 1973. *Curassows and related birds*. American Museum of Natural History, New York.
272. Delacour, J. and Jabouille, P. 1931. *Les oiseaux de l'Indochine française*, 4 vols. Exposition Coloniale Internationale, Paris.
273. Delibes, M. 1978. Ecología alimenticia del aguilu imperial ibérico (*Aquila adalberti*) en el Coto Donaña durante la cría de los pollos. *Donaña, Acta Vertebrata* 5: 35-60.
274. Dementiev, G.P. and Gladkov, N.A. (eds.). 1951-1954. *Birds of the Soviet Union*. 6 vols. Israel Program for Scientific Translation, Jerusalem.
275. Derenne, P., Lufbery, J.X. and Tollu, B. 1974. L'avifaune de l'Archipel Kerguelen. *CNRA* 40: 107-148.
276. Desenne, P. and Strahl, S.D. 1991. Trade and the conservation status of the family Psittacidae in Venezuela. *Bird Conservation International* 1: 153-169.
277. Desfayes, M. 1987. Evidence for the ancient presence of the Bald Ibis *Geronticus eremita* in Greece. *Bulletin of the British Ornithologists' Club* 107: 93-94.
278. Devas, R.P. 1970 *Birds of Grenada and St Vincent and the Grenadines*. [3rd ed.] St. George's Grenada. Carenaga Press XV, 88pp. Grenada.
279. Diamond, J.M. 1985. New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85: 65-91.
280. Díaz Montes, V.R. 1991. Status of the highly endangered White-winged Guan. *Cracid Newsletter* 1(1): 1, 6.
281. Dick, J.A., McGillivray, W.B. and Brooks, D.J. 1984. A list of birds and their weights from Saul, French Guiana. *Wilson Bulletin* 96(3): 347-365.
282. Dickerman, R.W., Cane, W.P., Carter, M.F., Chapman, A. and Schmitt, C.G. 1994. Report on three collections of birds from Liberia. *Bulletin of the British Ornithologists' Club* 114: 267-274.
283. Dickey, D.R. and van Rossem, A.J. 1938. The birds of El Salvador. *Publication of the Field Museum Natural History, Zoology series* 23: 1-609.
284. Dickinson, E.C., Kennedy, R.S. and Parkes, K.C. 1991. *The birds of the Philippines*. B.O.U. Check-list No.12. British Ornithologists' Union, Tring, Herts.
285. Disi, A.M. and Bouran, A.H. 1987. A check-list of the Hashemite Kingdom of Jordan: an ecological outlook. Publication of the University of Jordan.
286. Dobson, R. 1952. *The birds of the Channel Islands*. Staples Press, Newton Abbott, London.
287. Dolz, J.C., Giménez, M. and Huertas, J. 1991. Status of some threatened Anatidae species in the Comunidad, Valencia, East Spain. *IWRB Threatened Waterfowl Research Group Newsletter* 1: 7-8.
288. Donahue, P.K. and Pierson J.E. 1982. *Birds of Suriname: an annotated checklist*. Privately published.
289. Dornbusch, M. 1983. Status, ecology and conservation of Great Bustard in the German Democratic Republic. Pp. 89-90 in Gorup, P.D. and Vardhan, H. (eds) *Bustards in decline*. Tourism and Wildlife Society of India, Jaipur.
290. Doughty, R.W. 1989. *The return of the Whooping Crane*. University of Texas Press, Austin, Texas.
291. Downer, A. and Sutton, R. 1990. *Birds of Jamaica: a photographic field guide*. Cambridge University Press, Cambridge.
292. Dowsett, R.J. 1979. Recent additions to the Zambian list. *Bulletin of the British Ornithologists' Club* 99: 94-98.
293. Dowsett, R.J. and Dowsett-Lemaire, F. 1993. A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* No. 5.
294. Dreux, P. and Milon, P. 1967. Premières observations sur l'avifaune de l'Île aux Cochons (Archipel Crozet). *Alauda* 35: 27-32.
295. Duckworth, F. 1974. The Whale-headed Stork in Ethiopia. *Bulletin of the British Ornithologists' Club* 94: 3-4.
296. Duffy, D.C., Wilson, R.P., Ricklefs, R.E., Broni, S.C. and Veldhuis, H. 1987. Penguins and purseseiners: competition or co-existence? *National Geographic Research* 3: 480-488.
297. Dujardin, J.L. 1991. Scarlet Ibis in French Guiana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 4(2): 5.

298. Duke, G. 1994. Mountains, forests and pheasants. *World Birdwatch* 16(1): 10-13.
299. Dupuy, A.R. 1976. Première observation d'un Vautour fauve *Gyps fulvus* au Sénégal. *Ardea* 44: 33-34.
300. Dybbro, T. 1978. *Oversigt over Danmarks fugle*. Dansk Ornithologisk Forening, Denmark.
301. Ebenhard, N.T. 1979. First record in the Seychelles of Northern Pintail. *Bulletin of the British Ornithologists' Club* 99: 39-40.
302. Eccles, S.D. 1988. The birds of Sao Tome - record of a visit, April 1987 with notes on the rediscovery of Bocage's Longbill. *Malimbus* 10(2): 207-217.
303. Eck, S. 1986. *Eutriorchis astur* im Dresden Tierkundemuseum. *Journal für Ornithologie* 127: 93-94.
304. Edwards, E.P. and Lea, R.B. 1955. Birds of the Monserrate area, Chiapas, Mexico. *Condor* 57: 31-54.
305. Ehrlich, P.R., Dobkins, D.S. and Wheye, D. 1992. *Birds in Jeopardy. The Imperiled and Extinct Birds of the United States & Canada*. Stanford University Press, Stanford, CA.
306. Eichacker, X. 1990. First breeding records of Verreaux's Eagle *Aquila verreauxii* in Saudi Arabia. *Sandgrouse* 12: 53-54.
307. Einarsson, O., Durrinck, J., Peterz, M. and Vadur, M. 1989. [First record of the Black Stork *Ciconia nigra* in Iceland]. *Bliki* 8: 51-54. (In Icelandic.)
308. Eisentraut, M. 1973. Die Wirbeltierfauna von Fernando Poo und Westkamerun. *Bonner Zoologische Monographien* 3: 428 pp.
309. Eley, J.W. 1982. Systematic relationships and zoogeography of the White-winged Guan (*Penelope albipennis*) and related forms. *Wilson Bulletin* 94: 241-259.
310. Elgood, J.H., Heigham, J.B., Moore, A.M., Nason, A.M., Sharland, R.E. and Skinner, N.J. 1994. *The birds of Nigeria*. B.O.U. Check-list No.4 (Second edition), British Ornithologists' Union, Tring, Herts.
311. Ellis, D.H. and Peres, G. 1983. The Pallid Falcon *Falco kreyenborgi* is a color phase of the Austral Peregrine Falcon (*Falco peregrinus cassini*). *Auk* 100: 269-271, 442.
312. Ellis-Joseph, S., Hewston, N. and Green, A. 1992. *Global waterfowl conservation assessment and management plan*. Captive Breeding Specialist Group and The Wildfowl and Wetland Trust. First review draft, 15 March 1992.
313. Elwell, N. 1970. Marabous in winter - by the hundred. *Bakmakierie* 22: 69-71.
314. Erickson, R. 1977. First record of Knot *Calidris canutus*, and other records, from Belize (British Honduras). *Bulletin of the British Ornithologists' Club* 97: 78-81.
315. Escalante-Piiego, P. and Peterson, A.T. 1992. Geographic variation and species limits in middle American woodnymphs (*Thalurania*). *Wilson Bulletin* 104: 205-219.
316. Espino-Barros, R. and Baldassarre, G.A. 1989. Numbers, migration chronology, and activity patterns of non-breeding Caribbean Flamingos in Yucatan, Mexico. *Condor* 91: 585-591.
317. Etcheberry, R. 1982. *Les oiseaux de Saint-Pierre et Miquelon*. ONC, Paris.
318. Evans, I.M. and Pienkowski, M.W. 1991. World status of the Red Kite: a background to the experimental reintroduction to England and Scotland. *British Birds* 84: 171-187.
319. Evans, P.G.H. 1991. Status and conservation of Imperial and Red-necked Parrots *Amazona imperialis* and *A. arausiaca* on Dominica. *Bird Conservation International* 1: 11-32.
320. Eve, R. and Guigue, A.M. 1989. *Survey of the Mahakam River delta, East Kalimantan, with special reference to its waterbirds*. (Publ. no. 45). Asian Wetland Bureau, Kuala Lumpur.
321. Ewbank, D.R. 1993. Status of storks, ibises and spoonbills in the Matabele Area of Zimbabwe. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 11-12.
322. Faaborg, J. 1984. Potential for restocking Galapagos Hawks on islands where they have been extirpated. *Noticias de Galapagos* 39: 28-30.
323. Faaborg, J. 1985. Reproductive success and survivorship of the Galapagos Hawk *Buteo galapagoensis*: potential costs and benefits of cooperative polyandry. *Ibis* 128: 337-347.
324. Faanes, C.A. and Senner, S.E. 1991. Status and conservation of the Eskimo Curlew. *American Birds* 45: 237-239.
325. Fan, Z. and Song, Y. 1991. [Saving a treasure of the world - Japanese Crested Ibis]. *Forestry of China* 1991(5): 36-37. (In Chinese.)
326. Fan, Z., Song, Y. and Lu, B. 1991. [Protection of the Crested Ibis for 10 years]. *Chinese Wildlife* 59: 3-5. (In Chinese.)
327. Fanshawe, J. 1993. Sokoke Scops Owl. *World Birdwatch* 15(1): 18-19.
328. FAO 1981. Checklist of the birds of Afghanistan. In: *Afghanistan, a contribution to a conservation strategy*.
329. Farago, S. 1993. Development of the Great Bustard population in Hungary in the period 1981-1990. *Folia Zoologica* 42(3): 221-236.
330. Farago, S., Ena, V. and Martinez, A. 1987. Comparison of the state of Great Bustard stocks in Hungary and Spain. Pp. 51-63 In: Farago, S. (ed.) *The Great Bustard (Otis tarda L.)*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation, Budapest.
331. Farkas, T. 1967. *Ornithogeographie Ungarns*. Duncker & Humblot, Berlin.
332. Feare, C.J. 1973. *Numenius minurus*, *Falco subbuteo* and *Caprimulgus europaeus* in the Seychelles. *Bulletin of the British Ornithologists' Club* 93: 99-101.
333. Feare, C.J. 1975. Further migrant birds in the Seychelles. *Bulletin of the British Ornithologists' Club* 95: 48-50.
334. Feare, C.J. and High, J. 1977. Migrant shorebirds in the Seychelles. *Ibis* 119: 323-338.
335. Fei Dian-jin 1989. [An observation and investigation on the breeding situation of the Oriental Stork in Qiqihar Suburban District.] *Zoological Research* 10: 263-270. (In Chinese.)
336. Ferianc, O. 1977/79. *Vitáky Slovenska* 1, 2 (2nd ed.) Veda: Bratislava.
337. Fernandez-Cruz, M. and Araujo, J. (eds.). 1985. *Situación de la avifauna de la Península Ibérica, Baleares y Macaronesia*. Sociedad Española de Ornitología, Madrid.

338. ffrench, R.P. 1991. *A guide to the birds of Trinidad and Tobago*. 4th edition. Livingston Publishing, Wynnewood, Pennsylvania.
339. Fisher, D.J. 1985. Observations on Relict Gull in Mongolia. *Dutch Birding* 7: 117-120.
340. Fitzpatrick, J.W. and O'Neill, J.P. 1986. *Otus petersoni*, a new screech-owl from the eastern Andes, with systematic notes on *O. colombianus* and *O. ingens*. *Wilson Bulletin* 98: 1-14.
341. Fitzpatrick, J.W. and Willard, D.E. 1982. Twenty-one bird species new or little known from the Republic of Colombia. *Bulletin of the British Ornithologists' Club* 102: 153-158.
342. Fitzpatrick, J.W., Willard, D.E. and Terborgh, J.W. 1979. A new species of hummingbird from Peru. *Wilson Bulletin* 91: 177-186.
343. Fjeldså, J. and Krahbe, N. 1990. *Birds of the high Andes*. Zoological Museum, University of Copenhagen and Svendborg, Copenhagen.
344. Flint, P.R. and Stewart, P.F. 1991. *The birds of Cyprus*. 2nd edition. British Ornithologists' Union Checklist No. 6. London.
345. Flint, V.E., Boehme, R.L., Kostin, Y.V. and Kuznetsov, A.A. 1984. *A field guide to birds of the USSR*. Princeton University Press, Princeton, New Jersey.
346. Folkestad, A.O. 1984. Situasjonen for havorna *Haliaeetus albicilla* i Norge. *Vår Fuglefaua* 7: 209-216.
347. Forbes-Watson, A. 1969. Notes on birds observed in teh Comorns on behalf of the Smithsonian Institution. *Atoll Res. Bull.* 128: 1-23.
348. Forshaw, J.M. and Cooper, W.T. 1989. *Parrots of the world*. 3rd edition. Blandford.
349. Frade, F. 1951. *Catálogo das aves de Moçambique*. Ministerio das Colonias, Lisbon.
350. Frade, F. and Bacelar, A. 1955. Catalogo das aves da Guiné Portuguesa - Non passerines. *Annl Junta Invest. Ultram.* 10: 7-173.
351. Fraga, R.M. 1990. El Tordo Amarillo al borde de la extinción. *Nuestras Aves* 23: 13-15.
352. Frederick, P.C., Morales, G., Spaans, A.L. and Luthin, C.S. (eds) 1990. *El Corocoro Rojo (Eudocimus ruber): Situacion Actual, Conservacion e Investigaciones Recientes*. Proceedings of the first International Scarlet Ibis Conservation Workshop, Caracas, Venezuela. IWRB Special Publication 11.
353. Frey, H. 1985. The Black-hooded Red Siskin, an endangered species; an interview with Pat Dempko. *AFA Watchbird* 12(4): 40-42.
354. Friedmann, H. 1950. The birds of North and Middle America, 11. *Bulletin of the United States National Museum* 50.
355. Frisch, J.D. and Frisch, S. 1981. *Aves Brasileiras* Vol. 1. Dalgas-Ecoltec Ecologica Técnica, São Paulo.
356. Frith, C.B. 1974. New observations of migrants and vagrants from Aldabra, Farquhar and Astove Atolls, Indian Ocean. *Bulletin of the British Ornithologists' Club* 94: 12-19.
357. Frumkin, R. and Adar, M. 1989. First breeding records of Sparrowhawk in Israel. *Ornithological Society of the Middle East Bulletin* 23: 20-22.
358. Fry, C.H., Keith, S. and Urban, E. 1988. *The birds of Africa*. Volume 3. Academic Press, London and San Diego.
359. Fujimaki, Y. 1987. Joint survey report of Japan and USSR on Steller's Sea-Eagle. P. 49 In: *The Third Japan-USSR Bird Protection Symposium, 21 November 1986, summary*. Wild Bird Society of Japan [Tokyo].
360. Fullager, P.J. and Disney, H.J. de S. 1975. The birds of Lord Howe Islands: a report on the rare and endangered species. *Bulletin of the International Council for Bird Preservation* 12: 187-202.
361. Gallagher, M. 1982. Nesting of the Lappet-faced Vulture *Torgos trachelioides* in Oman. *Bulletin of the British Ornithologists' Club* 102: 135-139.
362. Gallagher, M. and Brown, M.R. 1982. Golden Eagle *Aquila chrysaetos* breeding in Oman, eastern Arabia. *Bulletin of the British Ornithologists' Club* 102: 41-42.
363. Gallagher, M. and Woodcock, M.W. 1980. *The birds of Oman*. Quartet Books, London.
364. Gargett, V. 1990. *The Black Eagle: a study*. Acorn Books, Randburg, South Africa.
365. Garnett, S. 1987. An Australian record of Gurney's Eagle *Aquila gurneyi*. *Australian Bird Watcher* 12(4): 134-135.
366. Garrido, O.H. 1985. Cuban endangered birds. Pp. 992-999 in Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union, Ornithological Monograph 36. AOU, Washington D.C.
367. Garrido, O.H. 1986. *Las palomas*. Editorial Científico-Técnica, La Habana.
368. Garrido, O.H. and Montaña García, F. 1975. *Catálogo de las aves de Cuba*. Academia de Ciencias de Cuba, La Habana.
369. Garson, P.J. 1983. The Cheer Pheasant *Catreus wallichii* in Himachal Pradesh, western Himalayas: an update. *World Pheasant Association Journal* 8: 29-39.
370. Gaston, A.J. and Singh, J. 1980. The status of the Cheer Pheasant *Catreus wallichii* in the Chail Wildlife Sanctuary, Himachal Pradesh. *World Pheasant Association Journal* 5: 68-73.
371. Gaston, A.J., Garson, P.J. and Hunter, M.L. 1981. Present distribution and status of pheasants in Himachal Pradesh, western Himalayas. *World Pheasant Association Journal* 6: 10-30.
372. Gaston, A.J., Islam, K. and Crawford, J.A. 1983. The current status of the Western Tragopan *Tragopan melanocephalus*. *World Pheasant Association Journal* 8: 40-49.
373. Gaucher, P., Thiollay, J.-M. and Eichaker, X. 1995. The Sooty Falcon *Falco concolor* on the Red Sea coast of Saudi Arabia: distribution, numbers and conservation. *Ibis* 137: 29-33.
374. Geeson, J. and Geeson, J. 1990. First Red Kite record for the Gambia. *Malimbus* 11: 144.
375. Genot, J.-C. 1989. *Athene noctua*, world bibliography.
376. Gensbol, B. 1986. *Collins guide to the birds of prey of Britain and Europe, North Africa and the Middle East*. Collins, London.
377. Gibson-Hill, C.A. 1947. Notes on the birds of Christmas Island. *Bulletin of the Raffles Museum* 18: 87-165.
378. Gibson-Hill, C.A. 1949. The birds of the Cocos-Keeling Islands (Indian Ocean). *Ibis* 91: 221-243.
379. Gibson-Hill, C.A. 1950. A checklist of the birds of Singapore Island. *Bulletin of the Raffles Museum* 21: 132-183.

380. Gill, B.J. 1987. Notes of the birds, reptiles and mammals of Tangatapu and Eua (Tonga). *Notornis* 34(3): 217-223.
381. Giraudoux, P., Degaquier, R., Jones, P.J., Weigel, J. and Isenmann, P. 1988. Avifaune du Niger: etat des connaissances en 1986. *Malimbus* 10: 1-140.
382. Glade, A.A. (ed.). 1988. *Red list of Chilean terrestrial vertebrates*. Impresimas Comerciales, for CONAF. Santiago.
383. Godfrey, E. 1986. *The birds of Canada*. 2nd ed. National Museum of Natural Sciences, Ottawa, Canada.
384. Gollop, J.B., Barry, T.W. and Iversen, E.H. 1986. *The Eskimo Curlew. A vanishing species*. Regina, Saskatchewan: Saskatchewan Natural History Society (Spec. Publ. 17).
385. Golovushkin, M.I. and Osipova, M.A. 1988. [Nesting of Imperial Eagle (*Aquila heliaca*) in the region south to Baikal.] *Ornitologiya* 23: 205-206. (In Russian.)
386. Gonzales, Z.J. 1977. Sobre la presencia en Chile de *Sappho sparganura sappho* (Lesson) (Aves: Trochilidae). *Boletin Ornitológico* 9(1/2): 11-12.
387. Gonzalez, L.M., Gonzalez, J.L., Garzon, J. and Heredia, B. 1987. Censo y distribucion del Aguila Imperial Iberica, *Aquila (heliaca) adalberti* Brehm, 1861, en Espana durante el periodo 1981-1986. *Bol. Est. Cent. Ecol.* 16(31): 99-109.
388. González-García, F. 1984. Aspectos biológicos del Pavón *Oreophasis derbianus* G.R. Gray (Aves: Cracidae) en la Reserva Natural "El Triunfo", Municipio del Angel Albion Corzo, Chiapas, Mexico. Tesis profesional. Facultad de Ciencias Biológicas, Universidad Veracruzana, Xalapa, Veracruz, Mexico.
389. González-García, F. 1991. Observaciones sobre la ecología y biología reproductiva del Pavón *Oreophasis derbianus* en la Reserva de la Biosfera "El Triunfo". Chiapas, México. Paper presented at IV Congreso de Ornitología Neotropical, Quito, Ecuador, November 1991. Unpublished.
390. Gonzalez-Grande, J.L. 1981. Spain's Imperial Eagle. *Natural History* 90: 40-43.
391. Goodman, S.M. and Meininger, P.L. 1989. *The birds of Egypt*. Oxford University Press, Oxford.
392. Goodwin, D. 1982. *Estrildid finches of the world*. British Museum (Natural History) and Oxford University Press, London and Oxford.
393. Goodwin, D. 1983. *Pigeons and doves of the world*. 3rd edition. British Museum (Natural History) and Cornell University Press, London and New York.
394. Gore, M.E.J. 1968. A checklist of the birds of Sabah, Borneo. *Ibis* 110: 165-196.
395. Gore, M.E.J. 1990. *The birds of the Gambia*. 2nd ed. British Ornithologists' Union Check List No. 3. BOU, London.
396. Gore, M.E.J. and Gepp, G.R.M. 1978. *Las aves del Uruguay*. International Council for Bird Preservation, (Pan-American Section), Montevideo.
397. Gore, M.E.J. and Won, P-O. 1971. *The birds of Korea*. Royal Asiatic Society, Korea Branch, in conjunction with Taiwan Publishing Co., Seoul.
398. Gorup, P.D. (ed.). 1983. *The Houbara Bustard in Morocco: a report of the Al-Areen/ICBP March 1982 preliminary survey*. [International Council for Bird Preservation, Cambridge, U.K., on behalf of Al-Areen Wildlife Park, Bahrain.]
399. Gorup, P.D. and Karpowicz, Z.J. 1985. A review of the past and recent status of the Lesser Florican. *Bustard Studies* 3: 163-182.
400. Gorup, P.D. and Parr, D.F. 1985. Results of the ICBP bustard survey of Turkey, 1981. *Bustard Studies* 2: 77-98.
401. Gorman, K.M. 1990. Breeding the endangered Venezuelan Black-hooded Red Siskin. *AFA Watchbird* 17(1): 7-12.
402. Gorman, K.M. 1992. AFA Red Siskin Project. *AFA Watchbird* 18(6): 24-25.
403. Graham, G.L., Graves, G.R., Schulenberg, T.S. and O'Neill, J.P. 1980. Seventeen bird species new to Peru from the Pampas de Heath. *Auk* 97: 366-370.
404. Gransau, R. 1967. Sobre o genero *Augastes*, com a descrição de uma subespécie nova (Aves, Trochilidae). *Pap. Avuls. Zool.* 21: 21-31.
405. Graves, G.R. 1980. A new species of metalail hummingbird from northern Peru. *Wilson Bulletin* 92: 1-7.
406. Graves, G.R. and Giraldo, O.J.A. 1987. Population status of the Rufous-fronted Parakeet (*Bolborhynchus ferrugineifrons*), a Colombian endemic. *Gefau* 77: 89-92.
407. Green, A. 1993. White-headed Ducks, a case for action. *Birds Magazine* Spring: 39-40.
408. Green, A.A. 1984. Additional bird records from Bamingui-Bangoran National Park, Central African Republic. *Malimbus* 6(1/2): 14-28.
409. Green, A.A. and Sayer, J.A. 1979. The birds of Pendjari and Arli National Parks (Benin and Upper Volta). *Malimbus* 1(1): 14-28.
410. Green, A.J. 1991. Focus on the White-winged Wood Duck. *Oriental Bird Club Bulletin* 14: 25-27.
411. Greenway, J.C. 1958. *Extinct and vanishing birds of the world*. American Committee for International Wildlife Protection (Ser. Publ. 13), New York.
412. Greenway, J.C. 1967. *Extinct and vanishing birds of the world*. Second edition. Dover Publications, New York.
413. Gretton, A. 1987. Gurney's Pitta: the struggle to survive. *World Birdwatch* 9(4): 6-7.
414. Gretton, A. 1990. Red Data bird: Slender-billed Curlew. *World Birdwatch* 12(3): 11.
415. Gretton, A., Kohler, M., Lansdown, R.V., Pankhurst, T.J., Parr, J. and Robson, C. 1994. The status of Gurney's Pitta *Pitta gurneyi* 1987-1989. *Bird Conservation International* 3: 351-367.
416. Grice, D., Caughey, G. and Short, J. 1986. Density and distribution of the Australian Bustard *Ardeotis australis*. *Biological Conservation* 35: 259-267.
417. Grimes, L. 1987. *The birds of Ghana*. B.O.U. Check-list No. 9. British Ornithologists' Union, London.
418. Grimmett, R. 1986. News and views: White-winged Ducks in Thailand. *Bulletin of the Oriental Bird Club* 3: 7.
419. Guedes, N.M.R. 1991. Observações de ninhos de arara azul (*Anodorhynchus hyacinthinus*) no Pantanal. P.6 In: Resumos, I Congresso Brasileiro de Ornitologia. Belém: Museu Paraense Emílio Goeldi.

420. Guedes, N.M.R. and Harper, L.H. 1991. Nest site characteristics of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in the Nhecolândia region of the Brazilian Pantanal. Abstract 261 in the Program of the 109th Stated Meeting of the American Ornithologists' Union, 14-17 August 1991. Committee on Local Arrangements (etc.), Montreal. Unpublished.
421. Guerriat, H. and Itelet, M. 1982. [A survey on the status of the Black Kite *Milvus migrans* in Belgium.] *Aves* 19: 183-191.
422. Gutierrez, R.J. and Carey, A.B. (eds.). 1985. *Ecology and management of the Spotted Owl in the Pacific northwest*. United States Department of Agriculture (General Technical Report PNW-185), Oregon.
423. Haas, V., Haussler, U. and Stick, R. 1981. Turtle Dove *Streptopelia turtur* in Kenya. *Scopus* 5: 128.
424. Hadden, D. 1981. *Birds of the North Solomons*. Papua New Guinea: Wau Ecology Institute (Handbook No. 8).
425. Haftorn, S. 1971. *Norges fugler*. Universitetsforlaget. Oslo, Norway.
426. Hails, C.J. and Jarvis, F. 1987. *Birds of Singapore*. Times Editions, Singapore.
427. Hall, B.P. and Moreau, R.E. 1970. *An atlas of speciation in African passerine birds*. British Museum (Natural History), London.
428. Hallmann, B. 1994. The decline of the Imperial Eagle (*Aquila heliaca*) in Greece. In: Meyburg and Chancellor (eds) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls, Berlin, London & Paris.
429. Hämerli, J. 1991. Haltung und Zucht des Spix-Aras (*Cyanopsitta spixii*). *Gefiederte Freund* 38: 130-145.
430. Hancock, J. and Kushlan, J. 1984. *The herons handbook*. Croom Helm, London.
431. Hancock, J.A., Kushlan, J.A. and Kahl, M.P. 1992. *Storks, ibises and spoonbills of the world*. Academic Press, London.
432. Haney, J.C. 1987. First sight record of Orange-breasted Falcon for Belize. *Wilson Bulletin* 95: 314-315.
433. Hanmer, D.B. and Roseveare, M. 1989. The first record of the Shoebill (*Balaeniceps rex*) in Malawi. *Scopus* 12(3/4): 92-93.
434. Hannecart, F. 1988. Les oiseaux menacés de la Nouvelle-Caledonie et des îles proches. Pp. 143-165 In: Thibault, J.C. and Euyot, I. (eds.) *Livre rouge des oiseaux menacés des régions françaises outre-mer*. Conseil International pour la Protection des Oiseaux. Saint-Cloud, France.
435. Hannecart, F. and Letocart, Y. 1980-1983. *Oiseaux de Nouvelle Caledonie et des Loyautés*. 2 vols. Les Éditions Cardinalis, Nouméa, New Caledonia.
436. Hanson, D.A. 1982. Distribution of the Quetzal in Honduras. *Auk* 99: 385.
437. Harris, M. 1982. *A field guide to the birds of Galapagos*. Revised edition. Collins, London.
438. Harrison, P. 1985. *Seabirds: an identification guide*. Revised edition. Christopher Helm, Bromley, Kent.
439. Hart, J. 1991. Conservation of the Lear's Macaw: management of an endangered species. Pp. 48-51 In: Clinton-Etnear, J. (ed.) *Proceedings of the First Mesoamerican Workshop on the Conservation and Management of Macaws*. (Misc. Publ. 1). Center for the Study of Tropical Birds, Inc., Antonio, Texas.
440. Harvey, W.G. 1990. *Birds in Bangladesh*. University Press Ltd., Dhaka.
441. Hasegawa, H. 1982. The breeding status of the Short-tailed Albatross *Diomedea albatrus*, on Tonshima, 1979/80 - 1980/81. *Journal of the Yamashina Institute for Ornithology* 14: 16-24.
442. Hasegawa, H. 1984. Status and conservation of seabirds in Japan, with special attention to the Short-tailed Albatross. Pp. 487-500 In: Croxall, J.P., Evans, P.G.H. and Schreiber R.W. (eds.) *Status and conservation of the world's seabirds*. (Techn. Publ. 2). International Council for Bird Preservation, Cambridge, U.K.
443. Hasegawa, H. 1991. Red Data bird: Short-tailed Albatross. *World Birdwatch* 13(2): 10.
444. Havermeschmidt, F. 1968. *Birds of Surinam*. Edinburgh and London: Oliver and Boyd.
445. Havermeschmidt, F. 1972. *Accipiter poliocephalus* in Surinam. *Journal für Ornithologie* 113: 338-339.
446. Havermeschmidt, F. 1972. Bird records from Surinam. *Bulletin of the British Ornithologists' Club* 92: 49-53.
447. Havermeschmidt, F. 1975. More bird records from Surinam. *Bulletin of the British Ornithologists' Club* 95: 74-77.
448. Havermeschmidt, F. 1983. First record of the Little Egret (*Egretta garzetta*) in Surinam. *Wilson Bulletin* 95: 315.
449. Haydock, G.L. 1954. A survey of the birds of St Helena. *Ostrich* 25: 62-75.
450. Hayes, F.E., Goodman, S.M. and López, N.E. 1990. New or noteworthy bird records from the Matogrosense region of Paraguay. *Bulletin of the British Ornithologists' Club* 110: 94-103.
451. Hayes, F.N. and Dumbell, G.S. 1989. Progress in Brown Teal *Anas aucklandica chlorotis* conservation. *Wildfowl* 40: 137-140.
452. Hayman, P., Marchant, J. and Prater, T. 1986. *Shorebirds*. Croom Helm, London and Sydney.
453. Hays, C. 1984. The Humboldt Penguin in Peru. *Oryx* 18: 92-95.
454. Hays, C. 1986. Effects of the 1982-83 El Niño on Humboldt Penguin colonies in Peru. *Biological Conservation* 36: 169-180.
455. Hayward, G.D., Hayward, P.H. and Garton, E.O. 1993. Ecology of Boreal Owls in the Northern Rocky Mountains, USA. *Wildlife Monographs* 124: 1-59.
456. Hazevoet, C.J. 1995. *The Birds of the Cape Verde Islands*. British Ornithologists' Union, Tring, U.K.
457. Heather, B.D. 1991. Cattle Egret numbers in New Zealand 1986 - 1990. *Notornis* 35: 185-191.
458. Heim de Balsac, H. and Mayaud, N. 1962 *Les oiseaux du nord ouest de l'Afrique, distribution géographique, écologies, migrations, reproduction*. Encyclopédie ornithologique vol. 10. Paris, P. Lechevalier, 1962. France.
459. Helander, B. 1980. Fargringmarkning av havsorn - en lägesrapport. *Fauna och Flora* 4: 183-187.
460. Helander, B., Olsson, M. and Reutergårdh, L. 1982. Residue levels of organochlorine and mercury compounds in unhatched eggs and the relationships to breeding success in White-tailed Sea Eagles *Haliaeetus albicilla* in Sweden. *Holarctic Ecology* 5: 349-366.
461. Helbig, A.J. and Weils, D.R. 1990. Steppe Eagles in Peninsular Malaysia in 1987. *Dutch Birding* 12: 77-79.
462. Hellenic Ornithological Society 1987. [Decrease in the population of the Lesser Kestrel.] *Nature* 37: 35. (In Greek.)

463. Helversen, O. von, Hodge, M. and Martens, J. 1969. *Catalogus Faunae Graeciae*, Pt. 2, Aves.
464. Helvoort, B. van 1987. Status and conservation needs of the Bali Starling. *Bulletin of the Oriental Bird Club* 5: 9-12.
465. Henry, G.M. 1971. *A guide to the birds of Ceylon*. Second edition. Oxford University Press, London.
466. Heredia, B., Gonzalez, L.M., Gonzalez, J.L. and Alonso, J.C. 1985. La emancipacion y dispersion de los jovenes de Aguila Imperial en el Parque Nacional de Donaña. *Vida Silvestre* 53: 37-43.
467. Hermes, N. 1980. Endangered species. In: Haigh, C. (ed.) *Endangered animals of New South Wales*. National Parks and Wildlife Service, Sydney.
468. Hermes, N. 1985. *Birds of Norfolk Island*. Wonderland Publications, Norfolk Island.
469. Herremans, H., Stevens, J., Vangeliwe, D. and Soilih, A. 1990. Red Data bird: Grand Comoro Scops Owl. *World Birdwatch* 12(1-2): 13.
470. Hestbeck, J.B. 1993. Overwinter distribution of Northern Pintail population in North America. *Journal of Wildlife Management* 57(3): 582-589.
471. Hillgarth, N., Stewart-Cox, B. and Thouless, C. 1986. The decline of the Green Peafowl *Pavo muticus*. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association, Basildon, U.K.
472. Hilty, S. 1985. Distributional changes in the Colombian avifauna: a preliminary blue list. Pp. 1000-1012 in Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. AOU, Washington D.C.
473. Hilty, S. and Brown, W.L. 1986. *A guide to the birds of Colombia*. Princeton University Press, Princeton, New Jersey.
474. Hirschfeld, E. 1991. Rare birds in Bahrain 1989 and 1990. *Ornithological Society of the Middle East Bulletin* 26: 20-25.
475. Hodges, C.S.N. 1991. Survey of Nene (*Branta sandvicensis*) in Haleakala National Park 1988 through 1990. *Elepoio* 51(6): 38-39.
476. Holland, C.S. and Williams, J.M. 1978. Observations on the birds of Antigua. *American Birds* 32: 1095-1105.
477. Hollom, P.A.D., Porter, R.F., Christensen, S. and Willis, 1988. *Birds of the Middle East and North Africa*. T. and A.D. Poyser, Calton.
478. Holmes, D.A. 1977. Faunistic notes and further additions to the Sumatran avifauna. *Bulletin of the British Ornithologists' Club* 97: 68-71.
479. Holmes, D.A. 1990. Notes on the occurrence of the White-winged wood duck *Cairina scutulata* on the west coast of North Sumatra. *Kukila* 5(1):69-72.
480. Holmes, D.A. and Burton, K. 1987. Recent notes on the avifauna of Kalimantan. *Kukila* 3: 2-32.
481. Holyoak, D.T. and Seddon, M.B. 1990. Distributional notes on the birds of Benin. *Malimbus* 11: 128-134.
482. Holyoak, D.T. and Thibault, J-C. 1984. Contribution à l'étude des oiseaux de Polynésie orientale. *Mémoires du Muséum Nationale d'Histoire Naturelle* Ser. A., Zool. 127: 1-209.
483. Hoshide, H.M., Price, A.J. and Katahira, L. 1990. A progress report on Nene *Branta sandvicensis* in Hawaii's Volcanoes National Park from 1974-1989. *Wildfowl* 41: 152-155.
484. Hovel, H. 1987. *Check-list of the birds of Israel with Sinai: an annotated check-list*. SPNI.
485. Howell, S.N.G. 1992. The Short-crested Coquett: Mexico's least-known endemic. *Birding* 24: 87-91.
486. Howell, S.N.G. and Webb, S. 1992. New and noteworthy bird records from Guatemala and Honduras. *Bulletin of the British Ornithologists' Club* 112: 42-49.
487. Howell, S.N.G. and Webb, S. 1995b. Noteworthy bird observations from Chile. *Bulletin of the British Ornithologists' Club* 115: 57-66.
488. Howells, W.W. and Finn, K.J. 1979. The occurrence of Denham's Bustard at Wankie National Park and in north-west Rhodesia with notes on movements and behaviour. *Honeyguide* 97: 4-12.
489. Howes, J. 1988. Nordmann's Greenshank *Tringa guttifer*: status and threats. *Asian Wetland News* 1: 12.
490. Howes, J. and Lambert, F. 1987. Some notes on the status, field identification and foraging characteristics of Nordmann's Greenshank. *Wader Study Group Bulletin* 49: 14-17.
491. Hudec, K. 1972-1983. *Fauna CSSR*, Svazek 24 Ptaci - Aves. 3 vols. Academia Nakladatelstvi Ceskoslovenske Akademie Ved, Praha.
492. Hulsen, M. and Wassenich, V. 1960-1961. *Die Vogelfauna Luxemburgs*. Victor Buck, Luxembourg.
493. Humphrey, S.R. and Bain, J.R. 1990. *Endangered Animals of Thailand*. Sandhill Crane Press, Gainesville, Florida.
494. Hunt, G. 1994. Red Data Bird: Kagu. *World Birdwatch* 16(1): 20-21.
495. Hunter, L.A. 1988. Status of the endemic Atitlan Grebe of Guatemala: is it extinct? *Condor* 90: 906-912.
496. Hussain, S.A. 1984. Some aspects of the biology and ecology of Narcondam Hornbill (*Rhyticeros narcondami*). *Journal of the Bombay Natural History Society* 81: 1-18.
497. Hutchinson, C.D. 1989. *Birds in Ireland*. Poyser, Calton, U.K.
498. Iapichino, C. and Massa, B. 1989. *The birds of Sicily: an annotated checklist*. B.O.U. Check-list No. 11. British Ornithologists' Union, London.
499. Ingels, J., Parkes, K.C. and Farrand, J. 1981. The status of the macaw generally but incorrectly called *Ara caninde* (Wagler). *Gerfaut* 71: 283-294.
500. Inskip, C. 1989. *Nepal's forest birds: their status and conservation*. International Council for Bird Preservation (Monograph No. 4.), Cambridge, U.K.
501. Inskip, C. and Collar, N.J. 1984. The Bengal Florican: its conservation in Nepal. *Oryx* 18: 30-35.
502. Inskip, C. and Inskip, T. 1983. *Results of a preliminary survey of Bengal Floricans Houbaropsis bengalensis in Nepal and India, 1982*. (Study Report 2). International Council for Bird Preservation, Cambridge, U.K.
503. Inskip, C. and Inskip, T. 1985. A survey of Bengal Floricans in Nepal and India, 1982. *Bustard Studies* 3: 141-160.
504. Inskip, C. and Inskip, T. 1991. *A guide to the birds of Nepal*. 2nd ed. Christopher Helm.

505. Irwin, M.P.S. 1982. *The birds of Zimbabwe*. Salisbury Quest Publishing, Harare.
506. Islam, K. and Crawford, J.A. 1985. Brood habitat and roost sites of Western Tragopans in northeastern Pakistan. *World Pheasant Association Journal* 10: 7-14.
507. Islam, K. and Crawford, J.A. 1986. Summary of Western Tragopan Project in Pakistan with recommendations for conservation of the species. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association, Basildon, U.K.
508. Jackson, F.J. and Slater, W.L. 1938. *The birds of Kenya Colony and the Ugandan Protectorate*. Gurney and Jackson, London.
509. Jackson, H.D. 1973. The Cape Eagle Owl *Bubo capensis* in Moçambique. *Bulletin of the British Ornithologists' Club* 93: 10.
510. Jacobson, O.W. 1993. Use of feeding habitats by breeding Eurasian Wigeon. *Canadian Journal of Ecology* 71(5): 1046-1054.
511. Jairaj, A.P. and Sanjeev Kumar, V.K. 1990. Occurrence of the Spoonbill *Platalea leucorodia* in Kerala. *Journal of the Bombay Natural History Society* 87(2): 289-290.
512. Jaksic, F.M. and Jimenez, J.E. 1986. Conservation status of raptors in Chile. *Birds of Prey Bulletin* No 3.
513. Jaramillo, A. 1992. Eskimo Curlew: a glimmer of hope. *Birders Journal* 1: 202.
514. Jeggo, D.F. 1990. Preliminary international studbook: St Vincent Parrot *Amazona guildingii*. Unpublished.
515. Jeggo, D.F. 1991. Captive breeding and the conservation of the St Lucia Parrot *Amazona versicolor* and St Vincent Parrot *A. guildingii*. Pp. 18-28 In: Colley, R. (ed.) *Parrots in captivity*. Association of British Wild Animal Keepers, Bristol.
516. Jeggo, D.F. and Anthony, D. 1991. A report on the 1990 field survey of the St Lucia Parrot *Amazona versicolor*. *Dodo* 27: 102-107.
517. Jeggo, D.F., Anthony, D. and John, L. 1988. A report on the 1988 survey of the St. Lucia Parrot *Amazona versicolor*. *Dodo* 25: 24-30.
518. Jehl, J.R. and Parkes, K.C. 1982. The status of the avifauna of the Revillagigedo Islands, Mexico. *Wilson Bulletin* 94: 1-19.
519. Jenkins, J.M. 1983. *The native forest birds of Guam*. American Ornithologists' Union Ornithological Monograph 31. AOU, Washington D.C.
520. Jennings, M.C. 1981. *The birds of Saudi Arabia: a checklist*. Published by the author, Whittleford, Cambridge.
521. Jenny, J.P. and Burnham, W.A. 1987. Preliminary observations on the biology of the Orange-breasted Falcon (*Falco deiroleucus*). III Congress de Ornitologia Neotropical: Resumenes. Unpublished.
522. Jenny, J.P. and Cade, T.J. 1986. Observations on the biology of the Orange-breasted Falcon *Falco deiroleucus*. *Wilson Bulletin* 98: 119-124.
523. Jensen, A. 1991. Forest future in the balance. *World Birdwatch* 13(4): 10-11.
524. Jessop, A.E. and Reid, T. 1986. *Winter surveys of the Orange-bellied Parrot Neophema chrysogaster in Victoria, 1984 and 1985*. Royal Australasian Ornithologists' Union, Victoria.
525. Johnsgard, P.A. 1983. *Cranes of the world*. Croom Helm, London and Canberra.
526. Johnsgard, P.A. 1983. *The hummingbirds of North America*. Smithsonian Institution Press, Washington D.C.
527. Johnsgard, P.A. 1986. *Plovers, sandpipers and snipes of the world*. University of Nebraska Press, Lincoln and London.
528. Johnsgard, P.A. 1986. *The pheasants of the world*. Oxford University Press, Oxford.
529. Johnsgard, P.A. 1988. *The quails, partridges and francolins of the world*. Oxford University Press, Oxford.
530. Johnsgard, P.A. 1991. *Bustards, hemipodes and sandgrouse: birds of dry places*. Oxford University Press, Oxford.
531. Johnson, A.R. 1989. Population studies and conservation studies of Greater Flamingos in the Camargue. Pp. 49-63 in Spaans, A.L. *Wetlands en Watervoegels*. Pudoc, Wageningen, the Netherlands.
532. Johnson, A.W. 1967. *The birds of Chile*. Volume 2. Platt Establecimientos Graficos S.A., Buenos Aires.
533. Johnson, E.D.H. 1972. Observations on the birds of the Upper Blue Nile Basin. *Bulletin of the British Ornithologists' Club* 92: 42-49.
534. Johnson, G. and Smiddy, P. 1989. Black Stork in Co. Dublin - a species new to Ireland. *Irish Birds* 4: 69-70.
535. Johnson, T. 1987. Red Data bird: White-breasted White-eye. *World Birdwatch* 9(3): 5.
536. Johnson, T.B., Snyder, N.F.R. and Franks, M.A. 1991. Thick-billed Parrot Reintroduction Project Progress Report of December 23, 1991. Arizona Game and Fish Department. Unpublished.
537. Johnstone, G.W. and Kerr, K.R. 1976. Ornithological observations in the Australian sector of the Southern Ocean. Pp. 725-738 In: *Proceedings of the 16th Ornithological Congress*. Australian Academy of Science, Canberra.
538. Jones, C.G. 1987. The larger land-birds of Mauritius. Pp. 208-300 In: Diamond A.W. (ed.) *Studies of Mascarenne Island birds*. Cambridge University Press, Cambridge, U.K.
539. Jones, P.J. and Tye, A. 1988. *A survey of the avifauna of Sao Tome and Principe*. (Study Report 24). International Council for Bird Preservation, Cambridge, U.K.
540. Jordan, O.C. and Munn, C.A. 1993. First observation of the Blue-throated Macaw in Bolivia. *Wilson Bulletin* 105(4): 694-695.
541. Juhaeni, D. 1993. Little-known bird: Sumba Hornbill *Aceros everetti*. *Oriental Bird Club Bulletin* 18: 19-20.
542. Juniper, A.T. and Yamashita, C. 1991. The habitat and status of Spix's Macaw *Cyanopsitta spixii*. *Bird Conservation International* 1: 1-9.
543. Juniper, T. 1990. A very singular bird. *BBC Wildlife* 8: 674-675.
544. Juniper, T. 1990. Spix's Macaw - a lone survivor. *World Birdwatch* 12(3): 13.
545. Juniper, T. 1991. Last of a kind. *Birds International* 3: 10-16.
546. Juniper, T. and Yamashita, C. 1990. The conservation of Spix's Macaw. *Oryx* 24: 224-228.
547. Jurek, R.M. 1990. An historical review of California Condor recovery programmes. *Vulture News* 23: 3-7.
548. Karim, F. 1985. A note on the disappearance of the Bengal Florican from Bangladesh. *Bustard Studies* 3: 161-162.

549. Karl, B.J. and Best, H.A. 1982. Feral cats on Stewart Island; their foods, and their effects on Kakapo. *New Zealand Journal of Zoology* 9: 287-294.
550. Kasperek, M. 1989. Status and distribution of the Great Bustard and the Little Bustard in Turkey. *Bustard Studies* 4.
551. Kasperek, M. and van der Ven, J. 1983. *Birds of Turkey*. 1: Ercek Golu. Published by the authors, Heidelberg.
552. Kebede, E. and Hillman, J.C. 1989. First recorded breeding of Greater Flamingos *Phoenicopterus ruber roseus* in Ethiopia. *Flamingo Research Group Newsletter* 5: 7.
553. Keller, C. 1992. Em busca da aranha de Spix. *Atualidades Ornitológicas* 45: 5.
554. Kemp, A.C. 1980. *The birds of prey of southern Africa*. Winchester Press, Johannesburg.
555. Kemp, A.C. 1980. The importance of the Kruger National Park for bird conservation in the Republic of South Africa. *Koedoe* 23: 99-122.
556. Kemp, A.C. 1988. The systematics and zoogeography of Oriental and Australasian hornbills (Aves: Bucerotidae). *Bonner Zoologische Beiträge* 39: 315-345.
557. Kemp, A.C. 1989. Estimation of biological indices for little-known African owls. Pp. 441-449 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
558. Kemp, A.C. and Crowe, T.M. 1994. A morphometric Analysis of *Accipiter* species. In: Meyburg & Chancellor (eds) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls, Berlin, London & Paris.
559. Kennerley, P.R. 1987. A survey of the birds of the Poyang Lake Nature Reserve, Jiangxi Province, China, 29 December 1985 - 4 January 1986. *Hong Kong Bird Report* 1984/1985: 97-111.
560. Kennerley, P.R. and Bakewell, D.N. 1987. Nordmann's Greenshank in Hong Kong: a review of the identification and status. *Hong Kong Bird Report* 1986: 83-100.
561. Kerley, G.I.H. 1986. Jackass Penguins harmed in South Africa oil spills. *World Birdwatch* 8(2): 4.
562. Khan, M.A.R. 1986. The threatened White-winged Wood Duck *Cairina scutulata* in Bangladesh. *Forktail* 2: 97-101.
563. Kibler, L.F. 1950. Notes on the birds of Guam. *Auk* 67: 400-403.
564. Kiff, L. 1990. To the brink and back: the battle to save the California Condor. *Terra* 28(4): 6-18.
565. King, B. 1985. Wild sighting of Hume's Pheasant in Burma. *World Pheasant Association News* 8: 21.
566. King, B. 1987. Wild sighting of Cabot's Tragopan. *World Pheasant Association News* 18: 21-23.
567. King, B. 1990. *Hieraetus morphnoides* on Halmahera. *Kukila* 5: 77.
568. King, B.F., Dickinson, E.C. and Woodcock, M.W. 1975. *A field guide to the birds of South-East Asia*. Collins, London.
569. King, W.B. 1974. Conservation status of birds of central Pacific islands. *Elepoio* 34: 70-74.
570. King, W.B. 1981. *Endangered birds of the world: the ICBP Bird Red Data Book*. Smithsonian Institution Press and International Council for Bird Preservation, Washington D.C.
571. Kirkby, J.S. and Mitchell, C. 1993. Distribution and status of wintering Shovelers *Anas clypeata* in Great Britain. *Bird Study* 40: 170-180.
572. Kitson, A.R. 1980. *Larus relictus* - a review. *Bulletin of the British Ornithologists' Club* 100(3): 178-185.
573. Klapste, J. 1982. Bar Hawk on Celebes in December 1981. *Dutch Birding* 4: 29-30.
574. Knoder, C.E. 1983. Elliot's Pheasant conservation. *World Pheasant Association Journal* 8: 11-28.
575. Knystautas, A. 1993. *Birds of Russia*. Harper Collins Publishers, London.
576. Kohalmi, T. 1987. Data on the condition of the eastern subspecies of Great Bustard (*Otis tarda dybowskii* Tacz. 1874) In: Farago, S. (ed.) *The Great Bustard* (*Otis tarda* L.). Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation, Budapest.
577. Kolosov, A.M. (ed.). 1983. [Red data book of the RSFSR: animals.] Rossel 'khozizdat', Moscow. (In Russian.)
578. Konrad, P.M. 1981. Status and ecology of the Wattled Crane in Africa. Pp. 220-237 In: Lewis, J.C. and Masatomi, H. (eds.) *Crane research around the world*. Robinson Press, Fort Collins, Colorado.
579. Koschmann, J.R. and Price, P.L. 1987. The Thick-billed Parrot. *AFA Watchbird* 14(1): 48-53.
580. Koster, S.H. and Grettenberger J.F. 1983. A preliminary survey of the birds of Park W, Niger. *Malimbus* 5(2): 62-72.
581. Kreitchmar, A.V. 1994. [Eurasian wigeon *Anas penelope* in North East Asia.] *Zoologichesky Zhurnal* 73(5): 68-79. (In Russian.)
582. Krupa, R.E. 1989. Social and binational implications for endangered species management: the Philippine Eagle *Pithecopaga jefferyi*. Pp. 301-314 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
583. Kulkarni, B.S. 1981. Ecology and behaviour of Great Indian Bustard (Family Otididae). *Journal of the Bombay Natural History Society* 78: 375-377.
584. Kumerloev, H. 1962. Notes on the birds of the Lebanese Republic. *Iraq Natural History Museum Publications* 20 and 21.
585. Kumerloev, H. 1962. Zur Kenntnis der Avifauna Kleinasiens. *Bonner Zoologische Beiträge* 12: 1-318.
586. Kumerloev, H. 1967-1969. Recherches sur l'avifaune de la République arabe syrienne. *Alauda* 35: 243-266; 36: 1-26, 190-207; 37: 43-58, 114-134, 188-205.
587. Kumerloev, H. 1984. The Waldrapp, *Geronticus eremita* (Linnaeus, 1758): historical review, taxonomic history, and present status. *Biological Conservation* 30: 363-373.
588. Kuroda, N. 1933-1936. *Birds of the island of Java*. Published by the author, Tokyo.
589. Kyllingstad, H.C. 1986. A record of Bald Ibis from the Sinai Mountains. *Ornithological Society of the Middle East Bulletin* 17: 1-2.

590. La Cock, G.D. 1986. The Southern Oscillation, environmental anomalies, and mortality of two southern African seabirds. *Climatic Change* 8: 173-184.
591. La Cock, G.D., Duffy, D.C. and Cooper, J. 1987. Population dynamics of the African Penguin *Spheniscus demersus* at Marcus Island in the Benguela Upwelling ecosystem: 1979-85. *Biological Conservation* 40: 117-126.
592. LaBastille, A. 1990. And now they are gone. *International Wildlife* 20(4): 18-23.
593. LaBastille, A. 1992. The Giant Grebes of Atidan. A chronicle of extinction. *Living Bird Quarterly* 11(1): 10-15.
594. Labinger, Z., Gorney, E. and Parslow, R. 1991. First record of Shikra *Accipiter badius* in Israel. *Sandgrouse* 13: 46-49.
595. Lamani, F. and Puzanov, V. 1962-1963. [Checklist of the birds of Albania.] *Bull. U. Sh. Tirane Ser. Shk. Nat.* 16(3): 87-102; 16(4): 100-117; 17 (1): 96-99; 17(2): 122-125.
596. Lamarche, B. 1980-1981. Liste commentée des oiseaux du Mali. *Malimbus* 2: 121-158; 3(2): 73-102.
597. Lamarche, B. 1987. *Liste commentée des oiseaux de Mauritanie*. Privately published, Nouakchott.
598. Lamarche, B. 1988. *Liste commentée des oiseaux de Mauritanie. Supplément No. 1*. Privately published, Nouakchott.
599. Lambert, F. 1983. *Report of an expedition to survey the status of the St Vincent Parrot Amazona guildingii*. (Study Report 3). International Council for Bird Preservation, Cambridge, U.K.
600. Lambert, F. 1985. The St Vincent parrot, an endangered Caribbean bird. *Oryx* 19: 34-37.
601. Lambert, F.R. 1993. Trade, status and management of three parrots in the North Moluccas, Indonesia; White Cockatoo *Cacatua alba*, Chattering Lory *Lorius garrulus* and Violet-eared lory *Eos squamata*. *Bird Conservation International* 3:145-168.
602. Land, H.C. 1970. *Birds of Guatemala*. Livingston Publishing, Wynnewood, Pennsylvania.
603. Langrand, O. 1987. Distribution, status and conservation of the Madagascar Fish-eagle *Haliaeetus vociferoides* Desmurs, 1845. *Biological Conservation* 42: 73-77.
604. Langrand, O. 1990. *Guide to the Birds of Madagascar*. Yale University Press, New Haven and London.
605. Langrand, O. and Meyburg, B.-U. 1984. Birds of prey and owls in Madagascar: their distribution, status and conservation. In: Mendelsohn, J.M. and Sapsford, C.W. 1984. *Proceedings of the Second Symposium on African Predatory Birds*, 22-26 August 1983. Natal Bird Club, Durban, South Africa.
606. Langrand, O. and Meyburg, B.-U. 1984. Range, status and biology of the Madagascar Sea Eagle *Haliaeetus vociferoides*. Pp. 269-278 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
607. Lanning, D.V. 1982. Survey of the Red-fronted Macaw (*Ara rubrogenys*) and Caninde Macaw (*Ara caninde*) in Bolivia, December 1981 - March 1982. Unpublished.
608. Lanning, D.V. 1991. Distribution and breeding biology of the Red-fronted Macaw. *Wilson Bulletin* 103: 357-365.
609. Lanning, D.V. and Shiflett, J.T. 1981. Status and nesting ecology of the Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*). Pp. 393-401 In: Pasquier, R.F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation, Smithsonian Institution Press, Washington D.C.
610. Lanning, D.V. and Shiflett, J.T. 1983. Nesting ecology of Thick-billed Parrots. *Condor* 85: 66-73.
611. Lara, O.F. 1987. Notas reproductivas de *Jabiru mycteria*, una cigueña en peligro de extinción. *Flora, Fauna y Áreas Silvestres* 4(2): 35.
612. Lassey, P.A. 1994. First record of Lesser Flamingo *Phoenicopterus minor* in Egypt. *Sandgrouse* 16: 52-53.
613. Laubmann, A. 1939-1940. *Die Vögel von Paraguay*. Wissenschaftliche Ergebnisse der Deutschen Gran-Chaco Expedition. 2 vols. Strecker and Schroder, Stuttgart.
614. Lawson, P.W. and Lanning, D.V. 1981. Nesting and status of the Maroon-fronted Parrot (*Rhynchopsitta terrisi*) Pp.385-392 In: Pasquier, R.F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation, Smithsonian Institution Press, Washington D.C.
615. Ledant, J.-P., Jacob, J.-P., Jacobs, P., Malher, F., Ochando, B. and Roché, J. 1981. Mise à jour de l'avifaune algérienne. *Gerfaut* 71: 295-398.
616. Ledger, J. 1985. Egyptian extinction. *Quagga* 12: 10-12.
617. Lelliott, A.D. 1981. Cheer Pheasants in west-central Nepal. *World Pheasant Association Journal* 6:89-95.
618. Lesniczak, A.B. 1989. The Black Stork, *Ciconia nigra*, in the environs of Rybník on the Silesian Upland. *Chronica PRzyr. Ojcowska* 45:68-70.
619. Lever, C. 1987. *Naturalized birds of the world*. Longman Scientific and Technical, Harlow, U.K.
620. Lewis, J.C. and Renton, K. 1989. The status and ecology of the West-Indian Whistling Duck (*Dendrocygna arborea*) on Barbuda. *Neotropical Wetlands Newsletter* 4:10-13.
621. Lewis, R.E. 1986. A rain-forest raptor in danger. *Oryx* 20: 170-175.
622. Liefde, M. van. 1992. Status of the West Indian Whistling Duck in the Cayman Islands. *IWRB Threatened Waterfowl Research Group Newsletter* 2: 11-12.
623. Lindsey, G.D. and Arendt, W.J. 1991. Radio-tracking Puerto Rican Parrots: assessing triangulation accuracy in an insular rain forest. *Caribbean Journal of Science* 27: 46-53.
624. Lindsey, G.D., Arendt, W.J., Kalina, J. and Pendleton, G.W. 1991. Home range and movements of juvenile Puerto Rican Parrots. *Journal of Wildlife Management* 55: 318-322.
625. Lippens, L. and Wille, H. 1976. *Les oiseaux du Zaïre*. Lannoo, Tielt, Belgium.
626. Lisle, M. de. 1956. Sur une observation de *Balaeniceps rex* au Cameroun. *L'Oiseau* 26: 1-3.
627. Lloyd, B.D. and Powlesland, R.G. 1994. The decline of the Kakapo *Strigops habroptilus* and attempts at conservation by translocation. *Biological Conservation* 69(1): 75-85.
628. Lobkov, E.G. and Neufeldt, I.A. 1986. Distribution and biology of the Steller's Sea Eagle - *Haliaeetus pelagicus pelagicus* (Pallas). *Proceedings of the Zoological Institute of the Academy of Sciences, USSR* 150: 107-146.

629. Londei, T. 1995. Field observations on the Azores Buzzard *Buteo buteo rothschildi*. *Bulletin of the British Ornithologists' Club* 115: 48-53.
630. Long, J.L. 1981. *Introduced birds of the world*. David and Charles, Newton Abbot.
631. Louette, M. 1981. The birds of Cameroon: an annotated checklist. *Verhandelingen Koninklijke Academie Brussels (kl. Wet.)* 43(163): 1-295.
632. Louette, M. 1992. The identification of forest Accipiters in Central Africa. *Bulletin of the British Ornithologists' Club* 112(1): 50-53.
633. Louette, M., Stevens, J., Bijnens, L. and Janssens, L. 1986. Comoro Islands endemic bird survey. International Council for Bird Preservation, final report (30 April 1986).
634. Love, J.A. 1983. *The return of the Sea Eagle*. Cambridge University Press, Cambridge, U.K.
635. Lovenskold, H.L. 1964. Avifauna Svalbardiensis. *Norsk Polarinstitutt Shrifter* 129:1-460.
636. Lowe, D.W., Mathews, J.R. and Moseley, C.J., (eds.). 1990. Puerto Rican Parrot, *Amazona vittata*. Pp. 565-567 In: *The official World Wildlife Fund guide to endangered species of North America*.
637. Lowe, D.W., Mathews, J.R. and Moseley, C.J., (eds.). 1990. Thick-billed Parrot, *Rhynchositta pachyrhyncha*. Pp. 692-693 In: *The official World Wildlife Fund guide to endangered species of North America*.
638. Loyn, R.H., Lane, B.A., Chandler, C. and Carr, G.W. 1986. Ecology of Orange-bellied Parrots *Neophema chrysogaster* at their main remnant wintering site. *Emu* 86: 195-206.
639. Lu Tai-chun, He Fen-qi and Liu Ru-sun 1986. The Chinese Monal *Lophophorus lhuysii*: studies of its ecology and biology. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Phasant Association, Basildon, U.K.
640. Lucca, E.R. de. 1992. El Aguila Coronada *Harpyhaliaetus coronatus* en San Juan. *Nuestras Aves* 26: 25.
641. Ludlow, F. 1937. The birds of Bhutan and adjacent territories of Sikkim and Tibet. *Ibis* (14): 1-46, 249-293, 467-505.
642. Ludlow, F. and Kinnear, N. 1944. The birds of South-eastern Tibet. *Ibis* 86: 43-86, 176-208, 348-389.
643. Luthin, C., Frederick, P. and Morales, G. 1988. *The Scarlet Ibis (Eudocimus ruber): status, conservation and recent research*.
644. Luthin, C.S. 1987. Rare visit of Oriental Crested Ibis. *Flying Free* 5(2): 4-5.
645. Luthin, C.S. 1987. Status and conservation priorities for the world's stork species. *Colonial Waterbirds* 10: 181-202.
646. Luthin, C.S., Frederick, P.C. and Morales, G. 1990. *The Scarlet Ibis Eudocimus ruber Action Plan*. IWRB, Slimbridge, U.K.
647. Macdonald, A.A. 1995. Distribution of Blue Crowned pigeon *Goura cristata* on north Seram. *Bulletin of the British Ornithologists' Club* 115: 33-35.
648. Machado, R.B. and Brandt, A. 1990. Projeto ararinha azul: relatório final. Belo Horizonte: Fundação Biodiversitas, unpublished.
649. MacKinnon, J. and Phillipps, K. 1993. *The Birds of Borneo, Sumatra, Java and Bali*. Oxford University Press, Oxford.
650. Mackworth-Praed, C.W. and Grant, C.H.B. 1957. *Birds of eastern and north-eastern Africa*. Volume 1. Longmans, London.
651. Mackworth-Praed, C.W. and Grant, C.H.B. 1962. *Birds of the southern third of Africa*. Volume 1. Longmans, London.
652. Maclean, G.I. 1993. *Roberts' Birds of Southern Africa*. Sixth edition. Trustees of the John Voelcker Bird Book Fund, Cape Town.
653. MacLeod, H. and Parrott, J. 1991. Red Data bird: Bannerman's Turaco. *World Birdwatch* 13(4): 12.
654. Madge, S. and Burn, H. 1988. *Wildfowl*. Christopher Helm, London.
655. Madsea, S.T. 1990. Black Storks in Nepal and India. *Bulletin of the Oriental Bird Club* 11: 34-35.
656. Magnin, G. 1991. A record of Brown Fish Owl *Ketupa zeylonensis* from Turkey. *Sandgrouse* 13: 42-44.
657. Magrath, R.D., Ridley, M.W. and Woinarski, J.Z. 1985. Status and habitat requirements of Lesser Floricans in Kathiawar, western India. *Bustard Studies* 3: 185-193.
658. Makatsch, W. 1981. *Verzeichnis der Vogel der Deutschen Demokratischen Republik*. Neumann Verlag, Leipzig-Radebeul.
659. Malbrant, R. 1952. *Faune du centre africain français*. 2nd edition. Lechevalier, Paris.
660. Malbrant, R. and Maclatchy, A. 1949. *Faune de l'équateur africain français*. 1. Oiseaux. Lechevalier, Paris.
661. Mann, C.F. 1986. Christmas Island Frigatebirds *Fregata andrewsi* on the Kenya coast. *Bulletin of the British Ornithologists' Club* 106: 89-90.
662. Mann, C.F. 1987. A checklist of the birds of Brunei Darussalam. *Brunei Museum Journal* 6: 170-212.
663. Mann, C.F. 1988. Bird report for Brunei Darussalam, July 1986 to June 1988. *Brunei Museum Journal* 6: 88-111.
664. Manry, D.E. 1985. Distribution, abundance and conservation of the Bald Ibis *Geronticus calvus* in southern Africa. *Biological Conservation* 33: 351-362.
665. Manry, D.E. 1985. Reproductive performance of the Bald Ibis *Geronticus calvus* in relation to rainfall and grass-burning. *Ibis* 127: 159-173.
666. Mansoori, J. 1985. The status of the Houbara Bustard in Iran. *Bustard Studies* 3: 97-100.
667. Marchant, S. and Higgins, P.J. (eds) 1990. *Handbook of Australian, New Zealand and Antarctic Birds*. Vol 1. Ratites and ducks. RAOU/Oxford University Press, Melbourne.
668. Marcondes-Machado, L.O. and Montiero Filho, E.L.A. 1990. The Scarlet Ibis *Eudocimus ruber* in southeastern Brazil. *Bulletin of the British Ornithologists' Club* 110(3): 123-126.
669. Marcus, M.J. 1983. Additions to the avifauna of Honduras. *Auk* 100: 621-629.
670. Marion, L. and Marion, P. 1982. [The Spoonbill *Platalea leucorodia* nests at the Lac de Grand-Lieu, France.] *Alauda* 50: 241-249.
671. Marie, J.G. van and Voois, K.H. 1988. *The birds of Sumatra*. British Ornithologists' Union Check-list 10. BOU, London.
672. Marquiss, M. and Newton, I. 1982. The Goshawk in Britain. *British Birds* 75: 243-260.

673. Marti, R. 1993. Red Data Bird: White-headed Duck. *World Birdwatch* 15(3): 18-19.
674. Martin, R. 1981. An extension of range of the Mountain Buzzard. *Bokmakierie* 33: 93.
675. Marnuscelli, P. 1991. Predação de *Megalobulimus paronaguensis* Pelsbry & Ihering, 1900 (Megalobulimidae, Mollusca) por *Leucosternis lacrimalis*. P.29 In: Resumos, 1 Congresso Brasileiro de Ornitológia. Belém: Museu Paraense Emílio Goeldi.
676. Mason, V. 1989. *The birds of Bali*. Peripus Editions, Berkeley, California and Singapore.
677. Massey-Stewart, J. 1987. The 'Lily of birds': the success story of the Siberian White Crane. *Oryx* 21: 6-10.
678. Masterson, A. 1986. Wanted Cranes - hot seating? *Honeyguide* 32: 154-155.
679. Matthews, G.V.T. and Evans, M.E. 1974. On the behaviour of the White-headed Duck with special reference to breeding. *Wildfowl* 25: 56-66.
680. Matthews, L.H. 1929. *The birds of South Georgia*.
681. Matthews, N.J.C. and Scott, L.B. 1980. A new distribution record for the Cape Eagle Owl. *Bokmakierie* 32: 99-100.
682. Matvejev, S.D. and Vasic, V.F. 1973. *Catalogus Faunae Jugoslaviae*, IV/3, Aves. Yugoslavia.
683. Mauersberger, G. 1981. Anmerkungen zur Avifauna Nordkoreas. *Mitt. Zool. Mus. Berlin*, Suppl Ann. Orn. 5: 15-62.
684. Mauersberger, G., Wagner, S., Wallschlager, D. and Warthold, R. 1982. Neue Daten zur Avifauna mongolica. *Mitteilungen aus dem Zoologischen Museum in Berlin* 58: 11-74.
685. Mayaud, N. 1953. Liste des oiseaux de France. *Alauda* 21: 1-63.
686. Mayaud, N. 1982-84. Les oiseaux du nord-ouest de l'Afrique. Notes complémentaires. *Alauda* 50: 45-67, 116-145, 286-309, 51: 271-301, 52: 266-284.
687. Mayol, J. 1978. *Els auells de les Balears*. Manuals d'introducció a les Naturalesa, 2. Edit. Moll, Mallorca. 150pp.
688. Mayol, J. 1981. [Evaluation of the Majorcan colonies of Eleonora's Falcon, *Falco eleonorae*, during summer 1981.] *Bol. Est. Cent. Ecol.* 20: 21-25. (In Spanish.)
689. Mayr, E. 1945. *Birds of the Southwest Pacific*. Macmillan, New York.
690. Mayr, E. and Cottrell, G.W. (eds.). 1978. *Check-list of the birds of the world*. Volume 1, 2nd edition. Museum of Comparative Zoology, Cambridge, Massachusetts.
691. McKean, J.L. 1987. A first record of Christmas Island Frigatebird *Fregata andrewsi* on Timor. *Kukila* 3(1-2): 47.
692. McNee, S. 1986. *Surveys of the Western Whimbrel and Western Bristlebird in western Australia, 1985*. Royal Australasian Ornithologists' Union, Victoria.
693. McNutt, J.W. 1984. A peregrine falcon polymorph. Observations on the reproductive behaviour of *Falco kreyenborgi*. *Condor* 86: 378-382.
694. Medway, Lord and Wells, D.R. 1976. *The birds of the Malay Peninsula*. Volume 5: conclusions and survey of every species. H.F. and G. Witherby and Penerbit Universiti Malaya, London and Kuala Lumpur.
695. Mees, G.F. 1971. Systematic and faunistic remarks on birds from Borneo and Java, with new records. *Zoologische Mededelingen* 45: 225-244.
696. Mees, G.F. 1977. Additional records of birds from Formosa (Taiwan). *Zoologische Mededelingen* 51: 243-264.
697. Mees, G.F. 1977. Zur Verbreitung von *Phaethornis malaris* (Nordmann) (Aves, Trochilidae). *Zoologische Mededelingen* 52: 209-211.
698. Mees, G.F. 1980. The sparrow-hawks (*Accipiter*) of the Andaman Islands. *Journal of the Bombay Natural History Society* 77: 371-412.
699. Mees, G.F. 1985. Nomenclature and systematics of birds from Suriname. *Proceedings. Koninklijke Nederlandse Akademie van Wetenschappen Series C*, 88(1): 75-91.
700. Ménégaux, M.A. 1904. Catalogue des oiseaux rapportés par M. Geay de la Guyane française et du Conteste France-Bresilien. *Bulletin du Muséum National d'Histoire Naturelle* 10: 107-119, 174-186.
701. Ménégaux, M.A. 1907. Oiseaux de la Guyane française donnés au Muséum par M. Rey, gouverneur des Colonies. *Bulletin du Muséum National d'Histoire Naturelle* 13: 493-499.
702. Menhorst, P.W. and Isles, A.C. 1981. The Night Parrot *Geopsittacus occidentalis*: evidence of its occurrence in north-western Victoria during the 1950s. *Emu* 81: 239-240.
703. Mercado, N.K. 1985. *Aves de Bolivia*. Editorial Gisbert, La Paz.
704. Meretsky, V.J. and Snyder, N.F.R. 1992. Range use and movements of California Condors. *Condor* 94: 313-335.
705. Merton, D.V., Morris, R.B. and Atkinson, I.A.E. 1984. Lek behaviour in a parrot: the Kakapo *Siriroptilus habroptilus* of New Zealand. *Ibis* 126: 277-283.
706. Merwe, F. van der. 1981. Review of the status and biology of the Black Harrier. *Ostrich* 52: 193-207.
707. Meyburg, B.-U. 1982. Seitene und vom Aussterben bedrohte Greifvogel (III): der Spanische Kaiseradler *Aquila (heliaca) adalberti*. *Der Falkner* 31/32: 21-30.
708. Meyburg, B.-U. 1987. Clutch size, nestling aggression and breeding success of the Spanish Imperial Eagle. *British Birds* 80: 308-320.
709. Meyburg, B.-U. 1989. The Spanish Imperial Eagle *Aquila (heliaca) adalberti*: its biology, status and conservation. Pp. 255-268 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
710. Meyburg, B.-U. and Meyburg, C. 1983. Distribution and present status of the Black Vulture *Aegypius monachus*. *Bulletin of the World Working Group on Birds of Prey* 1: 172.
711. Meyburg, B.-U., Balen, S. van, Thiollay, J.-M. and Chancellor, R.D. 1989. Observations on the endangered Java Hawk Eagle *Spizaetus bartelsi*. Pp. 279-285 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
712. Meyburg, B.U. and Chancellor, R.D. (eds.) 1994. *Eagle Studies*. World Working Group on Birds of Prey and Owls, Berlin, London & Paris.

713. Meyer de Schauensee, R. 1982. *A guide to the birds of South America*. Academy of Natural Sciences, Philadelphia.
714. Meyer de Schauensee, R. 1984. *The birds of China*. Oxford University Press, Oxford.
715. Meyer de Schauensee, R. and Phelps, W.H. 1978. *A guide to the birds of Venezuela*. Princeton University Press, Princeton, New Jersey.
716. Meyers, J.M. and Barrow, W.C. 1992. Habitat of breeding and nonbreeding pairs of Puerto Rican Parrots (*Amazona vittata*) after Hurricane Hugo. Program abstract, Society of Conservation Biology, June 27-July 1 1992. Virginia Polytech Institute and State University, Blacksburg, VA.
717. Mian, A. 1986. Ecological impact of Arab falconry on Houbara Bustard in Baluchistan. *Environmental Conservation*. 13: 41-46.
718. Mills, J.A. and Williams, G.R. 1978. The status of endangered New Zealand birds. Pp. 147-168 In: Tyler, M.J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia, Adelaide.
719. Mitchell, P. 1988. Unusual sighting reports. *Bird Observer*. 67(8): 87-88.
720. Mlingwa, C. 1989. Notes on Marabou Storks *Leptoptilos crumeniferus* at Shinyanga, Tanzania. *East African Natural History Society Bulletin* 19:34.
721. Monroe, B.L. Jr. 1968. A distributional survey of the birds of Honduras. *Ornithological Monographs* 7: 1-457.
722. Moreau, G. 1990. [A new breeding species for France: the Common Crane.] *Alauda* 58: 244. (In French.)
723. Morel, G.J. and Morel, M.-Y. 1988. Liste des oiseaux de Guinée. *Malimbus* 10(2): 143-176.
724. Morel, G.J. and Morel, M.-Y. 1988. Nouvelles données sur l'hivernage de la tourterelle des bois, *Streptopelia turtur* en Afrique de l'ouest: nord de la Guinée. *Alauda* 56(2): 85-91.
725. Morel, G.J. and Morel, M.-Y. 1990. *Les oiseaux de Senegambie, nômes et cartes de distribution*. Editions de l'Orstom, Paris.
726. Morel, M.-Y. 1987. La tourterelle des bois *Streptopelia turtur* dans l'ouest africain: mouvements migratoires et régime alimentaire. *Malimbus* 9(1): 23-42.
727. Morel, R. 1989. A note on the status of bustards in Mauritania, Mali and Senegal. *Bustard Studies* 4.
728. Moreno, J.M. 1988. *Guia de las aves de las Islas Canarias*. Editorial Interinsular Canaria, Santa Cruz de Tenerife. Canaries Inst.
729. Morgan-Davis, A.M. 1965. On the Kori Bustard *Ardeotis kori* (Burchell) in north-western Tanzania. *Bulletin of the British Ornithologists' Club* 85: 145-147.
730. Mosimann, P. and Juillard, M. 1988. [Breeding status and winter distribution of the Red Kite *Milvus milvus* in Switzerland.] *Orn. Beob.* 85: 199-206. (In French.)
731. Motley, J. 1863. Observations on the birds of south-eastern Borneo. *Proceedings of the Zoological Society of London* 1863: 206-224.
732. Müller-Bierl, M. and Cordier, C. 1991. Auf den Spuren des Rotohraras *Ara rubrogenys*. *Gefiederte Welt* 115: 413-416.
733. Munn, C.A., Silva, C.P. da, Renton, K. and Valqui, M. 1991. Eine kurze Studie über nistende Hyazintharas im Pantanal. *Papageien* 5/91: 145-148; 6/91: 178-181.
734. Munn, C.A., Thomsen, J.B. and Yamashita, C. 1987. Survey and status of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in Brazil, Bolivia, and Paraguay. Unpublished.
735. Muntaner, J., Ferrer, X. and Martínez-Vilalta, A. 1983. *Atlas dels ocells nidificants de Catalunya y Andorra*. Ketrés Editora, Barcelona.
736. Nagy, K.A., Siegfried, W.R. and Wilson, R.P. 1984. Energy utilization by free-ranging Jackass Penguins, *Spheniscus demersus*. *Ecology* 65: 1648-1655.
737. Naoroji, R.K. 1991. Shikra *Accipiter badius* taking carrion. *Journal of the Bombay Natural History Society* 88: 447-448.
738. Narang, M.L. 1989. Occurrence of the Western Horned Pheasant *Tragopan melanocephalus* east of R. Sutlej in Himachal Pradesh. *Ann. Biol. (Ludhiana)* 5: 153-154.
739. Nash, S.V. and Nash, A.D. 1986. Records of the White-winged Duck *Cairina scutulata* in Sumatran peatswamp forest. *Oriental Bird Club Bulletin* 3: 17.
740. Navarro, A.G. Torres, M.G. and Escalante, B.P. 1991. *Catálogo de aves, Museo de Zoología, Facultad de Ciencias, Universidad Nacional Autónoma de México*. México [City]: Museo de Zoología "Alfonso L. Herrera". Facultad de Ciencias, UNAM.
741. Negret, A.J. 1991. Reportes recientes en el Parque Nacional Munchique de aves consideradas raras o amenazadas de extinción. *Noved. Colombianas* (nueva época) 3: 39-45.
742. Negret, A.J. and Acevedo, C.I. 1990. Reportes recientes de *Leptosittaca branickii*, ave colombiana amenazada de extinción. *Noved. Colombianas* (nueva época) 2: 70-71.
743. Nelson, J.B. 1974. The distribution of Abbott's Booby *Sula abbotti*. *Ibis* 116: 368-369.
744. Nelson, J.B. and Powell, D. 1986. The breeding ecology of Abbott's Booby *Sula abbotti*. *Emu* 86(1): 33-46.
745. Neumann, J. and Kolbe, U. 1990. [The birds of East Germany - an annotated species list.] *Falke* 37(7): 229-232.
746. Newby, J., Grenzenberger, J. and Watkins, J. 1987. The birds of northern Air, Niger. *Malimbus* 9(1): 4-16.
747. Newman, K. 1989. *Birds of Botswana*. Southern Book Publishers (Pty).
748. Newman, K., Johnston-Stewart, N. and Medland, B. 1992. *The birds of Malawi*. A supplement to Newman's Birds of Southern Africa. Southern Book Publishers (Pty), Cape Town.
749. Niethammer, G., Kramer, H. and Wolters, H.E. 1964. *Die Vögel Deutschlands*, Artenliste. Frankfurt A.M.
750. Nightingale, T. and Hill, M. 1992. *The birds of Bahrain*. Immel.
751. Nikolaus, G. 1987. Distributional atlas of Sudan's birds, with notes on habitat under Zoologische Monographien 25.
752. Norton, R.L. and Clarke, N.V. 1989. Additions to the birds of the Turks and Caicos Islands. *Florida Field Naturalist* 17: 32-39.
753. Norton, R.L. and Hobbs, A. 1987. First record of Purple-throated Carib for the Greater Antilles and notes on vagrants in the Virgin Islands. *Caribbean Journal of Science* 23: 462-463.

754. O'Neill, J.P., Solar R.G. del, Ortiz, T.E., Eley, J.W. and Williams, M.D. 1981. The White-winged Guan *Penelope albipennis*; its rediscovery, status, nesting, systematics, and recommendations for its continued survival. In: Primer Simposio Internacional de la Familia Cracidae: Memorias. Universidad Nacional Autonoma de Mexico [Mexico City].
755. Ogilvie, M. and Ogilvie, C. 1986. *Flamingos*. Alan Sutton, Gloucester, U.K.
756. Ogle, D. 1986. The status and seasonality of birds in Nakhon Sawan Province, Thailand. *Natural History Bulletin of the Siam Society* 34(2): 115-143.
757. Olrog, C.C. 1984. *Las aves Argentinas*. Administracion de Parques Nacionales.
758. Olrog, C.C. 1985. Status of wet forest raptors in northern Argentina. Pp. 191-197 In: Newton, I. and Chancellor, R.D. (eds.) *Conservation studies on raptors*. (Techn. Publ. 5). International Council for Bird Preservation, Cambridge, U.K.
759. Olsen, P.D. and Olsen, J. 1986. Distribution, status, movements and breeding of the Grey Falcon *Falco hypoleucus*. *Emu* 86: 47-51.
760. Olsen, P.D. and Stokes, T. 1989. State of knowledge of the Christmas Island Hawk-Owl *Ninox scutulata natalis*. Pp. 411-414 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
761. Olsen, P.D., Mooney, N.J. and Olsen, J. 1989. Status and conservation of the Norfolk Island Boobook *Ninox novaeseelandiae undulata*. Pp. 415-422 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
762. Olson, P.D., Crome, F. and Olson, J. 1993. *Birds of Prey and Ground Birds of Australia*. Australian Museum and Angus & Robertson, Sydney.
763. Oren, D.C. and Novaes, F.C. 1986. Observations on the Golden Parakeet *Aratinga guarouba* in northern Brazil. *Biological Conservation* 36: 329-337.
764. Ortiz Tejada, E. and Purisaca Pucon, J. 1981. Estudio preliminar sobre la Pava aliblanca (*Penelope albipennis*) Taczanowski 1877. Pp. 192-202 in *Primer Simposio Internacional de la Familia Cracidae: Memorias*. [Mexico City] Universidad Nacional Autonoma de Mexico.
765. Ortiz-Crespo, F., Greenfield, P.J. and Matheus, J.C. 1990. *Birds of Ecuador, locational checklist with English and Spanish common names*. Ecuador Ornith. Corp.
766. Ortiz-Crespo, F.I. 1984. First twentieth-century specimen of the Violet-throated Metaltail *Metallura baroni*. *Bulletin of the British Ornithologists' Club* 104: 95-97.
767. Osborne, P.E. 1986. *Survey of the birds of Fuerteventura, Canary Islands, with special reference to the status of the Canarian Houbara Bustard Chlamydota undulata*. (Study Report 10). International Council for Bird Preservation, Cambridge, U.K.
768. Osborne, P.E. and Tigar, B.J. 1990. Distribution and status of rare birds in Lesotho. *British Ecological Society Bulletin* 21: 121-128.
769. Osborne, P.E. and Tigar, B.J. 1992. Priorities for bird conservation in Lesotho, southern Africa. *Biological Conservation* 61: 159-169.
770. Ostapenko, W.A. and Zewenmjadag, N. 1983. Über Verbreitung, Anzahl und Biologie der Kraniche im Osteil der Mongolischen Volksrepublik. *Beiträge Vogelkunde* 29: 274-278.
771. Otero, C. 1987. The Great Bustard (*Otis tarda*) in Spain. Pp. 43-50 In: Farago, S. (ed.) *The Great Bustard (*Otis tarda* L.)*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation, Budapest.
772. Ottenwalder, J.A. 1988. Flamingos in Haiti. *World Birdwatch* 10(3/4): 8.
773. Ottenwalder, J.A., Woods, C.A., Rathburn, G.B. and Thorbjarnesoo, J.B. 1990. Status of the Greater Flamingo in Haiti. *Colonial Waterbirds* 13(2): 115-123.
774. Owre, O.T. 1966. The Crowned Crane at Lake Rudolf. *Bulletin of the British Ornithologists' Club* 86(3): 54-56.
775. Padron, F.P. 1983. *Las aves de Canarias*.
776. Palma, L. 1985. The present situation of birds of prey in Portugal. Pp. 3-14 In: Newton, I. and Chancellor, R.D. (eds.) *Conservation studies on raptors*.
777. Parker, S.A. and Reid, N. 1978. Remarks on the status of some Australian passerines. Pp. 109-115 In: Tyler, M.J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia, Adelaide.
778. Parker, T.A. 1982. First record of the Chilean Woodstar *Eulidia yarrellii* in Peru. *Bulletin of the British Ornithologists' Club* 102: 86.
779. Parker, T.A. and Parker, S.A. 1982. Behavioural and distributional notes on some unusual birds of a lower montane cloud forest in Peru. *Bulletin of the British Ornithologists' Club* 102: 63-70.
780. Parker, T.A. and Remsen, J.V. Jr. 1987. Fifty-two Amazonian bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 107(3): 94-107.
781. Parker, T.A., Parker, S.A. and Plenge, M.A. 1982. *An annotated checklist of Peruvian birds*. Buteo Books, Vermillion, South Dakota.
782. Parker, T.A., Schubenberg, T.S., Graves, G.R. and Braun, M.J. 1985. The avifauna of the Huancabamba region, northern Peru. Pp. 169-197 In: Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. AOU, Washington D.C.
783. Parker, V. 1988. Birds of Swaziland. *Bokmakierie* 40: 77-79.
784. Parker, V. 1992. *Swaziland bird checklist*. The Conservation Trust of Swaziland, Swaziland.
785. Parkes, K.C. and Dickinson, E.C. 1991. Types, type localities, and variation in some races of the Colasisi or Philippine Hanging Parrot *Loriculus philippensis*. *Bulletin of the British Ornithologists' Club* 111: 104-110.
786. Parr, J.W.K., Pongpan Lalothong and Gorrek Ruangsree 1994. The status of the White-winged Wood Duck *Cairina scutulata* in Thailand. *TigerPaper* 21(1): 1-7.
787. Pasquier, R.F. ed. 1981. *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation. Smithsonian Institution Press and International Council for Bird Preservation, Washington D.C. and Cambridge, U.K.
788. Pateff, P. 1950. [The birds of Bulgaria.] Sofia. (In Bulgarian.)

789. Paizwahl, S. 1991. Vogelpark Walsrode places Spix's Macaw in breeding program. *AFA Watchbird* 18(3): 4, 7.
790. Payne, R.B. 1982. Species limits in the indigobirds (Ploceidae, *Vidua*) of West Africa: mouth mimicry, song mimicry and description of new species. *Miscellaneous Publications of the Museum of Zoology, University of Michigan* 162: 96pp.
791. Payne, R.B. 1985. The species of parasitic finches in West Africa. *Malimbus* 7(2): 103-113.
792. Pegeraro, K. and Malin, G. 1990. Freilandbeobachtungen am Waldrapp (*Geronicus eremita*) in Marokko: Verhalten immaturer Individuen. *Journal für Ornithologie* 131: 453-456.
793. Penny, M. 1974. *The birds of Seychelles and the outlying islands*. Collins, London.
794. Penry, E.H. 1979. Sight records of the Sooty Falcon *Falco concolor* in Zambia. *Bulletin of the British Ornithologists' Club* 99: 63-65.
795. Peña, M.R. de la. 1992. *Guía de Aves Argentinas*. Second edition. Vol. 2. Falconiformes-Charadriiformes. Literature of Latin America (L.O.L.A.), Buenos Aires.
796. Perennou, C. 1991. *African waterfowl census 1991*. IWRB.
797. Perennou, C. and Mundkur, T. 1991. *Asian Waterfowl Census 1991*. IWRB, Slimbridge, UK.
798. Peters, J.L. 1929. Birds of the island of Anguilla, W. Indies. *Auk* 44: 532-538.
799. Petretti, F. 1985. Preliminary data on the status of the Little Bustard in Italy. *Bustard Studies* 2: 165-172.
800. Petrov, T. et al. 1994. Status of the Imperial Eagle (*Aquila heliaca* Savigny) in Bulgaria in the period between 1890 and 1993. In: Meyburg and Chancellor (eds) 1994 *Eagle Studies*, World Working Group on Birds of Prey and Owls, Berlin, London & Paris.
801. Pfeffer, P.L. 1960-1961. Etude d'une collection d'oiseaux de Borneo. *L'Oiseau* 30: 154-168, 191-218; 31: 1-29.
802. Phelps, W.H. and Phelps, W.H. 1958. Lista de las aves de Venezuela con su distribucion, 2. Parte 1. No passeriformes. *Boletín Soc. venez. Cienc. Nat.* 19(90): 1-317.
803. Phillips, W.W.A. 1963. The birds of the Maldives Islands, Indian Ocean. *Journal of the Bombay Natural History Society* 60: 546-584.
804. Phillips, W.W.A. 1978. *Annotated checklist of the birds of Ceylon* (Sri Lanka). Wildlife and Nature Protection Society, Colombo.
805. Piechocki, R. 1968. Beiträge zur avifauna der mongolei teil 1. non-passeriformes. Ergebnisse der Mongolisch-Deutschen Biologischen Expedition seit 1962. *Mitt. Zool. Mus. Berlin, Bd. 44, Heft 2*, 1968. Pp. 149-292
806. Piechocki, R., Stubbe, M., Uhlenhaut, K. and Sumjaa, D. 1981. Beiträge zur Avifauna der Mongolei. *Mitteilungen aus dem Zoologischen Museum in Berlin* 57, Suppl. Ann. Orn. 5: 71-128.
807. Pilcher, C.W.T., Gregory, G., Tye, A. and Ahmed, M.S. 1990. Additions to the country list produced by the Kuwait Avifaunal Survey, 1985-7. *Sandgrouse* 12: 31-36.
808. Pineschi, R.B. 1990. Aves como dispersores de sete espécies de *Rapanea* (Myrsinaceae) no maciço do Itatiaia, estados do Rio de Janeiro e Minas Gerais. *Ararajuba* 1: 73-78.
809. Pinto, A.A. de R. 1983. *Ornitologia de Angola*. Instituto de Investigacao Cientifica Tropical, Lisbon.
810. Pinto, O. 1978. *Novo catalogo das aves do Brasil*. Departamento de Zoologia, São Paulo.
811. Piper, S.E. and Ruddie, P. 1986. An initial evaluation of the Cape Vulture colonies at Mkambati, Transkei. *Vulture News* 15: 7-12.
812. Pont, J.E. du. 1971. *Philippine birds*. Delaware Museum of Natural History, Greenville, Delaware.
813. Poole, A.F. 1989. *Ospreys: a natural and unnatural history*. Cambridge University Press, Cambridge, U.K.
814. Poonswad, P. 1993. Forest flagships. *World Birdwatch* 15(3): 14-17.
815. Poonswad, P. and Kemp, A.C. (eds) 1993. *Manual to the Conservation of Asian Hornbills*. Horbill Project Mahidol University, Bangkok, Thailand. pp511.
816. Potapov, R.L. and Flint, V.E. (eds.). 1987. *The birds of the USSR: Galliformes, Gruiformes*. Nauka, Leningrad. (In Russian.)
817. Pratt, J.D., Bruner, P.L. and Berrett, D.G. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey.
818. Prince, P.A. and Payne, M.R. 1979. Current status of birds at South Georgia. *British Antarctic Survey Bulletin* 48: 103-118.
819. Pruitt-Jones, S.G., Pruitt-Jones, M.A. and Knight, R.L. 1980. The White-tailed Kite in North and Middle America: current status and recent population changes. *American Birds* 34: 682-688.
820. Radtke, G.A. 1991. Haltung und Zucht des Kapuzenzeisigs (*Spinus cucullatus*). *Vöriere* 14: 59-61.
821. Raffaele, H.A. 1983. The raising of a ghost - *Spinus cucullatus* in Puerto Rico. *Auk* 100 (3): 737-739.
822. Raffaele, H.A. 1989. *A guide to the birds of Puerto Rico and the Virgin Islands*. Revised edition. Princeton University Press, Princeton, New Jersey.
823. Rahmani, A.R. 1987. Protection for the Great Indian Bustard. *Oryx* 21: 174-179.
824. Rahmani, A.R. and Manakadarn, R. 1985. Present status of the Great Indian Bustard. *Bustard Studies* 3: 123-132.
825. Ramyle J. 1988. [Confirmation of the presence of *Spheniscus humboldti* Meyen (Aves: Spheniscidae) in Colombia.] *Trianea* (Bogota) 1: 141-143. (In Spanish.)
826. Randall, R.M. and Randall, B.M. 1986. The diet of Jackass Penguins *Spheniscus demersus* in Algoa Bay, South Africa, and its bearing on population declines elsewhere. *Biological Conservation* 37: 119-134.
827. Rands, M., Rands, G. and Porter, R. 1988. *Birds in the Yemen Arab Republic. Report of the expedition of the Ornithological Society of the Middle East*. OSME, Sandy, U.K.
828. Razdan, T. and Mansoori, J. 1989. A review of the bustard situation in the Islamic Republic of Iran. *Bustard Studies* 4.
829. Reichenow, A. 1910. Über eine Vogelsammlung vom Rio Benito in Spanischen Guinea. *Mitteilungen aus dem Zoologischen Museum in Berlin* 5: 71-87.
830. Remsen, J.V. Jr. 1984. Natural history notes on some poorly known Bolivian birds. Part 2. *Gerfaut* 74: 163-179.
831. Remsen, J.V. Jr. and Traylor, M.A. 1983. Additions to the avifauna of Bolivia, part 2. *Condor* 85: 95-98.

832. Remsen, J.V. Jr. and Traylor, M.A. 1989. *An annotated list of the birds of Bolivia*. Buteo Books, Vermillion, South Dakota.
833. Remsen, J.V., Traylor, M.A. and Parkes, K.C. 1986. Range extensions of some Bolivian birds, 2 (Columbidae to Rhinocryptidae). *Bulletin of the British Ornithologists' Club* 106: 22-32.
834. Reville, R., Tranter, J. and Yorkston, H.D. 1989. Monitoring the endangered Abbott's Booby on Christmas Island 1983-86. Occasional Paper no. 11. Australian National Parks and Wildlife Service, Canberra.
835. Reville, R., Tranter, J. and Yorkston, H. 1987. *Monitoring the endangered Abbott's Booby on Christmas Island 1983-1986*. Australian National Parks and Wildlife Service (Occasional Paper No. 11), Canberra.
836. Rheinwald, G., Hill, A. and Ringleben, H. 1981. *Die Vögel der Bundesrepublik Deutschland und Berlin (West)*. Artenliste. Dachverband Deutscher Avifaunisten, Verlag.
837. Richards, D.K. 1982. The birds of Conakry and Kakulima, Democratic Republic of Guinea. *Malimbus* 4(2): 93-103.
838. Richardson, C. 1990. *The birds of the United Arab Emirates*. Hobby Publications, Dubai and Werrington, U.K.
839. Ridgely, R.S. 1980. Notes on some rare or previously unrecorded birds in Ecuador. *American Birds* 34: 242-248.
840. Ridgely, R.S. 1981. The current distribution and status of mainland Neotropical parrots. Pp. 233-384 In: Pasquier, R.F. (ed.) *Conservation of New World parrots*. (Techn. Publ. 1). International Council for Bird Preservation. Smithsonian Institution Press, Washington D.C.
841. Ridgely, R.S. and Gwynne, J.A. 1989. *A Guide to the Birds of Panama with Costa Rica, Nicaragua, and Honduras*. 2nd edition. Princeton University Press, Princeton, New Jersey.
842. Ripley, S.D. 1977. *Rails of the world*. M.F. Febeley Publishers, Toronto.
843. Ripley, S.D. 1982. *A synopsis of the birds of India and Pakistan*. 2nd edition. Bombay Natural History Society, Bombay.
844. Ripley, S.D. and Bond, G.M. 1966. The birds of Socotra and Abd-el-Kuri. *Smithsonian Miscellaneous Collections* 151(7): 1-37.
845. Risberg, L. 1990. *Sveriges Fåglar*. Serviges Ornit. För., Stockholm.
846. Riveros, G.G. 1980. Nuevos datos sobre distribución de *Oreotrochilus leucopleurus* Gould 1847. *Anales Mus. Nat. Hist. nat. Valparaíso* 13: 299-300.
847. Riveros Salcedo, J.C., Sánchez S.R. and Ascencios V.D. 1991. Distribución y status del Pachaloro *Forpus xanthops*. Resúmenes del IV Congreso de Ornitológia Neotropical, 3-9 de Noviembre 1991, Quito, Ecuador (resumen 160).
848. Robbins, M.B. and Ridgely, R.S. 1990. The avifauna of an upper tropical cloud forest in southwestern Ecuador. *Proceedings of the Academy of Natural Sciences of Philadelphia* 142: 59-71.
849. Robbins, M.B., Parker, T.A. and Allen, S.E. 1985. The avifauna of Cerro Pirre, Darién, eastern Panama. *Ornithological Monographs* 36: 198-232.
850. Roberts, J.L. 1979. Observation of the migration of raptors and other large soaring birds in Bulgaria. *Ibis* 121: 301-312.
851. Roberts, T. 1991-1992. *The birds of Pakistan*. 2 vols. Oxford University Press, Karachi.
852. Robertson, A. and February, E. 1986. Towards an historical perspective of Cape Vultures and domestic stock: a view from the southwestern Cape. *Vulture News* 15: 4-6.
853. Robertson, A.S. 1986. Notes on the breeding cycle of Cape Vultures (*Gyps coprotheres*). *Raptor Research* 20: 51-60.
854. Robertson, A.S. and Boshoff, A.S. 1986. The feeding ecology of Cape Vultures *Gyps coprotheres* in a stock-farming area. *Biological Conservation* 35: 63-86.
855. Robson, C.R. 1986. Recent observations of birds in Xizang and Qinghai provinces, China. *Forktail* 2: 67-82.
856. Rockingham-Gill, D.V. 1983. On the distribution of the Kori Bustard (*Otis kori*) in Zimbabwe. Pp. 97-103 In: Gorup, P.D. and Vardhan, H. (eds.) *Bustards in decline*. Tourism and Wildlife Society of India, Jaipur.
857. Rockingham-Gill, D.V. 1989. The status of bustards in Zimbabwe. *Bustard Studies* 4.
858. Röder, J. 1990. Beobachtungen bei der Haltung und Zucht des Grünkardinals. *Vöriere* 13: 184-186.
859. Rodriguez-Estrella, R., Mata, E. and Rivera, L. 1992. Ecological notes on the Green Parakeet of Isla Socorro, Mexico. *Condor* 94: 523-525.
860. Rodziewicz, M. 1994. The status, range and breeding success of the Lesser Spotted Eagle *Aquila pomarina* in Poland. In: Meyburg and Chancellor (eds) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls, Berlin, London & Paris.
861. Rojas, F. 1991. Biología reproductiva de la cotorra: *Amazona barbadensis* (Aves: Psittaciformes) en la Península de Macanao, Edo. Nueva Esparta. Lic. Biol. thesis, Universidad Central de Venezuela.
862. Rokitansky, G. 1964. *Catalogus Faunae Austriae. XXIb Aves*.
863. Rooke, I. 1986. *Survey of the White-breasted White-eye and the Norfolk Island Boobook Owl on Norfolk Island, October-November 1985*. Royal Australian Ornithologists' Union, Victoria.
864. Rooks, D. 1989. Bird observations in Tobago, December 1987 to November 1989. *Journal of the Trinidad and Tobago Field Naturalists Club* 1989: 15.
865. Roseveare, M. 1989. First record of the Shoebill in Malawi. *Nyala* 14: 45.
866. Roth, P. 1990. Spix-Ara *Cyanopsitta spixii*: was wissen wir heute über diese seltenen Vögel? Bericht über ein 1985-1988 durchgeführtes Projekt. *Papageien* 3/90: 86-88; 4/90: 121-125.
867. Round, P.D. 1988. *Resident forest birds in Thailand: their status and conservation*. International Council for Bird Preservation (Monograph No. 2). Cambridge, U.K.
868. Round, P.D. and Treesucon, U. 1986. The rediscovery of Gurney's Pitta *Pitta gurneyi*. *Forktail* 2: 53-66.
869. Rowan, M.K. 1983. *The doves, parrots, lorries and cuckoos of southern Africa*. David Philip, Cape Town.
870. Rowley, J.S. and Orr, R. 1964. A new hummingbird from southern Mexico. *Condor* 66: 81-83.
871. Rumboll, M.A.E. 1990. Tres aves nuevas para la Argentina. *Nuestras Aves* 22(8): 28.
872. Ruschi, O. 1973. Uma nova espécie de *Threnetes* (Aves, Trochilidae). *Bol. Mus. Biol. Prof. Mello Leitao* 37: 1-6.

873. Ruschi, O. 1975. *Threnetes christinae* sp. nov. *Bol. Mus. Biol. Prof. Mello Leitao* 83: 1-3.
874. Russell, S.M. 1964. A distributional study of the birds of British Honduras. *Ornithological Monographs* 1: 1-95.
875. Sahin, R. 1990. Werdegang und Bedeutung des Kopfnickens beim Waldrapp (*Geronticus eremita*). *Journal für Ornithologie* 131: 445-451.
876. Saleh, M. 1989. The status of the Houbara Bustard in Egypt. *Bustard Studies* 4.
877. Salomonsen, F. 1950-1951. *Grønlands fugle. The birds of Greenland*. Ejnar Munksgaard, København.
878. Salter, R.E. 1983. Summary of currently available information on internationally threatened wildlife species in Burma. Rangoon: Food and Agriculture Organization of the United Nations (Working People's Settlement Board: Nature Conservation and National Parks Project, Burma, FO: Bur/80/006 Field Document 7/83).
879. Salvan, J. 1967-1969. Contribution à l'étude des oiseaux du Tchad. *Oiseau* 37: 255-284; 38: 53-85, 127-150, 249-273; 39: 38-69.
880. Sanderson, J. 1982. Birds of the Turks and Caicos Islands. *Turks and Caicos Current Nov./Dec.* 1982.
881. Sane, S.R., Kannan, P., Rajendran, C.G., Ingle, S.T. and Bhagwat, A.M. 1986. On the taxonomic status of *Psittacula intermedia* (Rothschild). *Journal of the Bombay Natural History Society* 83: 26-37.
882. Sanft, K. 1960. Aves/Upupae: Bucerotidae. *Das Tierreich* 76: 174.
883. Sankaran, R. 1987. The Lesser Florican. *Sanctuary* 7: 26-37.
884. Sankaran, R. 1993. Red Data Bird: Lesser Florican. *World Birdwatch* 15(4): 18-19.
885. Sankaran, R. and Rahmani, A.R. 1986. Study of ecology of certain endangered species of wildlife and their habitats: the Lesser Florican, annual report 2 1985-86. Bombay Natural History Society, Bombay.
886. Sarker, S.U. and Iqbal, M. 1985. Observations on Pallas's Fish Eagle *Haliaeetus leucoryphus* in Bangladesh. *Bulletin of the World Working Group on Birds of Prey* 2: 100-102.
887. Saxena, V.S. and Meena, B.L. 1985. Occurrence of Lesser Floricans in forest plantations in Rajasthan, India. *Bustard Studies* 3: 183-184.
888. Schenck, H. and Aresu, M. 1985. On the distribution, number and conservation of the Little Bustard in Sardinia (Italy). 1971-1982. *Bustard Studies* 2: 161-164.
889. Scherer Neto, P. and Martuscelli, P. 1992. Conservação e biologia do Papagaio-da-cara-roxa, *Amazona brasiliensis*, nos estados de São Paulo e Paraná. Segundo relatório parcial. Unpublished report to The Nature Conservancy and Fundação SOS-Mata Atlântica.
890. Schernazarov, E. 1988. [New breeding site of Dalmatian Pelican *Pelecanus crispus* in Uzbekistan.] *Ornitologiya* 23: 225. (In Russian.)
891. Schodde, R. 1978. The status of endangered Papuan birds, and Appendix. Pp. 133-145 and 185-206 respectively In: Tyler, M.J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of South Australia, Adelaide.
892. Schouteden, H. 1966. La faune ornithologique du Rwanda. *Doc. zool. Mus. Roy. Afr. centr.* 10: 1-130.
893. Schouteden, H. 1966. La faune ornithologique du Burundi. *Doc. zool. Mus. Roy. Afr. centr.* 11: 1-81.
894. Schuchmann K.-L. 1978. Allopatrische Artbildung bei der Kolibrigamang *Trochilus*. *Ardeo* 66: 156-172.
895. Schuchmann, K.-L. 1978. Notes on the Rufous-capped Thornbill *Chalcostigma ruficeps*, a new hummingbird species for Colombia. *Bulletin of the British Ornithologists' Club* 98: 115-116.
896. Schuchmann, K.-L. 1980. Ökologie und evolution der Trochilidenfauna auf den ozeanischen Inseln der Karibischen See. *Bonner Zoologische Beiträge* 31: 289-309.
897. Schuchmann, K.-L. 1984. Two hummingbird species, one a new subspecies, new to Bolivia. *Bulletin of the British Ornithologists' Club* 104: 6.
898. Schulenberg, T.S., Allen, S.E., Stotz, D.F. and Wiedenfeld, D.A. 1984. Distributional records from the Cordillera Yanachaga, central Peru. *Gefau* 74: 57-70.
899. Schulz, H. 1985. A review of the world status and breeding distribution of the Little Bustard. *Bustard Studies* 2: 131-152.
900. Scott, D.A. 1994. The Black-necked Cranes *Grus nigricollis* of Puoergi Marshes, Sichuan, China. *Bird Conservation International* 3: 245-259.
901. Scott, D.A. and Brooke, M. de L. 1985. The endangered avifauna of southeastern Brazil: a report on the BOU/WWF expedition of 1980/81 and 1981/82. Pp. 115-139 In: Diamond, A.W. and Lovejoy, T.E. (eds) *Conservation of tropical forest birds*. (Techn. Publ. 4). International Council for Bird Preservation, Cambridge, U.K.
902. Scott, D.A., Hamadani, H.M. and Mirhosseyni, A.A. 1975. *The birds of Iran*. Department of Environment, Tehran, Iran.
903. Seal, U.S., Wirth, R., Thomson, J., Ellis-Joseph, S. and Collar, N. 1992. Parrot Conservation Assessment and Management Plan. Camp Workshop Report 14-17 January 1992. Draft Review. ICBP/IUCN/SSC Parrot Specialist Group, Traffic International, ICBP, IUCN/SSC, IUCN SSC Captive Breeding Specialist Group.
904. Segonzac, M. 1972. Données récentes sur la faune des îles Saint-Paul et Nouvelle Amsterdam. *L'Oiseau* 42 No. Spec.: 3-68.
905. Serie, W. and Morel, G.J. 1977. *A field guide to the birds of West Africa*. Collins, London.
906. Servat, G. and Pearson, D.L. 1991. Natural history notes and records for seven poorly known bird species from Amazonian Peru. *Bulletin of the British Ornithologists' Club* 111: 92-95.
907. Severinghaus, L.L. 1989. The status and conservation of Lanyu Scops Owl *Otus elegans boeticus*. Pp. 423-431 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
908. Severinghaus, S. 1986. The adaptability of Mikado and Swinhoe's Pheasants to disturbed habitats in Taiwan. Unpaginated abstract In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association, Basildon, U.K.
909. Severinghaus, S.R. 1978. Recommendations for the conservation of the Swinhoe's and Mikado Pheasants in Taiwan. *World Pheasant Association Journal* 3: 79-89.
910. Severinghaus, S.R. and Blackshaw, K.T. 1976. *A new guide to the birds of Taiwan*. Me Ya Publications, Taipei.

911. Shaw, D. and Maxwell, T.C. 1988. First record of the Mississippi Kite for Bolivia. *Journal of Raptor Research* 22: 90.
912. Sheldon, B.C.K. and Duckworth, J.W. 1990. Rediscovery of the Madagascar Serpent-eagle *Eutriorchis astur*. *Bulletin of the British Ornithologists' Club* 110: 126-130.
913. Shi Dong-chou, Yu Xiao-ping, Chang Xu-yun and Lu Bao-zhong. 1989. [The breeding habits of the Crested Ibis (*Nipponia nippon*).] *Zoological Research* 10: 327-332. (In Chinese.)
914. Shibaev, Yu.A. 1987a. Distributional survey of Japanese Crested Ibis by questionnaire using colour postcards in Far East USSR. Summary, p. 48 In: *The Third Japan-USSR Bird Protection Symposium, 21 November 1986*. Wild Bird Society of Japan, Tokyo.
915. Shibaev, Yu.A. 1987b. Interim report on population survey of Steller's Sea-Eagle in winter in USSR. Summary, p. 48 In: *The Third Japan-USSR Bird Protection Symposium, 21 November 1986*. [Tokyo]: Wild Bird Society of Japan
916. Shobrak, M. and Rahmani, A. 1991. Notes on the Arabian Bustard *Ardeotis arabs* in Saudi Arabia. *Sandgrouse* 13: 14-23.
917. Short, L.L. 1982. *Woodpeckers of the world*. Delaware Museum of Natural History, Greenville, Delaware.
918. Sick, H. 1979. Decouverte de la patrie de l'Ara de Lear *Anodorhynchus leari*. *Alauda* 47: 59-60.
919. Sick, H. 1979. Notes on some Brazilian birds. *Bulletin of the British Ornithologists' Club* 99: 115-120.
920. Sick, H. 1984. *Ornitologia Brasileira*. Volume 1. Editora Universidade de Brasilia, Brasilia.
921. Sick, H. 1985. *Ornitologia brasileira, uma introdução*. Editora Universidade de Brasilia, Brasilia.
922. Sick, H. 1990. Notes on the taxonomy of Brazilian parrots. *Ararajuba* 1: 111-112.
923. Sick, H. and Teixeira, D.M. 1979. Notas sobre aves brasileiras raras ou ameaçadas de extinção. *Publ. avuls. Mus. Nac.* 62.
924. Siegel, A. 1983. *Birds of Montserrat*. Montserrat National Trust, Montserrat.
925. Silva, C.P. da, Munn, C.A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C. 1991. Breeding ecology of Hyacinth Macaws. *Psittascene* 3(3): 1-3.
926. Silva, F. 1981. Contribuição ao conhecimento da papagaio charão, *Amazona pretrei* (Temminck, 1830) (Psittacidae, Aves). *Inheritingia* Ser. Zool. 58. 79-85.
927. Silva, G.L. da and Nacinovic, J.B. 1991. Birds as indicator [sic] for the conservation of Atlantic Forests in Bahia, Brazil. Interim project report to WWF for the period July 1990-July 1991.
928. Silvius, K. M. 1991. Ecology and conservation of *Amazona barbadensis* on Margarita Island, Venezuela. Summary report of activities and results, 1989-1991. Unpublished.
929. Silvius, M.J. 1988. On the importance of Sumatra's east coast for waterbirds, with notes on the Asian Dowitcher *Limnodromus semipalmatus*. *Kukilo* 3: 117-137.
930. Silvius, M.J. and Verheugt, W.J.M. 1989. The status of storks, ibises and spoonbills in Indonesia. *Kukilo* 4: 119-132.
931. Silvius, M.J., Verheugt, W.J.M. and Iskandar, J. 1986. *Coastal wetlands inventory of southeast Sumatra*. (Study Report 9). International Council for Bird Preservation, Cambridge, U.K.
932. Skinner, J. 1992. Herons in the inner Niger Delta, Mali, West Africa. *Heron Conservation Newsletter* 5: 1.
933. Skokova, N.N. and Vinogradov, V.G. 1986. (Waterfowl habitat conservation.) Agropromizdat, Moscow. (In Russian.)
934. Slud, P. 1964. The birds of Costa Rica, distribution and ecology. *Bulletin of the American Museum of Natural History* 128: 1-430.
935. Smeenk, C. 1985. Whales and seabirds. Pp. 6-10, 24-26 In: Postma, H. and Rommets, J. (eds.) *Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985*. Royal Netherlands Academy of Arts and Sciences/ Indonesia Institute of Sciences, Netherlands.
936. Smet, K. de. 1989. The Houbara Bustard in Algeria: a preliminary report. *Bustard Studies* 4.
937. Smith, D.W. and Ireland, J. 1992. First record of the Black-shouldered Kite for Canada. *Western Birds* 23: 177-178.
938. Smith, G.T. 1978. The Noisy Scrub-bird. Pp. 117-121 In: Tyler, M.J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia, Adelaide.
939. Smith, G.T. 1978. The status of Australian parrots. Pp. 101-108 In: Tyler, M.J. (ed.) *The status of endangered Australasian wildlife*. Royal Zoological Society of Australia, Adelaide.
940. Smythies, B.E. 1981. *The birds of Borneo*. 3rd edition. The Sabah Society and the Malayan Nature Society, Malaysia.
941. Smythies, B.E. 1986. *The birds of Burma*. 3rd edition. Nimrod Press, Liss, Hampshire, U.K. and Silvio Mattacchione and Co., Pickering, Ontario.
942. Snow, D. 1950. The birds of São Tomé and Príncipe in the Gulf of Guinea. *Ibis* 92: 579-595.
943. Snow, D.W. (ed.). 1978. *An atlas of speciation in African non-passerine birds*. British Museum (Natural History), London.
944. Snow, D.W. 1979. Atlas of speciation in African non-passerine birds - addenda and corrigenda. *Bulletin of the British Ornithologists' Club* 99: 66-68.
945. Snow, D.W. 1982. *The cotingas*. British Museum (Natural History) and Oxford University Press, London and Oxford.
946. Snyder, D.E. 1966. *The birds of Guyana*. Peabody Museum, Salem.
947. Snyder, N.F.R. and Snyder, H.A. 1991. *Birds of prey. Natural History and Conservation of North American Raptors*. Voyageur Press, Stillwater, Minnesota, USA.
948. Snyder, N.F.R., King, W.B. and Kepler, C.B. 1982. Biology and conservation of the Bahama Parrot. *Living Bird* 19: 91-114.
949. Snyder, N.F.R., Wiley, J.W. and Kepler, C.B. 1987. *The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot*. Western Foundation of Vertebrate Zoology, Los Angeles.
950. Sociedad Española de Ornitología 1981. [First general survey of Griffon Vulture breeding colonies in the Iberian peninsula, 1979.] *Ardeola* 26-27: 165-312.

951. Solonen, T. 1985. *Suomen linnusto*. Linnutieto, Helsinki.
952. Sonobe, K. and Izawa, N. 1987. *Endangered bird species in the Korean Peninsula*. Museum of Korean Nature (Korea University in Tokyo) and Wild Bird Society of Japan, Tokyo.
953. Sophasan, S. and Dobias, R. 1984. The fate of the "princess bird", or White-eyed River Martin (*Pseudochelidon sirintarae*). *Natural History Bulletin of the Siam Society* 32(1): 1-10.
954. Staub, F. 1976 *Birds of the Mascarenes and Saint Brandon*. Organisation Normale des Enterprises Ltée, Labama House, Port Louis, Mauritius.
955. Steadman, D.W., Still, J. and Eaton, S.W. 1979. Natural history of the Ocellated Turkey. *World Pheasant Association Journal* 4: 15-37.
956. Stepanyan, L.S. 1987. [The first record of *Aviceda jerdoni* (Blyth 1842) (Accipitridae, Aves) in northern Viet Nam.] *Biol. Nauki (Mosc.)*. 1987(1): 42-45. (In Russian.)
957. Stepanyan, L.S., Bold, A. and Fomin, V.E. 1988. [Taxonomic list of birds of Mongolia.] *Ornitologiya* 23: 26-35. (In Russian).
958. Sterbetz, I. 1982. Migration of *Anser erythropus* and *Branta ruficollis* in Hungary 1971-1980. *Aquila* 89: 107-114.
959. Stewart, P.A. 1980. Population trends of Barn Owls in North America. *American Birds* 34: 698-700.
960. Stiles, F.G. 1985. Geographic variation in the Fiery-throated Hummingbird *Panterpe insignis*. *Ornithological Monographs* 36: 23-30.
961. Stiles, F.G. 1987. *Observaciones sobre la situación actual del Picaflor Rojo de Juan Fernandez Sephanoides fernandensis, con recomendaciones para un estudio integral de su ecología y biología poblacional*. Oficina Regional de la FAO para América Latina y el Caribe.
962. Stiles, F.G., Skutch, A.F. and Gardner, D. 1989. *A guide to the birds of Costa Rica*. Christopher Helm, London.
963. Stockton de Ddd, A. 1987. *Aves de la República Dominicana*. 2nd edición. Museo Nacional de Historia Natural, Santo Domingo.
964. Stoddart, D.R. 1981. Abbot's Booby on Assumption. *Atoll Research Bulletin* 225: 27-32.
965. Stokes, T. 1980. Notes on the landbirds of New Caledonia. *Emu* 80: 81-86.
966. Stokes, T. 1988. A review of the birds of Christmas Island, Indian Ocean. *Australian National Parks and Wildlife Service, Occasional Paper* No. 16.
967. Stokes, T., Sheils, W. and Dunn, K. 1984. Birds of the Cocos (Keeling) Islands, Indian Ocean. *Emu* 84: 23-28.
968. Storer, R.W. 1989. Notes on Paraguayan birds. *Occasional Papers of the Museum of Zoology, University of Michigan* 719, 21 pp.
969. Sukhinin, A.N., Bel'skaya, G.C. and Zhernov, I.V. 1972. [The distribution of the Little Owl *Athene noctua* in Turkmenistan.] *Ornitologiya* 10: 216-227. (In Russian).
970. Sultana, J. and Gauci, C. 1982. *A new guide to the birds of Malta*. The Ornithological Society, Valletta.
971. Sutherland, W.J. and Allport, G. 1991. The distribution and ecology of naturalised Egyptian Geese *Alopochen aegyptiacus* in Britain. *Bird Study* 38(2): 128-134.
972. Swales, M.K. 1965. The sea-birds of Gough Island. *Ibis* 107: 17-42, 215-229.
973. Swanbeck, A.B. and Seiler, C.F. 1987. First sighting of a Short-eared Owl in the US Virgin Islands. *Florida Field Naturalist* 15: 52-53.
974. Taczanowski, L. and Stolzmann, J. 1881. Notice sur la *Loddigesia mirabilis* Bourc. *Proceedings of the Zoological Society of London*: 827-834.
975. Tarboton, W. 1984. The status and conservation of the Wattled Crane in the Transvaal. *Proceedings of the V Pan African Ornithological Congress*: 665-678.
976. Taylor, I. 1994. *Barn Owls: predator-prey relationships and conservation*. Cambridge University Press.
977. Taylor, R.H. 1985. Status, habits and conservation of *Cyanoramphus* parakeets in the New Zealand region. Pp. 195-211 In: Moors, P.J. (ed.) *Conservation of island birds*. (Techn. Publ. 3). International Council for Bird Preservation, Cambridge, U.K.
978. Taylor, R.H., Heatherbell, E.G., and Heatherbell, E.M. 1986. The Orange-fronted Parakeet (*Cyanoramphus malherbi*) is a color morph of the Yellow-crowned Parakeet *C. auriceps*. *Notornis* 33: 17-22.
979. Teixeira, D.M. and Snow, D.W. 1982. Notes on the nesting of the Red-billed Curassow *Crax blumenbachii*. *Bulletin of the British Ornithologists' Club* 102: 83-84.
980. Temple, S.A. and Wallace, M.P. 1989. Survivorship patterns in a population of Andean Condors *Vultur gryphus*. Pp. 247-251 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
981. Tewes, E. 1994. The European Black Vulture *Aegypius monachus* Project in Mallorca. In: Meyburg & Chancellor (eds) 1994 *Eagle Studies*. World Working Group on Birds of Prey and Owls, Berlin, London & Paris.
982. Thelen, K.D. and Faizool, S. 1980. *Plan for a system of national parks and other protected areas in Trinidad and Tobago*. Forestry Division, Ministry of Agriculture Land and Fisheries, Trinidad.
983. Themido, A.A. 1952. Aves de Portugal. *Memorias e Estudos do Museu Zoológico de Universidade de Coimbra*, no. 213.
984. Thiollay, J.-M. 1984. Raptor community structure of a primary rain forest in French Guiana and effect of human hunting pressure. *Raptor Research* 18: 117-122.
985. Thiollay, J.-M. 1985. Birds of Ivory Coast: status and distribution. *Malimbus* 7(1): 1-59.
986. Thiollay, J.-M. 1985. Birds of prey in French Guiana - a preliminary survey. *Bulletin of the World Working Group on Birds of Prey* 2: 11-15.
987. Thiollay, J.-M. 1989. Area requirements for the conservation of rain forest raptors and game birds in French Guiana. *Conservation Biology* 3(2): 128-137.
988. Thiollay, J.-M. 1989. Distribution and ecology of Palearctic birds of prey wintering in West and Central Africa. Pp. 95-107 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
989. Thiollay, J.M. 1993. Habitat segregation and the insular syndrome: two congeneric raptors in New Caledonia: the White-bellied Goshawk *Accipiter haplochrous* and the Brown Goshawk *A. fasciatus*. *Ibis* 135: 237-246.

990. Thomas, W.W. 1964. A preliminary list of the birds of Cambodia. Unpublished.
991. Thomé, G. and Thomé, H. 1986. [The birds of Lebanon.] Publ. Univ. libanaise. (In Arabic.)
992. Thompson, H. 1992. Red Data bird: White-necked Picathartes. *World Birdwatch* 14(3): 13.
993. Thompson, H.S.S. 1993. Status of White-necked Picathartes - another reason for the conservation of the Peninsula Forest, Sierra Leone. *Oryx* 27(3): 155-158.
994. Thomsen, J.M. and Munn, C.A. 1988. *Cyanopsis spixii*: a non-recovery report. *Porroletter* 1(1): 6-7.
995. Thomsen, P. and Jacobsen, P. 1979. *The birds of Tunisia*. Peder Jacobsen, Copenhagen.
996. Thonnerieux, Y. 1988. Etat des connaissances sur la reproduction de l'avifaune du Burkina Faso (ex Haute-Volta). *L'Oiseau et la Revue Française Ornithologie* 58: 120-145.
997. Thorstrom, R., Watson, R.T., Damary, B., Toto, F., Baba, M. and Baba, V. 1995. Repeated sightings and first capture of a live Madagascar Serpent-eagle *Eurixorhis astur*. *Bulletin of the British Ornithologists' Club* 115: 40-45.
998. Tilso, R.L. and Kok, O.B. 1980. Habitat ecology of Black Storks in the Kuiseb River. *Madoqua* 11: 347-349.
999. Timmermann, D. 1938-1949. Die Vögel Islands. *Islandinga Rit*. 28:239-524.
1000. Tomiajoc, L. 1990. *Ptaki Polski rozmieszczenie i liczebność*. Państwowe Wydawnictwo Naukowe, Warszawa.
- 1001a Tostain, O., Dujardin, J.L., Erard, C. and Thiollay, J.-M. 1992. *Les Oiseaux de Guyane*.
1002. Trail, P.W. 1978. Sight records of two species new for Surinam. *Ardea* 66: 184-185.
1003. Turbott, E.G. (Ed) 1990. *Checklist of the birds of New Zealand and the Ross Dependency, Antarctica*. 3rd edition.
1004. Turnbull, R.E., Johnson, F.A. and Brakhage, D.H. 1989. Status, distribution and foods of Fulvous Whistling-duck in South Florida. *Journal of Wildlife Management* 53(4): 1046-1051.
1005. Turner, A. and Rose, C. 1989. *Swallows and martins of the world*. Christopher Helm, Kent.
1006. Turner, D.A. 1974. Cape Grass Owl in Ethiopia. *Bull. Brit. Orn. Club* 94: 38-39.
1007. Turoer, D.A. 1982. The status and distribution of the Arabian Bustard *Otis tarda* in northeastern Africa and its possible occurrence in northern Kenya. *Scopus* 6: 20-21.
1008. Turner, D.A. and Dowsett, R.J. 1988. Additions and corrections to Afrotropical and Malagasy avifaunas, 1. Western Indian Ocean islands. *Touraco* 1: 130-138.
1009. Turner, D.A. and Forbes-Watson, A.D. 1976. Additional migrant records from Seychelles. *Bulletin of the British Ornithologists' Club* 96: 57-58.
1010. Turner, D.A. and Gorup, P.D. 1989. The status of Denham's Bustard in Kenya. *Bustard Studies* 4: 170-173.
1011. Urban, E.K. and Brown, L.H. 1971. *A checklist of the birds of Ethiopia*. Dept. of Biology, Haile Selassie I University, Addis Ababa, Ethiopia.
1012. Urban, E.K., Fry, C.H. and Keith, S. 1986. *The birds of Africa*. Volume 2. Academic Press, London and Florida.
1013. Valverde, J.A. 1957. *Aves del Sahara Español*. Instituto de estudios africanos, Madrid.
1014. Van Ee, C.A. 1981. Status of the Blue Crane in south and southwest Africa. P. 259 In: Lewis, J.C. and Masatomi, H. (eds.) *Crane research around the world*. Robinson Press, Fort Collins, Colorado.
1015. Vardhan, H. 1985. A report on the status of bustards in India. *Bustard Studies* 3: 113-118.
1016. Varty, N. 1991. The status and conservation of Jamaica's threatened and endemic forest avifauna and their habitats following Hurricane Gilbert. *Bird Conservation International* 1: 135-151.
1017. Vatev, I.T. 1991. Observations de Flamant rose *Phoenicopterus ruber* en Bulgarie. *Alauda* 59: 53-54.
1018. Vaurie, C. 1964. A survey of the birds of Mongolia. *Bulletin of the American Museum of Natural History* 127: 103-143.
1019. Vázquez, M.A. and Maldonado Rodríguez, D.M.A. 1990. Loro Cabeza Amarilla (*Amazona ochrocephala*) en el estado de Tamaulipas. Unpublished.
1020. Verheugt, W. 1987. Conservation status and action program for the Milky Stork *Mycteria cinerea*. *Colonial Waterbirds* 10(2): 211-220.
1021. Verheugt, W.J.M. 1989. Status of storks in the South Sumatra Province, Indonesia. *Specialist Group on Storks. Ibis and Spoonbills Newsletter* 2: 8-9.
1022. Vernon, C.J. and Piper, S.E. 1986. The Cape Vulture colony at Colleywobbles, Transkei, in 1984 and 1985. *Vulture News* 15: 27-28.
1023. Verrill, A.H. 1892. Notes on the fauna of the island of Dominica: lists of birds obtained and observed, with notes on their habitats, nests and eggs.
1024. Verrill, A.H. 1905. Additions to the avifauna of Dominica: notes on species hitherto unrecorded with descriptions of three new species and a list of all birds now known to occur on the island. Privately published, Barbados.
1025. Vieillard, J. 1971-1972. Données biogéographiques sur l'avifaune d'Afrique centrale. *Alauda* 39: 227-248; 40: 53-92.
1026. Vierheilig, M.B. and Vierheilig, H. 1988. Beiträge zu status und biologie von papageien der Insel Margarita, Venezuela. *Gefiederte Welt* 112: 50-52, 91.
1027. Viksne, J. (ed.). 1983. [Birds of Latvia: territorial distribution and number.] Zinatne, Riga.
1028. Viljoen, P.J. 1983. Distribution, numbers and group size of the Karoo Korhaan in Kaokoland, South West Africa. *Ostrich* 54: 50-51.
1029. Village, A. 1990. *The Kestrel*. Poyser, Calton, U.K.
1030. Vinokurov, A.A. 1982. Present status of the *Branta ruficollis* population and measures for its conservation. *Aquila* 89: 115-122.
1031. Vlug, J.J. and Fjeldsa, J. 1990. *Working bibliography of the Grebes of the World: with summaries of current taxonomy and distributional status*. 210pp.
1032. Vo Quy 1983. [A catalogue of the birds of Vietnam.] Pp. 12-43 In: Medvedev, L.N. (ed.) [Fauna and ecology of the animals of Vietnam.] Nauka, Moskva. (In Russian.)
1033. Voous, K.H. 1983. *Birds of the Netherlands Antilles*. De Walburg Pers, Zutphen.
1034. Vries, T. de. 1984. Problems of reintroducing native animals on islands where they have been exterminated. *Noticias de Galapagos* 40: 12.

1035. Vries, T. de. 1989. Conservation, status and ecological importance of the Galapagos Hawk *Buteo galapagoensis*. Pp. 327-330 In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. World Working Group on Birds of Prey and Owls, Berlin.
1036. Walker, F.J. 1981. Notes on the birds of northern Oman. *Sandgrouse* 2: 33-55.
1037. Walkinshaw, L. 1973. *Cranes of the world*. Winchester Press, New York.
1038. Wall, J.W. 1992. Worldwatch. *Winging It* 4(4): 53.
1039. Wallace, D.I.M. 1982. Observations on migrant birds at Azraq and north-east Jordan, up to April 1967. *Sandgrouse* 4: 77-99.
1040. Wallace, D.I.M. 1984. Selected observations from Lebanon, Syria and Jordan in the springs of 1963 and 1966. *Sandgrouse* 6: 24-47.
1041. Walsh, J.F. 1977. Nesting of the Jabiru Stork *Ephippiorhynchus senegalensis* in West Africa. *Bulletin of the British Ornithologists' Club* 97: 136.
1042. Walsh, J.F. 1987. Records of birds seen in north-eastern Guinea in 1984-85. *Malimbus* 9(2): 105-122.
1043. Walsh, J.F., Cheke, R.A. and Sowah, S.A. 1990. Additional species and breeding records of birds in the Republic of Togo. *Malimbus* 12: 2-18.
1044. Walter, A., Walter, J.P. and Brown, C.J. 1986. Breeding record for the Cape Eagle Owl in Namibia. *Madoqua* 14: 429-431.
1045. Walter, H. 1979. *Eleonora's Falcon, adaptations to prey and habitat in a social raptor*.
1046. Watt, F.E. 1986. A list of Qatar's birds. *Qatar Natural History Group Journal* 1983-86: 38-51.
1047. Watling, D. 1982. *Birds of Fiji, Tonga and Samoa*. Millwood Press, Wellington.
1048. Watling, D. 1983. Sandbox incubator. *Animal Kingdom* 86(3): 30-35.
1049. Watson, G.E. 1975. *Birds of the Antarctic and Sub-Antarctic*. American Geophysical Union, Washington D.C.
1050. Weaver, C.M. 1982. Breeding habits and status of the Golden-shouldered Parrot *Psephotus chrysoterygius* in Queensland. *Emu* 82: 2-6.
1051. Webb, H.P. 1992. Field observations of the birds of Santa Isabel, Solomon Islands. *Emu* 92: 52-57.
1052. Weiss, J. 1986. Tätigkeitsbericht 1977-84 der Arbeitsgruppe Feldornithologie. *Regulus* 4: 167-306.
1053. Welch, G.R and Welch, H.J. 1984. Birds seen on an expedition to Djibouti. *Sandgrouse* 6: 1-23.
1054. Welch, G.R and Welch, H.J. 1988. Djibouti III - preliminary report. *Ornithological Society of the Middle East Bulletin* 20: 1-2.
1055. Welch, G.R and Welch, H.J. 1989. A preliminary survey of the Arabian Bustard in Djibouti. *Bustard Studies* 4.
1056. Wells, D.R. 1985. The forest avifauna of western Malesia and its conservation. Pp. 213-232 In: Diamond, A.W. and Lovejoy, T.E. (eds.) *Conservation of tropical forest birds*.
1057. Wells, J.G. 1887. A catalogue of the birds of Grenada, W. Indies, with observations thereon. *Proceedings of the United States National Museum* 9: 609-633.
1058. Wells, S. 1988. Red Data bird: Philippine Eagle. *World Birdwatch* 10(2): 5.
1059. Weske, J.S. and Terborgh, J.W. 1977. *Phaethornis koepckeae* a new species of hummingbird from Peru. *Condor* 79: 143-147.
1060. Weske, J.S. and Terborgh, J.W. 1981. *Otus marshalli* a new species of screech owl in Peru. *Auk* 98: 1-7.
1061. Wetmore, A. and Swales, B.H. 1931. The birds of Haiti and the Dominican Republic. *Bulletin of the United States National Museum* 155.
1062. Wheelwright, N.T. 1983. Fruits and the ecology of Resplendent Quetzals. *Auk* 100: 286-301.
1063. White, C.M.N. and Bruce, M.D. 1986. *The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands, Indonesia): an annotated checklist*. British Ornithologists' Union Checklist No. 7. BOU, London.
1064. White, D.M. 1985. A report on the captive breeding of Australian Bustards at Serendip Wildlife Research Station. *Bustard Studies* 3: 195-212.
1065. Wiedenfeld, D.A., Schulenberg, T.S. and Robbins, M.B. 1985. Birds of a tropical deciduous forest in extreme northwestern Peru. Pp. 305-315 In: Buckley, P.A., Foster, M.S., Morton, E.S., Ridgely, R.S. and Buckley, F.G. (eds.) *Neotropical ornithology*. American Ornithologists' Union Ornithological Monograph No. 36. AOU, Washington D.C.
1066. Wilbur, S.R. and Kiff, L.F. 1980. The California Condor in Baja California, Mexico. *American Birds* 34: 856-859.
1067. Wilcove, D.S. 1987. Public lands management and the fate of the Spotted Owl. *American Birds* 41(3): 361-367.
1068. Wild Bird Society of Japan. 1982. *A field guide to the birds of Japan*. Tokyo.
1069. Wiley, J.W. 1985. The Puerto Rican Parrot and competition for its nest sites. Pp. 213-223 In: Moors, P.J. (ed.) *Conservation of island birds*. (Techn. Publ. 3). International Council for Bird Preservation, Cambridge, U.K.
1070. Wiley, J.W. 1986. Status and conservation of raptors in the West Indies. *Birds of Prey Bulletin* 3: 57-70.
1071. Wiley, J.W. 1991. The status and conservation of parrots and parakeets in the Greater Antilles, Bahama Islands, and Cayman Islands. *Bird Conservation International* 1: 187-214.
1072. Wiley, J.W. and Ostenwalder, J.A. 1990. Birds of islas Beata and Alto Velo, Dominican Republic. *Studies on Neotropical Fauna and Environment* 25(2): 65-88.
1073. Wiley, J.W. and Wiley, B.N. 1981. Breeding season ecology and behaviour of Ridgway's Hawk *Buteo ridgwayi*. *Condor* 83: 132-151.
1074. Wilkinson, R.J. 1991. Systematic list of bird species recorded at Barito Ulu. Pp. 30-54 In: Anon. *The avifauna of Barito Ulu, central Borneo*. (Study Report 48). International Council for Bird Preservation, Cambridge, U.K.
1075. Willgoths, J.F. 1984. *Havorn i Norge*. Trondheim: Direktorat for Vilt og Ferskvannsfisk.
1076. Willi, G. and Brosgé, M.F. 1983-1986. Die Vogelwelt des Fürstentums Liechtenstein unter Berücksichtigung der benachbarten Gebiete. *Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg* 12: 61-117; 14: 103-143; 15: 37-82.
1077. Williams, A.J. n.d. 1987 *Populor checklist of the birds of South West Africa/Namibia*. Department of Agriculture and Nature Conservation, Windhoek.

1078. Williams, G.R. 1960. The birds of the Pitcairn Islands, central South Pacific Ocean. *Ibis* 102: 58-70.
1079. Williams, G.R. and Given, D.R. 1981. *The red data book of New Zealand*. Nature Conservation Council, Wellington.
1080. Williams, J. 1987. Wattled Crane survey in Caprivi. *Quagga* 18: 22-23.
1081. Williams, M.D. 1986. Preliminary report on the China Cranewatch 1986. Unpublished.
1082. Williams, M.D., Bakewell, D.N., Carey, G.J. and Holloway, S.J. 1986. On the bird migration at Beidaihe, Hebei Province, China, during spring 1985. *Forktail* 2: 3-20.
1083. Williams, M.J. 1986. The number of Auckland Island Teal. *Wildfowl* 37: 63-70.
1084. Wilson, R.P. 1985. Seasonality in diet and breeding success of the Jackass Penguin *Spheniscus demersus*. *Journal für Ornithologie* 126: 53-62.
1085. Wilson, R.P. 1985. The Jackass Penguin (*Spheniscus demersus*) as a pelagic predator. *Marine Ecology Progress Series* 25: 219-227.
1086. Wilson, R.T. 1976. The Ostrich *Struthio camelus* in Darfur, Republic of Sudan. *Bulletin of the British Ornithologists' Club* 96: 123-125.
1087. Wilson, V.J. 1972. Notes on *Otis denhami jacksoni* from the Nyika plateau. *Bulletin of the British Ornithologists' Club* 92: 77-81.
1088. Winkler, R. 1984-1987 Avifauna der Schweiz, eine kommentierte Artenliste. *Der Orn. Beobachter* 81(5-6).
1089. Winterbottom, J.M. 1974. Turtle Dove *Streptopelia tutur* in South West Africa. *Bulletin of the British Ornithologists' Club* 94: 19.
1090. Wodzicki, K. 1971. The birds of Niue Island, South Pacific: an annotated checklist. *Notornis* 18: 291-304.
1091. Won Pyong-oh 1976. *Checklist of the birds of the Republic of Korea*.
1092. Wood, D.S., Leberman, R.C. and Weyer, D. 1986. *Checklist of the birds of Belize*. Carnegie Museum of Natural History, Pittsburgh.
1093. Woods, C.A. and Ottenwalder, J.A. (undated) *Birds of the national parks of Haiti*. University of Florida, Gainesville.
1094. Woods, R.W. 1988. *A guide to the birds of the Falkland Islands*. Anthony Nelson.
1095. Wotzkow, C. 1985. Status and distribution of Falconiformes in Cuba. *Bulletin of the World Working Group on Birds of Prey* 2: 1-10.
1096. Wotzkow, C. 1986. Ecological observations of Gundlach's Hawk *Accipiter gundlachii* in Cuba. *Birds of Prey Bull.* 2: 1-10.
1097. Wotzkow, C. 1991. New subspecies of Gundlach's Hawk, *Accipiter gundlachi* (Lawrence). *Birds of Prey Bull.* 4: 271-292.
1098. Wu Sen-Hsiung and Yang Hsiouying 1991. *A guide to the wild birds of Taiwan*. Taiwan Wild Bird Information Centre and Wild Bird Society of Japan. 274pp.
1099. Yamashita, C. 1987. Field observations and comments on the Indigo Macaw (*Anodorhynchus leari*), a highly endangered species from north-eastern Brazil. *Wilson Bulletin* 99: 280-282.
1100. Yang Lan 1989. [A new subspecies of the Spotted Owl *Athene brama* - *A. b. poikila*.] *Zoological Research* 10: 303-308. (In Chinese.)
1101. Young, H.G. 1991. The endemic wildfowl of Madagascar. *IWRB Threatened Wildfowl Research Group Newsletter* 1: 12-13.
1102. Young, L., Garson, P.J. and Kaul, R. 1987. Calling behaviour and social organization in the Cheer Pheasant: implications for survey technique. *World Pheasant Association Journal* 12: 30-43.
1103. Young, L., Hussain, M. and Asker, G. 1986. Margala Hills Cheer Pheasant reintroduction project progress report - 1985. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association, Basildon, U.K.
1104. Yus Rusila Noor, Tulus Th Sibuea 1993. Milky Stork banding at Pulau Rambut, West Java, Indonesia. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 10.
1105. Zheng Guang-mei, Zhao Xin-ru and Song Jie 1986. On the breeding ecology of the Cabot's Tragopan *Tragopan caboti*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association, Basildon, U.K.
1106. Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing 1986. [Feeding ecology of the Cabot's Tragopan *Tragopan caboti*.] *Acta Ecologica Sinica* 6: 283-288. (In Chinese.)
1107. Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing 1985. [On the breeding ecology of *Tragopan caboti*.] *Acta Ecologica Sinica* 5: 379-385. (In Chinese.)
1108. Zonfrillo, B. 1977. Re-discovery of the Andean Condor *Vultur gryphus* in Venezuela. *Bulletin of the British Ornithologists' Club* 97: 17-18.
1109. Zubakin, W.A. and Flint, W.E. 1980. Oekologie und Verhalten der Reliktmöwe (*Larus relictus* Lonn.). *Beiträge Vogelkunde* 26: 253-275.

INDEX

- Abbott's Booby 2
abbotti, Papasula 2
abbotti, Sula 2
abeillei, Abeillia 124
Abeillia 124
Aburria 59
Abyssinian Lovebird 75
Abyssinian Owl 107
abyssinicus, Asio 107
abyssinicus, Asio otus 107
abyssinicus, Turtur 73
acadicus, Aegolius 107
Accipiter 16-21, 34, 41
accipitrinus, Deroptyus 86
Aceros 149-150
Acestrura 124
Acrocephalus 154
Acuá 56
acuta, Anas 9
acuticaudata, Aratinga 79
Adalbert's Eagle 22
adalberti, Aquila 22
adalberti, Aquila heliaca 22
adela, Oreotrochilus 142
Adelomyia 124
Admiralty Hawk-Owl 114
adorabilis, Lophornis 140
adorabilis, Paphosia 140
Adorable Coquette 140
adscitus, Platycercus 93
Aegolius 107
Aegypius 21, 45, 48
aegyptiacus, Alopochen 9
aenea, Glaucis 136
aeneocauda, Metallura 141
aequatorialis, Androdon 127
aequinotialis, Buteogallus 28
eruginosus, Circus 30
aestiva, Amazona 75
aethiopicus, Threskiornis 7
Afep Pigeon 71
afer, Euplectes 161
afer, Turtur 73
affinis, Ninox 114
affinis, Penelopides 151
affinis, Penelopides panini 151
ofra, Eupodotis 66
afraooides, Eupodotis 66
afraooides, Eupodotis afra 66
African Barred Owlet 111
African Baza 24
African Black Eagle 24
African Collared-Dove 72
African Cuckoo-falcon 24
African Cuckoo-hawk 24
African Firefinch 157
African Fish-Eagle 37
African Goshawk 21
African Grass-Owl 106
African Green-Pigeon 73
African Gymnogene 45
African Harrier-Hawk 45
African Hawk-Eagle 39
African Hobby 51
African Little Sparrowhawk 19
African Marsh-Harrier 33
African Marsh Owl 107
African Pygmy Falcon 57
African Pygmy-goose 14
African Red-tailed 26
African Serpent-Eagle 33
African Swallow-tailed Kite 29
African White-backed Vulture 35
African Wood-Pigeon 71
africanus, Bubo 109
africanus, Gyps 35
africanus, Spizaetus 46
Afroris 66
Agapornis 74-75
Agelaius 155
Agelastes 59
agilis, Amazona 75
Aglaeactis 124
Aglaioocercus 124, 125
Agriocharis 59
Aguila arpia 37
Aguila-Azor blanca 47
Aguila-Azor chica 47
Aguila-Azor negra 47
Aguila blanca 41
Aguila blanquinegra 47
Aguila cabeciblanca 36
Aguila cabeza blanca 36
Aguila calzada 39
Aguila castaña 44
Aguila colorada 25
Aguila commemonos 44
Aguila copetuda africana 41
Aguila coronada 38
Aguila cornizada rabuda 47
Aguila crestada 43
Aguila culebrera 30
Aguila culebrera colilarga 33
Aguila culebrera culiblanca 29
Aguila culebrera de Brown 30
Aguila de Bonelli 38
Aguila de Copete 44
Aguila de Penacho 47
Aguila de Walberg 24
Aguila elegante 47
Aguila escudada 34
Aguila harpia 37
Aguila imperial 23
Aguila monera 43
Aguila moteada 22
Aguila negra 29
Aguila perdicera 38
Aguila perdicera africana 39
Aguila pescadora 15
Aguila pomra 44
Aguila pomerana 23
Aguila rapaz 23
Aguila real 22, 34
Aguila sanguil 15
Aguila solitaria 38
Aguila tirana 47
Aguila volatinera 47
Aguililla aluda 27
Aguililla artica 27
Aguililla aura 25
Aguililla blanca 40
Aguililla caminera 27
Aguililla canela 25
Aguililla coliblanca 25
Aguililla colicorta 26
Aguililla colirroja 27
Aguililla de Harris 44
Aguililla de Swainson 28
Aguililla gris 24
Aguililla langostera 25
Aguililla negra mayor 29
Aguililla negra menor 29

- Aguililla pechirroja 27
 Aguililla real 28
 Aguiluco cabecinegro 25
 Aguiluco cenizo 32
 Aguiluco chico 25
 Aguiluco cola corta 28
 Aguiluco común 28
 Aguiluco de Ciénaga 31
 Aguiluco lagunero 30
 Aguiluco pálido 31
 Aguiluco papialbo 32
 Aguiluco puna 28
 Aguiluco variado 28
 Aigle à tête blanche 36
 Aigle à ventre roux 38
 Aigle-autour fascié 39
 Aigle blanchard 47
 Aigle botté 39
 Aigle couronné 47
 Aigle criard 22
 Aigle d'Australie 22
 Aigle d'Ayres 38
 Aigle d'Isidore 44
 Aigle de Blyth 46
 Aigle de Bonelli 38
 Aigle de Cassin 46
 Aigle de Gurney 22
 Aigle de Java 46
 Aigle de Nouvelle-Guinée 38
 Aigle de Verreaux 24
 Aigle de Wahlberg 24
 Aigle de Wallace 46
 Aigle des Célebes 46
 Aigle des Philippines 47
 Aigle des singes 44
 Aigle des steppes 23
 Aigle fascié 39
 Aigle huppard 41
 Aigle huppé 46
 Aigle ibérique 22
 Aigle impérial 23
 Aigle martial 45
 Aigle montagnard 47
 Aigle nain 39
 Aigle noir 39
 Aigle noir et blanc 47
 Aigle orné 47
 Aigle pêcheur africain 37
 Aigle pomarin 23
 Aigle ravisieur 23
 Aigle royal 22
 Aigle serpentaire 33
 Aigle tyran 47
 Aigrette garzette 4
 Ala de sable anteado 129
 Ala de sable gris 130
 Ala de sable pechivioleta 129
 Ala de sable rufo 129
 Ala de sable verde 129
 Alasable azulino 129
 Alasable del Napo 130
 Alasable pechigris 130
 Alazafiro grande 146
 alba, *Cacatua* 82
 alba, *Egretta* 4
 alba, *Tyto* 105
 Albatros 2
 Albatros à queue courte 2
 Albatros colicorto 2
 Albatros rabón 2
 albatrus, *Diomedea* 2
 alberti, *Crax* 58
 alberti, *Pteridophora* 170
 olbertinum, *Glaucidium* 111
 albertisi, *Drepanornis* 168
 albertisi, *Epimachus* 168
 albicaudatus, *Buteo* 25
 albicilla, *Haliaeetus* 36
 albicollis, *Leucocloris* 140
 albicollis, *Leucopeternis* 40
 albidinuchus, *Lorius* 89
 albifacies, *Sceloglaux* 121
 albifrons, *Amazona* 75
 albifrons, *Amblyospiza* 161
 albigula, *Buteo* 25
 albigula, *Buteo brachyurus* 25
 albinucha, *Ploceus* 164
 albipectus, *Pyrrhura* 99
 albipennis, *Penelope* 59
 albirostris, *Anthracoceros* 150
 albirostris, *Bubalornis* 161
 albiatarsus, *Ciccaba* 121
 albiatarsus, *Strix* 121
 albocoronata, *Microchera* 142
 albogularis, *Accipiter* 16
 albogularis, *Otus* 116
 albogularis, *Phalcoboenus* 57
 albogularis, *Phalcoboenus megalopterus* 57
 albogularis, *Zosterops* 154
 alboniger, *Spizaetus* 46
 albonotatus, *Buteo* 25
 albus, *Casmerodius* 4
 Alcaraván Americana 69
 Alcatraz de Abbott 2
 alcinus, *Machaerhamphus* 41
 alcinus, *Macheiramphus* 41
 Alcotán 54
 Alcotán cuellirrojo 50
 Alder Parrot 77
 Alecto à bec blanc 161
 alexanderi, *Falco* 55
 alexandrae, *Polytelis* 95
 alexandri, *Archilochus* 128
 alexandri, *Psittacula* 97
 alfredi, *Otus* 118
 aliblanco, *Pijiji* 13
 alicastaño, *Colibri* 139
 alice, *Chlorostilbon* 130
 aliciae, *Agleactis* 124
 Alimoche común 43
 Alimoche sombrío 43
 alinae, *Eriocnemis* 134
 Alisterus 75
 aliverde, *Cerceta* 10
 Allen, *Zumbador de* 146
 alopec, *Falco* 49
 Alopochen 9
 altaicus, *Falco* 50
 aluco, *Strix* 121
 amabilis, *Amazilia* 125
 amabilis, *Charmosyna* 84
 amabilis, *Loriculus* 88
 Amadina 156
 Amadine cou-coupé 156
 Amandava 156
 Amapola 78
 Amarante à ventre noir 157
 Amarante communus 157
 Amarante du Sénégal 157
 Amarante flambé 157
 Amarante foncé 157
 Amarante masqué 158
 Amarante pointé 157
 Azarante vineux 158
 amauropyteryx, *Vidua* 166
 amazilia, *Amazilia* 125
 Amazilia 125-127

- Amazilia bronzeada* coliazul 126
Amazilia colimorada 127
Amazilia colirufa 126
Amazilia gorjibrillante 126
Amazilia Hummingbird 125
Amazilia pechiazul 125
Amazilia pechimorada 126
Amazilia ventrirufa 125
Amazilia verde-azul 126
Amazona 75-78
Amazona pechivinosa 77
Amazona pretrei 77
Amazona rhodocorytha 77
Amazona ventralis 77
Amazona vinacea 77
Amazone à 77
Amazone à ailes vertes 75
Amazone à bandea rouge 78
Amazone à couronne lilas 76
Amazone à épaulettes jaunes 76
Amazone à face jaune 78
Amazone à face rouge 77
Amazone à front blanc 75
Amazone à front bleu 75
Amazone à front jaune 77
Amazone à joues bleues 76
Amazone à joues bleues 76
Amazone à joues bleues 77
Amazone à joues jaunes 76
Amazone à joues vertes 76
Amazone à joues vertes 78
Amazone à lores jaunes 78
Amazone à nuque d'or 75
Amazone à sourcils rouges 77
Amazone à tête blanche 77
Amazone à tête bleue 75
Amazone à tête jaune 77
Amazone à tête jaune 77
Amazone agile 75
Amazone aurou 75
Amazone bourgogne 77
Amazone d'Hispaniola 77
Amazone de Bouquet 75
Amazone de Cuba 77
Amazone de Dufresne 76
Amazone de Finsch 76
Amazone de Guldung 76
Amazone de Kawall 76
Amazone de la Barbade 76
Amazone de la Jamaïque 76
Amazone de Prêtre 77
Amazone de Puerto Rico 78
Amazone de Saint-Vincent 76
Amazone de Sainte-Lucie 77
Amazone de San Domingo 77
Amazone de Tucman 77
Amazone de Tucuman 77
Amazone diadème 76
Amazone du Yucatan 78
Amazone farinienne 76
Amazone festiva 76
Amazone impériale 76
Amazone mercenaire 77
Amazone poudrée 76
Amazone sasabé 76
Amazone tavoua 76
Amazone versicolore 77
Amazone verte 75
Amazone vineuse 77
amazonica, Amazona 75
amazonica, Amazona 75
Amazonico activo 75
Amazonico jamaica 75
Amazonico todo verde 75
amazonina, Hapalopsittaca 88
ambigua, Ara 78
Amblyospiza 161
Amblyospize à front blanc 161
amboinensis, Alisterus 75
Amboi King-Parrot 75
American Flamingo
American Harpy Eagle 37
American Swallow-tailed Kite 33
americana, Grus 63
americana, Rheo 1
Americana, Alcaraván 69
Americana, Grulla 63
americanus, Daptrius 48
amethysticollis, Heliangelus 136
amethystina, Calliphlox 129
amethystinus, Lampornis 139
amurensis, Falco 49
amurensis, Falco vespertinus 49
Anade rabudo 9
Anade silbón 11
Anaplectes 161
Aras 9-11
andinus, Phoenicoporus 8
Andrews' Frigatebird 3
andrewsi, Fregata 3
Androdon 127
Angel de Sol Amatista 136
Angel de Sol Cuellicro 136
Angel de Sol de Mérida 136
angelinae, Otus 116
angelinae, Otus spilocephalus 116
angolensis, Gypohierax 35
anna, Archilochus 129
anna, Calypte 129
Anodorhynchus 78
Anomalospiza 161
Anorrhinus 150
Anserelle naine 14
Anthocephala 127
anthopeplus, Polystelus 95
anthophilus, Phaethornis 143
anthracinus, Buteogallus 29
Anthracoceros 150
Anthracothorax 127
Anthropoides 65
Anthropoides paradisea 65
Anthropoides virgo 65
antigone, Grus 64
Aphanochroa 128
apivorus, Pernis 44
apoda, Paradisaea 169
approximans, Circus 31
approximans, Circus aeruginosus 31
Aprosmictus 78
aquila, Euxoxeres 135
Aquila 22-24
Ara 78-79
Ara à collier jaune 78
Ara à face grise 85
Ara azul 78
Ara bleu 78
Ara bleu et jaune 79
Ara chloroptère 79
Ara cobalt 78
Ara couloni 79
Ara d'Illiger 79
Ara de Buffon 78
Ara de Coulon 79
Ara de Lafresnaye 79
Ara de Lear 78
Ara de Spix 85
Ara glauque 78

- Ara* *hyacinthe* 78
Ara *jacinthe* 78
Ara *macawouanne* 79
Ara *militaire* 79
Ara *noble* 79
Ara *rouge* 79
Ara *vert* 79
arabs, *Ardeotis* 66
arabs, *Choriotis* 66
aracari, *Pteroglossus* 152
araea, *Falco* 49
ararauna, *Ara* 78
Arasari roejicastaño 152
Aratinga 79-81
arausiaca, *Amazona* 75
arborea, *Dendrocygna* 13
Arborophila 59
archeri, *Buteo* 26
archeri, *Buteo augur* 26
Archibebe moteado 69
Archilocus 128-129, 147
Ardeo 3
ardens, *Coliuspasser* 162
ardens, *Euplectes* 162
ardens, *Selasphorus* 146
Ardeola 3
Ardeotis 66
ardosiaceus, *Falco* 49
Arfak Parotia 170
arfaki, *Oreopsinacus* 92
argus, *Argusianus* 60
Argus géant 60
Argus ocellé 62
Argus Pheasant 60
Argusianus 59
Ariane à couronne azur 125
Ariane à couronne violette 127
Ariane à front bleu 125
Ariane à front vert 127
Ariane à poitrine blanche 125
Ariane à queue bleue 125
Ariane à ventre blanc 125
Ariane à ventre gris 126
Ariane à ventre roux 125
Ariane à ventre vert 127
Ariane aimable 125
Ariane béryl 125
Ariane candide 125
Ariane cannelle 126
Ariane charmante 125
Ariane d'Edward 126
Ariane de Boucard 125
Ariane de Félicie 126
Ariane de Francia 126
Ariane de Lesson 125
Ariane de Linné 126
Ariane de Lucy 126
Ariane de Rosenberg 126
Ariane de Sophie 126
Ariane du Pérou 127
Ariane du Tachira 126
Ariane du Yucatan 127
Ariane saphirine 126
Ariane versicolore 126
Ariane vert-doré 126
Arpia 37
ascalaphus, *Bubo* 109
ascalaphus, *Bubo bubo* 109
Asian Baza 24
Asian Baza 24
Asian Black Eagle 39
Asian Crested Goshawk 21
asio, *Otus* 116
Asia 107-108
assimilis, *Chlorostilbon* 131
assimilis, *Chlorostilbon canivetii* 131
assimilis, *Circus* 31
astec, *Aratinga* 81
Astrapia 167
astreans, *Acestrura* 124
astreans, *Acestrura heliodor* 124
astrild, *Estrilda* 156
Astrild à joues orange 157
Astrild-caille 159
Astrild-caille à lunettes 159
Astrild cendré 157
Astrild ondulé 156
Astrild queue-de-vinaigre 156
Astrilda aperdizada 159
Astrilda carirroja 157
Astrilda ceniza del Sénégal 156
Astrilda comin 156
Astrilda culinegra 157
Astrilda pechiguadá 156
astur, *Euriorchis* 34
Asturina 24
ater, *Daptrius* 48
aterrimus, *Probosciger* 95
Athene 108, 109, 121
atra, *Afronis* 66
atra, *Chalcopsitta* 84
atra, *Manucodia* 168
atricapillus, *Otus* 116
Atrichorne bruyant 153
Atrichornis 153
atricollis, *Ortygospiza* 159
atrogularis, *Textu* 164
atropurpurea, *Xipholena* 153
Athitis 128
attwateri, *Tympانuchus cupido* 63
aucklandica, *Anas* 9
audax, *Aquila* 22
Augastes 128
augur, *Buteo* 26
auguralis, *Buteo* 26
augusti, *Phaethornis* 143
aurantia, *Tyto* 105
aurantiifrons, *Loriculus* 88
aurantius, *Ploceus* 164
auratus, *Chlorostilbon* 131
aureo, *Aratinga* 79
aureliae, *Haplophaedia* 136
aureoventris, *Chlorostilbon* 131
aurescens, *Heliodoxa* 137
aurescens, *Polyptilota* 137
auricapilla, *Aratinga* 80
auriceps, *Chlorostilbon* 131
auriceps, *Cyanoramphus* 85
auricollis, *Ara* 78
aurifrons, *Bolborhynchus* 81
aurita, *Heliothryx* 138
auritus, *Nenuphas* 14
europallata, *Amazona* 75
europallata, *Amazona ochrocephala* 75
Aurora Finch 160
Austral Pygmy-Owl 112
Australasian Goshawk 18
Australian Bustard 66
Australian Hobby 52
Australian Kestrel 50
Australian King-Parrot 75
Australian Masked-Owl 106
australis, *Ardeotis* 66
australis, *Choriotis* 66
australis, *Phalcoboenus* 57
australis, *Vini* 102

Autillo 119
 Autillo de Guernsey 114
 Autillo europeo 119
 Autillo roborado 119
 Autour à ailes grises 42
 Autour à flancs roux 17
 Autour à longue queue 48
 Autour à manteau noir 19
 Autour à tête grise 20
 Autour à ventre blanc 18
 Autour à ventre gris 20
 Autour australico 18
 Autour blanc 20
 Autour blue et gris 19
 Autour chanteur 42
 Autour de Bürger 34
 Autour de Doria 41
 Autour de Hensl 18
 Autour de Mayr 20
 Autour de Meyer 19
 Autour de Toussenel 21
 Autour des Célebes 18
 Autour des Fidji 20
 Autour des Moluques 18
 Autour des palombes 18
 Autour gabar 42
 Autour huppé 21
 Autour imitateur 19
 Autour minulle 17
 Autour noir 19
 Autour pie 16
 Autour rouge 34
 Autour sombre 42
 Autour tachiro 21
 Autour unibande 40
 Autruche d'Afrique 1
autumnalis, *Amazona* 76
autumnalis, *Dendrocygna* 13
 Avestruz 1
 Avestruz de Magallanes 1
 Aviceda 24-25
Avocetbill, Mountain 142
Avocettula 128
 Avutarda 68
 Avutarda Arabe 66
 Avutarda australiana 66
 Avutarda bengali 66
 Avutarda de Burchell 68
 Avutarda de Denham 68
 Avutarda de Heuglin 68
 Avutarda de Ludwig 68
 Avutarda de Savile 67
 Avutarda indica 66
 Avutarda Kori 66
 Avutarda nubica 68
axillaris, *Elanus* 33
aymara, *Bolborhynchus* 81
 Ayres's Eagle 38
 Ayres's Hawk-Eagle 38
ayresii, *Hieraetus* 38
 Aythya 12
 Azor 18
 Azor bicolor 16
 Azor blanquinegro 19
 Azor chica 21
 Azor culebrero 45
 Azor gris 21
 Azor lagartijero 42
 Azor pechigrís 20
 Azor pechillano 21
 Azor rabilargo 48
 Azor semicollarejo 17
 Azure-crowned Hummingbird 125
badius, *Accipiter* 16

badius, *Phodilus* 105
baeri, *Leucippus* 140
 Bahama Woodstar 129
 Baikal Teal 11
bailloni, *Baillonius* 152
Baillonius 152
 Baka Indigobird 166
bakkamoena, *Otus* 116
Balaeniceps 5
 Balbuzard pêcheur 15
 Bald Eagle 36
 Bald Ibis 7
Balearica 63
 Bali Myna 167
 Bali Starling 167
balli, *Orus* 116
 Band-bellied Owl 120
 Band-tailed Barbetthroat 148
 Band-tailed Fish-Eagle 32
 Band-tailed Owl 120
 Banded Cotinga 153
 Banded Eagle-Owl 110
 Banded Kestrel 55
 Banded Pitta 153
 Banded Snake-Eagle 29
banksii, *Calyptorhynchus* 83
 Bannerman's Turaco 103
bannermani, *Buteo* 26
bannermani, *Tauraco* 103
 Bar-breasted Firefinch 157
 Bar-breasted Waxbill 157
barbadensis, *Amazona* 76
barbarus, *Orus* 116
 Barbary Falcon 53
barbarus, *Gypaetus* 34
 Barber, Toucan 151
 Barbita colibandeada 148
 Barbita colipálida 148
 Bare-eyed Cockatoo 83
 Bare-legged Owl 118
 Bare-shanked Screech-Owl 117
 Barking Owl 114
 Barnacla canadiense aleutiana 12
 Barnacla cuellirroja 12
 Barnacla hawaiana 12
barnardi, *Barnardius* 93
barnardi, *Platycercus* 93
Barnardius 93
baroni, *Metallura* 141
 Barraband Parakeet 95
 Barraband's Parrot 92
borrabandi, *Pionopsitta* 92
 Barred Eagle-Owl 110
 Barred Forest-Falcon 56
 Barred Hawk 41
 Barred Honey-buzzard 44
 Barred Jungle Owlet 113
 Barred Kestrel 55
 Barred Owl 123
 Barred Owlet 111
 Barred Parakeet 81
barroti, *Heliothryx* 138
bartelsi, *Spizaetus* 46
Basilinna 138
 Bat Falcon 54
 Bat Hawk 41
 Bat Kite 41
batavica, *Touit* 101
 Bateleur 47
 Bateleur des savanes 47
 Bateleur Eagle 47
baudinii, *Calyptorhynchus* 83
baudinii, *Calyptorhynchus funereus* 83

- Bay Owl 105
 Bay-winged Hawk 44
 Baza africano 24
 Baza coucou 24
 Baza de Jerdon 24
 Baza huppard 24
 Baza huppé 25
 Baza malgache 24
 Bearded Helmetcrest 143
 Bearded Mountaineer 142
 Bearded Vulture 34
beaudouini, *Circaetus* 30
 Beaumarquet 160
 Beaumarquet à ailes jaunes 160
 Beaumarquet aurore 160
 Beautiful Hummingbird 129
 Beautiful Parrot 92
Bebrornis 154
 Bec-d'argent 158
 Bec de corail cendré 157
 Bec de corail ondulé 156
 Bec-en-faucille aigle 135
 Bec-en-faucille de La Condamine 135
 Bec-en-sabot du Nil 5
beccarii, *Orus* 118
 Bee Hummingbird 141
bella, *Goethalsia* 136
bellicosus, *Hieraetus* 45
bellicosus, *Polemaetus* 45
 Bengal Florican 66
bengala, *Estrilda* 161
bengalensis, *Bubo* 109
bengalensis, *Bubo bubo* 109
bengalensis, *Eupodotis* 66
bengalensis, *Gyps* 35
bengalensis, *Houbaropsis* 66
 Bengali zébré 156
 Bengali carinegro 158
 Bengali de Fraser 157
 Bengali de Lichtenstein 157
 Bengali senégâles 157
bengalus, *Uraeginthus* 161
benjamini, *Urosticte* 148
Berenicornis 149
berigora, *Falco* 49
berlepschi, *Aegithura* 124
 Bernache à cou roux 12
 Bernache d'Hawaii 12
 Bernache des Aléoutiennes 12
 Bernache néné 12
bernieri, *Anas* 9
bernieri, *Threskiornis* 7
beryllina, *Amazilia* 125
 Berylline Hummingbird 125
beryllinus, *Loriculus* 89
 Besra 21
 Besra Sparrowhawk 21
 Biak Red Lory 86
biarmicus, *Falco* 49
bicoloratum, *Polyplectron* 61
bicolor, *Accipiter* 16
bicolor, *Cyanophaia* 133
bicolor, *Dendrocygna* 13
bicolor, *Gavilán* 16
bicolor, *Lonchura* 158
bicolor, *Nigrio* 159
bicolor, *Spermestes* 158
 Bicolored Hawk 17
 Bicolored Sparrowhawk 16
bicornis, *Buceros* 150
bidentatus, *Harpagus* 37
bilophum, *Heliaictin* 136
 Bird-of-paradise 169
 Bismarck Hawk-Owl 116
 Bismarck Masked-Owl
bistriatus, *Burhinus* 69
 Black-and-chestnut Eagle 44
 Black-and-white Hawk-Eagle 47
 Black-and-white Munia
 Black-and-white Owl 122
 Black-backed Thornbill 146
 Black-banded Owl 122
 Black Baza 24
 Black-billed Amazon Parrot 75
 Black-billed Parrot 75
 Black Bustard 66
 Black-capped Screech-Owl
 Black Caracara 48
 Black-chested Hawk 41
 Black Crowned Crane 63
 Black Eagle 24, 39
 Black-eared Parrot 88
 Black-eared Parrotet 101
 Black Falcon 55
 Black-fronted Hummingbird 138
 Black Goshawk 19
 Black Harrier 32
 Black Hawk-Eagle 47
 Black Honey-buzzard 38
 Black Hornbill 150
 Black Inca 132
 Black Jacobin 141
 Black Kite 42
 Black Korhaan 66
 Black Lory 84
 Black Metaltail 141
 Black-necked Aracari 152
 Black Parrot 85
 Black Partridge 61
 Black-shouldered Kite 33
 Black Sicklebill 168
 Black Solitary Eagle 38
 Black Sparrowhawk 19
 Black Stork 5
 Black-throated Mango 127
 Black Vulture 21
 Black-winged Bishop 162
 Black-winged Bishop 162
 Black-winged Kite 33
 Black-winged Lory 86
 Black-winged Lovebird 75
 Black-winged Parrot 88
 Black Wood-Partridge 61
 Blakiston's Fish-Owl 113
blakistoni, *Bubo* 113
blakistoni, *Ketupa* 113
 Blaze-winged Conure 99
 Blaze-winged Parakeet 99
blewitti, *Athene* 108
 Blood Pheasant 60
 Blossom-headed Parakeet 98
 Blossomcrown 127
 Blue-and-gold Macaw 78
 Blue-and-yellow Macaw 78
 Blue-backed Parrot 101
 Blue-bellied Parrot 102
 Blue-billed Curassow 58
 Blue-billed Firefinch 157
 Blue-billed Malimbe 163
 Blue-billed Mannikin
 Blue-billed Weaver 160
 Blue Bird-of-paradise 169
 Blue Bustard 67
 Blue-capped Hummingbird 135
 Blue-capped Puffleg 134
 Blue-cheeked Amazon Parrot 76
 Blue-cheeked Parrot 76

Blue-chested Hummingbird 125
 Blue-chinned Sapphire 130
 Blue-collared Parrot 87
 Blue Crane 65
 Blue-crowned Conure 79
 Blue-crowned Hanging-Parrot 89
 Blue-crowned Lorikeet 102
 Blue-crowned Parakeet 79
 Blue-crowned Racquet-tail Parrot 95
 Blue-crowned Woodnymph 147
 Blue Crowned-Pigeon 71
 Blue-eared Lory 87
 Blue-eyed Cockatoo 83
 Blue-fronted Lancebill 133
 Blue-fronted Lorikeet 85
 Blue-fronted Parrot 101
 Blue-fronted Parrolet 101
 Blue-headed Dove 73
 Blue-headed Hummingbird 133
 Blue-headed Macaw 79
 Blue-headed Parrot 93
 Blue-headed Racquet-tail 95
 Blue-headed Racquet-tail Parrot 95
 Blue-headed Sapphire 138
 Blue-headed Wood-Dove 73
 Blue-knobbed Curassow 58
 Blue Korhaan 67
 Blue Lorikeet 102
 Blue-mantled Thorobill 130
 Blue-naped Parrot 101
 Blue Plaintiff-eater 103
 Blue-rumped Parrot 99
 Blue-rumped Parrolet 87
 Blue-spotted Wood-Dove 73
 Blue-streaked Lory 87
 Blue-tailed Emerald 131
 Blue-tailed Hummingbird 125
 Blue-tailed Pitta 153
 Blue-throated Goldentail 138
 Blue-throated Hummingbird 139
 Blue-throated Macaw 79
 Blue-throated Parakeet 132
 Blue-throated Starfrontlet 132
 Blue-tufted Starthroat 137
 Blue-vented Hummingbird 126
 Blue-winged Grass-Parakeet 91
 Blue-winged Macaw 79
 Blue-winged Parrot 91
 Blue-winged Parrolet 87
 Blue-winged Racquet-tail 95
 Blue-winged Parrot 91
 Bluebonnet 91
blumenbachii, *Crax* 58
 Blyth's Hawk-Eagle 46
 Blyth's Hornbill 149
 Blyth's Tragopan 62
blythii, *Tragopan* 62
 Bogotá Sunangel 137
Boissonneaua 128
Bolbopsittacus 81
Bolborhynchus 81
bolivianum, *Glaucidium* 111
bombycina, *Acestrura* 124
bonapartei, *Coeligena* 132
 Bondrée à longue queue 38
 Bondrée apivore 44
 Bondrée des Célèbes 44
 Bondrée noire 38
 Bondrée orientale 44
 Bonelli's Eagle 38
boobook, *Ninox* 114
boobook, *Ninox novaeseelandiae* 114
 Booted Eagle 39
 Booted Racket-tail 142

Boreal Owl 107
borealis, *Numenius* 69
borea, *Eos* 86
 Bornean Peacock-Pheasant 62
Bostrychia 6
boucardi, *Amazilia* 125
bouqueri, *Urochroa* 148
bourbonnensis, *Tchitrea* 154
bourbonnensis, *Terpsiphone* 154
bourcieri, *Phaethornis* 143
 Bourke's Parrot 91
bourkii, *Neophema* 91
bourkii, *Neopsephorus* 91
bouvieri, *Scotopelia* 121
boyiana, *Ciconia* 5
boyiana, *Ciconia ciconia* 5
 Brace's Emerald 131
bracei, *Chlorostilbon* 131
bracei, *Chlorostilbon maugeus* 131
brachylopha, *Lophornis* 140
brachylopha, *Lophornis delattrei* 140
brachypterus, *Buteo* 26
brachyurus, *Accipiter* 16
brachyurus, *Buteo* 26
brachyurus, *Graydidascalus* 88
 Brahminy Kite 37
brama, *Athene* 109
branickii, *Heliodoxa* 137
branickii, *Leptosittaca* 88
Branta 12
brasiliianum, *Glaucidium* 111
brasiliensis, *Amazona* 76
 Brazilian Ruby 132
 Brehm's Tiger-Parrot 96
brehmeri, *Turtur* 73
brehmii, *Psittacula* 96
 Brève azurine 153
 Brève de Guraey 153
 Brève de Koch 153
 Brève migratrice 153
brevicauda, *Paradigalla* 169
brevipes, *Accipiter* 17
brevipes, *Aratinga* 80
 Brillant à bandeau bleu 137
 Brillant à couronne verte 137
 Brillant à front violet 137
 Brillant à gorge noire 137
 Brillant à gorge rose 137
 Brillant de Branicki 137
 Brillant fer-de-lance 137
 Brillant impératrice 137
 Brillant rubinoïde 137
 Brillante coroniverde 137
 Brillante emperatriz 137
 Brillante frenívioleta 137
 Brillante gorjinegro 137
 Brillante gorjirrosado 137
 Brillante pechianteado 137
 Broad-billed Hummingbird 133
 Broad-tailed Hummingbird 146
 Broad-tipped Hermit 143
 Broad-winged Hawk 27
brodiei, *Glaucidium* 111
 Brolga 65
 Bronze Mannikin 145
 Bronze Munia 145
 Bronze-tailed Barbet 148
 Bronze-tailed Barbet 148
 Bronze-tailed Comet 145
 Bronze-tailed Plumeleteer 130
 Bronze-tailed Thornbill 130
 Bronze-winged Mannikin 145
 Bronze-winged Parrot 92

- Bronzy Hermit 136
 Bronzy Inca 132
brookii, *Otus* 116
 Bros-bec à front blanc 161
Brotogeris 81-82
 Brown-backed Fire-finch 157
 Brown-backed Parrotet 101
 Brown-breasted Parakeet 60
 Brown Eared-Pheasant 60
 Brown Falcon 49
 Brown Fish-Owl 113
 Brown Goshawk 18
 Brown Harrier-Eagle 30
 Brown Hawk-Owl 115
 Brown-headed Parrot 94
 Brown-hooded Parrot 92
 Brown Hornbill 150
 Brown Inca 132
 Brown Lory 84
 Brown-necked Parrot 94
 Brown Parrot 94
 Brown Sicklebill 168
 Brown Snake-Eagle 30
 Brown Teal 9
 Brown-throated Conure 81
 Brown-throated Parakeet 81
 Brown Violet-ear 133
 Brown Wood-Owl 122
 Bruce's Green-Pigeon 73
brucei, *Otus* 117
bruijnii, *Drepanornis* 168
bruijnii, *Epimachus* 168
bruijnii, *Micropsitta* 90
bryantae, *Calliphlox* 145
bryantae, *Pholidice* 145
Bubalornis 161
bubo, *Bubo* 109
Bubo 109-113
Bubulcus 3
Bubulcus ibis 3
Buceros 150-151
 Buckley's Forest-Falcon 144
buckleyi, *Micrastur* 56
buergersi, *Accipiter* 34
buergersi, *Erythrocercus* 34
 Buff-bellied Hermit 144
 Buff Weka 65
 Buffon's Macaw 78
buffoni, *Circus* 31
buffonii, *Chotybara* 130
Bugeranus 64
 Buhito en Pernetas 117
 Buho africano chico 109
 Buho aguilicho de Nueva Guinea 123
 Buho cornudo 114
 Buho de Akun 110
 Buho de Guinea 113
 Buho de Jamaica 120
 Buho de las islas Salomón 114
 Buho nival 116
 Buho pequeño de bigotes alargados 124
 Buho pescador 113
 Buho pescador rojizo 121
 Buho real 109
 Buho barrado 123
 Buho blanquinegro 122
 Buho café 123
 Buho chico 108
 Buho corniblanco 114
 Buho-cornudo 107-108, 111
 Buho-cornudo cariblanco 107
 Buho-cornudo caricafé 108
 Buho-cornudo oscuro 108
 Buho de anteojos 121
 Búho fulvo 122
 Búho llanero 121
 Búho manchado 122
 Búho orejicorto 108
 Buitre leonardo común 35
 Buitre Leonardo Bengalés 35
 Buitre moteado 36
 Buitre negro 21
 Buitre orejudó 48
 Buitre piquirojo 48
burchellii, *Neotis* 68
burmeisteri, *Microstilbon* 142
 Busard bariolé 31
 Busard cendré 32
 Busard d'Orient 33
 Busard de Buffon 31
 Busard de Gould 31
 Busard de Maillard 32
 Busard de Wilson 29
 Busard des Roseaux 30
 Busard grenouillard 33
 Busard maure 32
 Busard pâle 32
 Busard Saint-Martin 31
 Busard tacheté 31
 Busard tcboug 32
Busorellus 25
 Busautour à joues grises 25
 Busautour aux yeux blancs 25
 Busautour des Sauterelles 25
 Busautour pâle 25
 Buse à dos gris 40
 Buse à épaulettes 27
 Buse à face noire 40
 Buse à gorge blanche 25
 Buse à gros bec 27
 Buse à queue barrée 25
 Buse à queue blanche 25
 Buse à queue courte 26
 Buse à queue rousse 26
 Buse à sourcils blancs 40
 Buse à tête blanche 25
 Buse aguia 34
 Buse ardoisée 41
 Buse augure 26
 Buse barrée 41
 Buse blanche 40
 Buse buson 28
 Buse cendrée 24
 Buse couronnée 38
 Buse cul-blanc 27
 Buse d'Afrique 26
 Buse d'Archer 26
 Buse d'Hawaï 28
 Buse de Chine 27
 Buse de Harris 44
 Buse de Madagascar 26
 Buse de Patagonie 28
 Buse de Ridgway 28
 Buse de Swainson 28
 Buse des Galapagos 26
 Buse des mangroves 29
 Buse du puma 28
 Buse échasse 34
 Buse féroce 28
 Buse grise 24
 Buse lacermulée 40
 Buse mantelée 41
 Buse montagnarde 27
 Buse noire 29
 Buse patue 27
 Buse plombée 41
 Buse rouilleuse 28
 Buse rounoir 28

- Buse roussâtre 29
 Buse semiplombée 41
 Buse solitaire 38
 Buse tricolore 28
 Buse urubu 29
 Buse variable 26
Buteastur 25
buteo, *Buteo* 26
Buteo 24-28
Buteogallus 28-29
butleri, *Accipiter* 17
butleri, *Strix* 122
 Caburé 56, 111
 Caburé patagónico 112
 Cacapo 100
 Cacatôe 83
 Cacatoès à bec gracile 83
 Cacatoès à buppe blanche 82
 Cacatoès à buppe jaune 82
 Cacatoès à buppe rouge 83
 Cacatoès à oeil bleu 83
 Cacatoès à oreilles jaunes 83
 Cacatoès à rectrices blanches 84
 Cacatoès à tête rouge 83
 Cacatoès à ventre rouge 82
 Cacatoès aux yeux bleus 83
 Cacatoès aux yeux nus 83
 Cacatoès banksien 83
 Cacatoès blanc 82
 Cacatoès casqué 83
 Cacatoès corella 83
 Cacatoès de Banks 83
 Cacatoès de Baudin 83
 Cacatoès de Ducorps 82
 Cacatoès de Goffin 82
 Cacatoès de Latham 83
 Cacatoès de Leadbeater 82
 Cacatoès des Moluques 83
 Cacatoès des Philippines 82
 Cacatoès funèbre 83
 Cacatoès laboureur 83
 Cacatoès nasique 83
 Cacatoès soufré 83
Cacaua 82-83, 86
 Cacanía blanca 82
 Cacanía de cabeza roja 83
 Cacatúa de cola roja 83
 Cacatúa de cola sangrante 82
 Cacatúa de cresta amarilla grande 82
 Cacatúa de Ducorps 82
 Cacatúa de Goffin 82
 Cacatúa de las Molucas 83
 Cacatúa de Leadbeater 82
 Cacatúa de pico afilado 83
 Cacatúa de pico afilado anaranjada 83
 Cacatúa enlutada 95
 Cacatúa Inca 82
 Cacatúa negra de cola amarilla 83
 Cacatúa negra de cola roja 83
 Cacatúa negra de Latham 83
 Cacatúa oftalmica 83
 Cacatúa rosada 86
cachinnans, *Herpetotheres* 56
cactorum, *Aratinga* 80
 Caébézon toucan 151
caerulescens, *Estrilda* 156
caerulescens, *Eupodotis* 67
caerulescens, *Geranospiza* 34
caerulescens, *Microhierax* 56
caeruleus, *Elanus* 33
cafra, *Neotis* 68
caica, *Pionopsitta* 92
 Caïque à ailes noires 88
 Caïque à capuchon 92
 Caïque à face rouge 88
 Caïque à joues roses 92
 Caïque à queue courte 88
 Caïque à tête noire 92
 Caïque à ventre blanc 92
 Caïque de Barraband 92
 Caïque de Bonaparte 92
 Caïque de Fuertes 88
 Caïque de Salvin 88
 Caïque maipourri 92
 Caïque mitré 92
 Caïque vautourin 88
Cairina 12-13, 15
 Calao à casque 151
 Calao à casque plat 151
 Calao à casque rond 151
 Calao à casque rouge 149
 Calao à cimier 149
 Calao à cou roux 149
 Calao à gorge claire 150
 Calao bicorne 150
 Calao brun 150
 Calao charbonnier 150
 Calao coiffé 149
 Calao de Malabar '50
 Calao de Manille 151
 Calao de Mindanao 151
 Calao de Mindoro 151
 Calao de Narcondam 149
 Calao de Palawan 150
 Calao de Samar 151
 Calao de Sumba 149
 Calao de Vieillot 149
 Calao de Walden 150
 Calao des Célebes 151
 Calao des Philippines 151
 Calao des Sulu 150
 Calao festonné 150
 Calao largup 150
 Calao papou 149
 Calao pie 150
 Calao rhinocéros 151
 Calao tarictic 151
Cálico de casco 151
 Cálico de Narcondam 149
 Cálico grande 150
 Cálico rinoceronte 151
 Cálico rojipardo 151
caledonicus, *Platycercus* 93
californianus, *Gymnogyps* 15
californicum, *Glaucidium* 111
californicum, *Glaucidium gnoma* 111
calliope, *Archilochus* 147
calliope, *Colibri* de 147
calliope, *Stellula* 147
Calliphlox 129, 145
calliptera, *Pyrrhura* 99
Callocephalon 83
Caloenas 70
calolaema, *Lampornis* 139
Caloperdix 60
Calothorax 129, 133
calthropae, *Psittacula* 97
calva, *Treron* 73
calva, *Treron australis* 73
calvus, *Aegypius* 45
calvus, *Geronticus* 7
calvus, *Sarcogyps* 45
calvus, *Torgos* 45
Calypte 129, 141
Calyptorhynchus 83-84
camelus, *Struthio* 1
camerunensis, *Vidua* 167

Campephilus 152
 Campyloptère à queue blanche 129
 Campyloptère à ventre gris 130
 Campyloptère de Wetmore 129
 Campyloptère des Santa Marta 130
 Campyloptère du Napo 130
 Campyloptère lazulite 129
 Campyloptère montagnard 129
 Campyloptère pampa 129
 Campyloptère rougeâtre 129
 Campyloptère roux 130
 Campyloptère violet 129
Campylopterus 129-130
canadensis, *Grus* 64
 Canard à ailes blanches 13
 Canard à bosse 15
 Canard à tête rose 15
 Canard armé 14
 Canard casqué 15
 Canard d'Oustalet 11
 Canard de Hartlaub 15
 Canard de Laysan 11
 Canard du Cap 10
 Canard musqué 12
 Canard Pilet 9
 Canard siffleur 11
 Canard souchet 10
 Canario de Mozambique 156
candida, *Amazilia* 125
canicapilla, *Nigrita* 159
canicapillus, *Serinus* 155
canicapillus, *Serinus gularis* 155
caniceps, *Pitheciora* 97
canicularis, *Ara* 80
caninde, *Ara* 78
canivetii, *Chlorostilbon* 131
canorus, *Melieras* 42
caranans, *Eudice* 158
caranans, *Lonchura* 158
caranans, *Lonchura malabarica* 158
canus, *Agapornis* 74
 Cape Parrot 94
capense, *Glaucidium* 111
capensis, *Anas* 10
capensis, *Asio* 107
capensis, *Bubo* 110
capensis, *Oeno* 71
capensis, *Tyto* 106
capistrata, *Nesocharis* 159
capitatus, *Ploceus* 164
capitata, *Paroaria* 155
capnodes, *Otus* 119
 Capucin bec-d'argent 158
 Capucin bicolore 158
 Capucin nonnette 158
 Capucin pie 158
 Carabo de Hume 122
 Carabo de Sudamérica 122
 Cárapo común 121
 Caracara à gorge blanche 57
 Caracara à gorge rouge 48
 Caracara à tête jaune 57
 Caracara à ventre rouge 48
 Caracara austral 57
 Caracara caronculé 57
 Caracara carunculado 57
 Caracara chimachuna 57
 Caracara chimango 57
 Caracara comecacao 48
 Caracara commun 58
 Caracara común 58
 Caracara de Guadalupe 57
 Caracara funèbre 57

Caracara huppé 58
 Caracara montagnard 57
 Caracara noir 48
 Caracolero 45
 Carancho 58
 Carancho andino 57
 Carancho de Guadalupe 57
 Carancho negro 48
 Carancho ventri-blanco 48
 Carapaico 79
 Carburé acanelado 107
 Cardenal amarillo 155
 Cardenal cabecirrojo 155
 Cardenal copeota 155
 Cardenalito 155
 Cardinal vert 155
cardinalis, *Chalcopsitta* 84
Carduelis 155
 Caribbean Flamingo
 Caricare encrestado 58
 Caricare sabanero 57
 Carnifex à ailes tachetées 58
 Carnifex à collier 56
 Carnifex à cou roux 56
 Carnifex à gorge cendrée 56
 Carnifex ardoisé 56
 Carnifex barré 56
 Carnifex de Buckley 56
 Carnifex de Traylor 56
 Carnifex plombé 56
carolae, *Parotia* 170
caroli, *Polyonymus* 145
 Carouge safran 155
 Carpintero gigante 152
 Carpophage de Mindoro 71
carunculata, *Paradigalla* 169
carunculus, *Bugeranus* 64
carunculus, *Grus* 64
carunculus, *Phalcoboenus* 57
caryophyllacea, *Rhodonessa* 15
Casmerodus 4
casius, *Tetraogallus* 62
cassidix, *Aceros* 149
cassidix, *Lichenostomus* 154
cassidix, *Lichenostomus melanops* 154
cassidix, *Meliphaga* 154
cassidix, *Meliphaga melanops* 154
cassidix, *Rhyticeros* 149
cassini, *Malimbus* 162
castaneiventris, *Amazilia* 125
castaneoventris, *Lamponnis* 139
castaneum, *Glaucidium* 111
castaneum, *Glaucidium capense* 111
castanilius, *Accipiter* 17
castanopterum, *Glaucidium* 111
castanopterum, *Glaucidium radiatum* 111
castanops, *Tyto* 106
castanops, *Tyto novaehollandiae* 106
castanopterum, *Glaucidium* 112
castanopterum, *Glaucidium cuculoides* 112
castanotis, *Pteroglossus* 152
castelnauii, *Aglaeactis* 124
catamene, *Loriculus* 89
catamene, *Loriculus amabilis* 89
 Catita aliamarilla 82
 Catita común 90
 Catita enana 87
 Catita serrana común 81
 Catita serrana verde 81
Catreus 60
cayanensis, *Lepidodon* 40
celebensis, *Pernis* 44
 Celestial Parrotlet 87

- cenchorides*, *Falco* 50
centralis, *Vidua* 166
Cephalopterus 153
Cerceta alicorta de Auckland 9
Cerceta aliverde 10
Cerceta carretona 11
Cerceta cejiblanca 11
Cerceta común 10
Cerceta de Madagascar 9
Cerise-throated Hummingbird 146
Cerise-throated Vorabé 161
Cernicalo 34
Cernicalo americano 54
Cernicalo australiano 50
Cernicalo común 55
Cernicalo de Dickinson 51
Cernicalo de la Molucas 52
Cernicalo de Madagascar 52
Cernicalo de Mauricio 53
Cernicalo de Seychelles 49
Cernicalo gris 49
Cernicalo ojiblanco de África 54
Cernicalo patirrojo 55
Cernicalo pizarroso 49
Cernicalo primilla 52
Cernicalo vulgar 55
Cernicalo zorzuno 49
Chacaraco 81
Chachalaca común 59
Chaetocercus 130
Chalcositta 84
chalcopterus, *Pionus* 92
Chalcostigma 130
chalybata, *Manucodia* 168
chalybeata, *Hypochera* 166
chalybeata, *Vidua* 166
chalybeus, *Lophornis* 140
Chalybura 130
Chanteur d'Afrique 155
Chardonneret de Yarrell 155
Chardonneret rouge 155
charltonii, *Arborophila* 59
charltonii, *Tropicoperdix* 59
Charmosyna 84-85
cheela, *Spilornis* 45
Chelictinia 29
cherrug, *Falco* 50
Chestnut-bellied Chestnut-fronted Macaw 79
Chestnut-bellied Hawk-Eagle 38
Chestnut-breasted Tree-Partridge 69
Chestnut-eared Aracari 152
Chestnut-eared Aracari 152
Chestnut-flanked Sparrowhawk 79
Chesnut Jungle Owl 113
Chestnut-mantled Chevalier maculé 69
Chestnut-necklaced Partridge 69
Chestnut-shouldered Hawk 69
Chevalier tacheté 69
Chevèche brame 109
Chevèche d'Athéna 109
Chevèche des terriers 121
Chevèche forestière 108
Chevèche à collier 111
Chevèche à pieds jaunes 113
Chevèche à queue barrée 113
Chevèche australe 112
Chevèche brune 111
Chevèche cabouré 112
Chevèche châtaigne 111
Chevèche cuculoïde 112
Chevèche d'Amazonie 112
Chevèche d'Europe 112
Chevèche de Cuba 113
Chevèche de jungle 113
Chevèche de Ngami 112
Chevèche de Scheffler 113
Chevèche des Andes 112
Chevèche des Rocheuses 111
Chevèche des saguaros 114
Chevèche du Cap 111
Chevèche du Graben 111
Chevèche du Pérou 113
Chevèche-elfe 114
Chevèche naine 112
Chevèche nimbée 124
Chevèche perlée 112
Chevèche spadicea 112
chicquera, *Falco* 50
Chilean Woodstar 135
chilensis, *Phoenicopterus* 8
Chillón de Sundevall 163
chimachima, *Miltago* 57
Chimachima 57
chimango, *Miltago* 57
Chimango 57
Chimango Caracara 57
chimborazo, *Oreotrochilus* 142
chimborazo, *Oreotrochilus estella* 142
Chinalinda 57
Chinese Barred-backed Pheasant 62
Chinese Goshawk 60
Chinese Impeyan 60
Chinese Monal 60
Chinese Sparrowhawk 60
chionogaster, *Accipiter* 17
chionogaster, *Accipiter striatus* 17
chionogaster, *Amazilia* 125
chionopectus, *Amazilia* 125
chionura, *Elvira* 134
Chirica 90
Chiripepé común 99
Chiripepé saiteño 100
chiriri, *Brotogeris* 81
chiriri, *Brotogeris versicolurus* 81
Chivito de los Páramos 143
Chlamydotis 66
Chlaerestes 130
chlorocercus, *Leucippus* 140
chlorocercus, *Lorius* 89
chlorolepidotus, *Trichoglossus* 102
chloroptera, *Araatinga* 80
chloropterus, *Alisterus* 75
chloropterus, *Ara* 79
Chlorostilbon 130-131
chlorotis, *Anas* 9
choliba, *Onus* 117
Chondrohierax 29
Chorioris 66
Chorlito esquimal 69
Chorio polar 69
Chouette à collier 120
Chouette à joues blanches 121
Chouette à lignes noires 122
Chouette à lunettes 121
Chouette à sourcils jaunes 120
Chouette africaine 123
Chouette chevêche 112
Chouette coucou 114
Chouette-coucou de l'île Norfolk 114
Chouette d'Harris 107
Chouette d'Ussher 121
Chouette de Budor 122
Chouette de Cuba 118
Chouette de Koeniswald 120
Chouette de l'Oural 123
Chouette de Nouvelle Guinée 123
Chouette de Sitchouan 122

- Chouette de terrier 121
 Chouette des forêts 108
 Chouette des îles Salomon 114
 Chouette des Moluques 115
 Chouette des pagodes 123
 Chouette dryade 122
 Chouette épervière 123
 Chouette épervière de l'île 115
 Chouette fasciée 121
 Chouette fauve 122
 Chouette harfang 116
 Chouette buhul 122
 Chouette hulotte 121
 Chouette lapone 122
 Chouette leptogramme 122
 Chouette masquée 123
 Chouette mouchetée 123
 Chouette noire et blanche 122
 Chouette ocellée 122
 Chouette pécheuse 121
 Chouette-pêcheuse de Bouvier 121
 Chouette-pêcheuse de Pel 121
 Chouette-pêcheuse rousse 121
 Chouette rayée 123
 Chouette tachetée 122
 Christmas Frigatebird 3
 Christmas Hawk-Owl 115
chrysaetos, *Aquila* 22
chrysogaster, *Neophema* 91
Chrysolampis 132
chrysopterus, *Brotogeris* 82
chrysptyerius, *Psephotus* 96
chrysostoma, *Neophema* 91
chrysura, *Hylocharis* 138
Chrysuronia 132
 Chupacacao negro 48
 Chupacacao ventriblanco 48
 Churica 82
 Churiquita 101
Ciccaba 121-123
Cicinnurus 167-168
Ciconia 5
 Cigogne noire 5
 Cigogne orientale 5
 Cigueña blanca coreana 5
 Cigüeña negra 5
cincta, *Poephila cincta* 160
cinerascens, *Circaetus* 29
cinerea, *Mycteria* 6
cinereicouda, *Lampornis* 139
 Cinereous Harrier 31
 Cinereous Vulture 21
cinereus, *Circaetus* 30
cinereus, *Circus* 31
 Cinnamon Hummingbird 126
 Cinnamon-throated Hermit 144
 Circaète à poitrine noire 30
 Circaète barré 30
 Circaète Brua 30
 Circaète cendré 29
 Circaète Jean-le-Blanc 30
Circoenus 29-30
circumcinctus, *Spizapteryx* 58
Circus 30-32
cirratus, *Spizaetus* 46
cirrocephalus, *Accipiter* 17
cirrochloris, *Aphantochroa* 128
 Cisne coscoroba 13
 Cisne cuellinegro 13
 Cisne cuello negro 13
clamator, *Asio* 107
clamator, *Rhinoptynx* 107
clamosus, *Attrichornis* 153
clanga, *Aquila* 22
clarkii, *Otus* 117
clemenciae, *Lampornis* 139
 Cloud-forest Screech-Owl 118
ctypata, *Anas* 10
ctypata, *Spatula* 10
Cytolaema 132
Cnemophilus 168
 Cobalt-winged Parakeet 82
coelestis, *Aglaiaocercus* 124
coelestis, *Forpus* 87
coeligena, *Coeligena* 132
Coeligena 132
 Coeligena coeligena 132
coeruleogularis, *Lepidopygo* 139
 Colacerda crestuda 146
 Colacerda ventrinegra 145
 Colacerda verde 145
Colacinta colinegra 140
Colacinta coliverde 139
Colaespànila zamarrito 142
Colapinto ecuatoriano 145
Colasisi 89
Coliazul bengalis 161
Colibri à ailes saphir 146
Colibri à calore violette 136
Colibri à coiffe blanche 142
Colibri à dos noir 146
Colibri à épaulettes 135
Colibri à flancs blancs 142
Colibri à gorge améthyste 139
Colibri à gorge blanche 140
Colibri à gorge bleue 139
Colibri à gorge grenat 139
Colibri à gorge lilas 139
Colibri à gorge noire 128
Colibri à gorge rubis 128
Colibri à menton bleu 130
Colibri à petit bec 146
Colibri à plastron noir 142
Colibri à poitrine violette 147
Colibri à queue bronzée 130
Colibri à queue courte 142
Colibri à queue en ciseaux 138
Colibri à queue large 146
Colibri à queue mi-blanche 145
Colibri à queue singulière 133
Colibri à queue verte 140
Colibri à sous-caudales rousses 148
Colibri à tête bleue 133
Colibri à tête cuivrée 134
Colibri à tête noire 148
Colibri à tête rose 127
Colibri à tête violette 139
Colibri à ventre blanc 133
Colibri à ventre châtaïn 139
Colibri à ventre noir 135
Colibri adèle 142
Colibri alicastaño 139
Colibri améthyste 129
Colibri anais 133
Colibri ardent 146
Colibri aux huppes d'or 136
Colibri avocette 128
Colibri avocettin 142
Colibri barbiermalda 124
Colibri barbinegro 128
Colibri bourdon 124
Colibri cabecivioleta 139
Colibri calliope 147
Colibri canelo 126
Colibri casqué 143
Colibri charmant 129

- Colibri circé 133
 Colibri coliazul 125
 Colibri colipinto 148
 Colibri colirrayado 135
 Colibri colirufo 126
 Colibri comète 147
 Colibri cora 148
 Colibri corinne 137
 Colibri corona-verde 127
 Colibri corona-violeta 127
 Colibri coroniazul 125
Colibri coruscans 133
 Colibri d'Abelii 124
 Colibri d'Alice 124
 Colibri d'Allen 146
 Colibri d'Angèle 137
 Colibri d'Anna 129
 Colibri d'Arica 135
 Colibri d'Elliot 128
 Colibri d'Équateur 127
 Colibri d'Helen 141
 Colibri d'Oaxaca 135
 Colibri de Anna 129
 Colibri de Benjamin 148
 Colibri de Berilo 125
 Colibri de Berlepsch 124
 Colibri de Bouguer 148
 Colibri de Bourcier 145
 Colibri de Buffon 130
 Colibri de Burmeister 142
 Colibri de calliope 147
 Colibri de Castelnau 124
 Colibri de Constant 137
 Colibri de Costa 129
 Colibri de Cuvier 143
 Colibri de Delalande 147
 Colibri de Delphine 133
 Colibri de Dohrn 146
 Colibri de Geoffroy 128
 Colibri de Goudot 139
 Colibri de Hartert 145
 Colibri de Jardine 128
 Colibri de Jourdan 130
 Colibri de Lafresnaye 139
 Colibri de Lillian 139
 Colibri de Matthews 128
 Colibri de Mitchell 145
 Colibri de Mulsant 124
 Colibri de Rivoli 135
 Colibri de Sybil 139
 Colibri de Taczanowski 140
 Colibri de Tumbes 140
 Colibri de Xannus 138
 Colibri delphinae 133
 Colibri demi-deuil 141
 Colibri des Bahamas 129
 Colibri des Santa Marta 124
 Colibri des tépuis 145
 Colibri du Chili 147
 Colibri du Chimborazo 142
 Colibri du Guerrero 135
 Colibri du Pirré 136
 Colibri élise 133
 Colibri elvire 134
 Colibri estelle 142
 Colibri étincelant 124
 Colibri falle-vert 135
 Colibri fanny 142
 Colibri faux-saphir 139
 Colibri féérique 138
 Colibri flamboyant 148
 Colibri flammule 146
 Colibri flavescent 128
 Colibri géant 143
 Colibri gigante 143
 Colibri gorjirrubi 128
 Colibri grivelé 147
 Colibri guainumbi 145
 Colibri Guerrerense 135
 Colibri héliodore 124
 Colibri héroïne 128
 Colibri hirondelle 135
 Colibri huppé 143
 Colibri inca ventrivoleta 132
 Colibri insigne 143
 Colibri jacobin 135
 Colibri julie 133
 Colibri lucifer 129
 Colibri lumachelle 128
 Colibri madère 135
 Colibri magenta 145
 Colibri magnifico 135
 Colibri médiastin 138
 Colibri moucheté 124
 Colibri multipunteado 147
 Colibri nain 141
 Colibri noble 142
 Colibri Oaxaqueño 135
 Colibri olivipunteado 140
 Colibri oreillard 138
 Colibri orejiblanco 138
 Colibri paméla 124
 Colibri piquiancho 133
 Colibri piqidentado 127
 Colibri porte-épée 134
 Colibri prieto 133
 Colibri robinson 147
 Colibri roux 146
 Colibri rubis-émeraude 132
 Colibri rubis-topaze 132
 Colibri sapho 146
 Colibri scintillant 147
 Colibri-serrano gorjiamatistu 139
 Colibri-serrano gorjazul 139
 Colibri-serrano gorjiverde 139
 Colibri-serrano pechiverde 139
 Colibri sombre 133
 Colibri superbe 128
 Colibri tacheté 146
 Colibri thalassin 133
 Colibri topaze 148
 Colibri tout-vert 145
 Colibri trompeur 140
 Colibri ventrivoleta 133
 Colibri vert-d'eau 139
 Colibri vert et gris 128
 Colibri vesper 146
 Colibri vientre-canelo 127
 Colibri zémès 148
 Colibrí à bec incurvé 146
 Colibrí anteado 140
 Colibrí cabecidorado 128
 Colibrí cola de hoja 142
 Colibrí cola de oro 132
 Colibrí coludo azul 125
 Colibrí coludo verde 139
 Colibrí cuellicastaño 137
 Colibrí de Perijá 141
 Colibrí estrella picolargo 137
 Colibrí frentiverde 137
 Colibrí gargantidorado 145
 Colibrí grande colinegro 130
 Colibrí hada orejazul 138
 Colibrí inca acollarado 132
 Colibrí inca bronzeado 132
 Colibrí inca dorado 132
 Colibrí nuca blanca 135
 Colibrí pantalón cobrizo 134

- Colibrí pantalón verde 134
 Colibrí pechiazul 147
 Colibrí pecho canela 136
 Colibrí pico de Cuña 128
 Colibrí pico espada 134
 Colibrí pico espina 146
 Colibrí pico lezna 128
 Colibrí picosierra chico 146
 Colibrí piquiavoceta 142
 Colibrí piquicuña 128
 Colibrí serrano gargantiazul 124
 Colibrí tepui 145
 Colibrí terciopelo 139
 Colibrí tijera 138
 Colibrí verde colirrojo 142
 Colibrí verdedicto 130
 Colin de Ridgway 60
 Colin de Virginia 60
 Colin de Virginie 60
 Colin de Virginie masqué 60
 Colin virginiano de Ridgway 60
Colinus 60
Coliuspasser 162
 Collared Falconet 56
 Collared Forest-Falcon 56
 Collared Inca 132
 Collared Lory 92
 Collared Owlet 111
 Collared Pygmy-Owl 111
 Collared Scops-Owl 116
 Collared Sparrowhawk 17
collaria, *Amazona* 76
collaris, *Accipiter* 17
 Colombar à front nu 73
 Colombar Waalia 73
 Colombe poignardée 71
colombianus, *Otus* 117
colombica, *Thalurania* 147
colombica, *Thalurania furcata* 147
 Colourful Puffleg 134
columbris, *Archilochus* 128
Columba 70-71
columbarius, *Falco* 50
columboides, *Pithecias* 97
comatus, *Aceros* 149
comatus, *Berenicornis* 149
 Combassou de Baka 166
 Combassou de Jamdandu 166
 Combassou de Wilson 167
 Combassou du Sénégal 166
 Combassou noir 167
 Commandeur huppé 155
 Common Black-Hawk 29
 Common Buzzard 26
 Common Caracara 58
 Common Crane 64
 Common Kestrel 55
 Common Rhea 1
 Common Teal 10
 Common Waxbill 156
 Compact Weaver 163
comrii, *Manucodia* 169
concinna, *Glossopsitta* 88
concolor, *Falco* 51
condamini, *Euroxeres* 135
 Condor de California 15
 Condor des Andes 15
 Cóndor 15
 Cóndor andino 15
 Cóndor de California 15
 Congo Bay-Owl 105
 Congo Serpent-Eagle 33
connivens, *Ninox* 114
conspicillatus, *Forpus* 87
constantii, *Heliomaster* 137
 Conure à cape noire 100
 Conure à col blanc 99
 Conure à front brun 100
 Conure à front rouge 80
 Conure à gorge bleue 99
 Conure à gros bec 100
 Conure à joues d'or 92
 Conure à long bec 86
 Conure à oreillons 99
 Conure à pinceaux d'or 88
 Conure à poitrine brune 99
 Conure à tête bleue 79
 Conure à tête d'or 80
 Conure à tête rouge 80
 Conure à ventre rouge 100
 Conure aile-de-feu 99
 Conure aztéque 81
 Conure cuivrée 81
 Conure d'Orcés 100
 Conure de Cuba 80
 Conure de Deville 99
 Conure de Finsch 80
 Conure de Hoffmann 99
 Conure de Molina 100
 Conure de Patagonie 85
 Conure de Ridgway 81
 Conure de Souancé 100
 Conure de Vieillot 99
 Conure de Wagler 81
 Conure de Weddell 81
 Conure des cactus 80
 Conure des Santa Marta 100
 Conure doré 80
 Conure emma 99
 Conure jandaya 80
 Conure magellanique 86
 Conure maîtresse 80
 Conure mitrée 80
 Conure nanday 90
 Conure pavouane 80
 Conure perle 100
 Conure soleil 81
 Conure tête-de-feu 100
 Conure tiriba 99
 Conure versicolore 100
 Conure verte 80
 Conure veuve 90
conversii, *Discosura* 145
conversii, *Popelairia* 145
convexus, *Anthracoceros* 150
cockii, *Cyanoramphus* 85
cockii, *Cyanoramphus novaeseelandiae* 85
 Cooper's Hawk 17
cooperi, *Otus* 117
cooperii, *Accipiter* 17
 Copper-rumped Hummingbird 126
 Coppery-bellied Puffleg 134
 Coppery Emerald 131
 Coppery-beaded Emerald 134
 Coppery Metaltail 141
 Coppery Thorntail 145
coprotheres, *Gyps* 35
 Coq de Bois 154
 Coq-de-rouche orange 153
 Coq-de-rouche péruvien 153
 Coq de Sonnerat 60
 Coquet 140
 Coqueta abanico canela 141
 Coqueta abanico pavo real 141
 Coqueta abanico puotiblanco 140
 Coqueta cola de Lira 145
 Coqueta cola raqueta 133
 Coqueta coronada 141

- Coqueta crespícola 140
 Coqueta crestinegra 140
 Coqueta lentejuelada 141
 Coquette à queue fine 145
 Coquette à raquettes 133
 Coquette adorable 140
 Coquette chalybée 140
 Coquette d'Hélène 140
 Coquette de Delatire 140
 Coquette de Gould 140
 Coquette de Langsdorff 145
 Coquette de Létina 145
 Coquette de Popelaire 146
 Coquette du Guerrero 140
 Coquette buppe-col 141
 Coquette magnifique 141
 Coquette pailletée 141
 Coquette paon 141
 Coracine casquée 153
 Coracine orée 153
Coracopsis 85
 Cordon bleu 161
 Cordonbleu à joues rouges 161
 Corneille de paradis 168
cornuta, *Heliactin* 136
cornutus, *Eunymphicus* 87
 Corocoro colorado 6
coromandus, *Bubo* 110
coronata, *Paroaria* 155
coronatus, *Anthracoceros* 150
coronatus, *Harpyhaliaetus* 38
coronatus, *Spizetus* 47
coronatus, *Stephanoaetus* 47
 Coronita aterciopelada 128
 Coronita colibabana 128
 Coronita pechicastaña 128
 Corredor chillón 153
corrugatus, *Aceros* 149
corrugatus, *Rhyticeros* 149
coruscans, *Colibri* 133
 Coryllis à front orange 88
 Coryllis à gorge jaune 89
 Coryllis à tête bleue 89
 Coryllis de Ceylan 89
 Coryllis de Wallace 89
 Coryllis des Bismarck 89
 Coryllis des Célestes 89
 Coryllis des Moluques 88
 Coryllis des Philippines 89
 Coryllis des Sangi 89
 Coryllis vernal 89
 Coryllis vert 89
Corythaeaola 103
corythaix, *Tauroco* 103
corythaix, *Tauroco persa* 103
coscoroba, *Coscoroba* 13
Coscoroba 13
 Coscoroba blanc 13
 Costa's Hummingbird 129
costae, *Calypre* 129
costaricensis, *Touit* 101
costaricensis, *Touit dilectissima* 101
Cotinga 153
 Cotinga à ailes blanches 153
Cotinga albilancia 153
Cotinga cordonbleu 153
 Cotinga de corbata 153
Cotinga maculé 153
Cotinga porphyron 153
 Cotorra 77
 Cotorra amarilla 80
 Cotorra austral 86
 Cotorra cabeciamarilla 76
 Cotorra cabeciazul 93
 Cotorra cabeciblanca 93
 Cotorra cabecinegra 90
 Cotorra carirroja 80
 Cotorra cucha 76
 Cotorra de los Palos 79
 Cotorra de Mauricio 97
 Cotorra frente roja 76
 Cotorra frenidorada 79
 Cotorra morada 92
 Cotorra negra 92
 Cotorra-serrana occidental 100
 Cotorra-serrana oriental 100
 Cotorra verde 80
 Cou-nouno 118
 Cou-coupé 156
couloni, *Ara* 79
 Courlis à bec grêle 69
 Courlis esquimaux 69
 Coxen's Double-eyed Fig-Parrot 86
coxeni, *Cyclopsitta diophthalma* 86
coxeni, *Opopitta diophthalma* 86
 Crane Hawk 34
crassus, *Poicephalus* 94
Crax 58-59
crecca, *Anas* 10
 Crêcerelle 55
 Crêcerelle américaine 54
 Crêcerelle australienne 50
 Crêcerelle aux yeux blancs 54
 Crêcerelle d'Amérique 54
 Crêcerelle d'Australie 50
 Crêcerelle de Maurice 53
 Crêcerelle des clochards 55
 Crêcerelle des Moluques 52
 Crêcerelle des Seychelles 49
 Crêcerelle malgache 52
 Crêcerelle renard 49
 Crêcerelle rose 52
 Crested Baza 25
 Crested Baza 25
 Crested Bird-of-paradise 168
 Crested Bird-of-paradise 168
 Crested Caracara 58
 Crested Eagle 43
 Crested Fireback 61
 Crested Goshawk 21
 Crested Guan 59
 Crested Ibis 7
 Crested Malimbe 162
 Crested Owl 114
 Crested Partridge 62
 Crested Peacock-Pheasant 61
 Crested Serpent-Eagle 45
 Crested Turaco 104
 Crestless Fireback 61
 Crestless Monal 60
 Crick à ventre bleu 102
 Crimson-bellied Conure 100
 Crimson-bellied Parakeet 100
 Crimson Horned-Pheasant 63
 Crimson-winged Pytilia 150
 Cuban Amazon Parrot 77
 Cuban Parrot 77
 Cuckoo Weaver 161
cunicularia, *Athene* 121
cunicularia, *Speotyto* 121
cupreiceps, *Elvira* 134
cupreoventris, *Eriocnemis* 134
cupripennis, *Aglaeactis* 124
 Curl-crested Manucode 169
 Curruca bigonuda piquilarga 154
 Curruca bigonuda rojiza 154
 Curucucú barr 107
 Curucucú común 117

- Curucú gargantiblanco* 116
Curucú orejudo 120
Curucú Párido 117
Curucú vermiculado 116
curvipennis, *Campylopterus* 129
Cut-throat 156
cuvieri, *Falco* 51
cuvieri, *Phaeochroa* 143
cyaneus, *Circus* 31
cyanifrons, *Amazilia* 125
cyancephala, *Amazilia* 125
cyancephala, *Psittacula* 97
cyanogenia, *Eos* 86
Cyanoliseus 85
cyanopectus, *Sternoclyta* 147
Cyanophrys, *Eupherusa* 135
Cyanopsitta 85
cyanoptera, *Brotogeris* 82
cyanopterus, *Pterophanes* 146
cyanopygius, *Forpus* 87
Cyanoramphus 85-86
cyanura, *Amazilia* 125
cyanurus, *Psittinus* 99
cyanus, *Hylocharis* 138
Cyclopsitta 86
Cygne à cou noir 13
Cygne chanteur 13
Cygne coscoroba 13
Cygnus 13
Cynanthus 133
Cyornis 154
dachilleae, *Nannopsittaca* 90
Dalmatian Pelican 2
Damara Korhaan 67
Damophila 133
Daptrius 48
Dara 69
Dark Chanting-Goshawk 42
Darwin's Rhea 1
Dasyorme à long bec 154
Dasyornis 154
daubentonii, *Crax* 58
David's Owl 122
davidi, *Strix* 122
davidi, *Strix uralensis* 122
de Perse 62
decipiens, *Streptopelia* 72
decora, *Amazilia* 125
decora, *Amazilia amabilis* 125
decora, *Paradisaea* 169
deiraleucus, *Falco* 51
delattrei, *Lophornis* 140
delphinae, *Colibri* 133
demersus, *Spheniscus* 1
Demoiselle Crane 65
Demoiselle de Numidie 65
Dendrocygna 13-14
Dendrocygne à bec noir 13
Dendrocygne à ventre noir 13
Dendrocygne des Antilles 13
Dendrocygne fauve 13
Dendrocygne veuf 14
Denham's Bustard 68
denhami, *Neotis* 68
denata, *Petronia* 163
derbiana, *Psittacula* 97
derbianus, *Oreophasis* 58
Derbyan Parakeet 97
derbyi, *Eriocnemis* 134
Deraptyus 86
Desert Owl 122
Desmarest's Fig-Parrot 98
desmarestii, *Psittaculirostris* 98
detorta, *Tyto* 105
devillei, *Pyrthura* 99
diadema, *Charmosyna* 84
Diamant à bavette 160
Diamante colidorado 125
Diamante de pecho negro 160
Diamante de Wetmore 126
Diamante gargantiverde 126
Diamante multicolor 126
Diamante pechizafiro 126
Diamante ventriblanco 126
Dickinson's Kestrel 51
dickinsoni, *Falco* 51
dicolorus, *Ramphastos* 152
dilectissima, *Touit* 101
dimorpha, *Uroglaux* 123
Dindon ocellé 59
diodon, *Harpagus* 38
Diomedea 2
diophthalma, *Cyclopsitta* 86
diophthalma, *Oropsitta* 86
Diostedé pico acanelado 152
Diphyllodes 167-168
discolor, *Lathamus* 88
Discosura 133, 145, 146
discurus, *Prioniturus* 95
dissimilis, *Psephophorus* 96
dissimilis, *Psephatus chrysopterygius* 96
distans, *Amazilia* 126
dohrnii, *Glaucis* 146
dohrnii, *Ramphodon* 146
domicella, *Loriuss* 89
dominicus, *Anthracothorax* 127
Doria's Goshawk 41
doriae, *Accipiter* 41
doriae, *Megatriorchis* 41
Doricha 133
dorsale, *Ramphomicron* 146
Doryfera 133
Dos-vert à joues blanches 159
Dot-eared Coquette 140
Double-eyed Fig-Parrot 86
Double-striped Thick-knee 69
Double-toothed Kite 37
doubledayi, *Cynanthus* 133
Dragón 155
Drepanornis 168
Drépanornis d'Albertis 168
Drépanornis de Bruijn 168
Dryade à queue fourchue 147
Dryade couronnée 147
Dryade de Fanny 147
Dryade de Waterton 148
Dryade du Mexique 147
Dryade glaucope 147
Dryocopus 152
Dryotriorchis 33
dubius, *Hieraaetus* 38
Duc à aigrettes 114
Duc à crinière 113
Duchess Lorikeet 84
Duck Hawk 53
Ducorps's Cockatoo 82
ducorpisi, *Cacatua* 82
Ducula 71
dufresniana, *Amazona* 76
duidae, *Campylopterus* 129
duivenbodei, *Chalcopsitta* 84
dupontii, *Philodice* 148
dupontii, *Tilmatura* 148
Dusky-billed Parrotlet 87
Dusky Eagle-Owl 110

- Dusky-headed Conure 81
 Dusky-headed Parakeet 81
 Dusky Hummingbird 133
 Dusky Lory 96
 Dusky Parrot 92
 Dusky Starfrontlet 132
 Dusky-throated Hermit 144
 Duyvenbode's Lory 84
 Dwarf Fig-Parrot 86
 Eagle 37, 39, 47
 Eastern Black-capped Lory 90
 Eastern Chanting-Goshawk 42
 Eastern Grass-Owl 106
 Eastern Marsh-Harrier 33
 Eastern Parotia 170
 Eastern Riflebird 170
 Eastern Rosella 93
 Eastern Screech-Owl 116
ecaudatus, *Terathopius* 47
echo, *Psittacula* 97
echo, *Psittacula eques* 97
Ectacus 86
Eclecus Parrot 86
Eclecus roratus 86
 Ecuadorian Hillstar 142
 Ecuadorian Piedtail 145
edward, *Amazilia* 126
 Edwards's Fig-Parrot 98
 Edwards's Pheasant 61
edwardsi, *Lophura* 61
edwardsii, *Psittaculirostris* 98
 Effraie africaine 105
 Effraie d'Hispaniola 106
 Effraie de Madagascar 107
 Effraie de Manus 106
 Effraie de Minahassa 106
 Effraie de prairie 106
 Effraie de Soumagne 107
 Effraie de Talibau 106
 Effraie de Tasmanie 106
 Effraie des Célebes 106
 Effraie des clochers 105
 Effraie des Tanimbar 106
 Effraie dorée 105
 Effraie du Cap 106
 Effraie masquée 106
 Effraie ombrée 107
 Effraie piquetée 106
egregia, *Pyrrhura* 99
Egrena 4
 Egyptian Goose 9
 Egyptian Vulture 43
 El Oso Cooure 100
 El Oso Parakeet 100
 Elanio azul 33
 Elanio bidentado 37
 Elanio blanco 34
 Elanio chico 34
 Elanio musíñrufo 37
 Elanio plomizo 40
 Elanio tijereta 33
 Élanion à queue blanche 34
 Élanion blanc 33
 Élanion d'Australie 33
 Élanion lettre 34
 Élanion naucler 29
 Élanion perle 34
Elanoides 33
Elanus 29, 33-34
elegans, *Neophema* 91
elegans, *Otus* 117
elegans, *Otus scops* 117
elegans, *Platycercus* 93
eleonorae, *Falco* 51
 Elf Owl 114
elgini, *Spilornis* 45
eliciae, *Hylocharis* 138
eliza, *Calothorax* 133
eliza, *Doricha* 133
 Elliot's Pheasant 62
elliotti, *Athis* 128
elliotti, *Selasphorus* 128
elliotti, *Syrmaticus* 62
Elvira 134
 Emerald-bellied Puffleg 134
 Emerald-chinned Hummingbird 124
 Emerald Lorikeet 91
 Émeraude à queue courte 131
 Émeraude à queue étroite 131
 Émeraude alice 130
 Émeraude cuivrée 131
 Émeraude d'Hispaniola 131
 Émeraude de Cavinet 131
 Émeraude de Gibsoa 131
 Émeraude de New Providence 131
 Émeraude de Porto Rico 131
 Émeraude de Ricord 131
 Émeraude du Panama 131
 Émeraude orvert 131
 Émeraude splendide 131
 Emerauldine à bec noir 73
 Emerauldine à bec rouge 73
 Emouchel de Madagascar 52
 Emperor Bird-of-paradise 137
 Emperor of Germany's Bird-of-paradise 137
emphanum, *Polyplectron* 61
 Empress Brilliant 137
enganensis, *Otus* 118
Ericognathus 86
enicura, *Calothorax* 133
enicura, *Doricha* 133
ensifera, *Ensifera* 134
Ensifero 134
ensipennis, *Campylapterus* 129
Eolophus 86
Eos 86,87
 Éperonnier chinquis 61
 Éperonnier de Bornéo 62
 Éperonnier de Germain 61
 Éperonnier de Malaisie 61
 Éperonnier de Palawan 61
 Éperonnier de Rothscild 61
 Éperonnier gris 61
 Éperonnier malais 61
 Éperonnier napoléon 61
 Épervier à collier interrompu 17
 Épervier à collier roux 17
 Épervier à gorge grise 17
 Épervier à gorge rayée 21
 Épervier à pieds courts 17
 Épervier à poitrine blanche 17
 Épervier à poitrine rousse 20
 Épervier à queue tachetée 21
 Épervier besra 21
 Épervier bicolore 16
 Épervier brun 21
 Épervier d'Europe 19
 Épervier de Cooper 17
 Épervier de Cuba 18
 Épervier de Frances 18
 Épervier de Hartlaub 17
 Épervier de Horsfield 20
 Épervier de l'Ovampo 20
 Épervier de Madagascar 19
 Épervier de Nouvelle-Bretagne 16
 Épervier des Célebes 19
 Épervier des Nicobar 17
 Épervier du Japo 18

Épervier menu 20
Épervier mimule 19
Épervier nain 21
Épervier pie 19
Épervier shikra 16
Ephippiorhynchus 5
Epimachus 168
Epimaque de Mayer 168
Epimaque fastueux 168
eremita, *Geronticus* 7
Erimitaño frentinegro 144
Erimitaño manchado 143
Eriocnemis 134
Érione à front bleu 134
Érione à poitrine d'or 134
Érione à robe noire 134
Érione à ventre cuivré 134
Érione catherine 134
Érione d'Aline 134
Érioe d'Aurélie 136
Érione de Derby 134
Érione givrée 136
Érione multicolore 134
Érione patue 134
Érione turquoise 134
Érismanure à tête blanche 14
erithacus, *Psinactus* 98
Ermitaño barbigris 143
Ermitaño garganífusco 144
Ermitaño pequeño 144
Ermitaño rufo 144
Ermitaño barbilanco 143
Ermitaño barbudo 148
Ermitaño bigotiblanco 144
Ermitaño bronceado 136
Ermitaño carinegro 143
Ermitaño chico 144
Ermitaño colilargo 144
Ermitaño colilargo 144
Ermitaño de Picorrecto 143
Ermitaño guayanés 144
Ermitaño pechicanelo 136
Ermitaño rojizo 144
Ermitaño ventribabino 144
Ermitaño verde 143
Ermite à brins blancs 144
Ermite à gorge grise 143
Ermite à long bec 144
Ermite à queue blanche 148
Ermite à ventre fauve 145
Ermite anthophile 143
Ermite bronzé 136
Ermite d'Antonie 148
Ermite d'Auguste 143
Ermite d'Idalie 144
Ermite d'Osery 143
Ermite de Bourcier 143
Ermite de Filippi 144
Ermite de Gounelle 143
Ermite de Koepcke 144
Ermite de Natterer 144
Ermite de Prêtre 144
Ermite de Rucker 148
Ermite de Suan 144
Ermite eurynome 143
Ermite hirsute 136
Ermite nain 144
Ermite ocré 144
Ermite roussâtre 144
Ermite terne 144
Ermite vert 143
Ermite yarouqui 145
erythrauchen, *Accipiter* 17
erythrogenys, *Aratinga* 80

erythrogenys, *Microhierax* 56
erythrolophus, *Tauraco* 103
erythronemius, *Accipiter* 17
erythrophthalma, *Lophura* 61
erythrops, *Quelea* 165
erythopterus, *Aprosmictus* 78
erythropus, *Accipiter* 17
Erythrorinchis 34
Eskimo Curlew 69
Esmeralda bronceada 131
Esmeralda cola corta 131
Esmeralda cola de Alambre 131
Esmeralda coliazul 131
Esmeralda coliverde 130
Esmeralda de Canivet 131
Esmeralda Hondureña 126
Esmeralda pico rojo 131
Esmeralda vientre-blanco 125
Esmeraldas Woodstar 124
Esmerejón 50
Esparvero bicolor 16
Esparvero chico 21
Esparvero gris 21
Esparvero pechigrís 20
Espátula blanca 7
Espermófaga hematina 160
Espulgueyes 3
estella, *Oreotrochilus* 142
Estornino de Rothschild 167
Estrella coliblanca 148
Estrella cuello-rojo 124
Estrella ecuatoriana 142
Estrellita amatista 129
Estrellita chica 124
Estrellita colicorta 142
Estrellita de gorguera 124
Estrellita esmeraldeña 124
Estrellita gargantillada 142
Estrellita gorjipúrpura 145
Estrellita ventriblanca 124
Estrilda 156-157, 161
Étourneau de Rothschild 167
Eudocimus 6
Eugenés 135
Eulampis 135
Eulidia 135
Eunymphicus 87
Euodice 158
euops, *Aratinga* 80
eupatria, *Psittacula* 97
Eupetomena 135
Eupherusa 135
Euplecte à dos d'or 162
Euplecte franciscain 162
Euplecte monseigneur 162
Euplecte veuve-noire 162
Euplecte vorabé 161
Euplectes 161-162
Euplectes alinegro 162
Euplectes amarillo 161
Euplectes rojo 162
Eupodotis 66-68
eupogon, *Metallura* 141
Eurasian Buzzard 26
Eurasian Eagle-Owl 109
Eurasian Griffon Vulture 35
Eurasian Hobby 54
Eurasian Kestrel 55
Eurasian Pygmy-Owl 112
Eurasian Scops-Owl 119
Eurasian Sparrowhawk 19
Eurasian Spoonbill 7
Eurasian Wigeon 11

European Honey-buzzard 44
 European Turtle-Dove
eurynome, *Phaethornis* 143
euryptera, *Opisthoproria* 142
euteles, *Trichoglossus* 102
Eutoxeres 135
Euriorchis 34
evelynae, *Calliphlox* 129
evelynae, *Philodice* 129
everetti, *Aceros* 149
everetti, *Rhyticeros* 149
 Everglade Kite 45
esarthus, *Penelopides* 151
excellens, *Campylopterus* 129
excellens, *Campylopterus curvipennis* 129
exilis, *Loriculus* 89
eximia, *Eupherusa* 135
eximus, *Playcercus* 93
exortis, *Heliangelus* 136
 Fairy Lorikeet 85
 Fairy Pitta 153
 Faisan à queue rousse 61
 Faisan d'Edwards 61
 Faisan d'Elliot 62
 Faisan de Hume 62
 Faisan de l'Himalaya 60
 Faisan de Swinhoe 61
 Faisan de Wallich 60
 Faisan impérial 61
 Faisan mikado 62
 Faisan noble 61
 Faisan oreillard blanc 60
 Faisan oreillard brun 60
 Faisan sanguin 60
 Faisán argos 60
 Faisán de carúncula azul 61
 Faisán de carúncula azul crestado 61
 Faisán de cola ocelada de Germain 61
 Faisán de cola ocelada gris 61
 Faisán de cola ocelada indómito 61
 Faisán de cola ocelada malayo 61
 Faisán de Edwards 61
 Faisán de Elliot 62
 Faisán de Formosa 61
 Faisán de Hume 62
 Faisán de Rheinard 62
 Faisán de Swinhoe 61
 Faisán de Wallich 60
 Faisán imperial 61
 Faisán mikado 62
 Faisán monal chino 60
 Faisán monal de Scaler 60
 Faisán monal del Himalaya 60
 Faisán orejudo blanco 60
 Faisán orejudo de Manchuria 60
 Faisán orejudo pardo 60
 Faisán orejudo tibetano 60
 Faisán real de Ger 61
 Faisán real de Palaguán 61
 Faisán real gris 61
 Faisán real malayo 61
 Faisán sanguineo 60
falcatus, *Campylopterus* 129
Falco 48-57
fallax, *Leucippus* 140
 Falsa viuda dorsigualda 162
 Falsa viuda pechirroja 162
 Fandangero colicuña 129
 Fandangero colilargo 129
 Fandangero morado 129
 Fandangero pechiescamoso 143
 Fandangero rufo 130
fanny, *Myrris* 142
fanny, *Thalurania* 147

fannii, *Thalurania colombica* 147
farinosa, *Amazona* 76
fasciata, *Amadina* 156
 Fasciated Snake-Eagle 30
fasciatus, *Accipiter* 18
fasciatus, *Hieraenus* 38
fasciicaudata, *Milvus* 43
fasciinucha, *Falco* 51
fasciolatus, *Circetus* 30
fastuosus, *Epimachus* 168
 Faucon à cou roux 50
 Faucon à ventre rayé 55
 Faucon aldrovandin 54
 Faucon aplomado 51
 Faucon ardoisé 49
 Faucon berigora 49
 Faucon chicquera 50
 Faucon concolore 51
 Faucon-coucou 24
 Faucon crécerelle 55
 Faucon crécerelle de l'île 53
 Faucon crécerelle des Seychelles 49
 Faucon crécerellette 52
 Faucon d'Éléonore 51
 Faucon de Barbarie 53
 Faucon de Cuvier 51
 Faucon de Dickinson 51
 Faucon de l'Amour 49
 Faucon de Nouvelle-Zélande 52
 Faucon des chauves-souris 54
 Faucon des prairies 52
 Faucon émerillon 50
 Faucon gerfaut 54
 Faucon gris 52
 Faucon hobereau 54
 Faucon kobezi 55
 Faucon laggar 52
 Faucon lanier 49
 Faucon noir 55
 Faucon orangé 51
 Faucon pèlerin 53
 Faucon renard 49
 Faucon-renard 49
 Faucon sacré 50
 Faucon taita 51
 Fauconnet à collier 56
 Fauconnet à pattes jaunes 57
 Fauconnet d'Afrique 57
 Fauconnet d'Amérique 58
 Fauconnet de Bornéo 57
 Fauconnet des Philippines 56
 Fauconnet moineau 56
 Fauconnet noir-et-blanc 57
 Fauvette des berbes à long bec 154
 Fauvette rousse de l'Ouest 154
 Fawn-breasted Brilliant 137
 Fearful Owl 114
femoralis, *Falco* 51
fernandensis, *Sephanoides* 147
ferrugineifrons, *Bolborhynchus* 81
ferrugineus, *Ericognathus* 86
 Ferruginous Duck 111
 Ferruginous Hawk 28
 Ferruginous Partridge 60
 Ferruginous Pochard 111
 Ferruginous Pygmy-Owl 111
 Ferruginous Wood-Partridge 60
festiva, *Amazona* 76
 Festive Amazon 76
 Festive Amazon Parrot 76
 Festive Coquette 140
 Festive Parrot 76
 Fiery-shouldered Conure 99
 Fiery-shouldered Parakeet 99

- Fiery-tailed Awibill 128
 Fiery-throated Hummingbird 143
 Fiery Topaz 148
 Fiji Goshawk 20
fimbriata, *Amazilia* 126
fimbriatum, *Callocephalon* 83
 Finsch's Pygmy-Parrot 90
finschi, *Amazona* 76
finschi, *Arainga* 80
finschi, *Micropsitta* 90
finschi, *Psinacula* 97
finschi, *Psinacula himalayana* 97
 Fire-crowned Bishop 162
 Fire-throated Metaltail 141
 Fischer's Lovebird 74
 Fischer's Turaco 104
fischeri, *Agapornis* 74
fischeri, *Tauraco corythaix* 104
 Flamant de James 8
 Flamant des Andes 8
 Flamant du Chili 8
 Flamant nain 8
 Flamant rose 8
 Flame-rumped Sapphire 138
 Flame-winged 99
 Flame-winged Conure 60
 Flamenco 8
 Flamenco andino 8
 Flamenco andino chico 8
 Flamenco común de Chile 8
 Flamenco de Cuba 8
 Flamenco de James 8
 Flamenco enano 8
 Flamenco rojo 8
 Flammulated Owl 117
flaveolus, *Platycercus* 93
flavescens, *Baionneaua* 128
flavicans, *Prioniturus* 95
flavifrons, *Poicephalus* 94
flavipes, *Bubo* 113
flavipes, *Kenupa* 113
flavoviridis, *Trichoglossus* 102
flavus, *Agelaius* 155
flavus, *Xanthopsar* 155
floriceps, *Anthocephala* 127
Florisuga 135
flasculus, *Loriculus* 89
forbesi, *Cyanoramphus auriceps* 85
forbesi, *Leptodon* 40
 Forest Buzzard 27
 Forest Little Owl 108
 Forest Owlet 108
forficatus, *Chlarostilbon* 131
forficatus, *Elanoides* 33
 Fork-tailed Emerald 131
 Fork-tailed Woodnymph 147
formosa, *Anas* 11
Forpus 87
 Forster's Caracara 57
 Fou d'Abbott 2
 Fox Kestrel 49
 Frances's Goshawk 18
francesii, *Accipiter* 18
franciae, *Amazilia* 126
franciscanus, *Euplectes* 162
franciscanus, *Euplectes orix* 162
 Fraser's Eagle-Owl 110
Fregate 3
 Frégate d'Andrews 3
 Frégate de l'île Christmas 3
 Frentiestrella alihabana 132
 Frentiestrella arcoiris 132
 Frentijoya 137
 Frilled Coquette 141
fringillarius, *Microhierax* 56
fringilloides, *Lonchura* 158
fringilloides, *Spermestes* 158
frommi, *Pyrenestes* 160
frontalis, *Pyrthura* 99
frontalis, *Sporopipes* 165
 Fuertes's Parrot 88
fuertesi, *Hapalopsittaca* 88
fuertesi, *Hapalopsittaca amazonina* 88
fulgens, *Eugenes* 135
fulgidus, *Psittrichas* 99
fuliginosus, *Onus* 117
fuliginosus, *Onus bakkamoena* 117
 Fuligule nyroca 12
fulva, *Dendrocygna* 13
fulvescens, *Strix* 122
fulvescens, *Strix varia* 122
 Fulvous Owl 122
 Fulvous Tree-Duck 13
 Fulvous Whistling-Duck 13
fulvus, *Gyps* 35
funereus, *Aegolius* 107
funereus, *Calyptorhynchus* 83
furcata, *Thalurania* 147
furcifer, *Heliomaster* 137
fuscata, *Pseudeos* 96
fusconota, *Nigrio* 159
fuscus, *Melanotrichius* 141
fuscus, *Pionus* 92
gabar, *Melierax* 42
gabar, *Micronisus* 42
 Gabar Goshawk 42
 Gafudo gorgiblanco 154
 Galah 86
galapagoensis, *Buteo* 26
 Galapagos Hawk 26
gaterita, *Cacatua* 82
galeritus, *Anorrhinus* 150
galgulus, *Loriculus* 89
 Gallicolombe poignardée 71
Gallicolumba 71
gallicus, *Circaetus* 30
 Gallinazo rey 15
Gallirallus 65
 Gallito de las Rocas 153
 Gallito de las Sierras 153
 Gallito de pradera 63
 Gallito de roca anaranjado 153
 Gallito de roca peruano 153
 Gallo de Sonnerat 60
 Gallo salvaje del Caspio 62
 Gallo salvaje del Tibet 62
Gallus 60
gambensis, *Plectropterus* 14
Gampsonyx 34
 Gan-Gan 83
 Gang-gang Cockatoo 83
 Ganso blanco 13
 Ganso canadiense aleutiana 12
 Ganso de Nilo 9
 Ganso del Gambia 14
 Garceta común 4
 Garcilla bueyera 3
 Garcita reznera 3
 Garden Emerald 131
 Garganey 11
 Garganey Teal 11
 Garganta de oro coliverde 145
 Garganta lanza coliblanca 148
 Garnet-throated Hummingbird 139
garrulus, *Lorius* 90

Garza blanca real 4
 Garza ganadera 3
 Garza Goliar 3
garzeta, *Egretta* 4
 Garzetta grande 4
 Garzón soldado 6
 Gavilán alirrojizo 27
 Gavilán acollarado 17
 Gavilán albonotatus 25
 Gavilán andapié 44
 Gavilán arrastrador 21
 Gavilán azor 18
 Gavilán azul 41
 Gavilán bebehumo 27
 Gavilán bicolor 16
 Gavilán bidente 37
 Gavilán blanco 40
 Gavilán cangrejero 29
 Gavilán caracolero 45
 Gavilán carinegro 40
 Gavilán ceniciente 31
 Gavilán chikra 16
 Gavilán cola corta 26
 Gavilán colifajeado 25
 Gavilán colorado 25
 Gavilán común 27
 Gavilán cucurijo 56
 Gavilán de collar 56
 Gavilán de Cooper 17
 Gavilán de Galápagos 26
 Gavilán de Manglares 28
 Gavilán de Ovampo 20
 Gavilán de Traylor 56
 Gavilán dorsigris 40
 Gavilán enano 21
 Gavilán gabar 42
 Gavilán gargantiblanco 25
 Gavilán grande 31
 Gavilán gris 24
 Gavilán babado 27
 Gavilán langostero 28
 Gavilán maromero 34
 Gavilán mixto 44
 Gavilán negro 27
 Gavilán negro común 29
 Gavilán negro grande 29
 Gavilán pajarero 21
 Gavilán palomero 40
 Gavilán pantalón 16
 Gavilán patílargo 34
 Gavilán pechiblanco 17
 Gavilán pechirrojo 17
 Gavilán pechirroso 21
 Gavilán pescador 15
 Gavilán pico de Hoz 45
 Gavilán pico ganchudo 29
 Gavilán pita venado 29
 Gavilán pizarroso 41
 Gavilán plomizo 40,41
 Gavilán príncipe 41
 Gavilán puneño 28
 Gavilán rabadilla blanca 27
 Gavilán rastreiro 31
 Gavilán-reloj 56
 Gavilán sabanero 29
 Gavilán semiplomizo 41
 Gavilán tejé 25
 Gavilán tijereta 33
 Gavilán vient 20
 Gavilán Zancón 34
 Gavilán zancudo 34
 Gavilancito de Hardaub 17
 Gaviota de Mongolia 70
 Geelvink Pygmy-Parrot 90

geelvinkiana, *Micropsitta* 90
gentilis, *Accipiter* 18
geoffroyi, *Augastes* 128
geoffroyi, *Geoffroyus* 87
geoffroyi, *Schistes* 128
Geoffroyus 87
Geopsittacus 88
Geranoaetus 34
Geranospiza 34
 Germain's Peacock-Pheasant 61
germaini, *Polyplectron* 61
Geronticus 7
 Giant Eagle-Owl
 Giant Hummingbird 143
gibsoni, *Chlorostilbon* 131
gigantea, *Melampitta* 169
gigas, *Patagona* 143
gigas, *Podilymbus* 2
Gigüeña ensillada 5
 Gilded Hummingbird 138
gilvicollis, *Micrastur* 56
gilvicollis, *Micrastur ruficollis* 56
gindiana, *Eupodotis* 67
gindiana, *Eupodotis ruficrista* 67
Glaucidium 111-113
Glaucis 136,146
glaucoptilaris, *Ara* 79
glaukopis, *Thalurania* 147
glaukopoides, *Eriocnemis* 134
glaucopterus, *Tyto* 106
glaucopterus, *Tyto alba* 106
 Glaucus Macaw 78
glaucus, *Anodorhynchus* 78
 Glittering-bellied Emerald 131
 Glittering-throated Emerald 126
globulosa, *Crax* 58
Glossopsitta 88
 Glossy Black-Cockatoo 83
 Glossy-mantled Manucode 168
 Glow-throated Hummingbird 146
 Glowing Puffleg 134
gnoma, *Glaucidium* 112
 Gobemouche de Rueck 154
godini, *Eriocnemis* 134
 Goéland de Mongolie 70
Goethaisia 136
 Goffin's Cockatoo
goftini, *Cacatua* 82
 Golden-bellied Starfrontlet 132
 Golden Bishop 60
 Golden-breasted Puffleg 134
 Golden-breasted Waxbill 156
 Golden Codorniz comun 60
 Golden-collared Macaw 78
 Golden Conure 80
 Golden-crown 79
 Golden Eagle 22
 Golden-headed Fig-Parrot
 Golden-mantled Rosella 93
 Golden Parakeet 80
 Goldie's Bird-of-paradise 169
 Goldie's Lorikeet 98
goldiei, *Psitteuteles* 98
goldiei, *Trichoglossus* 98
 Goldies Bird-of-paradise 169
goldii, *Ninox* 115
Goldmania 136
goliath, *Ardea* 3
 Goliath Heron 3
 Gorgeted Sunangel 136
 Gorgeted Woodstar 124
 gorgirroja, Amadina 156
 Gorrión pardillo 163

- goudoti*, *Lepidopyga* 139
 Gould's Jewelfront 137
gouldii, *Lophornis* 140
gounellei, *Phaethornis* 143
Goura 71
Goura couronnée 71
Goura de Sheepmaker 71
Goura de Victoria 71
Gracula 167
gramineus, *Tanygnathus* 101
grammicus, *Pseudoscops* 120
 Gran autillo veliblanco 118
 Gran buho etípico 110
 Grand cacatôès à huppe 82
 Grand Comoro Scops-Owl 119
 Grand-duc à aigrettes 110
 Grand-duc africain 109
 Grand-duc ascalaphe 109
 Grand-duc bruyant 110
 Grand-duc d'Amérique 111
 Grand-duc d'Europe 109
 Grand-duc de Coromandel 110
 Grand-duc de Shelley 110
 Grand-duc de Verreaux 110
 Grand-duc des Philippines 110
 Grand-duc des Usambara 111
 Grand-duc du Cap 110
 Grand-duc du Népal 110
 Grand-duc indien 109
 Grand-duc tacheté 110
Grand Eclectus 86
 Grand Hocco 58
 Grand paradisier 169
 Grande aigrette 4
 Grande Mélampitte 169
 Grande outarde 68
 Grande outarde arabe 66
 Grande outarde de l'Inde 66
 Grasshopper Buzzard 25
 Grasshopper Buzzard-Eagle 25
 Gray's Brush-turkey 58
 Gray's Malimbe 163
 Gray's Moluccan Hanging-Parrot 88
Graydidascalus 88
grayi, *Hylocharis* 138
 Great Argus 60
 Great-billed Hermit 144
 Great-billed Parrot 101
 Great Black Hawk 29
 Great Blue Turaco 103
 Great Bustard 68
 Great Curassow 58
 Great Egret 4
 Great Green Macaw 78
 Great Grey Owl 122
 Great Hornbill 150
 Great Horned Owl 111
 Great Indian Bustard 66
 Great Philippine Eagle 44
 Great Sapphirewing 146
 Great Sparrowhawk 19
 Great White Egret 4
 Greater Bird-of-paradise 169
 Greater Flamingo 8
 Greater Kestrel 54
 Greater Melampitta 169
 Greater Rhea 1
 Greater Sooty-Owl 107
 Greater Spotted Eagle 22
 Greater Streaked Lory 84
 Greater Sulphur-crested Cockatoo 82
 Grèbe de l'Atitan 2
 Green-and-white Hummingbird 127
 Green Aracari 152
 Green-backed Firecrown 147
 Green-backed Twinspot 158
 Green-bellied Hummingbird 127
 Green-breasted Mango 127
 Green-breasted Mountain-gem 139
 Green-cheeked Conure 100
 Green-cheeked Parakeet 100
 Green Conure 80
 Green-crowned Brilliant 137
 Green-crowned Woodnymph 147
 Green-fronted Hanging-Parrot 89
 Green-fronted Hummingbird 127
 Green-fronted Lancebill 134
 Green-headed Racket-tailed Parrot 95
 Green Hermit 143
 Green Indigobird
 Green Leek Parrot 95
 Green Mango 128
 Green-naped Lorikeet 102
 Green-necked Peafowl 61
 Green Parakeet 80
 Green Peafowl 61
 Green Racquet-tail 95
 Green Rosella 94
 Green-rumped Parrotet 87
 Green Singing Finch 156
 Green-tailed Emerald 130
 Green-tailed Goldenthroat 145
 Green-tailed Trainbearer 139
 Green Thorntail 145
 Green-throated Carib 135
 Green-throated Mango 127
 Green-throated Mountain-gem 139
 Green Twinspot 158
 Green Violet-ear 133
 Green-winged King-Parrot 75
 Green-winged Macaw 79
 Green-winged Teal 10
 Greenish Puffleg 136
 Grey-backed Hawk 40
 Grey-bellied Comet 147
 Grey-bellied Goshawk 20
 Grey-bellied Hawk 20
 Grey-bellied Tragopan 62
 Grey-breasted Parakeet 90
 Grey Crowned Crane 63
 Grey Falcon 52
 Grey Frog Hawk 60
 Grey Goshawk 25
 Grey Hawk 24
 Grey-headed Sparrow 163
 Grey-hooded Parakeet 81
 Grey Junglefowl 60
 Grey Kestrel 49
 Grey-lined Hawk 24
 Grey-necked Rockfowl
 Grey Parrot 98
 Grey Peacock-Pheasant 61
 Grey Plantain-eater 103
 Grey Wood-Pigeon 71
griseiceps, *Accipiter* 18
griseiceps, *Glaucidium* 112
griseiventris, *Taphrolesbia* 147
griseogularis, *Accipiter* 20
griseogularis, *Phaethornis* 143
griseus, *Passer* 163
 Gros-bec ponceau à ventre noir 160
 Gros-bec sanguin 160
 Grosbeak Weaver 161
 Ground Parrot 92
 Grue (du Canada) canadienne 64
 Grue à cou blanc 65
 Grue à cou noir 65
 Grue antigone 64

- Grue antigone tropicale 64
 Grue blanche 63
 Grue blanche d'Amérique 63
 Grue blanche d'Asie 64
 Grue bleu 65
 Grue brolga 65
 Grue canadienne de Cuba 64
 Grue canadienne du Mississippi 64
 Grue caronculée 64
 Grue cendrée 64
 Grue couronnée 63
 Grue couronnée de l'Afrique d'Ouest et du Sudan Grue couronnée de l'Afrique du Sud et de l'Est 63
 Grue de Mandchourie 64
 Grue de paradis 65
 Grue de Sibérie 64
 Grue demoiselle 65
 Grue du Canada 64
 Grue du Japon 64
 Grue moine 65
 Grue nonne 64
 Grue royale 63
 Grulla (del Canada) cenicienta 64
 Grulla Americana 63
 Grulla australiana 65
 Grulla azul 65
 Grulla blanca asiática 64
 Grulla blanco cuello 64
 Grulla Canadiense 64
 Grulla cenicienia de Cuba 64
 Grulla ceniciente del Misisipi 64
 Grulla común 64
 Grulla coronada 63
 Grulla coronada del Africa Occidental 63
 Grulla coronada sudafricana 63
 Grulla cuelliblanca 65
 Grulla cuellinegra 65
 Grulla damisela 65
 Grulla de Manchuria 64
 Grulla gritona 63
 Grulla monjita 65
 Grulla moruna 65
 Grulla trompetera 63
 Grulla zarzo 64
grus, *Grus* 64
Grus 63-65
gryphus, *Vultur* 15
grzimeki, *Threnetes* 136
 Guacamaya azul 78
 Guacamaya roja 79
 Guacamayito azul 85
 Guacamayo amarilla 79
 Guacamayo azul y amarillo 78
 Guacamayo azulamarillo 78
 Guacamayo bandera 79
 Guacamayo barriga roja 79
 Guacamayo cobalto 78
 Guacamayo enano 79
 Guacamayo frentirroja 79
 Guacamayo rojo 79
 Guacamayo verde 79
 Guacamayo verde mayor 78
 Guacamayo violáceo 78
 Guadalupe Caracara 57
 Guaiabero 81
guainumbi, *Polytmus* 145
 Guajalote ocelado 59
guajana, *Pitta* 153
 Guan cornudo 58
 Guaraguao 27
 Guarahuau cordillerano 57
guarouba, *Aratinga* 80
guarouba, *Guaruba* 80
 Guarouba jaune 80
- Guaruba* 80
guatimalae, *Oreus* 116
Gubernatrix 155
guerinii, *Oxypogon* 143
 Guianan Cock-of-the-rock 153
 Guianan Crested Eagle 43
guanensis, *Morphnus* 43
guildingii, *Amazona* 76
guilhelmi, *Paradisaea* 169
guimeti, *Klais* 139
 Guincho 15
guinea, *Columba* 70
 Guinea Turaco 104
 Guirirí 13
gularis, *Accipiter* 18
gularis, *Accipiter virgatus* 18
gularis, *Heliocoxa* 137
gulielmi, *Poeciphalus* 94
gulielmitertii, *Cyclopsitta* 86
gulielmitertii, *Oropsitta* 86
 Gundlach's Hawk 18
gundlachi, *Accipiter* 18
 Gurney's Eagle 22
 Gurney's Hawk 28
 Gurney's Pitta 153
gurneyi, *Aquila* 22
gurneyi, *Mimizuku* 114
gurneyi, *Otus* 114
gurneyi, *Pitta* 153
gutifera, *Tringa* 69
guy, *Phaethornis* 143
gymnocephalus, *Picathartes* 154
 Gymnogène d'Afrique 45
 Gymnogène de Madagascar 45
Gymnoglaux 118
Gymnogyps 15
 Gypaète barbu 34
Gypaetus 34
Gypohierax 35
Gypopsitta 88
Gyps 35-36
 Gyps africain 35
Gyr Falcon 54
Gyrfalcon 54
habroptilus, *Strigops* 100
 Hada coronimorada 138
 Hada gorrímorada 138
 Hada orejinegro 138
 Hadada Ibis 6
haematina, *Spermophaga* 160
haematoodus, *Trichoglossus* 102
haematogaster, *Northiella* 91
haematogaster, *Psephotus* 91
haematonotus, *Psephotus* 96
haematonotis, *Pionopsitta* 92
haematuropygia, *Cacatua* 82
hagedash, *Bostrychia* 6
hagedash, *Hagedashia* 6
Hagedashia 6
 Halcon-montés plomizo 56
 Halcón abejero 44
 Halcón aplomado 51
 Halcón azulado 51
 Halcón borní 49
 Halcón común 53
 Halcón cuellirrufo 56
 Halcón de cabeza roja 50
 Halcón de Cuvier 51
 Halcón de Eleonor 51
 Halcón de las praderas 52
 Halcón de Lomo Pizarreño 56
 Halcón de Nueva Zelanda 52
 Halcón enano de la India 56

- Halcón gerifalte 54
 Halcón golondrina 54
 Halcón gris de Australia 52
 Halcón guaco 56
 Halcón guaicuri 56
 Halcón macagua 56
 Halcón migratorio 50
 Halcón murcielaguero 54
 Halcón negro de Australia 55
 Halcón palomero 50
 Halcón Palomero del Sur 56
 Halcón pardo 51
 Halcón pechianar 51
 Halcón pechirojo 51
 Halcón pechirroso 51
 Halcón perdiguero 51
 Halcón plomizo 51
 Halcón plomizo menor 54
 Halcón pradeño 52
 Halcón real 53
 Halcón sacre 50
 Halcón-selvático barrado 56
 Halcón-selvático collarejo 56
 Halcón semiacollarado 56
 Halcón viajero 53
 Halconcito 54
 Halconcito australiano 52
 Halconcito collarargo de Asia 57
 Halconcito común 54
 Halconcito de Borneo 57
 Halconcito de las Filipinas 56
 Halconcito gris 58
 Halconcito gris americano 58
 Halconcito malayo 56
Haliaeetus 36-37
haliaetus, *Pandion* 15
Haliastur 37
hamatus, *Helicolestes* 45
hamatus, *Rostrhamus* 45
Hamirostra 37
handleyi, *Amazilia* 126
Hapalopsittaca 88
haplochrous, *Accipiter* 18
Haplophaedia 136
 Hardy's Pygmy-Owl 112
hardyi, *Glaucidium* 112
 Harfang des neiges 116
harmani, *Crossoptilon* 60
harmani, *Crossoptilon crossoptilon* 60
Harpagus 37
Harpia 37
Harpia 37
 Harpie féroce 37
Harpia buppée 43
 Harpy Eagle 37
Harpyhaliaeetus 38
 Harpie 37
harpyja, *Harpia* 37
Harpyopsis 38
 Harris's Hawk 44
harrisii, *Aegolius* 107
harterti, *Phlogophilus* 145
 Hartlaub's Bustard 67
 Hartlaub's Duck 15
 Hartlaub's Turaco 104
hartlaubi, *Otus* 117
hartlaubi, *Tauraco* 104
hartlaubii, *Cairina* 15
hartlaubii, *Eupodotis* 67
hartlaubii, *Lissotis* 67
hartlaubii, *Pteronetta* 15
 Haute-col à queue rubané 167
 Haute-col de Rothschild 167
 Haute-col doré 167
 Haute-col splendide 167
 Haut-de-chausses à palettes 142
 Hawaiian Goose
 Hawaiian Hawk 28
hectori, *Gallirallus australis* 65
helena, *Catypne* 141
helena, *Lophornis* 140
helena, *Mellisuga* 141
helena, *Paphosia* 140
helena, *Paroia* 170
helena, *Parotia lawesii* 170
heliaca, *Aquila* 23
Heliaetus 136
 Héliange à queue bleue 136
 Héliange clarisse 136
 Héliange de Mérida 136
 Héliange mars 136
 Héliange royale 136
 Héliange tourmaline 136
 Héliange violette 137
Helianthus 136-137
helianthea, *Coeligena* 132
Helicolestes 45
heliodor, *Aesturina* 124
Heliodoxa 137
 Heliodoxa frentiazul 137
Heliomaster 137-138
 Heliomaster piquilargo 137
Heliothryx 138
 Heliotro 146
 Helmeted Curassow 59
 Helmeted Honeyeater 154
 Helmeted Hornbill 151
heloisa, *Aethia* 128
heloisa, *Selasphorus* 128
hemilasius, *Buteo* 27
hemileucus, *Campylopterus* 129
hemileucus, *Phlogophilus* 145
hemileucus, *Lamponnis* 139
 Hémipode à collier 63
 Hémipode à ventre noir 63
 Henderson Lorikeet 102
henicogrammus, *Accipiter* 18
Henicopernis 38
 Henst's Goshawk 18
henstii, *Accipiter* 18
 Hermit Ibis 7
 Héron garde-boeufs 3
 Héron Goliath 3
Herpetotheres 56
herrani, *Chalcostigma* 130
heteroclinus, *Geoffroyus* 87
heteropogon, *Chalcostigma* 130
Heterospizias 29
heterurus, *Tanygnathus* 101
 Heuglin's Bustard 68
 Heuglin's Masked-Weaver 164
heuglini, *Ploceus* 164
heuglinii, *Neotis* 68
 Hibou à bec jaune 113
 Hibou à casque 114
 Hibou brachyote 108
 Hibou criard 107
 Hibou d'Abyssinie 107
 Hibou de Guernsey 114
 Hibou de la Jamaïque 120
 Hibou de Madagascar 108
 Hibou des marais 108
 Hibou du Cap 107
 Hibou maître-bois 108
 Hibou malgache 108
 Hibou moyen-duc 108

Hibou pêcheur roux 113
 Hibou redoutable 114
 Hibou strié 107
 Hibour petit-duc 119
Hieraaetus 38-39
 Highland Guan 59
 Hill Myna 167
 Himalayan Griffon 35
 Himalayan Griffon Vulture 35
 Himalayan Monal
himalayana, Psittacula 97
himalayensis, Gyps 35
 Hirodelle à lunettes 154
hirsuta, Glaucis 136
 Hispaniolan Amazon Parrot 77
 Hispaniolan Conure 80
 Hispaniolan Emerald 131
 Hispaniolan Hawk 28
 Hispaniolan Parakeet
 Hispaniolan Parrot 77
hispidus, Phaethornis 143
histria, Eos 86
 Hoary Puffleg 136
 Hobereau à poitrine rousse 54
 Hobereau africain 51
 Hocco à bec rouge 58
 Hocco à pierre 59
 Hocco d'Albert 58
 Hocco de Blumenbach 58
 Hocco de Daubenton 58
 Hocco globuleux 58
 Hocco mitou 58
 Hocofaisán 58
 Hodgson's Hawk-Eagle 47
haematochroa, Pyrrhura 99
 Hoffmann's Conure 99
hoffmanni, Pyrrhura 99
 Hoki blanc 60
 Hoki brun 60
 Hokki blanc 60
 Hokki brun 60
 Hokki du Tibet 60
holochlora, Aratinga 80
holosericeus, Eulampis 135
holosericeus, Sericoetes 135
holospilus, Spilornis 46
holospilus, Spilornis cheelo 46
 Honduran Emerald 126
 Hooded Crane 65
 Hooded Parrot 96
 Hooded Visor bearer 128
 Hooded Vulture 43
 Hook-billed Hermit 146
 Hook-billed Kite 29
hordeaceus, Euplectes 162
 Horned Guan 58
 Horned Parakeet 87
 Horned Sungem 136
hoskinsii, Glaucidium 111
 Houbara Bustard 66
 Houbara ondulé 66
Houbaropsis 66
hoyi, Otus 116
 Hubara 66
huettii, Touit 101
huhula, Ciccaba 122
huhula, Strix 122
 Hulotte africaine 123
 Humboldt Penguin 2
humboldti, Spheniscus 2
 Hume's Bar-tailed Pheasant 62
 Hume's Owl 122
 Hume's Pheasant 62
 Hume's Tawny Owl

Hume's Wood-Owl
humiae, Syrmaticus 62
humilis, Eupodotis 67
humilis, Ichthyophaga 39
 Huon Astrapie 167
 Hyacinth Macaw 78
 Hyacinth Visor bearer 128
hyacinthinus, Anodorhynchus 78
hydracorax, Buceros 151
Hylocharis 138
Hylonympa 138
hylophila, Strix 122
Hypargos 158
hyperythrus, Campylopterus 129
Hypochera 166, 167
hypogrammica, Pytilia 160
hypoinochraus, Lorius 90
hypoleucus, Falco 52
hypostictus, Taphrosphilus 147
hypoxantha, Pyrrhura 100
ibis, Ardeola 3
ibis, Bubulcus 3
 Ibis blanc 7
 Ibis blanc du Japon 7
 Ibis calvo 7
 Ibis chauve 7
 Ibis chauve de l'Afrique du Sud 7
 Ibis chevelu 7
 Ibis du Cap 7
 Ibis eremita 7
 Ibis escarlata 6
 Ibis hadada 6
 Ibis hagedash 6
 Ibis moñudo japonés 7
 Ibis nippon 7
 Ibis rara 6
 Ibis rouge 6
 Ibis sacré 7
 Ibis sagrado 7
 Ibis vermiculé 6
ichthyaeetus, Ichthyophaga 39
Ichthyophaga 39
 Ictéride à tête jaune 155
icterorhynchos, Otus 117
icterotis, Ognorhynchus 92
icterotis, Platycercus 93
Ictiniaetus 39
Ictinia 40
idaliae, Phaethornis 144
 Ignicolore 162
ignita, Lophura 61
 Illiger's Macaw 79
imberbis, Anomalospiza 161
imitator, Accipiter 19
 Imitator Sparrowhawk 19
impejanus, Lophophorus 60
imperatrix, Heliodoxa 137
 Imperial Amazon Parrot 76
 Imperial Eagle 23
 Imperial Parrot 76
 Imperial Parrot 76
 Imperial Pheasant 61
 Imperial Woodpecker 152
imperialis, Amazona 76
imperialis, Campephilus 152
imperialis, Lophura 61
 Impeyan Pheasant 60
inca, Coeligena 132
 Inca à collier 132
 Inca à gemme bleue 132
 Inca à queue blanche 132
 Inca hrün 132
 Inca café 132

- Inca céleste 132
 Inca de Bonaparte 132
 Inca de Wetmore 132
 Inca iris 132
 Inca noir 132
 Inca porphyre 132
 Inca violière 132
incognita, *Vidua* 167
 Indian Black Eagle 39
 Indian Bustard 66
 Indian Tragopan 63
indica, *Eupodotis* 67
indica, *Syphoenoides* 67
indicus, *Buteastur* 25
indicus, *Gyps* 36
 Indigo-capped Hummingbird 125
 Indigo Macaw 78
 Indigo-winged Parrot 88
indus, *Haliastur* 37
inexpectatus, *Chlorostilbon* 131
inxpectata, *Tyto* 106
infuscatus, *Henicoperis* 38
ingens, *Otus* 117
inopinatum, *Polyplectron* 61
 Inséparable carirrojo 74
 Inséparable de collera 75
 inséparable de Fischer 74
 Inséparable à collier noir 75
 Inséparable à joues noires 74
 Inséparable à tête grise 74
 Inséparable à tête rouge 74
 Inséparable d'Abyssinie 75
 Inséparable de Lilian 74
 Inséparable masqué 74
 Inséparable rosegorge 74
insignis, *Panterpe* 143
insignis, *Polihierax* 57
insularis, *Otus* 118
intercedens, *Ptiloris* 170
interjecta, *Vidua* 166
interjecta, *Vidua orientalis* 166
intermedia, *Psittacula* 97
 Intermediate Parakeet 97
iracunda, *Metallura* 141
ireneae, *Otus* 117
iridiatorques, *Columba* 70
iris, *Coeligena* 132
iris, *Psittacula* 98
iris, *Trichoglossus* 98
 Iris Lorikeet 98
 Iris Lory 98
 Iris Peacock-Pheasant 61
 Isidor's Eagle 44
isidori, *Oraetus* 44
isidori, *Spizaetus* 44
isura, *Lophoictinia* 41
 Ithagine ensanglantée 60
Ithaginis 60
 Itombwe Owl 105
 Jabiru 6
 Jabiru américain 6
 Jabiru d'Afrique 5
 Jabiru d'Amérique 6
 Jabiru du Sénégal 5
 Jabiru 6
 Jackal Buzzard 28
 Jackass Penguin 1
 Jacko 98
 Jacobino collarejo 135
 Jacobino nuanquiblanco 135
jacquinoti, *Ninox* 114
jacula, *Heliodoxa* 137
jocutinga, *Aburria* 59
jacutinga, *Pipile* 59
 Jamaican Mango 127
 Jamaican Owl 120
jamaicensis, *Buteo* 27
 Jambandu Indigobird 166
 James' Flamingo 8
jamesi, *Phoenicophaeus* 8
 Jameson's Antecker 160
jandaya, *Aratinga* 80
 Jandaya Conure 80
 Jandaya Parakeet 80
 Japanese Crested Ibis 7
 Japanese Sparrowhawk 18
japonensis, *Grus* 64
jardini, *Boissonneaua* 128
jardinii, *Glaucidium* 112
 Javan Hawk-Eagle 46
 Javan Owlet 112
 Javan Scops-Owl 116
jefferyi, *Pithecopaga* 44
 Jerdon's Baza 24
jerdoni, *Aviceda* 24
 Jilguero cara amarilla 155
 Jilguero de Yarrell 155
 Jobi Mamcode 169
jobiensis, *Manucodia* 169
johannae, *Doryfera* 133
 Johnstone's Lorikeet 102
johnstoniae, *Trichoglossus* 102
jonquillaceus, *Aprosmictus* 78
josefinae, *Charmosyna* 84
 Josephine's Lorikeet 84
 Josephine's Lory 84
 Jote real 15
 Joues-oranges 157
jourdanii, *Chaetocercus* 130
 Juan Fernandez Firecrown 147
jubatus, *Rhynochetos* 65
Jubula 113
 jugger, *Falco* 52
jugularis, *Brotogeris* 82
jugularis, *Eulampis* 135
julie, *Damophila* 133
 Jungle Hawk-Owl 115
 Kagou 65
 Kagou huppé 65
 Kagu 65
 Kagú 65
 Kaka 91
 Kakapo 100
 Karoo Bustard 68
 Karoo Korhaan 68
 Kaupifalco 40
 Kawall's Amazon Parrot 76
 Kawall's Parrot 76
kawalli, *Amazona* 76
 Kea 91
 Keel-billed Toucan 152
keiensis, *Micropsitta* 90
kennicottii, *Otus* 117
kennicottii, *Otus asio* 117
keraudrenii, *Manucodia* 169
keraudrenii, *Phonygammus* 169
 Kétoupa brun 113
 Kétoupa de Blakiston 113
 Kétoupa malais 113
 Kétoupa roux 113
Ketupa 113
ketupu, *Bubo* 113
ketupu, *Ketupa* 113
kienerii, *Hieraetus* 38
kinabaluensis, *Spilornis* 46
kinabaluensis, *Spilornis cheela* 46

- King Bird-of-paradise 167
 King of Saxony Bird-of-paradise 170
 King Vulture 15
kingi, *Aglaiocephalus* 125
Klais 139
 Knobbed Hornbill 149
 Knysna Turaco 103
 Koch's Pitta 153
kochi, *Pitta* 153
koenisiwaldiana, *Pulsatrix* 120
 Koepcke's Hermit 144
 Koepcke's Screech-Owl 118
koepckeae, *Otus* 118
koepckeae, *Phaethornis* 144
kori, *Ardeotis* 66
kori, *Choriotis* 66
 Kori Bustard 66
krameri, *Pitheciora* 97
kreyenborgi, *Falco* 53
 Kuhl's Lorikeet 102
kuhlii, *Leucosternis* 40
kuhlii, *Vini* 102
 Laborioso cabecirrojo 165
lacernulata, *Leucosternis* 40
lactea, *Amazilia* 126
lacteus, *Bubo* 110
Lafresnaye 139
lafresnayi, *Lafresnaya* 139
 Laggar Falcon 52
Lagonosticta 157-158
lagopus, *Buteo* 27
lalandi, *Stephanoxis* 147
 Lammergeier 34
Lampornis 139
Lampribis 6
Lamprolaima 139
lanceolatus, *Spizaetus* 46
langsdorffi, *Discosura* 145
langsdorffi, *Popelairia* 145
 Lanner Falcon 49
 Lapp Owl 122
 Lappet-faced Vulture 48
 Large Fig-Parrot
largipennis, *Campylopterus* 130
Larus 70
larvaticola, *Vidua* 166
lathami, *Calyptorhynchus* 83
Lathamus 88
latifrons, *Microhierax* 57
latirostris, *Calyptorhynchus* 84
latirostris, *Calyptorhynchus funereus* 84
latirostris, *Cynanthus* 133
 Laughing Dove 72
 Laughing Falcon 56
 Laughing Owl 121
 Lavender Firefinch 156
 Lavender Waxbill 156
lawesii, *Porotia* 170
lawrencii, *Gymnoglaux* 118
lawrencii, *Otus* 118
 Layard's Parakeet 97
laysanensis, *Anas* 11
laysanensis, *Anas platyrhynchos* 11
 Le Gerfaut 54
 Leadbeater's Cockatoo 82
leadbeateri, *Cacatua* 82
leadbeateri, *Heliocroa* 137
 Lear's Macaw 78
leari, *Anodorhynchus* 78
 Lechucita acanelada
 Lechucita común 117
 Lechucita de las viscacheras 121
 Lechucita rojiza 116
 Lechuza bataraz 123
 Lechuza blanquinegra 122
 Lechuza campestre 108
 Lechuza colilarga 121, 123
 Lechuza común 105
 Lechuza copetona 114
 Lechuza de campanario 105
 Lechuza de Madagascar 107
 Lechuza de Tengmalm 107
 Lechuza estigia 108
 Lechuza gavilana (de las Molucas) 115
 Lechuza gavilana 123
 Lechuza gavilana de Norfolk 114
 Lechuza lista 122
 Lechuza mora 107
 Lechuza negra 122
 Lechuza orejicor 108
 Lechuza orejita de Madagascar 108
 Lechuza patiblanca 121
 Lechuza pescadora 121
 Lechuzón 107
 Lechuzón anteojos 121
 Lechuzón anteojos menor 120
 Lechuzón campestre 108
 Lechuzón cariblanco 121
 Lechuzón de Anteojos 121
 Lechuzón de Woodford 123
 Lechuzón negruzco 108
 Lechuzón orejas largas 107
 Lechuzón orejudo 107
 Lechuzón orejudo 111
 Lechuzón pardo menor 120
lempiji, *Otus* 116
Lepidopyga 139
Leptodon 40
leptogrammica, *Strix* 122
Leptoptilos 6
leptorhynchus, *Ericognathus* 86
Lepiotinaca 88
Lesbia 139
 Lesser Bird-of-paradise 169
 Lesser Black-Hawk 29
 Lesser Fishing Eagle 39
 Lesser Flamingo 8
 Lesser Flonican 67
 Lesser Kestrel 52
 Lesser Masked-Owl 106
 Lesser Melampitta 169
 Lesser Rhea 1
 Lesser Sooty-Owl 106
 Lesser Spotted Eagle 23
 Lesser Sulphur-crested Cockatoo 83
 Lesser Sunda Scops-Owl 120
letitia, *Discosura* 145
letitiae, *Popelairia* 145
 Lesser-winged Kite 34
lettii, *Jubula* 113
lettii, *Lophostrix* 113
Leucippus 140
leucocephala, *Amazona* 77
leucocephala, *Oxyura* 14
leucocephalus, *Aceros* 149
leucocephalus, *Haliaeetus* 36
leucocephalus, *Rhyticeros* 149
Leucocloris 140
leucogaster, *Amazilia* 126
leucogaster, *Haliaeetus* 36
leucogaster, *Pionites* 92
leucogeranus, *Grus* 64
leucolophus, *Tauraco* 104
leucopareia, *Branta canadensis* 12
leucophthalmus, *Aratinga* 80
leucopleurus, *Oreotrochilus* 142

- Leucopsar* 167
Leucophaea 40-41
leucopygius, Serinus 155
leucorodia, Platlea 7
leucorhous, Buteo 27
leucoryphus, Haliaeetus 36
leucostictus, Bubo 110
leucotis, Basilissa 138
leucotis, Hylocharis 138
leucotis, Otus 118
leucotis, Pyrrhura 99
leucotis, Tauraco 104
leucurus, Elanus 34
leucurus, Elanus caeruleus 34
leucurus, Threnetes 148
leuphotes, Aviceda 24
 Levant Sparrowhawk 17
lhuyisi, Lophophorus 60
Lichenostomus 154
 Likh 67
 Lilac-crowned Amazon Parrot 76
 Lilac-crowned Parrot 76
 Lilac-tailed Parrotlet 101
 Lilian's Lovebird 74
liliace, Agapornis 74
liliace, Agapornis liliace 74
lilliae, Lepidopyga 139
 Limpiacasa 143
lineatus, Buteo 27
lineatus, Milvus 42
lineatus, Milvus migrans 42
 Lined Forest-Falcon 56
lineola, Bolborhynchus 81
Lissotis 67
litoralis, Dasyornis broadbenti 154
 Little Banded Sparrowhawk 16
 Little Blue Macaw 85
 Little Brown Bustard 67
 Little Bustard 69
 Little Corella 83
 Little Eagle 39
 Little Egret 4
 Little Falcon 52
 Little Hermit 144
 Little Lorikeet 88
 Little Owl 108
 Little Red Lorikeet 85
 Little Sparrowhawk 19
 Little Weaver 164
 Little Woodstar 124
liventer, Butastur 25
livia, Columba 70
 Livingstone's Turaco 104
livingstonii, Tauraco 104
livingstonii, Tauraco corythaix 104
 Lizard Buzzard 40
Lophophorus 60
Lophorina 168
Lophornis 140-141
Lophostrix 113-114
Lophotis 67
Lophura 60-61
 Lord Howe Island Woodhen 65
 Lord Howe Rail 65
lorenzi, Vidua 167
 Lori à bandea rouge 88
 Lori à collier jaune 89
 Lori à couronne pourpre 88
 Lori à diadème 84
 Lori à front rouge 85
 Lori à gorge rouge 84
 Lori à joues bleues 86
 Lori à masque rouge 88
 Lori à menton rouge 85
 Lori à nuque blanche 89
 Lori à ventre violet 90
 Lori arlequin 86
 Lori bridé 92
 Lori cardinal 84
 Lori croquet 84
 Lori de Buru 85
 Lori de Duyvenbode 84
 Lori de Joséphine 84
 Lori de Kuhl 102
 Lori de Margaret 84
 Lori de Meek 84
 Lori de Müschenbroek 91
 Lori de Stephen 102
 Lori de Wilhelmina 85
 Lori des dames 89
 Lori des Fidji 92
 Lori des palmiers 84
 Lori écaille 87
 Lori écarlate 86
 Lori émeraude 91
 Lori féérique 85
 Lori flammeché 84
 Lori fringillaire 102
 Lori masqué 87
 Lori noir 84
 Lori noira 90
 Lori nonnette 102
 Lori papou 84
 Lori réticulé 87
 Lori sombre 96
 Lori strié 84
 Lori tricolore 90
 Lori ultramarin 103
Loria 168
Loria's Bird-of-paradise 168
loriae, Cnemophilus 168
loriae, Loria 168
Loriculus 88-89
 Loriquet à col rouge 102
 Loriquet à tête bleue 102
 Loriquet de Goldie 98
 Loriquet de Johnstone 102
 Loriquet de Ponapé 102
 Loriquet eutèle 102
 Loriquet iris 98
 Loriquet jaune et vert 102
 Loriquet orné 102
 Loriquet versicolore 98
 Loriquet vert 102
 Lorio carirrojo 92
 Lorito de Coxen 86
 Lorito emmascarado de Coxen 86
Lorius 89
 Loro alisero 77
 Loro barranquero 85
 Loro burrión 76
 Loro burrón 76
 Loro cab 77
 Loro cabeciamarillo 77
 Loro cabecirrojo 77
 Loro cabeza azul 76
 Loro cabeza roja 78
 Loro cachete-amarillo 76
 Loro cachetirrosa 92
 Loro cacique 86
 Loro cariazul 76
 Loro cariazul 76
 Loro choclero 93
 Loro colicorto 88
 Loro corona-violeta 76
 Loro coroniblanco 93
 Loro de cabeza roja 77

- Loro de Hispaniola 77
 Loro de Jamaica 76
 Loro del paraíso 96
 Loro frente blanca 75
 Loro frente roja 76
 Loro frentiblanco 75
 Loro frentirrojo 76
 Loro guaro 75
 Loro hablador 75
 Loro hombroamarillo 96
 Loro lomirrojo 76
 Loro mona amarilla 77
 Loro nocturno 88
 Loro nuca amarilla 77
 Loro nuquiamarillo 75
 Loro orejirrojo 92
 Loro pechivinoso 77
 Loro pecho vinoso 77
 Loro piquigordo 100
 Loro rabudo collar 97
 Loro real 77
 Loro Tamaulipeco 78
 Loro ventrinaranja 91
 Loro verde 76
 Loro verde 77
 Loro yucateci 78
 Loro yucateco 78
lory, Lorius 90
loweryi, Xenoglaux 124
luciae, Amazonia 126
luciani, Eriocnemis 134
lucifer, Colothorax 129
 Lucifer Hummingbird 129
lucionensis, Tanygnathus 101
luconensis, Prioniturus 95
ludovicæ, Doryfera 134
 Ludwig's Bustard 68
ludwigii, Neotis 68
 Lúgano cardenalito 155
 Lúgano de Yarrell 155
 Lúgano encapuchado 155
lugens, Hoplophaedia 136
lugubris, Melampitta 169
lumachellus, Augastes 128
lunulatus, Bolbopsittacus 81
luteifrons, Nigris 159
luteolus, Ploceus 164
luteoschistoceus, Accipiter 19
luteiae, Coeligena 132
lutosus, Polyborus 57
 Luzon Bleeding-heart 71
 Luzon Hornbill 151
 Luzon Scops-Owl 118
luzonica, Gallicolumba 71
Lycocorax 168
 Macague rieur 56
macao, Ara 79
 MacGregor's Bird-of-paradise 168
Macgregoria 168
macgregorii, Cnemophilus 168
Machaeramphus 41
Macheiramphus 41
Macrocephalon 58
macrocerca, Hylonympho 138
macrorhynchus, Tauraco 104
macroura, Eupetomena 135
macroura, Vidua 166
macrourus, Circus 32
macrourus, Coliuspasser 162
macrourus, Euplectes 162
macrourus, Urottiorchis 48
 Macuco 1
maculata, Cotinga 153
maculirostris, Selenidera 152
mada, Prioniturus 95
 Madagascar Baza 24
 Madagascar Buzzard 26
 Madagascar Cuckoo-hawk 24
 Madagascar Fish-Eagle 37
 Madagascar Gymnogene 45
 Madagascar Harrier-Hawk 45
 Madagascar Hawk-Owl 115
 Madagascar Marsh-Harrier 32
 Madagascar Owl 108
 Madagascar Red Owl 107
 Madagascar Scops-Owl 118
 Madagascar Serpent-Eagle 34
 Madagascar Sparrowhawk 19
 Madagascar Teal 9
madagascariensis, Accipiter 19
madagascariensis, Asio 108
madagascariensis, Aviceda 24
 Madarasz's Tiger-Parrot 96
madaraszi, Psittacella 96
madens, Falco 53
 Magenta-throated Woodstar 145
magicus, Otus 118
magicus, Otus manadensis 118
 Magnificent Bird-of-paradise 167
 Magnificent Hummingbird 135
magnificus, Calyptorhynchus 83
magnificus, Cicinnurus 167
magnificus, Diphylodes 167
magnificus, Lophornis 141
magnificus, Piloris 170
magnirostris, Buteo 27
 Magpie Mannikin 158
 Magpie Munia 158
 Mahali à calotte marron 163
maillardi, Circus 32
maillardi, Circus aeruginosus 32
 Mailmbo capirotado 161
 Mainate de Rothschild 167
 Major Mitchell's Cockatoo
 Malabar Parakeet 97
 Malabar Pied-Hornbill 150
malabaricus, Anthracoceros 150
malacense, Polyplectron 61
malachitaceo, Trichilaria 102
malagae, Metallura 141
malaris, Phaethornis 144
 Malayan Peacock-Pheasant 61
malyanus, Anthracoceros 150
malyensis, Ictinaetus 39
 Malaysian Pied-Hornbill
maleo, Macrocephalon 58
 Maleo 58
malherbi, Cyanoramphus 85
 Malimbe à bec bleu 163
 Malimbe à queue rouge 163
 Malimbe à tête rouge 163
 Malimbe de Cassin 162
 Malimbe huppé 162
malimbicus, Malimbus 162
 Malimbo cabecinegro 163
 Malimbo cuellirrojo 163
 Malimbo culirrojo 163
 Malimbo moñudo 162
Malimbus 161-163
 Malvasia 14
manadensis, Otus 118
 Manchot de Humboldt 2
 Manchot du Cap 1
 Manchurian Eared-Pheasant 60
Mandingoa 158
 Maned Owl 113

- mango*, *Anthracothorax* 127
Mango à cravate noire 127
Mango à cravate verte 127
Mango de la Jamaïque 127
Mango de Prévost 127
Mango doré 127
Mango gargantiverde 127
Mango pechinegro 127
Mango pechiverde 127
Mango vert 128
Mangrove Black-Hawk 29
Mangrove Hummingbird 125
marillao, *Ara* 79
manillae, *Penelopides* 151
manillae, *Penelopides panini* 151
mantananensis, *Otus* 118
mantananensis, *Otus scops* 118
Mantanani Scops-Owl 118
manchuricum, *Crossoptilon* 60
Manled Hawk 41
Manucaude de Comrie 169
Manucaude de Jobi 169
Manucaude de Keraudren 169
Manucaude noir 168
Manucaude vert 168
Manucodia 168-169
Manus Hawk-Owl 114
Manus Masked-Owl 106
manusi, *Tyto* 106
manusi, *Tyto naevahollandiae* 106
Many-spotted Hummingbird 147
Marabou Stork 6
Marabout 6
Marabout d'Afrique 6
Marabú africano 6
marocana, *Ara* 79
Maracana cuellidorada 78
Maracana dorsirroja 79
Maracaná 79
maranhensis, *Phaethornis* 144
marchei, *Anthracoceros* 150
margarethae, *Charmosyna* 84
margaretae, *Phaethornis* 144
Marianas Mallard 11
Maroon-bellied Parakeet
Maroon-fronted Parrot 100
Maroon-tailed Conure 100
Maroon-tailed Parakeet 100
Marsh Owl 107
marshalli, *Otus* 118
Martial Eagle 45
Marvelous Spatuletail 140
Mascarene Paradise-Flycatcher 154
Masked Bobwhite 60
Masked Lovebird 74
Masked Shining-Parrot 96
matthewsii, *Boissonneaua* 128
maugaeus, *Chlorostilbon* 131
Mauritius Kestrel 53
Mauritius Parakeet 97
maurus, *Circus* 32
mavors, *Helianzelus* 136
maximiliani, *Pionus* 93
maximus, *Pyrenestes* 160
Maxwell's Black Weaver 164
mayeri, *Astrapia* 167
mayeri, *Columba* 71
mayeri, *Nesoenas* 71
Mealy Amazon Parrot 76
Mealy Parrot 76
Mealy Rosella 93
Meek's Lorikeet 84
Meek's Pygmy-Parrot 90
meeki, *Charmosyna* 84
meeki, *Micropsitta* 90
meeki, *Ninox* 114
megalopterus, *Phalcoboenus* 57
megalorynchos, *Tanygnathus* 101
megalonotis, *Onus* 118
megalonotis, *Otus bakkamoena* 118
Mégapode maleo 58
Megapodio maleo 58
Megatriorchis 41
Melampitta 169
melanocephala, *Pionites* 92
melanocephala, *Siagra* 164
melanocephalus, *Ploceus* 164
melanocephalus, *Trogon* 62
melanochlamys, *Accipiter* 19
melanocorypha, *Cygnus* 13
melanogaster, *Eupodotis* 67
melanogaster, *Lissotis* 67
melanogaster, *Oreotrochilus* 142
melanogaster, *Turnix* 63
melanogenys, *Adelomyia* 124
melanoleuca, *Seleucidis* 170
melanoleucus, *Circus* 32
melanoleucus, *Accipiter* 19
melanoleucus, *Geranoaetus* 34
melanoleucus, *Microhierax* 57
melanoleucus, *Spizastur* 47
melanonotus, *Touit* 101
Melanoperdix 61
melanops, *Leucopternis* 40
melanosternon, *Hamirostra* 37
melanota, *Pulsatrix* 120
melanotis, *Anaplectes* 161
melanotis, *Hapalospitaca* 88
melanotos, *Sarkidiornis* 15
Melanotrochilus 141
melanura, *Pyrrhura* 100
meleagrides, *Agelastes* 59
Melero de casco 154
Melierax 42
Meliphaga 154
Méliphage casqué 154
Mellisuga 141
mellisugus, *Chlorostilbon* 131
mellivora, *Florisuga* 135
melpoda, *Estrilda* 157
menstruus, *Pionus* 93
Mentaur Scops-Owl 120
Mentawai Scops-Owl 118
mentawi, *Otus* 118
mentawi, *Otus bakkamoena* 118
mercenaria, *Amazona* 77
Merida Sunangel 136
meridionalis, *Buteogallus* 29
meridionalis, *Heterospizias* 29
meridionalis, *Nestor* 91
Merlin 50
Mésangette rayée 160
Messager sagitaire 48
metabates, *Melierax* 42
Metallura 141-142
 Métallure à gorge feu 141
 Métallure à queue bronzée 130
 Métallure à queue d'airain 141
 Métallure à tête rousse 130
 Métallure arc-en-ciel 130
 Métallure de Baron 141
 Métallure de Stanley 130
 Métallure de Thérèse 141
 Métallure dorée 141
 Métallure du Chinguela 141
 Métallure émeraude 142

- Métallure olivâtre 130
 Métallure phébé 141
 Métallure verte 142
 Metalura gorjivioleta 141
 Metalura tria 142
 Metalura verde 142
 Mexican Parrotlet 87
 Mexican Sheartail 133
 Mexican Woodnymph 147
mexicanus, *Falco* 52
mexicanus, *Phaethornis* 144
 Meyer's Goshawk 19
 Meyer's Lorikeet 102
 Meyer's Parrot 94
meyeri, *Epimachus* 168
meyeri, *Poicephalus* 94
meyerianus, *Accipiter* 19
micraster, *Heliangelus* 136
Micrastur 56
Micrathene 114
Micrachera 142
 Microglosse noir 95
Microhierax 56-57
Micronisus 42
Micropsitta 90
 Micropsite à tête fauve 90
 Micropsite de Bruyn 90
 Micropsite de Finsch 90
 Micropsite de Geelvink 90
 Micropsite de Meek 90
 Micropsite pygmée 90
microrhyncha, *Amazilia* 125
microrhynchum, *Ramphomicron* 146
Microstilbon 142
micrura, *Myrmia* 142
migrans, *Milvus* 42
mikado, *Syrmaticus* 62
 Mikado Pheasant 62
 Milan à long bec 45
 Milan à plastron 37
 Milan à queue carrée 41
 Milan à queue fourchue 33
 Milan bec-en-croc 29
 Milan bidenté 37
 Milan bleuâtre 40
 Milan brun 42
 Milan de Cayenne 40
 Milan de Cuba 29
 Milan de Forbes 40
 Milan des chauves-souris 41
 Milan des marais 45
 Milan diodon 37
 Milan du Mississippi 40
 Milan noir 42
 Milan royal 43
 Milan sacré 37
 Milan siffleur 37
 Milano bidentado 37
 Milano blanquigris 40
 Milano cabecigris 40
 Milano caracolero 45
 Milano coliblanco 34
 Milano de Misisipi 40
 Milano dentado 37
 Milano mísisipero 40
 Milano negro 42
 Milano pico garfio 29
 Milano plomizo 40
 Milano real 43
 Milano tijereta 33
 Milanus nigro 42
militaris, *Ara* 79
 Military Macaw 79
 Milky Eagle-Owl
- Milky Stork 6
milleri, *Polymixus* 145
Miltago 57
milvus, *Milvus* 43
Milvus 42-43
Mimizuka 114
 Miná de Rothschild 167
 Minahassa Masked-Owl 106
 Minahassa Mindanao Hornbill 151
 Minahassa Owl
 Mindanao Lorikeet 102
 Mindanao Racquet-tail 95
 Mindanao Scops-Owl 119
mindorensis, *Ducula* 71
mindorensis, *Otus* 119
mindorensis, *Otus scops* 119
mindorensis, *Penelopides* 151
mindorensis, *Penelopides panini* 151
 Mindoro Hornbill 151
 Mindoro Imperial-Pigeon 71
 Mindoro Scops-Owl 119
minima, *Mellisuga* 141
minimus, *Spilornis* 46
minor, *Paradisea* 169
minor, *Phoeniconaias* 8
minor, *Phoenicopterus* 8
mirullus, *Accipiter* 19
 Minut Hermit 144
minutissimum, *Glaucidium* 112
mirabilis, *Eriocnemis* 134
mirabilis, *Loddigesia* 140
mirandollei, *Micrastur* 56
 Mirlo americano pechiamarillo 155
mirus, *Otus* 119
mirus, *Otus scops* 119
 Mississippi Kite 40
 - -
 Mississippi Sandhill Crane 64
mississippiensis, *Ictinia* 40
mitchellii, *Calliphlox* 145
mitchellii, *Pholidice* 145
mitrata, *Aratinga* 80
 Mitred Conure 80
 Mitred Parakeet 80
mitu, *Crax mitu* 58
mitu, *Mitu* 58
Mitu 58
 Mochelo de Sjöstedt 113
 Mochuelo perlado 112
 Mochuelo chico 112, 113
 Mochuelo común 109
 Mochuelo de Hoyo 121
 Mochuelo duende 114
 Mocueblo forestal 108
mocinno, *Pharomachrus* 149
 Modest Tiger-Parrot 96
modesta, *Psittacella* 96
 Moineau gris 163
 Moineau quadrillé 165
 Moineau-tisserin 163
molinae, *Pyrrhura* 100
 Moluccan Barred Sparrowhawk 18
 Moluccan Cockatoo 83
 Moluccan Goshawk 18
 Moluccan Hawk-Owl 115
 Moluccan Kestrel 52
 Moluccan King-Parrot 75
 Moluccan Lory 86
 Moluccan Red Lory 87
 Moluccan Scops-Owl 118
 Moluccan Sparrowhawk 17
moluccensis, *Cacatua* 83
moluccensis, *Falco* 52
monacha, *Grus* 65

- monachus*, *Aegypius* 21
monachus, *Myiopsitta* 90
monachus, *Necrosyrtes* 43
 Monjita pico-de-plata 158
 Monk Parakeet 90
 Monkey-eating Eagle 44
monogrammicus, *Kaupifalco* 40
 Monseigneur 162
 Montagu's Harrier 32
 Montane Racquet-tail 95
montani, *Anthracoceros* 150
montanus, *Prioniturus* 95
morado, *Fandangero* 129
 Morden's Scops-Owl 117
 Morepork 114
morphnoides, *Hieraetus* 39
Morphnus 43
moschata, *Cairina* 12
mosquera, *Eriocnemis* 134
mosquitos, *Chrysolampis* 132
 Mottled Owl 123
 Mottled Wood-Owl 122
 Mouette relique 70
 Mountain Avocetbill 142
 Mountain Buzzard 27
 Mountain Caracara 57
 Mountain Hawk-Eagle 47
mozambicus, *Serinus* 156
 Muitú mamaco 58
 Müller's Parrot 101
musican, *Aechmophorus* 124
multipunctata, *Tyto* 106
multipunctata, *Tyto tenebricosa* 106
multistriata, *Charmosyna* 84
Muscicapa 154
Musophaga 103
 Musschenbroek's Lorikeet 91
musschenbroekii, *Neopsittacus* 91
muticus, *Pavo* 61
mycteria, *Jabiru* 6
Mycteria 6
Myiopsitta 90
Myrmia 142
Myrrhia 142
 Nacurutí 111
naevius, *Ramphodon* 146
nana, *Araatinga* 81
nana, *Ichthyophago* 39
Nandayus 90
 Nandou commun 1
 Nandou d'Amérique 1
 Nandou de Darwin 1
 Nandú 1
 Nankeen Kestrel 50
Nannopsittaca 90
nanum, *Glaucidium* 112
nanus, *Accipiter* 19
nanus, *Spizactus* 46
 Napoleon Weaver 162
 Napoleon Weaver 60
 Napoleon's Peacock-Pheasant 61
narcondami, *Aceros* 149
narcondami, *Rhyticeros* 149
natalis, *Ninax squamipilo* 115
nattereri, *Phaethornis* 144
naumannii, *Falco* 52
nebulosa, *Strix* 122
Necrosyrtes 43
neglectus, *Falco* 55
 Negrita broncea 158
 Negrita cana 159
 Negrita frentigualda 159
 Negrita pechiblanca 159
 Negrita pechirroja 159
Negrita picanza 158
nenday, *Nandayus* 90
Neophema 90-91
Neophron 43
Neopsephorus 91
Neopsittacus 91
Neoris 68
Nesasio 114
nesiores, *Grus canadensis* 64
nesiotis, *Anas* 9
Nesocharis 159
Nesochen 12
Nesoenas 71
 Nester de Norfolk 91
Nestor 91
Nestor késa 91
Nestor superbe 91
Nettapus 14
Nette à cou rose 15
neumannii, *Vidua* 166
 New Britain Hawk-Owl 115
 New Britain Honey-buzzard 38
 New Britain Masked-Owl 105
 New Caledonia Goshawk 18
 New Ireland Hawk-Owl 116
ngamiense, *Glaucidium* 112
ngamiense, *Glaucidium capense* 112
 Nicobar à camail 70
nicobarica, *Caloenas* 70
niger, *Threnetes* 148
nigerrimus, *Ploceus* 164
nigra, *Astrapia* 167
nigra, *Ciconia* 5
nigra, *Coracopsis* 85
nigra, *Melanoperdix* 61
nigra, *Penelopina* 59
nigrescens, *Rheinardia* 62
 Nigrette à calotte grise 159
 Nigrette à front jaune 159
 Nigrette à ventre blanc 159
 Nigrette à ventre roux 159
nigriceps, *Ardeoris* 66
nigriceps, *Choriornis* 66
nigriceps, *Ploceus* 164
nigricollis, *Anthracothorax* 127
nigricollis, *Busarellus* 25
nigricollis, *Grus* 65
nigricollis, *Ploceus* 165
nigrigenis, *Agapornis* 74
nigrigenis, *Agapornis lilianae* 74
nigrostris, *Phaethornis* 143
Nigrito 159
nigriventris, *Eupherusa* 135
nigrivestis, *Eriocnemis* 134
nigrobrunnea, *Tyto* 106
nigrolineata, *Ciccaba* 122
nigrolineata, *Strix* 122
Niltava 154
Ninfa 147
Ninfa coronada 147
Ninfa Mexicana 147
Ninax 114-116
 Ninoxe à sourcils blancs 115
 Ninoxe aboyeuse 114
 Ninoxe bariolée 116
 Ninoxe boubouk 114
 Ninoxe brune 115
 Ninoxe d'Australie 114
 Ninoxe de Jacquinot 114
 Ninoxe de l'Amirauté 114
 Ninoxe de Sumba 115
 Ninoxe des Andaman 114

- Ninoxe des Mohuques 115
 Ninoxe des Philippines 115
 Ninoxe hirsute 115
 Ninoxe ocreée 115
 Ninoxe odieuse 115
 Ninoxe papoue 123
 Ninoxe pointillée 115
 Ninoxe puissante 115
 Ninoxe rieuse 121
 Ninoxe rousse 115
nipalensis, *Aceros* 149
nipalensis, *Aquila* 23
nipalensis, *Bubo* 110
nipalensis, *Spizaetus* 47
nippon, *Nipponia* 7
Nipponia 7
ninus, *Accipiter* 19
nitens, *Molimbus* 163
nitida, *Asturina* 24
nitidula, *Hypargos* 158
nitidula, *Mandingoa* 158
nitudis, *Buteo* 24
nobilis, *Ara* 79
nobilis, *Oreonympha* 142
 Noble Macaw 79
noctua, *Athene* 109
 Northern Bald Ibis 7
 Northern Hobby 54
 Northern Little Owl
Northiella 91
notabilis, *Nestor* 91
notatus, *Chlorestes* 130
notatus, *Elanus* 33
novaeguineae, *Harpyopsis* 38
novaehollandiae, *Accipiter* 20
novaehollandiae, *Tyto* 106
novaeseelandiae, *Ninox* 114
novaeseelandiae, *Falco* 52
novaezelandiae, *Cyanoramphus* 85
nuba, *Neotis* 68
 Nubian Vulture 48
nudipes, *Otus* 119
Numenius 69
nuna, *Lesbia* 139
 Nyasa Lovebird 74
 Nyctale de Harris 107
 Nyctale de Tengmalm 107
Nyctea 116
nympha, *Pitta* 153
nympha, *Pitta brachyura* 153
nyroca, *Aythya* 12
nyroca, *Nyroco* 12
Nyroca 12
 Nandú común 1
 Nandú cordillerano 1
 Oasis Hummingbird 146
 Oaxaca Hummingbird 135
 Oca del Niño 9
occidentalis, *Geopsittacus* 88
occidentalis, *Leucopernis* 40
occidentalis, *Pezoporus* 88
occidentalis, *Strix* 122
occipitalis, *Aegypius* 48
occipitalis, *Lophaetus* 41
occipitalis, *Spizaetus* 41
occipitalis, *Trigonoceph* 48
ocellata, *Agriocharis* 59
ocellata, *Rheinardia* 62
ocellata, *Strix* 122
 Ocellated Turkey 59
ochracea, *Ninox* 115
 Ochre-bellied Hawk-Owl 115
 Ochre-marked Parakeet 132
ochrocephala, *Amazona* 77
Oreatus 142
oculea, *Caloperdix* 60
odiosa, *Ninox* 115
odomae, *Metallura* 141
 Oedienème bistré 69
Oena 71
oenone, *Chrysuronia* 132
Ognorhynchus 92
 Oie-armée de Gambie 14
 Oie d'Egypte 9
 Oiseau bruyant de buissons 153
 Oiseau-lunettes à poirine-blanche 154
okavangoensis, *Vidua* 166
 Olivaceous Thornbill 130
olivaceum, *Chalcostigma* 130
 Olive-headed Lorikeet 102
 Olive-shouldered Parrot 78
 Olive-spotted Hummingbird 140
 Olive-throated Conur 81
 Olive-throated Parakeet 81
 Olivino cariblanco 159
ophthalmica, *Cacatua* 83
Opisthoproraa 142
Opopsitta 86
 Orange-bellied Parrot 91
 Orange-billed Lorikeet 91
 Orange Bishop 162
 Orange-breasted Falcon 51
 Orange-breasted Fig-Parrot 86
 Orange-cheeked Parrot 92
 Orange-cheeked Waxbill 157
 Orange-chinned Parakeet 82
 Orange-fronted Conure 80
 Orange-fronted Hanging-Parrot 88
 Orange-fronted Parakeet 80
 Orange-throated Sunangel 136
 Orange Weaver 162, 164
 Orange-winged Amazon Parrot 75
 Orange-winged Parrot 75
oratrix, *Amazona ochrocephala* 77
orbygnus, *Bolborhynchus* 81
orcesi, *Pyrrhura* 100
oreas, *Picathartes* 154
 Orejaviola café 133
 Orejaviola grande 133
 Orejaviola marrón 133
 Orejaviola verde 133
Oreonympha 142
 Oréophase cornu 58
Oreophasis 58
oreophilus, *Buteo* 27
Oreopsittacus 92
Oreotrochilus 142
 Oricou 48
 Oriental Bay-Owl 105
 Oriental Hobby 54
 Oriental Honey-buzzard 44
 Oriental Pied-Hornbill 150
 Oriental Stork 5
 Oriental White Stork 5
orientalis, *Aquila* 23
orientalis, *Arborophila* 59
orientalis, *Vidua* 166
orientalis, *Vidua paradisaea* 166
orina, *Coeligena* 132
 Ornate Hawk-Eagle 47
 Ornate Lorikeet 102
 Ornate Lory 102
ormatus, *Cephalopterus* 153
ormatus, *Lophornis* 141
ornatus, *Spizaetus* 47

- ormanus*, *Trichoglossus* 102
Oroetus 44
Ornalis 59
Orthorhynchus 143
Ortygospiza 159
Osprey 15
Ostrich 1
ostrinus, *Pyrenestes* 160
Otis 68
otus, *Asio* 108
Orus 114, 116-120
Ouette d'Egypte 9
oustaleti, *Anas* 11
oustaleti, *Anas platyrhynchos* 11
 Outarde à miroir blanc 66
 Outarde à tête noire 66
 Outarde à ventre noir 67
 Outarde arabe 66
 Outarde australienne 66
 Outarde barbue 68
 Outarde canepetière 69
 Outarde d'Australie 66
 Outarde d'Oustalet 67
 Outarde de Burchell 68
 Outarde de Denham 68
 Outarde de Hartlaub 67
 Outarde de Heuglin 68
 Outarde de l'Inde 66
 Outarde de Ludwig 68
 Outarde de Nubie 68
 Outarde de Rüppell 67
 Outarde de Savile 67
 Outarde de Vigors 68
 Outarde du Bengale 66
 Outarde du Sénégal 68
 Outarde houbara 66
 Outarde huppée 67
 Outarde Korhaan 66
 Outarde Kori 66
 Outarde naine 67
 Outarde naine de l'Inde 67
 Outarde noire 66
 Outarde nubienne 68
 Outarde passarage 67
 Outarde plombée 67
 Outarde somalienne 67
ovampensis, *Accipiter* 20
 Ovampo Sparrowhawk 20
 Owl 105
Oxyagon 143
Oxyura 14
Pachyphantes 163
pachyrhyncha, *Rhynchositta* 100
pachyrhyncha, *Rhynchositta pachyrhyncha* 100
 Pacific Baza 25
 Pacific Parakeet 81
 Pacific Parrotet 87
 Painted Conure 100
 Painted Parakeet 100
 Painted Tiger-Parrot 96
 Pájaro-paraguas amazónico 153
 Pajúi corouudo 58
 Pajúi meoor 58
 Pajui 59
 Palau Owl 119
 Palawan Hornbill 150
 Palawan Peacock-Pheasant 61
 Palawan Racket-tailed Parrot 95
 Palawan Scops-Owl 117
 Pale-bellied Hermit 143
 Pale-billed Sicklebill 168
 Pale Chanting-Goshawk 42
 Pale-fronted Negronfinch 159
 Pale Harrier 32
 Pale-headed Rosella 93
 Pale-tailed Barbetthroat 148
 Pale-winged Indigobird 167
 Palette à couronne bleue 95
 Palette à manteau d'or 95
 Palette de Buru 95
 Palette de Cassin 95
 Palette de Mindanao 95
 Palette de Palawan 95
 Palette des Sulu 95
 Palette momot 95
 Palette verte 95
 Pallas's Fish-Eagle 36
 Pallas's Sea-Eagle 36
 Pallid Harrier 32
 Pallid Scops-Owl 117
 Palm Cockatoo 95
 Palm Dove 72
 Palm Lorikeet 84
 Palm-nut Vulture 35
palmarum, *Charmosyna* 84
palmarum, *Glaucidium* 112
 Palmiste africain 35
 Paloma azfp 71
 Paloma apuñalada de Luzón 71
 Paloma bravia 70
 Paloma crestada azul 71
 Paloma crestada de Scheepmaker 71
 Paloma crestada victoria 71
 Paloma de Guinea 70
 Paloma de Mauricio 71
 Paloma de Mindoro 71
 Paloma nicobar 70
 Palomita especulada abisinica 73
 Palomita especulada africana 73
 Palomita especulada capense 71
 Palomita especulada cobriza 73
pamela, *Aglacactus* 124
Pandion 15
panini, *Penelopides* 151
panini, *Penelopides panini* 151
Panterpe 143
panyclora, *Nannopsittaca* 90
 Paon scipière 61
papa, *Sarcoramphus* 15
 Papaagyo senegalés 94
 Papagayo de cara roja 76
 Papagayo de Guelmo 94
 Papagayo robusto 94
Papasula 2
 Papegeai maillé 86
Paphosia 140
papou, *Charmosyna* 84
 Papuan Goshawk 19
 Papuan Hanging-Parrot 88
 Papuan Hawk-Owl 123
 Papuan Hornbill 149
 Papuan King-Parrot 75
 Papuan Lorikeet 84
 Para 99
Parabuteo 44
Paradigalla 169
 Paradigalle à queue courte 169
 Paradigalle caronculée 169
Paradisaea 169
 Paradise-crow 168
 Paradise Parrot 96
 Paradise Riflebird 170
paradisea, *Anthropoides* 65
paradisea, *Grus* 65
paradiseus, *Phalaris* 170
 Paradisier à bec blanc 168
 Paradisier à gorge ooire 167
 Paradisier à queue courte 169

- Paradisier à rubens 167
 Paradisier bleu 169
 Paradisier caronculé 169
 Paradisier corvin 168
 Paradisier d'Albert 170
 Paradisier d'Albertis 168
 Paradisier d'Entrecasteaux 169
 Paradisier d'Helena 170
 Paradisier de Carola 170
 Paradisier de Goldie 169
 Paradisier de Guillaume 169
 Paradisier de Jobi 169
 Paradisier de Keradren 169
 Paradisier de l'Empereur Guillaume 169
 Paradisier de Lawes 170
 Paradisier de Loria 168
 Paradisier de Macgregor 168
 Paradisier de Meyer 168
 Paradisier de Raggi 169
 Paradisier de Rodolphe 169
 Paradisier de Rothschild 167
 Paradisier de Stéphanie 167
 Paradisier de Victoria 170
 Paradisier de Wahnes 170
 Paradisier de Wallace 170
 Paradisier du Comte Raggi 169
 Paradisier du Prince Albert 170
 Paradisier fastueux 168
 Paradisier festonné 170
 Paradisier gorge-d'acier 170
 Paradisier grand-émeraude 169
 Paradisier huppé 168
 Paradisier loria 168
 Paradisier magnifique 167
 Paradisier multifil 170
 Paradisier noir 168
 Paradisier pénit-émeraude 169
 Paradisier républicain 168
 Paradisier rouge 169
 Paradisier royal 167
 Paradisier siflet 170
 Paradisier soyeux 168
 Paradisier splendide 167
 Paradisier superbe 168
 Paradisier vert 168
 Parasitic Weaver 161
 Pariah Kite 42
 Parihuana 8
 Parina chica 8
 Parina grande 8
 Parionta 8
Parmoptila 160
 Parmoptile à front rouge 160
Paroaria 155
Parotia 170
passerinum, *Glaucidium* 112
passerinus, *Forpus* 87
pastinator, *Cacatua* 83
pastinator, *Cacatua tenuirostris* 83
 Paragona 143
patagonus, *Cyanoliseus* 85
 Patito africano 14
 Pato almidclero aliblanco 13
 Pato Bernier 9
 Pato cabecirrosa 15
 Pato crestón 15
 Pato crestudo 15
 Pato criollo 12
 Pato cuchara 10
 Pato cucharón norteño 10
 Pato de Hardaub 15
 Pato de moco 15
 Pato de Monte 15
 Pato golondrino norteño 9
 Pato rabudo 9
 Pato real 12
 Pam real de Laysan 11
 Pato real marismeno 11
 Pato silbón 11
 Pato silbón cariblanco 14
 Pato silbón común 13
 Pato silbón de Cuba 13
 Pato silbón ventri negro 13
 Paují copete de Piedra 59
 Paují de Copete 58
pauliani, *Oreus* 119
pauliani, *Oreus rutilus* 119
pauxi, *Crax* 59
pauxi, *Pauxi* 59
Pauxi 59
 Pava culirroja 59
 Pava rajadora 59
 Pavita andina 112
 Pavita ferruginea 111
 Pavo 59,61
 Pavo cojolite 59
 Pavo muticus 61
 Pavo real verde 61
 Pavón 58
 Pavón carunculado 58
 Pavón cornudo 58
 Pavón grande 58
pavonina, *Balearica* 63
pavoninus, *Lophornis* 141
 Peach-faced Lovebird 74
 Peach-fronted Conure 141
 Peach-fronted Parakeet 141
 Pearl Kite 34
 Pearl-spotted Owlet 112
 Pearly Conure 100
 Pearly Parakeet 100
pectoralis, *Circaetus* 30
 Péditionome errant 63
Pedionomus 63
 Pel's Fishing-Owl 121
pelagicus, *Haliaeetus* 37
Pelecanus 2
pelegrinoides, *Falco* 53
pelegrinoides, *Falco peregrinus* 53
peli, *Scotopelia* 121
 Pélican frisé 2
 Pelícano ceñudo 2
 Pelícano rizado 2
pella, *Topaza* 148
pelzelni, *Ploceus* 165
 Pemba Scops-Owl 119
pemaensis, *Oreus* 119
penduliger, *Cephalopterus* 153
penelope, *Anas* 11
 Penelope 59
 Pénélope à ailes blanches 59
 Pénélope à front noir 59
 Pénélope cornue 58
 Pénélope pajul 59
 Pénélope panachée 59
 Pénélope siffleuse 59
Penelopides 151
Penelopina 59
pennata, *Pterocnemia* 1
pennata, *Rhea* 1
pennatus, *Hieraaetus* 39
 Percnoptière brun 43
 Percnoptière d'Egypte 43
perchopiterus, *Neophron* 43
 Perdiz de bosque crestada 62
 Perdiz de bosque de Charlton 59
 Perdiz de bosque de pico largo 62

- Perdiz de bosque ferruginea 60
 Perdiz de bosque negra 61
 Perdiz real del Caspio 62
 Perdiz real del Tíbet 62
 Perdix à long bec 62
 Perdrix des neiges caspienne 62
 Perdrix des neiges du Tibet 62
 Perdrix noire 61
 Peregrine 53
peregrinus, Falco 53
 Perfect Lorikeet 102
 Perico barreteado 81
 Perico cabecidorado 92
 Perico cabecinegro 92
 Perico cabecioscuro 81
 Perico cabecirrojo 100
 Perico cabecirrosado 100
 Perico cachete amarillo 92
 Perico cachetigris 82
 Perico calzoncito 92
 Perico cara sucia 81
 Perico caretirrojo 80
 Perico cola negra 100
 Perico cola roja 99
 Perico colimorado 99
 Perico de El Oro 100
 Perico dorado 81
 Perico frentinaranja 80
 Perico grande 99
 Perico manglero 75
 Perico multicolor 88
 Perico ojo blanco 80
 Perico pechiblanco 99
 Perico pechisucio 81
 Perico pico rojo 93
 Perico pintado 99
 Perico siete colores 101
 Perico tui 82
 Perico verde 80
 Perico verde centroamericano 81
 Perja Metaltail 141
 Periquito 87
 Periquito ala dorada 82
 Periquito aliazul 87
 Periquito alipunteado 101
 Periquito azul 82
 Periquito azul alirrojo 101
 Periquito barbinaranja 82
 Periquito barrado 81
 Periquito cabecirrojo 85
 Periquito de collar africano 97
 Periquito de espalda dorada 96
 Periquito de pico grueso 100
 Periquito de tierra 92
 Periquito del Pacífico 87
 Periquito encapuchado 96
 Periquito frentiamarillo de Forbes 85
 Periquito frentiazul 101
 Periquito mexicano 87
 Periquito oscuro 87
 Periquito ojiazul 87
 Periquito orejiamerillo 92
 Periquito rabadilla púrpura 101
perlata, Pyrrhura 100
perlatum, Glaucidium 112
Pernis 44
 Perroquet à calotte rouge 94
 Perroquet à face jaune 94
 Perroquet à oreilles 92
 Perroquet à tête brune 94
 Perroquet à ventre rouge 94
 Perroquet de Meyer 94
 Perroquet de Rüppell 94
 Perroquet des niam-niam 94
 Perroquet hibo 100
 Perroquet jaco 98
 Perroquet masqué d 86
 Perroquet nocturne 100
 Perroquet noir 85
 Perroquet robuste 94
 Perroquet vaza 85
 Perroquet vert à calotte rouge 94
 Perroquet youyou 94
 Perruche 80, 96
 Perruche à ailes vertes 75
 Perruche à bec de sang 101
 Perruche à bonnet bleu 91
 Perruche à bouche d'or 91
 Perruche à capuchon 96
 Perruche à capuchon 96
 Perruche à capuchon noir 96
 Perruche à col bleu 87
 Perruche à collier 97
 Perruche à collier de Maurice 97
 Perruche à collier jaune 94
 Perruche à croupion bleu 99
 Perruche à croupion rouge 96
 Perruche à gros bec 100
 Perruche à longs brins 98
 Perruche à lunettes vertes 91
 Perruche à moustaches 97
 Perruche à oreilles jaunes 93
 Perruche à tête d'or 85
 Perruche à tête d'or de Forbes 85
 Perruche à tête pâle 93
 Perruche à tête pourpre 99
 Perruche à tête prune 97
 Perruche à tête rose 98
 Perruche à ventre jaune 93
 Perruche à ventre orange 91
 Perruche alexandre 97
 Perruche ara 100
 Perruche aux ailes d'or 96
 Perruche aux oreilles jaunes 92
 Perruche cornue 87
 Perruche d'Alexandra 95
 Perruche de Barnard 93
 Perruche de Barraband 95
 Perruche de Bourke 91
 Perruche de Brehm 96
 Perruche de Buru 101
 Perruche de Derby 97
 Perruche de Finsch 97
 Perruche de Geoffroy 87
 Perruche de l'Himalaya 97
 Perruche de Latham 88
 Perruche de Layard 97
 Perruche de Luçon 101
 Perruche de Madarasz 96
 Perruche de Malabar 97
 Perruche de Maurice 97
 Perruche de Müller 101
 Perruche de Norfolk 85
 Perruche de Nouvelle-Zélande à bandea 85
 Perruche de paradis 96
 Perruche de Pennant 93
 Perruche de Sparrow 85
 Perruche de terre 92
 Perruche des Antipodes 86
 Perruche des Nicobar 97
 Perruche des rochers 91
 Perruche écarlate 96
 Perruche élégante 91
 Perruche érythroptère 78
 Perruche flavéole 93
 Perruche gracieuse 93
 Perruche hétéroclite 87

- Perruche intermédiaire 97
 Perruche jonquille 78
 Perruche lomulée 81
 Perruche magnifique 96
 Perruche masquée 96
 Perruche mélanure 95
 Perruche modeste 96
 Perruche multicolore 96
 Perruche nocturne 88
 Perruche omnicolore 93
 Perruche peinte 96
 Perruche pompadour 96
 Perruche royale 75
 Perruche splendide 91
 Perruche terrestre 92
 Perruche tibra 99
 Perruche tricolore 75
 Perruche turquoisine 91
persa, *Tauraco* 104
persa, *Tauraco corythaix* 104
personata, *Prosopoeia* 96
personatus, *Agapornis* 74
perspicillata, *Pulsatrix* 121
pertinax, *Aratinga* 81
peruanum, *Glaucidium* 113
 Peruche dorée 80
 Peruvian Penguin 2
 Peruvian Piedtail 145
 Peruvian Pygmy-Owl 113
 Peruvian Sheartail 148
peruviana, *Rupicola* 153
peruviana, *Vini* 102
perversa, *Ninox* 115
 Pesquet's Parrot 99
petersoni, *Otus* 118
 Petit-duc à bec jaune 117
 Petit-duc à collier 116
 Petit-duc à digrettes longues 119
 Petit-duc à face blanche 118
 Petit-duc à front blanc 119
 Petit-duc à gorge blanche 116
 Petit-duc à mèches noires 116
 Petit-duc à moustaches 120
 Petit-duc africain 119
 Petit-duc bridé 116
 Petit-duc choliba 117
 Petit-duc d'Iréne 117
 Petit-duc de Bruce 117
 Petit-duc de Clark 117
 Petit-duc de Cuba 118
 Petit-duc de Gurney 114
 Petit-duc de Java 116
 Petit-duc de Koepcke 118
 Petit-duc de Luçou 118
 Petit-duc de Mantanani 118
 Petit-duc de Marshall 118
 Petit-duc de Mindanao 119
 Petit-duc de Mindoro 119
 Petit-duc de Palawan 117
 Petit-duc de Porto Rico 119
 Petit-duc de Salvin 117
 Petit-duc de Sao Tomé 117
 Petit-duc de Simalur 120
 Petit-duc de Watson 120
 Petit-duc des Andaman 116
 Petit-duc des Mentawai 118
 Petit-duc des montagnes 117
 Petit-duc des Palau 119
 Petit-duc du Pérou 119
 Petit-duc élégant 117
 Petit-duc longicorne 118
 Petit-duc maculé 116
 Petit-duc malagache 119
 Petit-duc Manado 118
 Petit-duc mystérieux 118
 Petit-duc nain 117
 Petit-duc radjah 116
 Petit-duc roussâtre 119
 Petit-duc scops 119
 Petit-duc tacheté 120
 Petit-duc vermiculé 120
 Petit-duc Wallace 120
 Petit faucon 52
 Petit Flamant 8
 Petit moineau soucie 163
 Petit Moineau 163
 Petit paradisier 169
 Petit serpentaire 45
 Petite Buse 27
 Petite Mélampite 169
 Petite Nyctale 107
Petronia 163
petrophila, *Neophema* 91
Pezoporus 88, 92
Phaeochroa 143
Phaethornis 143
phainopeplus, *Campylopterus* 130
Phalcoboenus 57
phalerata, *Coeligena* 132
 Pharaoh Eagle-Owl 109
Pharomachrus 149
Phigys 92
philippensis, *Bubo* 110
philippensis, *Loriculus* 89
philippensis, *Ninox* 115
philippensis, *Pseudopixys* 110
philippensis, *Spizaetus* 47
philippii, *Phaethornis* 144
 Philippine Cockatoo 82
 Philippine Eagle 44
 Philippine Eagle-Owl 110
 Philippine Falconet 56
 Philippine Hawk-Eagle 47
 Philippine Hawk-Owl 115
 Philippine Scops-Owl 118
 Philippine Serpent-Eagle 46
Philodice 129, 145, 148
Phlogophilus 145
 Phodile calong 105
 Phodile de Prigogine 105
Phodilus 105
phoebe, *Metallura* 141
Phoenicocaias 8
Phoenicoparrus 8
phoenicoptera, *Ptyilia* 160
Phoenicopterus 8
Pholidornis 160
Phonygammus 169
 Piapoco pico rojo 152
 Piapoco pico verde 152
 Pic à ventre blanc de Corée 152
 Pic impérial 152
Pica 154
 Picaflor abanico verde 140
 Picaflor amatista 129
 Picaflor bronceado 138
 Picaflor cabeciazul 138
 Picaflor cabeza granate 147
 Picaflor coliverde 145
 Picaflor coludo rojo 146
 Picaflor común 131
 Picaflor copetón 147
 Picaflor corona azul 147
 Picaflor cuelliblanco 140
 Picaflor de Barbijo 137
 Picaflor dorado 138
 Picaflor enano 142

- Picaflor escamado 138
 Picaflor frentivioleta 134
 Picaflor gargantiazul 124
 Picaflor garganiverde 147
 Picaflor gigante 143
 Picaflor negro 141
 Picaflor orejiazul 133
 Picaflor pechiazul 138
 Picaflor pequeño verde 126
 Picaflor serrano ventricanelas 142
 Picaflor serrano ventrinegro 142
 Picaflor ventriazul 133
 Picaflor ventrinegro 127
 Picaflor ventriverde 133
 Picartes cuelliblanco 154
 Picartes cuelligris 154
 Picatharte à cou gris 154
 Picatharte chauve 154
 Picatharte de Guinée 154
 Picatharte du Cameroun 154
Picathartes 154
 Pico-de-Hoz colihabano 135
 Pico-de-Hoz puniblanco 135
 Pico espina bronceado 130
 Pico lanza frentiazul 133
 Pico lanza frentiverde 134
 Pico zapato 5
 Picoespina arcoiris 130
 Picoespina dorsiazul 130
 Picoespina dorsipúrpura 146
 Picoespina gorriirufa 130
 Picolargo coroniazul 137
 Picolargo coronioscuro 137
picta, Psittacella 96
picta, Pyrrhura 100
 Pied Falconet 57
 Pied Goshawk 16
 Pied Harrier 32
 Pied Mannikin 158
 Pied Sparrowhawk 16
 Pigargo cabecib 36
 Pigargo cabeciblanco 36
 Pigargo coliblanco 36
 Pigargo coliblanco de Groenlandia 36
 Pigargo de Madagascar 37
 Pigargo de Pallas 36
 Pigargo de Sandford 37
 Pigargo de Steller 37
 Pigargo de viente blanco 36
 Pigargo vocinglero 37
 Pigeon à épaulettes violettes 73
 Pigeon à nuque bronzée 70
 Pigeon biset 70
 Pigeon chauve 70
 Pigeon de Guinée 70
 Pigeon de Maurice 71
 Pigeon gris 71
 Pigeon gris ecailloux 71
 Pigeon Hawk 50
 Pigeon nicobar 70
 Pigeon rose 71
 Pigeon roussard 70
 Pijiji aliblanco 13
 Pijiji canelo 13
pileata, Pionopsitta 92
 Pileated Parrot 92
 Pilet 9
 Pin-tailed Whydah 166
 Pingüino de Humboldt 2
 Pingüino del Cabo 1
 Pink Cockatoo 82
 Pink-headed Dove 72
 Pink-headed Duck 15
 Pink Pigeon 71
 Pink-throated Brilliant 137
 Pintade à poitrine blanche 59
 Pintado de pecho blanco 59
 Pintado pechiblanca 59
 Pione à bec rouge 93
 Pione à couronne blanche 93
 Pione à tête bleue 93
 Pione de Maximilien 93
 Pione noire 92
 Pione pailletée 93
 Pione violette 92
Pionites 92
Pionopsitta 92
Pionus 92,93
pipile, Aburria pipile 59
pipile, Pipile 59
Pipile 59
 Pirenestes ventrinegro 160
piscator, Crinifer 103
 Pita de Koch 153
Pithecopaga 44
 Pitilia alirroja 160
 Pito imperial 152
 Pito ventriblanco de Corea 152
 Pitoreal ootero 152
Pitta 153
placentis, Charmosyna 84
plagiaria, Asturina 24
plagianus, Buteo nitidus 24
 Plain-bellied Emerald 126
 Plain-breasted Hawk 21
 Plain-capped Starthroat 137
 Plain Chachalaca 59
 Plain Parakeet 82
 Plain-pouched Hornbill 150
 Plains-wanderer 63
 Planalto Hermit 144
plancus, Polyborus 58
Platalea 7
plateneae, Prioniturus 95
plateneae, Prioniturus discurus 95
platurus, Prioniturus 95
platycercus, Selasphorus 146
Platycercus 93-94
platypterus, Buteo 27
 Plectropitié 14
Plectropterus 14
plicanus, Aceros 149
plicatus, Rhyticeros 149
Placepasser 163
Places 163-165
 Plovercrest 147
 Plum-crowned Parrot 93
 Plum-faced Lorikeet 92
 Plum-headed Parakeet 97
plumbea, Ictinia 40
plumbea, Leucopternis 41
 Plumbeous Forest-Falcoa 56
 Plumbeous Hawk 41
 Plumbeous Kite 40
plumbeus, Micrastur 56
podargina, Pyrroglaux 119
podarginus, Otus 119
Podilymbus 2
poecilochrous, Buteo 28
poensis, Bubo 110
Poephila 160
 Pohnpei Lorikeet 102
 Pohnpei Lory 102
Poicephalus 94
Polemaetus 45
Polihiex 57
poliocephalus, Accipiter 20

- poliocerca, Eupherusa* 135
poliogaster, Accipiter 20
polionata, Leucopternis 41
poliopterus, Melierax 42
poliopterus, Melierax canorus 42
Polyboroides 45
Polyborus 57
Polyonymus 145
polyosoma, Buteo 28
Polyplancio 137
Polyplectron 61-62
Polytelis 95
polymus, Trochilus 148
Polytmus 145
pomarina, Aquila 23
poortmani, Chlorostilbon 131
Popelairia 145-146
popelairii, Discosura 146
popelairii, Popelairia 146
porcullae, Phaethornis 143
porphyreolopha, Musophaga 103
porphyreolophus, Tauraco 103
porphyrocephala, Glossopsitta 88
Porrón pardo 12
Port Lincoln Ringneck 94
Porte-lance de Jeanne 133
Porte-lance de Louise 134
Porte-traine lesbie 140
Porte-traine nouna 139
Powerful Owl 115
Prairie Falcon 52
pretrei, Amazona 77
pretrei, Phaethornis 144
Preuss's Weaver 165
preussi, Ploceus 165
prevostii, Anthracothorax 127
prigoginei, Phodius 105
princeps, Accipiter 20
princeps, Leucopternis 41
Princess Stephanie's Bird-of-paradise 167
Prioniturus 95
Probosciger 95
productus, Nestor 91
Proméfil 170
Prosepeia 96
prunellei, Coeligena 132
Psephotus 91,96
Pseudeos 96
Pseudochelidon 154
Pseudolangrayen d'Asie 154
Pseudoptrynx 110
Pseudoscops 120
Ptiatella 96
Psinacula 97-98
Psittacule à double-œil de Coxen 86
Psittacule à poirine orange 86
Psittacule d'Edwards 98
Psittacule de Desmarest 98
Psittacule de Salvadori 98
Psittacule double-œil 86
Psittoculirostris 98
Psittacus 98
Psitteteles 98
Psittinus 99
Psitrichas 99
Psitrichas de Pesquet 99
Peridophora 170
Perocnemia 1
Peroglossus 152
Peronetta 14
Ptéronette de Hartlaub 15
Pterophanes 146
Prilulaemus 150
ptilorhyncus, Pernis 44
ptilorhyncus, Pernis apivorus 44
Piloris 170
Pilaris de Victoria 170
Pilaris victorinae 170
Puerto Rican Amazon Parrot 78
Puerto Rican Emerald 131
Puerto Rican Parrot 78
Puerto Rican Screech-Owl 119
pulchella, Charmosyna 85
pulchella, Neophema 91
pulcher, Calothorax 129
pulcherrimus, Psephotus 96
pulchra, Macgregoria 168
pulchra, Pionopsitta 92
pulla, Grus canadensis 64
pullarius, Agapornis 74
pulicauda, Neopsittacus 91
Pulsatrix 120-121
Puna Flamingo 8
Puna Hawk 28
punctatus, Falco 53
punctulata, Ninox 115
Punta blanca 148
Purple-backed Sunbeam 124
Purple-backed Thorabill 146
Purple-bellied Lory 90
Purple-bellied Parrot 102
Purple-bibbed Whitetip 148
Purple-capped Lory 89
Purple-chested Hummingbird 126
Purple-collared Woodstar 142
Purple-crested Turaco 103
Purple-crowned Fairy 138
Purple-crowned Lorikeet 88
Purple-naped Lory 89
Purple-throated Carib 135
Purple-throated Mountaingem 139
Purple-throated Sunangel 137
Purple-throated Woodstar 145
purpurascens, Penelope 59
purpurata, Touit 101
Purpureicephalus 99
pusilla, Glossopsitta 88
pusillus, Loriculus 89
pusio, Micropsitta 90
Pygargue à queue blanche 36
Pygargue à tête blanche 36
Pygargue à tête grise 39
Pygargue à ventre blanc 36
Pygargue blagre 36
Pygargue commun 36
Pygargue de Madagascar 37
Pygargue de Pallas 36
Pygargue de Sanford 37
Pygargue de Steller 37
Pygargue empereur 37
Pygargue nain 39
Pygargue vocifère 37
pygargus, Circus 32
Pygmornis 144
Pygmy Falcon 57
Pygmy Lorikeet 85
pyra, Topaza 148
Pyréneste poncéau 160
Pyrenestes 160
pyrilia, Pionopsitta 92
pyropygia, Hylocharis 138
pyrrhops, Hapalopsittaca 88
pyrrhops, Hapalopsittaca amazonina 88
pyrrhopterus, Brotogeris 82
pyrrhopterus, Lycocorax 168
Pyrhura 99-100

- Pyrroglaux* 119
Pytilia 160
 Quaker Parakeet 90
 Quebrantahuesos 34
 Queen of Bavaria's Conure
 Queen Victoria's Riflebird 170
Quielea 165
querquedula, Anas 11
 Quetzal 149
 Quetzal centroamericano 149
 Quetzal magnifique 149
 Quetzal resplendissant 149
 Queue de vinaigre 156
 Rabihorcado ventriblanco 3
 Racket-tailed Coquette 133
radianum, Glaucidium 113
radianus, Accipiter 34
radiatus, Erythrorhynchis 34
radianus, Polyboroides 45
raggiana, Paradisaea 169
 Raggiana Bird-of-paradise
 Rainbow-bearded Thornbill 130
 Rainbow Lorikeet
 Rainbow Lory 102
 Rainbow Starfrontlet 132
 Rajah Scops-Owl 116
 Râle de Lord Howe 65
 Râle de Weka de l'Est 65
 Râle sylvestre 65
 Râle wéka 65
ramphastinus, Semnornis 151
Ramphastos 152
Ramphodon 146
Ramphomicron 146
ranivorus, Circus 33
rapax, Aquila 23
rara, Bostrychia 6
rara, Lagonosticta 157
rara, Lampiris 6
raricola, Vidua 166
 Rascón de Isla Lord Howe 65
 Rascón de Weka 65
 Ratonero calzado 27
 Ratonero común 26
 Ratonero cuellirrojo 26
 Ratoadero moro 28
 Rayito brillante 124
recurvirostris, Avocettula 128
 Red-and-blue Lory 86
 Red-and-green Macaw 79
 Red-backed Hawk 28
 Red-bellied Macaw 79
 Red-billed Wood-Dove 73
 Red Bird-of-paradise 169
 Red-capped Parrot 92
 Red-eared Conure 132
 Red-fronted Antecker 160
 Red Goshawk 34
 Red-headed Falcon 50
 Red-headed Merlin 50
 Red-headed Rockfowl 154
 Red Kite 43
 Red-legged Falconet 56
 Red-lored Amazon Parrot 76
 Red-lored Parrot 76
 Red Lory 86
 Red-masked Conure 80
 Red-masked Parakeet
 Red-necked Amazon 75
 Red-necked Amazon Parrot 75
 Red-necked Buzzard 26
 Red-necked Falcon 50
 Red-necked Parrot 75
 Red-rumped Parrot 96
 Red Shining-Parrot 96
 Red-shouldered Hawk 27
 Red-shouldered Macaw 79
 Red Siskin 155
 Red-spectacled Amazon 77
 Red-spectacled Amazon Parrot 77
 Red-spectacled Parrot 77
 Red-tailed Amazon 76
 Red-tailed Amazon Parrot 76
 Red-tailed Black-Cockatoo 83
 Red-tailed Buzzard 26
 Red-tailed Comet 146
 Red-tailed Hawk 28
 Red-tailed Parrot 76
 Red-thighed Falconet 56
 Red-thighed Sparrowhawk 17
 Red-throated Caracara 48
 Red-throated Lorikeet 84
 Red-vented Cockatoo 82
 Red-vented Malimbe 163
 Red-vented Parrot 93
 Red-winged Parrot 78
 Red-winged Pytilia 160
 Reddish Hermit 144
 Reddish Scops-Owl 119
regalis, Buteo 28
regalis, Heliangelus 136
 Regent Parrot 95
regius, Cicinnurus 167
regulorum, Balearica 63
regulorum, Balearica pavonina 63
 Relict Gull 70
relicta, Larus 70
religiosa, Gracula 167
 Resplendent Quetzal 149
respublica, Cicinnurus 168
respublica, Diphylloides 168
reticulata, Eos 87
rex, Balaeniceps 5
 Rey zamuro 15
rhami, Lamprolaima 139
Rheo 1
Rheinardia 62
rhinoceros, Buceros 151
 Rhinoceros Hornbill 151
Rhinoplax 151
Rhinopteryx 107
Rhizothera 62
rhodocephala, Pyrrhura 100
rhodocorytha, Amazona 77
rhodocorytha, Amazona dufresniana 77
rhodogaster, Accipiter 20
rhodogaster, Pyrrhura 100
Rhodonessa 15
Rhodopis 146
Rhynchositta 100
Rhynochetos 65
Rhyticeros 149-150
 Ribbon Finch 156
 Ribbon-tailed Astrapia 167
 Ribbon-tailed Bird-of-paradise 167
 Ribbon-Bird-of-paradise 167
richardsi, Dryocopus javensis 152
ricordii, Chlorostilbon 131
 Ridgway's Hawk 28
ridgwayi, Aegolius 107
ridgwayi, Buteo 28
ridgwayi, Colinus virginianus 60
ridgwayi, Thalurania 147
ridgwayi, Thalurania colombica 147
 Ring-necked Parakeet 97
riocourii, Chelictinia 29
riocourii, Elanus 29

- Rivoli's Hummingbird 135
 Roadside Hawk 27
robatorus, *Onus* 119
robustus, *Poicephalus* 94
 Rock Dove 70
 Rock Eagle-Owl 109
 Rock Parrot 91
 Rock Pepple 95
 Rock Pigeon 70
 Rockfowl 154
rodericanus, *Acrocephalus* 154
rodericanus, *Bebornis* 154
 Rodrigues Warbler 154
 Rodriguez Brush-Warbler 154
Rollulus 62
roratus, *Ectodus* 86
 Rose-crowned Conure 100
 Rose-faced Parrot 92
 Rose-grey Dove 72
 Rose-headed Parakeet 100
 Rose-ringed Parakeet 97
roseata, *Psittacula* 98
 Roseate Cockatoo 86
roseicapilla, *Cacatua* 86
roseicapillus, *Eolophus* 86
roseicollis, *Agapornis* 74
rosenbergi, *Anazilia* 126
rosenbergii, *Tyto* 106
roseogrisea, *Streptopelia* 72
roseus, *Phoenicopterus* 8
Rosrhamus 45
 Rosy-faced Lovebird 74
 Rothschild's Mynah 167
 Rothschild's Parakeet 97
rothschildi, *Astrapia* 167
rothschildi, *Leucopsar* 167
rothschildi, *Pyrenestes* 160
 Rough-legged Buzzard 27
 Rough-legged Hawk 27
rouloul, *Rollulus* 62
 Rouloul couronné 62
 Rouloul ocellé 60
 Roulroul 62
 Roulroul à couronne 62
 Roulroul à long bec 62
 Roulroul noire 61
 Rousserolle de Rodriguez 154
 Royal Sunangel 136
royana, *Ninox novaeseelandiae* 114
ruber, *Eudocimus* 6
ruber, *Phaethornis* 144
ruber, *Phoenicopterus* 8
rubicunda, *Grus* 65
rubiginosus, *Trichoglossus* 102
rubinoides, *Heliodoxa* 137
rubra, *Crax* 58
rubra, *Paradisea* 169
rubricata, *Lagonosticta* 157
rubricauda, *Chytolaema* 132
rubriceps, *Anaplectes* 161
rubriceps, *Malimbus* 161
rubricollis, *Malimbus* 163
rubrifrons, *Parmoptila* 160
rubrifrons, *Parmoptila woodhousei* 160
rubrigularis, *Charmosyna* 85
rubrirostris, *Araatinga* 80
rubritorquis, *Trichoglossus* 102
rubritorquis, *Trichoglossus haematocephalus* 102
rubrogenys, *Ara* 79
rubronotata, *Charmosyna* 85
Ruby, *Brazilian* 132
 Ruby-throated Hummingbird 128
 Ruby-topaz Hummingbird 132
ruckeri, *Threnetes* 148
ruckii, *Cyornis* 154
rudolfi, *Ninox* 115
rudolfi, *Ninox novaeseelandiae* 115
rudolphi, *Paradisea* 169
 Rueck's Blue-Flycatcher 154
 Rueck's Nitava 154
ruecki, *Muscicapa* 154
ruecki, *Nitava* 154
 Ruepell's Bustard
 Ruepell's Griffon 94
 Ruepell's Parrot 94
rueppellii, *Eupodotis* 67
rueppellii, *Gyps* 36
rueppellii, *Poicephalus* 94
rufa, *Ninox* 115
rufescens, *Onus* 119
 Rufescent Screech-Owl 117
ruficeps, *Chalcostigma* 130
ruficollis, *Branta* 12
ruficollis, *Micrastur* 56
ruficirris, *Urosticte* 148
ruficirris, *Urosticte benjamini* 148
ruficrista, *Eupodotis* 67
ruficrista, *Lophotis* 67
rufigularis, *Falco* 54
rufinus, *Buteo* 28
rufipectus, *Spilornis* 46
rufipennis, *Buteastur* 25
rufipes, *Strix* 123
rufitorques, *Accipiter* 20
rufiventris, *Accipiter* 20
rufiventris, *Poicephalus* 94
rufifuscus, *Buteo* 28
rufopicta, *Lagonosticta* 157
 Rufous-banded Owl 121
 Rufous-bellied Eagle 38
 Rufous-breasted Hermit 136
 Rufous-breasted Sabrewing 129
 Rufous-capped Thornbill 130
 Rufous-cheeked Hornbill 149
 Rufous-cheeked Hummingbird 136
 Rufous-chested Sparrowhawk 20
 Rufous Crab-Hawk 28
 Rufous-crested Coquette 140
 Rufous Fishing-Owl 121
 Rufous-fronted Parakeet 81
 Rufous Hornbill 151
 Rufous Hummingbird 146
 Rufous-legged Owl 123
 Rufous-necked Hornbill 149
 Rufous-necked Sparrowhawk 17
 Rufous Owl 115
 Rufous Sabrewing 130
 Rufous-shafted Woodstar 130
 Rufous-tailed Hawk 28
 Rufous-tailed Hummingbird 126
 Rufous-tailed Pheasant 61
 Rufous-thighed Hawk 17
 Rufous-thighed Kite 37
 Rufous-throated Sapphire 138
 Rufous-vented Whitetip 148
 Rufous-webbed Brilliant 137
 Rufous-winged Buzzard 25
 Rufous-winged Buzzard-Eagle 25
rufus, *Campylorhynchus* 130
rufus, *Selasphorus* 146
rupicola, *Pyrrhura* 100
rupicola, *Rupicola* 153
Rupicola 153
rupicoloides, *Falco* 54
rushiae, *Pholidornis* 160
 Ruspoli's Turaco 104

- ruspolii*, Tauraco 104
russatus, *Chlorostilbon* 131
 Russet Hawk-Owl 115
rusticulus, *Falco* 54
 Rusty-barred Owl 120, 122
 Rusty-faced Parrot 88
rufula, *Amazilia* 126
rufulus, *Onus* 119
 Sacred Ibis 7
 Saddle-billed Stork 5
 Saddlebill Stork 5
 Saffron-cowled Blackbird 155
 Saffron-headed Parrot 92
 Saffron Toucanet 152
Sagittarius 48
sagittatus, *Onus* 119
 Saint Helena Waxbill 156
 Saint Lucia Amazon Parrot 77
 Saint Lucia Parrot 77
 Saint Vincent Amazon 76
 Saint Vincent Amazon Parrot 76
 Saint Vincent Parrot 76
 Saker 50
 Saker Falcon 50
 Salmon-crested Cockatoo 83
 Salvadori's Fig-Parrot 98
salvadorii, *Psiaciulirostris* 98
salvini, *Chlorostilbon* 131
 Samar Hornbill 151
samarensis, *Penelopides* 151
samarensis, *Penelopides panini* 151
sanchezi, *Glaucidium* 112
sanctaecatarinae, *Onus* 119
santhomae, *Brotogeris* 82
 Sandhill Crane 64
sandvicensis, *Branta* 12
sandvicensis, *Nesochen* 12
 Sandy Scops-Owl 117
 Sanford's Sea-Eagle 37
sanfordi, *Haliaeetus* 37
 Sanghi Hanging-Parrot 89
sanguineo, *Cocatus* 83
 Santa Barbara Screech-Owl 116
 Santa Marta Conure 100
 Santa Marta Parakeet 100
 Santa Marta Sabrewing 130
 Santa Marta Woodstar 124
 Sao Tome Scops-Owl 117
 Saphir à gorge rousse 138
 Saphir à oreilles blanches 138
 Saphir à queue d'or 138
 Saphir azuré 138
 Saphir d'Elica 138
 Saphir de Xantus 138
 Saphir embrasé 138
 Saphir oenome 132
 Saphir ulyssse 138
 Sapphire-bellied Hummingbird 139
 Sapphire-rumped Parrotlet 101
 Sapphire-spangled Emerald 126
 Sapphire-throated Hummingbird 139
 Sapphire-vented Puffleg 134
sapphirina, *Hylocharis* 138
Sappho 146
 Sarcelle à oreillons 14
 Sarcelle brune 9
 Sarcelle d'été 11
 Sarcelle d'hiver 10
 Sarcelle de Bernier 9
 Sarcelle élégante 11
 Sarcelle malgache de Bernier 9
 Sarcelle terrestre des îles Auckland 9
 Sarcidorm à crête 15
Sarcogyps 45
 Sarcoramphus roi 15
Sarcoramphus 15
Sarkidiomis 15
 Sarus Crane 64
sasin, *Selasphorus* 146
 Satyr Tragopan 63
satyra, *Tragopan* 63
saucerrottei, *Amazilia* 126
 Savanna Hawk 29
 Savile's Bustard 67
savilei, *Eupodotis* 67
savilei, *Lophotis* 67
 Saw-billed Hermit 146
 Scale-throated Hermit 143
 Scaled Metaltail 141
 Scaly-breasted Hummingbird 143
 Scaly-breasted Lorikeet 102
 Scaly-fronted Weaver 165
 Scaly-headed Parrot 93
 Scaly-naped Amazon 77
 Scaly-naped Amazon Parrot 77
 Scaly-naped Parrot 77
scandiacica, *Nyctea* 116
scapularis, *Alisterus* 75
 Scarlet-breasted Lorikeet 102
 Scarlet Ibis 6
 Scarlet-shouldered Parrotet 101
 Scavenger Vulture 43
Sceloglaux 121
 Schalow's Turaco 104
schalowi, *Tauraco corythaix* 104
scheepmakeri, *Goura* 71
 Scheffler's Owlet 113
scheffleri, *Glaucidium* 113
scheffleri, *Glaucidium copense* 113
schistaceo, *Leucopternis* 41
 Schistes 128
schleiermacheri, *Polyplectron* 62
schleiermacheri, *Polyplectron malacense* 62
schreibersii, *Helioboxa* 137
schuettii, *Tauraco corythaix* 104
scintilla, *Selasphorus* 147
 Scintillant Hummingbird 147
 Scissor-tailed Hummingbird 138
 Scissor-tailed Kite 29
scitulus, *Trochilus* 148
 Slater's Monal 60
 Slater's Parrotlet 87
sclateri, *Forpus* 87
sclateri, *Lophophorus* 60
scops, *Onus* 119
Scotopelia 121
scriptus, *Elanus* 34
scutatus, *Augastes* 128
scutatus, *Molimbus* 163
scutulata, *Cairina* 13
scutulata, *Ninox* 115
 Secretaire des serpent 48
 Secretario 48
 Secretary-bird 48
sefilata, *Parotia* 170
Selasphorus 128, 146-147
Selenidera 152
Seleucidis 170
seloputo, *Strix* 123
 Semi-collared Hawk 17
 Semi-collared Sparrowhawk 17
semilarvata, *Eos* 87
Semioptera 170
semiplumbea, *Leucopternis* 41
 Semiplumbeous Hawk 41

- semitorquata*, *Streptopelia* 72
semitorquatus, *Micrastur* 56
semitorquatus, *Poliocerax* 57
Semornis 151
 Senegal Bustard
 Senegal Combassou
 Senegal Dove
 Senegal Parrot 94
senegala, *Lagonosticta* 157
senegalensis, *Euphippiarhynchus* 5
senegalensis, *Eupodotis* 68
senegalensis, *Otus* 119
senegalensis, *Streptopelia* 72
 Sénégal brun à ventre 159
 Sénégal nègre 159
 Sénégal nègre à front jaune 159
 Sénégal sanguin 160
 Sénégal vert 158
 Sénégal vert à joue 159
senegalus, *Pocephalus* 94
senilis, *Pionus* 93
seniloides, *Pionus* 93
sephanioides, *Sephanoides* 147
Sephanoides 147
sericea, *Loboparadisea* 168
Sericotes 135
 Serin à croupion blanc 155
 Serin à tête noire 155
 Serin culiblanco 155
 Serin du Mozambique 156
 Serin mofleudo 155
 Serin ouest-africain 155
Serinus 155
 Serpentaïre 48
 Serpentaïre bâche 45
 Serpentaïre de Madagascar 34
 Serpentaïre des Andaman 45
 Serpentaïre des Célèbes 46
 Serpentaïre des Kinabalu 46
 Serpentaïre des Nicobar 46
 Serpentaïre des Philippines 46
 Serpentaïre du Congo 33
 Serpentario 48
serpentarius, *Sagittarius* 48
serirostris, *Colibri* 133
 Seven-colored Parrotlet 101
severa, *Ara* 79
 Severa Macaw 79
severus, *Falco* 54
 Seychelles Kestrel 49
 Sharp-shinned Hawk 21
 Shelley's Eagle-Owl 110
shelleyi, *Bubo* 110
 Shikra 16
 Shining-green Hummingbird 139
 Shining Sunbeam 124
 Shoebill 5
 Short-crested Coquette 140
 Short-eared Owl 108
 Short-tailed Albatross 2
 Short-tailed Emerald 131
 Short-tailed Hawk 26
 Short-tailed Paradigalla 169
 Short-tailed Parrot 88
 Short-tailed Woodstar 142
 Short-toed Eagle
 Short-toed Snake-Eagle
 Siberian Crane 64
 Siberian White Crane 64
 Sichuan Wood-Owl 122
 Sierra Parakeet 81
 Sifilet d'Arfak 170
 Sifilet d'Hélène 170
 Sifilet de Carola 170
- Sifilet de Lawe 170
 Sifilet de Wahnes 170
siju, *Glaucidium* 113
 Siju 113
 Siju conunto 118
 Sijucito 113
 Silfo colilargo 125
 Silfo colivioleta 124
 Silky-crow 168
silvicola, *Otus* 120
 Simeulue Scops-Owl 120
simoni, *Selasphorus* 146
simplex, *Geoffroyus* 87
 Singing Parrot 87
sinuiflata, *Chalcopsitta* 84
sirintarae, *Pseudochelidon* 154
 Sisón 69
 Sisón azul 67
 Sisón de Hartlaub 67
 Sisón de Rüppell 67
 Sisón de Vigors 68
 Sisón indie 67
 Sisón moñirrojo 67
 Sisón negro 66
 Sisón senegalés 68
 Sisón somalí 67
 Sisón ventringro 67
Sitagra 164
 Sitagra de Pelzeln 165
 Sitagra chico común 164
 Six-plumed Parotia 170
 Sjostedt's Owllet 113
sjostedi, *Glaucidium* 113
 Slate-colored Hawk 41
 Slaty-backed Forest-Falcon 56
 Slaty-backed Goshawk 19
 Slaty-headed Parakeet 97
 Slaty-manded Sparrowhawk 19
 Slender-billed Black-Cockatoo 84
 Slender-billed Conure 86
 Slender-billed Curlew 69
 Slender-billed Kite 45
 Slender-billed Parakeet 86
 Slender-billed Weaver 165
 Slender Sheartail 133
 Slender-tailed Woodstar 142
 Small Sparrowhawk 19
 Smaller Banded Snake-Eagle 29
 Snail Kite 45
 Snowcap 142
 Snowy-breasted Hummingbird 126
 Snowy Owl 116
sociabilis, *Rorhamus* 45
 Sokoke Scops-Owl 117
 Solángel de gorguera 136
 Solángel gorjiamatista 136
 Solángel gorjipúrpura 137
 Soléngel turmalino 136
solitarius, *Buteo* 28
solitarius, *Harpynhaliaetus* 38
solitarius, *Phigys* 92
solitarius, *Tinamus* 1
 Solitary Eagle 38
 Solitary Tinamou 1
soloensis, *Accipiter* 20
 Solomon Fish-Eagle
 Solomon Hawk-Owl 114
 Solomon Sea-Eagle
solomonensis, *Nesasio* 114
solomonis, *Ninox* 116
solstitialis, *Aratinga* 81
 Sombre Hummingbird 128
 Somormujo de Atílán 2
 Sonnerat's Junglefowl 60

- sonneratii*, *Gallus* 60
 Sooty-backed Hawk-Owl
 Sooty Barbetthroat 148
 Sooty-capped Hermit 143
 Sooty Falcon 51
sordidus, *Cynanthus* 133
sordidus, *Pionus* 93
sororcula, *Tyto* 106
sororcula, *Tyto novaehollandiae* 106
 Souchet 10
 Soumagne's Owl
soumaginei, *Tyto* 107
 Southern Bald Ibis 7
 Southern Banded Snake-Eagle 30
 Southern Black-throated Finch 160
 Southern Boobook 114
 Southern Crowned-Pigeon
 Spangled Coquette 141
 Spanish Imperial Eagle 22
sparganura, *Sappho* 146
 Sparkling-tailed Barbetthroat 148
 Sparkling-tailed Hummingbird 148
 Sparkling Violet-ear 133
 Sparrowhawk 17
spurius, *Falco* 54
Spatula 10
 Spatule blanche 7
 Speckle-fronted Weaver 165
 Speckled Hawk-Owl 115
 Speckled Hummingbird 124
 Speckled Pigeon 70
 Speckled Rock Pigeon 70
spectabilis, *Dryoriorchis* 33
spencei, *Heliangelus* 136
Speoptyo 121
Spermestes 158
 Spermète à bec bleu 158
 Spermète nonnette 158
 Spermète pie 158
Spermophaga 160
Spheniscus 1
sphenurus, *Haliastur* 37
spilocephalus, *Otus* 120
spilogaster, *Hieraetus* 39
spilogaster, *Hieraetus fasciatus* 39
spilonotus, *Circus* 33
spilonotus, *Circus aeruginosus* 33
Spilornis 45
Spinus 155
 Spix's Macaw 85
spixii, *Cyanopsitta* 85
Spizaetus 41,44,46-47
Spizastur 47
Spizapteryx 58
splendens, *Prosepeia* 96
splendens, *Prosopeia tabuensis* 96
splendida, *Neophema* 91
splendidissima, *Astropia* 167
Sporaeginthus 156
 Sporopipe quadrillé 165
Sporopipes 165
 Spot-backed Weaver 164
 Spotted Eagle 22
 Spotted Harrier 31
 Spotted Kestrel 52
 Spotted Little Owl 109
 Spotted Owl 122
 Spotted Owlet 109
 Spotted Wood-Owl 123
 Spur-winged Goose 14
spurius, *Purpureicephalus* 99
squalidus, *Phaethornis* 144
squamata, *Eos* 87
squamipila, *Ninox* 115
squamosus, *Heliamster* 138
 Square-tailed Kite 41
 Standard-wing Bird-of-paradise 170
 Stanley Bustard 68
 Stanley Crane 65
 Stanley Parakeet 93
stanleyi, *Chalcostigma* 130
 Steely-vented Hummingbird 126
 Steller's Albatross 2
 Steller's Sea-Eagle 37
Stellula 147
stenura, *Chlorostilbon* 131
stephaniae, *Astrapia* 167
 Stephanie's Astrapie 167
Stephanoaetus 47
Stephanoxix 147
 Stephen's Lorikeet 102
stepheni, *Vini* 102
 Steppe Eagle 23
Sternoclyta 147
stictolophus, *Lophornis* 141
stictoptera, *Touit* 101
stigmatus, *Loriculus* 89
 Straight-billed Hermit 143
 Streaked Lorikeet 84
 Streamertail 148
strenua, *Aratinga* 81
strenua, *Ninox* 115
Streptopelia 72-73
 Striated Caracara 57
 Striated Lorikeet 84
 Striated Scops-Owl 117
striatus, *Accipiter* 21
Strigops 100
strigularis, *Pygmoreis* 144
 Stripe-breasted Starthroat 138
 Stripe-tailed Hummingbird 135
 Striped Owl 107
Strix 121-123
strophianus, *Heliangelus* 136
Struthio 1
stuarti, *Phaethornis* 144
 Stygian Owl 108
stygius, *Asio* 108
subbuteo, *Falco* 54
subcristata, *Aviceda* 25
subflava, *Amandava* 156
subflava, *Estrilda* 156
subflavus, *Sporaeginthus* 156
subniger, *Falco* 55
subochraceus, *Phaethornis* 144
subruficollis, *Aceros* 150
subruficollis, *Aceros plicatus* 150
subruficollis, *Rhyticeros* 150
subtilis, *Buteogallus* 29
 Suiriri 14
 Suiriri Leona 13
Sula 2
 Sula Barn-Owl 106
 Sulawesi Goshawk 18
 Sulawesi Hanging-Parrot 89
 Sulawesi Hawk-Eagle 46
 Sulawesi Hornbill 151
 Sulawesi Owl 106
 Sulawesi Scops-Owl 118
 Sulawesi Serpent-Eagle 46
sulfuratus, *Ramphastos* 152
 Sulphur-crested Cockatoo 82
 Sulphur-winged Parakeet 99
sulphurea, *Cacatua* 83
 Sulu Hornbill 150
sumatranus, *Bubo* 110

- sumatrana*, *Tanygnathus* 101
Sumba Boobook 115
Sumba Hornbill 149
Sun Conure 81
Sun Parakeet 81
sunia, *Otus* 119
Superb Bird-of-paradise 168
Superb Parrot 95
superbo, *Lopharina* 168
superciliaris, *Ninox* 115
superciliosus, *Accipiter* 21
superciliosus, *Pachyphantes* 163
superciliosus, *Phaethornis* 144
superciliosus, *Plocepasser* 163
superciliosus, *Ploceus* 163
sorda, *Touit* 101
Surnia 123
Swainson's Hawk 28
swainsoni, *Buteo* 28
swainsonii, *Chlorostilbon* 131
swainsonii, *Gampsonyx* 34
swainsonii, *Polytelis* 95
Swallow-tailed Hummingbird 135
Swallow-tailed Kite 33
Swamp Harrier 31
Swift Parrot 88
swindernianus, *Agapornis* 75
Swinhoe's Pheasant 61
swinhöi, *Lophura* 61
Sword-billed Hummingbird 134
sybillae, *Lamponnis* 139
sybillae, *Lamponnis viridipallens* 139
Sylphe à queue d'azur 125
Sylphe à queue violette 124
sylvestris, *Gallirallus* 65
sylvestris, *Tricholimnas* 65
Syphotides 67
Syrmaticus 62
syrmatophorus, *Phaethornis* 145
tabuensis, *Prosopeio* 96
tachardus, *Buteo* 27
Tachira Emerald 126
tachiro, *Accipiter* 21
taczanowskii, *Leucippus* 140
Tahitian Lorikeet 102
Taliabu Masked-Owl 106
Taliabu Owl 106
Tambourine Dove 74
Tanimbar Cockatoo 82
Tanimbar Corella 82
Tanimbar Owl 106
Tantale blanc 6
Tanygnathus 101
Taphrolesbia 147
Taphrospilus 147
taranta, *Agapornis* 75
tarda, *Otis* 68
Tarictic Hornbill 151
Tasmanian Masked-Owl 106
Tasmanian Rosella 93
Tauraco 103-104
Tawny-bellied Hermit 145
Tawny-bellied Screech-Owl 120
Tawny-browed Owl 120
Tawny Eagle 23
Tawny Fish-Owl 113
Tawny Owl 121
Tawny Wood-Owl 121
Tchitrea 154
Tchitrec des Mascareignes 154
Tecolote-abetoro 107
Tecolote-abetoro norteño 107
Tecolote barbuda 116
Tecolote bigonudo 120
Tecolote flameado 117
Tecolote occidental 117
Tecolote oriental 116
Tecolote vermiculado 116
Tecolotito común 111
Tecolotito del cabo 111
Tecolotito enano 114
Tecolotito serrano 112
teeso, *Butastur* 25
Teita Falcon 51
Tejedor bruñido de Wilson 167
Tejedor bruñido verdoso 166
Tejedor cabecinegro 164
Tejedor cogullado 164
Tejedor cuellinegro 165
Tejedor de Heuglin 164
Tejedor naranja 164
Tejedor negro albinuca 164
Tejedor negro de Vieillot 164
Tejedor pardal capirogado 163
Tejedor picogordo 161
Tejedor rollizo 163
Tejedor tricolor 165
Tejedor velado 165
Tejedorcito punteado 165
tenebrisosa, *Tyto* 107
tener, *Loriculus* 89
tener, *Loriculus stigmatus* 89
Tengmalm's Owl 107
tenuirostris, *Cacicus* 83
tenuirostris, *Numenius* 69
tephronotum, *Glaucidium* 113
Tepui Goldenthroat 145
Tepui Parakeet 90
Terathopius 47
Terpsiphone 154
terrissi, *Rhynchositta* 100
terrissi, *Rhynchositta pachyrhyncha* Tétraogalle Tétraogalle du Tibet 62
Tetraogallus 62
Tétrax cupidion d'Attwater 63
tetrax, *Otis* 69
tetrax, *Tetraz* 69
Tetraz 69
Texu 164
thalassinus, *Colibri* 133
Thalurania 147-148
Thaumastura 148
theomacha, *Ninox* 115
theresiae, *Metallura* 141
theresiae, *Polytmus* 145
Thick-billed Parrot 100
Threnetes 136,148
Threskiornis 7
Tibet Owlet 109
Tibetan Eared-Pheasant 60
Tibetan Snowcock 62
tibetanus, *Tetraogallus* 62
tibialis, *Lorius* 89
tickelli, *Anorrhinus* 150
tickelli, *Ptilolaemus* 150
Tijereta centroamericana 133
Tijereta nortea 129
Tijereta Oaxaqueña 129
Tijereta Yucateca 133
Tilingo cuellinegro 152
Tilingo limón 152
Tilmatura 148
Timor Red-winged Parrot 78
Tinamou solitaire 1
Tinamu grande 1
Tinomus 1

- tinnunculus*, *Falco* 55
 Tiny Hawk 21
 Tiny Sparrowhawk 21
tricula, *Brotogeris* 82
 Tisserin à ailes rouges 161
 Tisserin à cou noir 165
 Tisserin à lunettes 165
 Tisserin à tête noire 164
 Tisserin à tête rousse 165
 Tisserin de Maxwell 164
 Tisserin de Pelzeln 165
 Tisserin de Preuss 165
 Tisserin écarlate 161
 Tisserin gendarme 164
 Tisserin gros-bec 163
 Tisserin masqué 164
 Tisserin mimule 164
 Tisserin nain 165
 Tisserin noir 164
 Tisserin noir de Maxwell 164
 Tisserin noir de Vieillot 164
 Tisserin orangé 164
 Tisserin tricolore 165
 Tisserin vitellin 165
 Tit-bilia 160
 Tiue cordillerano austral 57
tobaci, *Amazilia* 126
toco, *Ramphastos* 152
 Toco Toucan 152
 Tococo 8
 Togo Paradise-Whydah 166
togoensis, *Vidua* 166
 Tooth-billed Hummingbird 127
 Topacio candela colicanelo 148
 Topacio candela colimorado 148
 Topacio carmesi 148
 Topacio fuego 148
Topaza 148
 Tordo amarillo 155
Torgos 45,48
 Torquéole à poitrine châtaigne 59
torquata, *Coeligena* 132
torquatus, *Pedionomus* 63
 Torquéole de Sumatra 59
 Torquéole des bois 59
torridus, *Selasphorus* 146
 Tórtola común 72
 Tórtola engañosa 72
 Tórtola rizum 72
 Tórtola rosigris 72
 Tórtola senegalesa 72
 Tórtola tamborilera 74
 Tórtola vinosa 73
 Toucan à carène 152
 Toucan à ventre rouge 152
 Toucan ariel 152
 Toucan Barbet 151
 Toue à front d'or 82
 Toui à ailes jaunes 81
 Toui à ailes variées 82
 Toui à bandeau jaune 81
 Toui à dos noir 101
 Toui à front bleu 101
 Toui à front roux 81
 Toui à lunettes 87
 Toui à menton d'or 82
 Toui à queue d'or 101
 Toui à queue pourprée 101
 Toui à sept couleurs 101
 Toui à tête jaune 87
 Toui aymara 81
 Toui catherine 81
 Toui céleste 87
 Toui d'Orbigny 81
 Toui de D'Achille 90
 Toui de Deville 82
 Toui de Huer 101
 Toui de Slater 87
 Toui de Spix 87
 Toui des tépuis 90
 Toui du Costa Rica 101
 Toui du Mexique 87
 Toui été 87
 Toui flamboyant 82
 Toui para 82
 Toui tacheté 101
 Toui tirica 82
Touit 101
 Touraco à bec noir 104
 Touraco à gros bec 104
 Touraco à buppe blanche 104
 Touraco à buppe pourpré 103
 Touraco à buppe splendide 103
 Touraco à joues blanches 104
 Touraco de Bannerman 103
 Touraco de Fischer 104
 Touraco de Hartlaub 104
 Touraco de Livingstone 104
 Touraco de Ruspoli 104
 Touraco de Schalow 104
 Touraco doré 103
 Touraco géant 103
 Touraco gris 103
 Touraco louri 103
 Touraco pauline 103
 Touraco vert 104
 Touraco vert d'Afrique del Sud 103
 Touraco violet 103
 Tourmaline Sunangel 136
 Tourtelette améthystine 73
 Tourtelette d'Abyssinie 73
 Tourtelette demoiselle 73
 Tourtelette masquée 71
 Tourtelette tambourette 74
 Tourterelle à collier 72
 Tourterelle à tête bleue 73
 Tourterelle des bois 72
 Tourterelle du Cap 71
 Tourterelle maillée 72
 Tourterelle pleureuse 72
 Tourterelle rieuse 72
 Tourterelle tambourette 74
 Tourterelle vineuse 73
toussenelii, *Accipiter* 21
toussenelii, *Accipiter tochiro* 21
toxopei, *Charmosyna* 85
tracheliotus, *Aegypius* 48
tracheliotus, *Torgos* 48
Tragopan 62-63
 Tragopan arlequin 62
 Tragopan de Blyth 62
 Tragopan de cabeza negra 62
 Tragopan de Cabot 62
 Tragopan de Cabot 62
 Tragopan de Hastings 62
 Tragopan occidental 62
 Tragopan oriental 62
 Tragopan sátiro 63
 Tragopan satyra 63
 Traro 58
 Travailleur à tête rouge 165
 Taylor's Forest-Falcon 144
 Tree-Duck 13
Treron 73
 Triangular-spotted Pigeon
Trichoglossus 98,102
Tricholimnas 65

- trichopsis*, *Otus* 120
Triclaria 102
tricolor, *Ploceus* 165
Trigonocephs 48
Tringa 69
trinotatus, *Accipiter* 21
trivirgatus, *Accipiter* 21
Trochilus 148
troglodytes, *Estrilda* 157
Tropicoperdix 59
 Tucán amarillo 152
 Tucán grande 152
 Tucán pico-multicolor 152
 Tucán roja y amarillo 152
 Tucán-Tilingo verde 152
 Tucancito picomaculado 152
tucanus, *Ramphastos* 152
 Tucuman Amazon Parrot 77
 Tucuman Parrot 77
tucumana, *Amazona* 77
 Tucusito amatista 129
 Tucusito cabeza azul 139
 Tucusito garganta rosa 130
 Tucusito moradito 147
 Tucusito pico curvo 139
 Tucusito rubí 132
 Tucuso de Barba 148
 Tumbes Hummingbird 140
tumultuosus, *Pionus* 93
 Tunqui 153
 Turaco azul 103
 Turaco capucha-blanca 104
 Turaco capucha-franjeada 104
 Turaco capucha-verde de Guinea 104
 Turaco crestivioleta 103
 Turaco de Bannerman 103
 Turaco de Crin occidentale 103
 Turaco gigante 103
 Turaco sudafricano 103
Turnix 63
 Turnix à poitrine noire 63
 Turnix melanogaster 63
 Turquoise-fronted Parrot 101
 Turquoise Grass-Parakeet 91
 Turquoise Parrot 91
 Turquoise-throated Puffleg 134
turtur, *Streptopelia* 72
Turtur 73-74
 Twelve-wired Bird-of-paradise 170
 Twenty-eight Parakeet 94
typanistria, *Turtur* 74
Tympانuchus 63
typus, *Palbyorooides* 45
tyrannus, *Spizaetus* 47
 Tyrant Hawk-Eagle 47
 Tyrian Metaltail 142
tyrianthina, *Metallura* 142
Tyto 105-107
 Uelle 166
ultramarina, *Vidua* 166
ultramarina, *Vini* 103
 Ultramarine Lorikeet 103
 Ultramarine Lory 103
ulula, *Surnia* 123
umbra, *Otus* 120
 Umbrella Cockatoo 82
uncinatus, *Chondrohierax* 29
underwoodii, *Ocreatus* 142
undulata, *Chlamydotis* 66
undulata, *Ninox novaeseelandiae* 114
undulatus, *Aceros* 150
undulatus, *Rhyticeros* 150
unicincta, *Columba* 71
unicinctus, *Parabuteo* 44
unicolor, *Cyanoramphus* 86
 Upland Buzzard 27
Uraeginthus 161
 Ural Owl 123
uralensis, *Strix* 123
Urachroa 148
urochrysia, *Chalybura* 130
Uroglaux 123
Urosticte 148
Urotriorchis 48
urubitinga, *Buteogallus* 29
 Usambara Eagle-Owl 111
usheri, *Scatopelia* 121
usta, *Otus* 120
 Vantour fauve 35
varia, *Strix* 123
 Variable Goshawk 25
 Variable Hawk 28
 Variable Mountaingem 139
 Variable Screech-Owl 116
 Varied Lorikeet 98
variegata, *Ninox* 116
varius, *Psephotus* 96
vasa, *Coracopsis* 85
 Vasa Parrot 85
 Vautour à tête blanche 48
 Vautour africain 35
 Vautour charognard 43
 Vautour chassefiente 35
 Vautour chaugoun 35
 Vautour de l'Himalaya 35
 Vautour de Rüppell 36
 Vautour huppé 48
 Vautour indien 36
 Vautour moine 21
 Vautour oricou 48
 Vautour pernoptère 43
 Vautour royal 45
 Velvet-browed Brilliant 137
 Velvet-purple Coronet 128
ventralis, *Accipiter* 21
ventralis, *Accipiter striatus* 21
ventralis, *Amazona* 77
ventralis, *Buteo* 28
 Ventre orange 156
venustus, *Platycercus* 93
veraguensis, *Amazilia* 127
 Vermiculated Fishing-Owl 121
 Vermiculated Screech-Owl 120
vermiculatus, *Otus* 120
vermiculatus, *Otus guatemalae* 120
 Vernal Hanging-Parrot 89
vernalis, *Loriculus* 89
 Verreaux's Eagle 24
 Verreaux's Eagle-Owl
 Verreaux's Turaco 104
verreauxii, *Aquila* 24
versicolor, *Amazilia* 126
versicolor, *Amazona* 77
versicolor, *Psittacula* 98
versicolor, *Trichoglossus* 98
 Versicolored Emerald 126
versicolorus, *Brotogeris* 82
verticalis, *Prioniturus* 95
verticalis, *Prioniturus discurus* 95
 Vervain Hummingbird 141
vesper, *Rhodopis* 146
vespertinus, *Falco* 55
vestitus, *Eriocnemis* 134
verula, *Oritalis* 59
 Veuve à collier d'or 166
 Veuve à dos d'or 162

- Veuve dominicaine 166
 Veuve du Tongo 166
 Veuve nigérienne 166
 Veuve-noire 162
victoria, *Goura* 71
 Victoria Crowned-Pigeon 71
 Victoria's Riflebird 170
victoriae, *Lesbia* 140
victoriae, *Ptiloris* 170
Vidua 166-167
viduata, *Dendrocygna* 14
 Vieillot's Black Weaver 164
 Vieillot's Fireback 61
vigil, *Buceros* 151
vigil, *Rhinoplax* 151
 Vigors's Bustard 68
vigorsii, *Eupodotis* 68
 Village Indigobird 166
 Village Weaver 164
villaviscensio, *Campylopterus* 130
vinacea, *Amazona* 77
vinaceo, *Lagonosticta* 158
vinaceo, *Lagonosticta larvata* 158
vinacea, *Streptopelia* 73
 Vinaceous Amazon 77
 Vinaceous Amazon Parrot 77
 Vinaceous Dove 73
 Vinaceous Parrot 77
 Vinago Waalia 73
Vini 102-103
 Vinous-breasted Sparrowhawk 20
viola, *Helianzelus* 137
violacea, *Musophaga* 103
 Violet-bellied Hummingbird 133
 Violet-capped Hummingbird 136
 Violet-capped Woodnymph 147
 Violet-chested Hummingbird 147
 Violet-crested Turaco 103
 Violet-crowned Hummingbird 127
 Violet-fronted Brilliant 137
 Violet-headed Hummingbird 139
 Violet-necked Lory 87
 Violet Plantain-eater 103
 Violet Sabrewing 129
 Violet-tailed Sylph 124
 Violet-throated Metaltail 141
 Violet-throated Starfrontlet 132
 Violet Turaco 103
violiceps, *Amazilia* 127
violiceps, *Goldmania* 136
violifer, *Coeligena* 132
vipio, *Grus* 65
virgata, *Ciccaba* 123
virgata, *Strix* 123
virgatus, *Accipiter* 21
virginianus, *Bubo* 111
virgo, *Anthropoides* 65
virgo, *Grus* 65
 Viridian Metaltail 142
viridicata, *Pyrrhura* 100
viridicouda, *Amazilia* 127
viridifrons, *Amazilia* 127
viridigaster, *Amazilia* 127
viridigenalis, *Amazona* 78
viridigula, *Anthracothorax* 127
viridipennis, *Lamponnis* 139
viridis, *Anthracothorax* 128
viridis, *Pteroglossus* 152
 Vitelline Masked-Weaver 165
vitellinus, *Ploceus* 165
vitellinus, *Ploceus velatus* 165
vitellinus, *Ramphastos* 152
vitata, *Amazona* 78
 Viuda colicinta 166
 Viuda del Paraíso oriental 166
vocifer, *Haliaeetus* 37
vociferoides, *Haliaeetus* 37
 Volcano Hummingbird 146
vosseleri, *Bubo* 111
vosseleri, *Bubo poensis* 111
Vultur 15
vulturina, *Gypopsitta* 88
 Vulturine Fish-Eagle 35
 Vulturine Parrot 88, 99
waalia, *Trogon* 73
wagleri, *Aratinga* 81
wagneri, *Amazilia* 127
 Wahlberg's Eagle 24
wahlbergi, *Aquila* 24
 Wahnes's Parotia 170
wahnesi, *Parotia* 170
waldeni, *Aceros* 150
waldeni, *Aceros leucocephalus* 150
waldeni, *Rhyticeros leucocephalus* 150
 Waldrap 7
 Wallace's Hanging-Parrot 89
 Wallace's Hawk-Eagle 46
 Wallace's Scops-Owl 120
 Wallace's Standardwing 170
wallacii, *Semioptera* 170
wallachii, *Catreus* 60
wallicus, *Pezoporus* 92
waterstradtii, *Prioniturus* 95
waterstradtii, *Prioniturus montanus* 95
watsonii, *Thalurania* 148
watsonii, *Otus* 120
 Wardle-billed Bird-of-paradise 169
 Wattled Crane 64
 Warded Curassow 58
weddelli, *Aratinga* 81
 Wedge-billed Hummingbird 128
 Wedge-tailed Eagle 22
 Wedge-tailed Hillstar 142
 Wedge-tailed Sabrewing 129
 West African Seedeater 155
 West Indian Tree-Duck 13
 West Indian Whistling-Duck 13
 West Peruvian Screech-Owl 119
 Western Bluebill 160
 Western Bristlebird 154
 Western Bronze-naped Pigeon 70
 Western Corella 83
 Western Crowned-Pigeon 71
 Western Grey Plantain-eater 103
 Western Horned-Pheasant
 Western Marsh-Harrier 30
 Western Parotia 170
 Western Rosella 93
 Western Rufous Bristlebird 154
 Western Screech-Owl 117
 Western Tragopan 62
 Western Turtle-Dove 72
 Whale-headed Stork 5
 Whiskered Lorikeet 92
 Whiskered Pitta 153
 Whiskered Screech-Owl 120
 Whistling Kite 37
 White-backed Vulture 35
 White-bearded Hermit 143
 White-bellied Bustard 68
 White-bellied Caique 92
 White-bellied Emerald 125
 White-bellied Fish-Eagle 36
 White-bellied Goshawk 18
 White-bellied Hummingbird 125
 White-bellied Korhaan 68
 White-bellied Mountain-gem 139

- White-bellied Parrot 92
 White-bellied Sea-Eagle 36
 White-bellied Woodstar 124
 White-billed Buffalo Weaver 161
 White-billed Sicklebill 168
 White-breasted Guineafowl 59
 White-breasted Hawk 17
 White-breasted Negrofinch 159
 White-breasted White-eye 154
 White-browed Hawk 40
 White-browed Hermit 144
 White-browed Owl 115
 White-capped Parrot 93
 White-cheeked Turaco 104
 White-chested Emerald 125
 White-chested White-eye 154
 White-chinned Owl 120
 White-chinned Sapphire 138
 White Cockatoo 82
 White-collared Kite 40
 White-crested Coquette 140
 White-crested Turaco 104
 White-crowned Hornbill 149
 White-crowned Parrot 93
 White-eared Conure 99
 White-eared Hummingbird 138
 White-eared Parakeet 99
 White Eared-Pheasant 60
 White-eyed Buzzard 25
 White-eyed Kestrel 54
 White-eyed Pochard 111
 White-faced Owl 121
 White-fronted Amazon Parrot 75
 White-fronted Grosbeak 161
 White-fronted Parrot 75
 White Goshawk 25
 White Hawk 40
 White-headed Eagle 36
 White-naped Crane 65
 White-naped Lory 89
 White-naped Weaver 164
 White-necked Conure 99
 White-necked Hawk 40
 White-necked Jacobin 135
 White-necked Parakeet 99
 White-necked Rockfowl 154
 White-rumped Kestrel 51
 White Spoonbill 7
whitneyi, *Micrathene* 114
 Whooping Crane 63
 Wilhelmina's Lorikeet 85
wilhelminae, *Charmosyna* 85
williami, *Metallura* 142
 Wilson's Bird-of-paradise 168
 Wilson's Indigobird 167
wilsoni, *Coeligena* 132
wilsoni, *Hypotheara* 167
wilsoni, *Vidua* 167
wilsonii, *Chondrohierax* 29
wilsonii, *Chondrohierax uncinatus* 29
 Wine-throated Hummingbird 128
 Winking Owl 114
 Wire-crested Thorntail 146
 Wood-Owl
woodfordii, *Ciccaba* 123
woodfordii, *Strix* 123
 Wreathed Hornbill 150
 Wrinkled Hornbill 149
 Writched-billed Hornbill 150
 Writched Hornbill 149
xanthogonyx, *Heliodoxa* 137
xantholora, *Amazona* 78
xanthsops, *Amazona* 78
xanthsops, *Forpus* 87
Xanthopsar 155
xanthopterygius, *Forpus* 87
 Xannus's Hummingbird 138
xantusii, *Basilinna* 138
xantusii, *Hylocharis* 138
Xenoglaux 124
Xipholena 153
 Yaco 98
 Yacutingá freninegra 59
 Yagouaso cariblanco 14
 Yaguoso colorado 13
 Yaguaza 13
yarrellii, *Carduelis* 155
yarrellii, *Eulidia* 135
yarrellii, *Spinus* 155
yaruqui, *Phaethornis* 145
 Yellow-and-green Lorikeet 102
 Yellow-backed Whydah 162
 Yellow-bellied Green-Pigeon 73
 Yellow-bibbed Lory 89
 Yellow-billed Amazon 76
 Yellow-billed Amazon Parrot 76
 Yellow-billed Cardinal 155
 Yellow-billed Kite 42
 Yellow-billed Lorikeet 91
 Yellow-billed Parrot 76
 Yellow-billed Turaco 104
 Yellow-breasted Bird-of-paradise 169
 Yellow-breasted Racquet-tail 95
 Yellow-capped Pygmy-Parrot 90
 Yellow-capped Weaver 165
 Yellow Cardinal 155
 Yellow-chevroned Parakeet 81
 Yellow-collared Lovebird 74
 Yellow-collared Macaw 78
 Yellow-crested Cockatoo 83
 Yellow-crowned Amazon 77
 Yellow-crowned Parakeet 94
 Yellow-crowned Parrot 116
 Yellow-eared Conure 92
 Yellow-eared Parrot 92
 Yellow-faced Amazon 78
 Yellow-faced Amazon Parrot 78
 Yellow-faced Parrot 78
 Yellow-faced Parrotlet 87
 Yellow-faced Siskin 155
 Yellow-fronted Canary 156
 Yellow-fronted Parakeet 85
 Yellow-fronted Parrot 94
 Yellow-headed Amazon 77
 Yellow-headed Amazon Parrot 77
 Yellow-headed Caracara 57
 Yellow-headed Parakeet 80
 Yellow-headed Parrot 77
 Yellow-headed Rockfowl 154
 Yellow-knobbed Curassow 58
 Yellow-lored Amazon 78
 Yellow-lored Amazon Parrot 78
 Yellow-lored Parrot 78
 Yellow-lored Parrot 78
 Yellow-mantled Weaver 165
 Yellow-mantled Widowbird
 Yellow-naped Amazon 75
 Yellow-naped Amazon Parrot 75
 Yellow-naped Parrot 75
 Yellow-naped Parrot 75
 Yellow Rosella 93
 Yellow-shouldered Amazon 76
 Yellow-shouldered Amazon Parrot 76
 Yellow-shouldered Parrot 76
 Yellow-streaked Lory 84
 Yellow-tailed Black-Cockatoo 83
 Yellow-throated Caracara 48
 Yellow-throated Hanging-Parrot 89

- Youyou 94
yucatanensis, *Amazilia* 127
Yungas Pygmy-Owl 111
Zafiro barbiazul 130
Zafiro cabeciazul 138
Zafiro cabecimorado 138
Zafiro colidorado 132
Zafiro gargantirrojo 138
Zafiro gorjiazul 138
Zamarito pechiblanco 134
Zamarrito canoso 136
Zamarrito colilargo 134
Zamarrito gorjiurquesa 134
Zamarrito luciente 134
Zamarrito muslinegro 134
Zamarrito pechidorado 134
Zamarrito pechinegro 134
Zamarrito verdosa 136
Zambullidor de Atilán 2
zancudo, *Gavilán* 34
Zarapito boreal 69
Zarapito fino 69
Zarapito polar 69
Zebra Waxbill 156
- zeylonensis*, *Bubo* 113
zeylonensis, *Ketupa* 113
zonarius, *Barnardius* 94
zonarius, *Platycercus* 94
Zone-tailed Hawk 25
zoniventris, *Falco* 55
Zopilote rey 15
Zosterops 154
Zostérops à poitrine blanche 154
Zumbador centroamericano 128
Zumbador coliancho 146
Zumbador de Allen 146
Zumbador grande 127
Zumbador Mexicano 128
Zumbadorcito 141
zusii, *Heliangelus* 137



False-colour image of Europe obtained by the Meteosat weather satellite.
European Space Agency/Science Photo Library